



CRETESTONE

STONEMIX READY PLAST

[Ready Mix Modified Mortar/Plaster]

Description

STONEMIX READY PLAST is a grey, premixed ready to use cement base mortar for internal & external application, which ensures quality consistency. STONEMIX READY PLAST is a mixture of graded inert filler, additives and binder. It has strong adhesion with proper flexibility and is able to compensate the temperature difference stress between substrate and the outer coatings.

Features

- Very low rebound loss
- Can be used in exterior and interior application.
- Easy mixing and application
- Excellent bond strength
- Excellent weather resistance.

Technical Data

Appearance	:	Grey color powder
Working Time	:	45-60 Minutes
Mixed Density	:	2 – 2.1 gm / cm ³
Mixing Ratio	:	1: 6 [Water : Powder]
Application Thickness	:	5 – 15 mm
Application Temperature	:	Not less than 5°C

Directions For Use

The surface should be clean & free from oil, grease, dust etc. The surface should be moistened with clean water before plastering. The mix should be applied by a mason or one may use spray-machine for plastering. It is also advisable to tuck the surface properly. For mixing we recommend mechanical mixer - Stirrer. Add almost 3 – 4 litres of water in a single 20 Kg bag mix. Mix the content along with water for 4 to 5 minutes. After mixing leave the mix for 2 to 3 minutes to dissolve the additives used. For better result and consistency use of water should be observed.

Packing

STONEMIX READY PLAST is available in 20 & 50 Kg bags.

Coverage

A 20 Kg pack of STONEMIX READY PLAST will cover appx. 7-9 sqft in 10-12mm thickness

CRETESTONE PRIVATE LIMITED



www.thecrestone.com



info@thecrestone.com



+91 8655093814/15

213, HariOm Plaza, Beside Omkareshwar Temple Opp. National Park Borivali East, Mumbai, Maharashtra 400066



CRETESTONE

Storage

Store under cover, out of direct sunlight and protect from extremes of temperature. Failure to comply with the recommended storage conditions may result in premature deterioration of the product or packaging.

Disclaimer

Whilst any information contained herein is true, accurate and represents our best knowledge and experience, no warranty is given or implied with any recommendations made by us, our representatives or distributors, as the conditions of use and the competence of any labour involved in the application are beyond our control.

CRETESTONE PRIVATE LIMITED



www.thecrestone.com



info@thecrestone.com



+91 8655093814/15

213, HariOm Plaza, Beside Omkareshwar Temple Opp. National Park Borivali East, Mumbai, Maharashtra 400066