

# Reactive Dyes

We define  
the quality...



**Maruti Dyestuff**



## ABOUT US



We " **Maruti Dyestuff** " are among the leading manufacturer and exporter of wide range of Reactive Dyes. **Maruti Dyestuff** was established in 2006 in the Heart of Dye Manufacturing Zone, Naroda, Ahmedabad which is having excellent infrastructure facilities to connect it globally all over the world.

We follow our own principles of " Quality Supreme and Customer Satisfaction " which is the reason for our image as a reliable supplier across the India and all over the world. We believe in strong relationship on the basis of trust in our client, business friends and employees.

We develop our all product lines with our own innovative and indigenous technologies. We are equipped with state of the art infrastructure, Waste Water treatment with common effluent treatment plant and a technically sound staff.

With more than 25 years of expertise in field of dyes, **Mr. Pradeep Agrawal** has successfully guided us in creating our own unique image of reliable supplier among our customers.

### RESEARCH & DEVELOPMENT

We have in-house R&D facility which provides flexibility of development of new products, improve existing process & product quality which leads to cost reduction plus better quality.

Our technical people are well equipped to meet the challenges of ever changing market condition and newer development in the chemistry of DYES & DYE INTERMEDIATES.

### QUALITY CONTROL

Consistency in quality for all supplies is our main goal. We follow all laid down testing procedures, methods for maintaining standards accepted internationally. Our laboratories are well equipped with modern testing instruments like spectrophotometer, Color Matching System, Dyeing & Printing equipment, fastness test equipments etc.

### ECO FRIENDLY APPROACH

Nature & its preservation has always been the prime concern at **Maruti Dyestuff**, due care has been taken to ensure a safe environment in and outside the organization.

### CUSTOMER CARE

Each and every customer is valuable for us as we believe in maintaining long term relationship with everyone.

We are looking forward with deeply keen interest to your valuable inquiry to give our best services towards and ever continuing co-operation between us.

### OUR MISSION IS

- To consistently provide products & services of highest quality thereby establishing MARUTI as one of the most reliable suppliers in the dyestuff industry.
- To continuously strive to deliver benefit to customers.
- To offer consistent quality at competitive prices.
- **WE CANNOT SPELL SUCCESS WITHOUT OUR CUSTOMER.**



## Reactive Dyes

**Maruti Cold Dyes**  
DICHLOROTRIAZINE TYPE DYES

**Maruti HE Dyes**  
BISMONOCHLOROTRIAZINE TYPE DYES

**Maruti Bifunctional Dyes**  
MILD EXHAUSTIVE (ME) DYES

**Maruti P Series Printing Dyes**  
MONOCHLOROTRIAZINE TYPE DYES

**Maruti Hot Brand Printing Dyes**  
MONOCHLOROTRIAZINE TYPE DYES

**Maruti Metabase Dyes**  
VINYLSULPHONE (VS) DYES

**Maruti Premium Series**  
MULTISPECIALITY DYES





**Maruti Dyestuff**

<b>Maruti Cold Dyes</b> <b>DICHLOROTRIAZINE TYPE DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
				Light	Washing	Perspiration	Hypochlorite	
SHADE		NAME C.I. Generic Name						
0.5%	2.0%							
		<b>Yellow M8G</b> Yellow 86	80	5-6	5	5	1	G
		<b>Yellow M4G</b> Yellow 22	60	5	5	4-5	1	G
		<b>Yellow MGR</b> Yellow 7	30	6	5	4-5	4-5	P
		<b>Yellow M3R SPL</b> Orange 86 A	80	3-4	4-5	4	2-3	P
		<b>Golden Yellow MR</b> Yellow 44	80	3-4	4-5	4	2-3	P
		<b>Yellow M4R</b> Orange 14	80	4	5	4	1	F
		<b>Orange M2R</b> Orange 4	180	4	5	5	3	P
		<b>Orange M2RJ</b> Orange 4 A	180	3-4	4	4	3	P
		<b>Red M5B</b> Red 2	100	3-4	4-5	5	1	P
		<b>Red M8B</b> Red 11	60	4	4-5	5	4	P
		<b>Pink MB</b> Red 74	80	4-5	4-5	5	2	P
		<b>Tur. Blue MGN SPL</b> Blue 140 A	120	4-5	4-5	4-5	3	P
		<b>Blue MR</b> Blue 4 A	50	6	5	5	2	P
		<b>Blue MR G</b> Blue 4	50	6	5	5	2	P
		<b>Blue M2R</b> Blue 81	120	3-4	5	4-5	2	P
		<b>Navy Blue M3R</b> Blue 9	100	4	4-5	4-5	3	P



**Maruti Dyestuff**

<b>Maruti HE Dyes</b> <b>BISMONOCHLOROTRIAZINE TYPE DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
SHADE 0.5%	SHADE 2.0%	NAME C.I. Generic Name		Light	Washing	Perspiration	Hypochlorite	
		<b>Yellow HE6G</b> Yellow 135	70	4-5	4	4	3	G
		<b>Yellow HE4G</b> Yellow 105	80	4-5	4	4	2-3	G
		<b>Yellow HE4R</b> Yellow 84	80	5	5	4-5	4	P
		<b>Golden Yellow HER</b> Yellow 84 A	70	4-5	4-5	5	3	P
		<b>Orange HE2R NMJ</b> Orange 94	100	4-5	4-5	5	3	P
		<b>Orange HE2R</b> Orange 94 A	100	3-4	4	4	3	P
		<b>Red HE3B</b> Red 120	100	4-5	4-5	5	4	P
		<b>Red HE5B</b>	120	4	4-5	5	4	P
		<b>Red HE7B</b> Red 141	120	4	4-5	5	4	P
		<b>Red HE8B</b> Red 152	150	4	4	4-5	3-4	P
		<b>Blue HEGN</b> Blue 198	100	5	4-5	5	1	P
		<b>Blue HERD</b> Blue 160	100	5	5	5	3	F
		<b>Navy Blue HE2R</b> Blue 172	150	5	4	4-5	1	F
		<b>Navy Blue HER</b> Blue 171	80	3-4	4-5	5	3-4	F
		<b>Black HEBL</b> Black 160	80	4	4-5	4-5	2-3	P



**Maruti Dyestuff**

<b>Maruti Bifunctional Dyes</b> <b>MILD EXHAUSTIVE (ME) DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
				Light	Washing	Perspiration	Hypochlorite	
SHADE		NAME C.I. Generic Name						
0.5%	2.0%							
		<b>Yellow ME4GL</b> Yellow 160 A	200	4-5	5	5	3-4	G
		<b>Golden Yellow MERL</b> Yellow 145	200	5	5	4	3-4	F
		<b>Golden Yellow ME3RL</b> Yellow 205	200	5	5	4	3	F
		<b>Orange ME2RL</b> Orange 122	150	4	4	5	3	P
		<b>Red ME3BL</b> Red 194	100	4-5	4-5	5	3-4	P
		<b>Red ME4BL</b> Red 195	200	5	4-5	4-5	3	P
		<b>Red ME6BL</b> Red 250	200	4-5	4-5	4	3-4	P
		<b>Blue ME2RL</b> Blue 248	100	4	4	4	3-4	F
		<b>Blue BRF</b> Blue 221	120	5	4-5	4-5	3	F
		<b>Blue BF</b> Blue 222	150	4-5	4	4	2	G
		<b>Navy Blue ME2GL</b> Blue 194	150	4	5	5	3-4	F



**Maruti Dyestuff**

<b>Maruti P Series Printing Dyes</b> <b>MONOCHLOROTRIAZINE TYPE DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
				Light	Washing	Perspiration	Hypochlorite	
<b>SHADE</b>		<b>NAME</b> C.I. Generic Name						
0.5%	2.0%							
		<b>Yellow P6GS</b> Yellow 95	100	6	5	5	3	G
		<b>Yellow P2RN</b> Yellow 181	100	6	5	5	4	F
		<b>Orange P2R</b> Orange 35	100	5	5	5	4	F
		<b>Red PBN</b> Red 24	130	5	4-5	4	3-4	P
		<b>Red P3B</b> Red 45	130	4-5	4-5	4-5	3	P
		<b>Red P4B</b> Red 245	150	4	5	5	3-4	F
		<b>Red P6B</b> Red 218	150	5	4	4	4-5	F
		<b>Blue P3R / PN2R</b> Blue 49	130	6	4-5	4	2	P
		<b>Blue P3R SPL</b> Blue 49 A	130	5	4-5	4	2	P
		<b>Blue P5R</b> Blue 13	120	5-6	5	4-5	2	P
		<b>Black PGR</b> Black Mix	120	5-6	5	5	5	F
		<b>Black PNR</b> Black Mix	120	5-6	5	5	5	G



**Maruti Dyestuff**

<b>Maruti Hot Brand Printing Dyes</b> <b>MONOCHLOROTRIAZINE TYPE DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
				Light	Washing	Perspiration	Hypochlorite	
SHADE		NAME C.I. Generic Name						
0.5%	2.0%							
		<b>Yellow H7GL</b> Yellow 57	100	6	5	5	4	G
		<b>Yellow H4G</b> Yellow 18	80	5-6	5	4-5	3	G
		<b>Golden Yellow HR</b> Orange 12	100	6	5	5	4	F
		<b>Orange H2R</b> Orange 13	100	5	5	5	4	F
		<b>Red H8B</b> Red 31	130	4-5	5	5	4-5	F
		<b>Red 6BX</b> Red 76	130	4-5	4-5	4-5	3	P
		<b>Red H7B</b> Red Mix	100	4-5	4	4	4	F
		<b>Red H7B Crude</b> Red Mix	100	4-5	4	4	4	F
		<b>Red H7B N</b> Red Mix	100	4-5	4	4	4	F
		<b>Red Brown H4R</b> Brown 9	100	4-5	4	3-4	3-4	P
		<b>Black HN</b> Black 8	100	4-5	4-5	4-5	4	P
		<b>Blue 5RH</b> Blue 13	120	5-6	5	4-5	2	P
		<b>Blue H3RP</b> Blue 49	130	6	4-5	4	2	P





**Maruti Dyestuff**

<b>Maruti Metabase Dyes</b> <b>VINYLSULPHONE (VS) DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
				Light	Washing	Perspiration	Hypochlorite	
SHADE		NAME C.I. Generic Name						
0.5%	2.0%							
		<b>Yellow R</b> Yellow 77	100	5	4	4-5	1	G
		<b>Yellow FG</b> Yellow 42	150	4	5	4-5	1	G
		<b>Yellow GR</b> Yellow 15	100	5	4-5	5	2	G
		<b>Yellow RNL</b> Yellow 107	120	4-5	4-5	5	3-4	G
		<b>Yellow RTN</b> Yellow 24	100	6	4	4-5	2	F
		<b>Golden Yellow R</b> Yellow 201	100	4	4	5	2	G
		<b>Orange 2R</b> Orange 7	100	4	4-5	5	2	G
		<b>Orange 3R</b> Orange 16	100	4-5	5	5	3	G
		<b>Red 5B</b> Red 35	150	4-5	5	5	1	G
		<b>Red C2G</b> Red 106	60	4-5	4-5	4-5	1	G
		<b>Red BB</b> Red 21	100	4-5	5	5	2	G
		<b>Red RB Metallic</b> Red 198	120	5-6	4-5	4-5	3	F
		<b>Tur. Blue G</b> Blue 21	200	5	4-5	5	2-3	P
		<b>Tur. Blue H2GP</b>	200	5	4-5	5	2-3	P
		<b>Blue BB</b> Blue 220	120	5	5	5	4-5	G
		<b>Blue R</b> Blue 19	100	5-6	5	5	3	F



**Maruti Dyestuff**

<b>Maruti Metabase Dyes</b> <b>VINYLSULPHONE (VS) DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
SHADE		NAME C.I. Generic Name		Light	Washing	Perspiration	Hypochlorite	
0.5%	2.0%							
		<b>Black B</b> Black 5	200	3-4	4-5	5	2	G
		<b>Black RL</b> Black 31	200	5	4-5	4-5	2	F
		<b>Black HFGR</b> Black Mix	200	3-4	4-5	5	2	F
		<b>Brown GR</b> Brown 18 A	100	4-5	4-5	4	1	F
		<b>Brown GR H/C</b>	100	4-5	4-5	4	1	F

<b>Maruti Premium Series</b> <b>MULTISPECIALITY DYES</b>			Solubility g/l AT RT	Fastness Properties				Dischargeability
SHADE		NAME C.I. Generic Name		Light	Washing	Perspiration	Hypochlorite	
0.5%	2.0%							
		<b>Orange W3R</b>	200	4	5	4-5	3-4	G
		<b>Orange CD</b>	200	5	4-5	4-5	3	G
		<b>Orange RS</b>	200	4	4-5	4-5	3	G
		<b>Orange G / 4R</b>	200	5	5	5	3	G
		<b>Scarlet 2GF</b>	120	4-5	4-5	5	3-4	P
		<b>Red W3R</b>	200	4-5	4-5	4-5	3-4	F
		<b>Deep Red CD</b>	200	4-5	5	5	3	G
		<b>Brown W3R</b>	200	4-5	4-5	4-5	3-4	F





# Maruti Dyestuff

Mfg. & Exporters of Reactive Dyes

Plot No. 136/1, F/9, Nr. Vimal Water Tank, Phase II,  
G.I.D.C. Estate, Naroda, Ahmedabad - 382 330. INDIA

**Phone** : 079 - 2284 0572 **Mobile** : 0 84607 39252

**E-mail** : pradeep197136@yahoo.co.in • marutidyest@gmail.com

**Hardip** Ph. : 079 - 2217 3170 M. 98240 76648