

PRICE LIST

RELIABLE & ECONOMICAL

w.e.f: March 2021



AN ISO 9001-2015 CERTIFIED COMPANY



SINCE-1982

POWER CONTACTORS

3 POLE POWER CONTACTORS WITH 2NO+2NC AUX CONTACTS
(STANDARD COIL VOLTAGE 110V, 220/240V, 380/415V, 50 Hz)


MODEL		TYPE	AMP	K.W.	H.P.	CONTACTOR Price Per Unit(Rs.)	SPARES KIT Price Per Unit(Rs.)	SPARE COIL Price Per Unit(Rs.)
	PG 1	16	7.5	10	990	480	190	
	PG 1.5	25	11	15	1420	700	190	
	PG 2	32	15	20	3000	1600	390	
	PG 3	40	22	30	3680	2150	390	
	PG 4	70	37	50	7670	3980	880	
	PG 6	110	55	75	9980	5800	880	

2,3 AND 4 POLE POWER CONTACTORS FOR AC COIL OPERATION
(STANDARD COIL VOLTAGE 110V, 220/240V, 380/415V, 50 Hz)





MODEL		TYPE	AMP	K.W.	H.P.	CONTACTOR Price Per Unit(Rs.)	SPARES KIT Price Per Unit(Rs.)	SPARE COIL Price Per Unit(Rs.)
	PGM 16	16	7.5	1/1.5	540	250	160	
	PGM 25	25	1	1.5/2	990	730	160	
	PGM 40	40	2	2/3	1220	820	160	
	PGT 16	16	5.5	7.5	890	375	160	
	PGT 25	25	7.5	10	1360	960	160	
	PGT 40	40	11	15	1760	1250	160	
	PG 16	16	7.5	10	1030	500	160	
	PG 25	25	11	15	1680	1280	160	
	PG 40	40	22	30	2180	1670	160	
	PG 16 3 POLE+1NO	16	7.5	10	930	380	160	
	PG 25 3 POLE+1NO	25	11	15	1380	960	160	
	PG 40 3 POLE+1NO	40	22	30	1780	1270	160	

POWER CONTACTORS

3 POLE POWER CONTACTORS WITH 1 NO/1 NC AUX CONTACT FOR AC COIL OPERATION
(STANDARD COIL VOLTAGE 220/40 V,380/415V,50Hz)

MODEL	TYPE	AMP	K.W.	H.P.	CONTACTOR PRICE PER UNIT(Rs.)
	PGN 910/901	9	2.2	3HP	690
	PGN 1210/1201	12	3.7	5HP	760
	PGN 1810/1801	18	5.5	7.5HP	820
	PGN 2510/2501	25	7.5	10HP	1300
	PGN 3210/3201	32	11	15HP	2600
	PGN 4011	40	18.6	25HP	4200
	PGN 5011	50	22.5	30HP	5000
	PGN 6311	63	30	40HP	6800

BI-METAL OVERLOAD RELAY

MODEL	TYPE	RELAY RANGE	PRICE PER UNIT (Rs.)
	PGD 1	1.5-2.5A, 2.5-4A, 4-6.5A, 6-10A, 9-14A, 13-21A	390
	PGD1(DX)	20-32A	550
	PGU	9-14, 13-21, 20-32, 28-42	1070
	PG 2/3	9-14, 13-21, 20-32, 28-42	1070
	PGD 4/6	30-48, 45-70	2120
	PG 16/ 25 /40	1.58-2.5, 2.4-3.8, 3.8-6, 6-9.3, 8.9-13.5, 13.2-20, 17.4-24, 22-30	550
	PGN 2	1.4-2.3, 2-3.3, 3-5, 4.5-7.5, 6-10, 9-15, 14-23, 20-33, 24-40	900
	PGN 5	9-15, 14-23, 20-33, 30-50, 45-75	2000
	PGN 5	66-110	2200

D.O.L. MOTOR STARTERS

MOTOR RATING AC-3 DUTY, 415V,50Hz,3Ph/1Ph (IN SHEET-STEEL ENCLOSURE)

MODEL	TYPE	AC3, RATING (415V)	MOTOR OUT PUT 3PHASE, 415V,50HZ		PRICE PER UNIT(Rs.)	
			K.W.	H.P.		
		PGD 1	16A	5.5	1/7.5	1500
	PGD 1 (DX)	25A	7.5	10	1760	
		PGD 1.5	25A	5.5	7.5	3460
	PGD 2	32A	11	15	4800	
	PGD 3	40A	15	20	5700	
		PGD 4	70A	22	30	11750
	PGD 6	110	37.5	50	13300	
		PGW 16	16A	5.5	7.5	1650
	PGW 25	25A	7.5	10	2380	
	PGW 40	40A	11	15	3100	


FULLY AUTOMATIC STAR DELTA STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING AC-3,415V,50Hz,3Ph)



MODEL		TYPE	AC3, RATING (415V)	MOTOR OUT PUT 3PHASE, 415V,50HZ		PRICE PER UNIT(Rs.)
				K.W.	H.P.	
		PGFA 1	16A	7.5	10	5000
		PGFA 1.5	25A	11	15	8700
		PGFA 2	32A	22.5	30	16200
		PGFA 3	40A	33.5	45	19000
		PGFA 4	70A	52	70	35800
		PGFA 6	110A	67.5	90	44000
		PGFA 16 RELAY:13-21A	16A	10	10	7500
		PGFA 25 RELAY:20-32A	25A	15	20	9200
		PGFA 40 RELAY:28-42A	40A	20	30	10700
		PUFA 16 RELAY:13-21A	16A	10	10	10500
		PUFA 25 RELAY:20-32A	25A	15	20	12000
		PUFA 32 RELAY:28-42A	32A	20	30	13000


SINGLE PHASE SUBMERSIBLE CONTROL UNIT

MODEL	TYPE	H.P.	RUN CAP	PRICE	PRICE WITH STARTING CAP.
	SPR-1	1 H.P.	36Mfd	1100	1300
	SPR-1.5	1.5 H.P.	50Mfd	1200	1400
	SPR-2	2 H.P.	72Mfd	1500	1800

SINGLE PHASE SUBMERSIBLE CONTROL UNIT (WITH CONTACTOR)



MODEL	TYPE	H.P.	RUN CAP	START CAP	PRICE	PRICE WITH DIGITAL METER
	SPS-1	1 H.P.	36 Mfd	100-120	2300	2800
	SPS-1.5	1.5 H.P.	50 Mfd	120-150	2600	3100
	SPS-2	2 H.P.	72 Mfd	150-200	3100	3600
	SPS-3	3 H.P.	100 Mfd	200-250	3700	4200
	SPS-5	5 H.P.	150 Mfd	200-250x2	—	8000

THREE PHASE SUBMERSIBLE CONTROL UNIT



MODEL	TYPE	H.P.	PRICE	PRICE WITH MCB
	TPS-16	1,2,3,5,7.5 H.P.	5200	5800
	TPS-25	10 H.P.	5800	6400
	TPS-40	12.5, 15 H.P.	6500	7100

POWER CONTACTORS

3 AND 4 POLE POWER CONTACTORS WITHOUT AUX CONTACTS FOR AC COIL OPERATION
(STANDARD COIL VOLTAGE 110V, 220/240V, 380/415V, 50 Hz)



MODEL		TYPE	AMP	K.W.	H.P.	CONTACTOR Price Per Unit(Rs.)	SPARES KIT Price Per Unit(Rs.)	SPARE COIL Price Per Unit(Rs.)
 		PGD 1 4POLE	16	5.5	7.5	730	340	190
		PGD 1 (DX)4 POLE	25	7.5	10	980	580	190
		PGU 16	16	7.5	10	1200	470	280
		PGU 25	25	11	15	1600	870	280
		PGU 32	32	15	20	1900	1160	280

3 POLE POWER CONTACTORS WITH 1NO+1NC AUX CONTACTS
(STANDARD COIL VOLTAGE 110V, 220/240V, 380/415V, 50Hz)

MODEL		TYPE	AMP	K.W.	H.P.	CONTACTOR Price Per Unit(Rs.)	SPARES KIT Price Per Unit(Rs.)	SPARE COIL Price Per Unit(Rs.)
 		PGS 1	16	3.7	7.5	990	460	190
		PGS 1 HEAVY DUTY	25	7.5	10	1200	660	190



D.O.L. MOTOR STARTERS FOR AGRICULTURE

MOTOR RATING AC-3 DUTY, 415V, 50Hz, 3Ph (IN SHEET-STEEL ENCLOSURE)

MODEL		TYPE	AC3, RATING (415V)	MOTOR OUT PUT 3PHASE, 415V,50HZ		PRICE PER UNIT (Rs.)
				K.W.	H.P.	
 		PUD-1	16A	7.5	10	2700
		PUD-2	25A	9	15	3000
		PUD-3	32A	13	17.5	3300


FULLY AUTOMATIC STAR DELTA STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING AC-3,415V,50Hz,3Ph)

MODEL		TYPE	AC3, RATING (415V)	MOTOR OUT PUT 3PHASE, 415V,50HZ		PRICE PER UNIT (Rs.)
				K.W.	H.P.	
 		PUFA 16 RELAY:13-21A	16A	10	10	10500
		PUFA 25 RELAY:20-32A	25A	15	20	12000
		PUFA 32 RELAY:28-42A	32A	20	30	13000


OIL IMMERSED MOTOR STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING AC-3,415V,50Hz,3Ph)

MODEL	TYPE	HP(415V)	PRICE PER UNIT(Rs.)
	PGOD	3, 5, 7.5, 10, 15HP	1960
	PGOD	20HP	2180


SINGLE PHASE OIL IMMERSED MOTOR STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING 220 V, Single Phase, AC)

MODEL	TYPE	HP(220V)	PRICE PER UNIT(Rs.)
	PGOD SINGLE PHASE	1, 2, 3HP	1960
	PGOD SINGLE PHASE	5HP	2180


SEMI AUTOMATIC OIL IMMERSED MOTOR STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING 415 V, Three Phase, AC)

MODEL	TYPE	HP(415V)	PRICE PER UNIT(Rs.)
	PGOS	7.5, 10, 15, 20HP	5240
	PGOS	25, 30, 35HP	5400

FULLY AUTOMATIC OIL IMMERSED MOTOR STARTERS

IN SHEET STEEL ENCLOSURE (MOTOR RATING 415 V, Three Phase, AC)

MODEL	TYPE	HP(415V)	PRICE PER UNIT(Rs.)
	PGOF	7.5, 10, 15, 20HP	5940
	PGOF	25, 30, 35HP	6100

Spare Parts for oil Immersed Starter

	Price Per Unit (Rs.)
1 Spare Kit Set PGOD	246
2 Heavy Spare Kit Set PGOD	300
3 Spare Coil 220V&415V	336
4 Push Button PGOD	44
5 Base Plate DMC PGOD	112




REVERSE FORWARD SWITCHES


IN SHEET STEEL ENCLOSURE (MOTOR RATING AC-3,415V,50Hz,3Ph)

MODEL	TYPE	AC 3 RATINGS (415V)	PRICE PER UNIT(Rs.)
	PGR-16	16 AMP	340
	PGR-32	32 AMP	770
	PGR-63	63 AMP	2500

FOOT SWITCH (HEAVY DUTY) TREADLE OPERATED

MODEL	TYPE	PRICE PER UNIT(Rs.)
	PGX 1	1850
	PGX 2, PGY 1	2080
	PGY 2	2400


AMPERE METER & VOLT METER

MODEL	RANGE	ROUND FLUSH		SQUARE FLUSH	
		2 1/2"	4"	72 mm	96 mm
	0 - 50A	100	230	140	230
	60 - 100A	120	250	150	240
	150 - 200A	130	270	150	260
	250 - 300A	130	300	150	300
	0 - 300V	100	250	150	240
	500 - 600V	130	250	150	240


DIGITAL METER

Digital Ammeter, Voltmeter & Frequency Meter

TYPE

MODEL	RANGE	PRICE PER UNIT (Rs.)	
		72 mm	96 mm
	DIGITAL VOLT METER UPTO 500V AC	680	720
	DIGITAL AMMETER DIRECT UPTO 50 AMP.	680	720
	DIGITAL AMMETER C.T. OPERATED UPTO 800 AMP.	680	720
	DIGITAL FREQUENCY METER UPTO 75 Hz	680	720
	DIGITAL VOLT-AMP. COMBINED METER UPTO 100AMP., 500V AC	680	720


CAM OPERATED ROTARY SWITCH

ROTARY SWITCH	SWITCHING	TYPE	POLE	6 A	16 A	25 A	32 A	40 A	63 A
	ASS OFF B O R Y	ASS	3	145					
	VSS OFF BR O RY YB	VSS	3	124					
	ON-OFF OFF ON O ON OFF (60°)	PG 195	1	120	208	220	254	364	420
		PG 198	2	145	236	254	315	420	518
		PG 197	3	157	262	346	346	502	684
		PG 196	4	182	288	404	452	525	838
	ON-OFF 0 O 1 (60°)	PG 001	1	98					
		PG 002	2	110					
		PG 003	3	120					
		PG 004	4	156					
	TWO WAY WITH ON OFF 1 O 2 1 (60°)	PG 037	1	98	234	254	308	418	474
		PG 038	2	134	278	324	374	606	652
		PG 039	3	158	346	438	496	772	848
		PG 040	4	194	416	520	525	882	1036
	TWO WAY WITH OFF 0 1 A O P T U T O C E X 2 (60°)	PG 025	1	110					
		PG 026	2	138					
		PG 027	3	162					
		PG 028	4	200					
	TWO WAY WITH OFF OFF 2 O 1 OFF	PG 151	1	112	232	270	298	430	552
		PG 152	2	148	262	358	386	574	826
	PG 153	3	222	346	502	530	706	1046	
	PG 154	4	272	438	600	652	860	1346	
THREE WAY WITH OFF OFF 3 O 1 2 (90°)	PG 060	1	114	278	382	374	596	684	
	PG 080	2	152	416	438	474	794	882	
	PG 100	3	230	462	578	660	926	1168	
	PG 131	4	284	646	762	860	1234	1434	
FOUR WAY WITH ON OFF 1 4 O 2 3 (90°)	PG 050	1	120	300	382	396	616	705	
	PG 070	2	178	416	486	508	706	915	
	PG 090	3	242	636	704	816	970	1268	
	PG 121	4	338	766	854	916	1598	1742	

LIMIT SWITCH (OIL TIGHT)

MODEL	TYPE	PRICE PER UNIT(Rs.)
	PGL1, PGL2, PGLA, PGTPR, PGTPBA	800
	PGLGS	450
	PGJLA, PGJL1, PGJL2, PGJTPR, PGJTPBA	750

STAR DELTA TIMER

MODEL	TYPE	Aux.Cont.	RANGE	STANDARD COIL VOLTAGE	PRICE PER UNIT (Rs.)
	PGDT	1NO/1NC	1-30 sec	380/415 V	950
	PGT	1NO/1NC	THERMAL TIMER WITHOUT COMBINATION COIL AND MAGNET		180
	PET 100 ELECTRONIC	2 NO 2 NC	3-10, 9-30, 36-120 sec	110/220 V 220/440 V	1200

Spare Parts	PRICE PER UNIT (Rs.)	MODEL
1 Fix Contact Block	48	
2 Moving Contact Bridge	24	
3 Auxillary Contact Block	140	
4 Push Botton Unit	40	
Spare Parts of PGO/PG 1/PG 1.5		
5 Bakelite Upper Housing PG 0/1	100	
6 Bakelite Upper Housing PG1.5	134	
7 Moving Bakelite PG 1	50	
8 Moving Bakelite PG 1.5	62	
Spare Parts of PG 2/PG 3		
9 Bakelite Upper Housing	168	
10 Moving Bakelite	78	
11 DMC ARC Chamber PG 2/3	74	
12 Magnetic Core	240	
Spare Parts of PG 4/PG 6		
13 Bakelite Upper Housing	500	
14 Moving Bakelite	270	
15 Middle Fixed Base Patti PG 6	200	
16 Fixed Base Patti PG 4	170	
Spare Parts of PG 16/25/40, PGM 16/25/40		
17 Main Bakelite for PG 16/25/40	112	
18 Main Bakelite for PGM 16/25/40	88	
19 Magnetic Core Set for PG 16/25/4	122	
20 Magnetic Core Set for PGM 16/25/40	116	
21 Moving Contact Carrier for PG 16/25/40, PGM 16/25/40	6	
22 Magnetic Core (E) Funner	6	
23 Auxillary Block for PG/PGM Saries (1 NO+1NC, 2NO, 2NC)	140	
24 Terminal Block	90	
Spare for Limit Switch and Foot Switch		
25 Limit Switch Interior 40S1	210	
26 Foot Switch Interior 20S1	210	
27 Foot Switch Interior 20S2	320	

TERMS AND CONDITIONS

1. The prices are subject to change without notice.
2. The Prices are exclusive GST
3. The Prices are on F.O.R. Delhi Basis.
4. Prices of other spares will be sent on demand.
5. All disputes are subject to Delhi Jurisdiction.

**MANUFACTURED BY
JAINCO ELECTRICALS**