



Serving the Nation since 1965

ALUMINIUM ROADSTER
TOWER LADDER
DESIGN NO. AL - 333/8801

A Leader In Innovative Ladders




Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')
7.27mtrs. (24')	12.12mtrs. (40')



Extended



Closed

ALUMINIUM ROADSTER TOWER LADDER, SIDES MADE OF ALUMINIUM 'C' SECTIONS OF SIZE 66.6 x 31.7 mm AND STEPS OF ALUMINIUM ROUND CORRUGATED TUBING OF SIZE 25 mm MOUNTED ON 02 NO. M.S. HEAVY DUTY WHEELS OF SIZE 3-4 FT. FITTED WITH HANDLE LOCK, PULLEY, ROPE ETC, RUBBER SHOE PROVIDED

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Serving the Nation since 1965


ALUMINIUM TROLLEY
STEP LADDER

A Leader In Innovative Ladders


एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



DESIGN NO. AL - 108



DESIGN NO. AL - 777



Aluminium trolley step ladder made of AL-Channel of size 88x25mm with AL. Wide steps provided with AL chequered sheet platform.

Railing both sides and mounted on heavy duty M.S.Trolley with two fix and two revolving brake wheels.

Available in all sizes 3 Ft. To 15 Ft.

Aluminium single ladder with double 'C' section both side & steps 18" X 8' wide with railing both side.

Available in all sizes 3 Ft. To 24 Ft

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973





Serving the Nation since 1965

ALUMINIUM ECONOMICAL
WHEELED TOWER LADDER
DESIGN NO. AL - 1008/8803

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Aluminium Economical Telescopic Wheeled Tower Ladder made out of AL-'C' section of size 66.6 x 31.7 mm and steps of Al. Round Corrugated tubing of size 25 mm provided with platform, safety ring, railing, pushing handle, lock, pulley, rope fitted with locking devices. Two wheels of size 12" x 2" at front side for easy movement and rubber pads at bottom and upper ends.

Optional on Extra Cost
Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web : www.sumerindia.com
Fax : 011-23279661
Ph : 011-23267598
Ph : 011-23266973



Serving the Nation since 1965


ALUMINIUM STOOL LADDER

A Leader In Innovative Ladders


एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



DESIGN NO. AL 8821



DESIGN NO. AL 201



Aluminium stool folding ladder made out of AL. Channel of size 88 x 25 mm and Wide steps of size 112 mm on both sides along with AL. Platform fitted with hinge with rubber pads at lower bottom ends.

Available in all sizes 3 Ft. To 15 Ft

Aluminium stool folding ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and Wide steps of size 63 mm on both sides along with AL. Platform fitted with hinge with rubber pads at lower bottom ends.

Optional on Extra Cost
Sides : 75 x 35 mm and Steps 63 mm.

Available in all sizes 3 Ft. To 15 Ft

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Serving the Nation since 1965

ALUMINIUM WALL SUPPORTING SINGLE LADDER WITH FLAT STEPS

A Leader In Innovative Ladders


एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Design No. : AL - 200



Design No. : AL - 8805



Aluminium wall supporting single ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and one piece flat step of size 63 mm. Ending fitted with rubber pads at bottom and upper ends.

Optional on Extra Cost
Sides : 75 x 35 mm and Steps 63 mm.

Available in all sizes 3 Ft. To 15 Ft

Aluminium wall supporting single ladder made out of AL. Channel section of size 88 x 25 mm and one piece flat step of size 112 mm. Ending fitted with rubber pads at bottom and upper ends.

Available in all sizes 3 Ft. To 15 Ft

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

ALUMINIUM TILTABLE
TOWER LADDER
DESIGN NO. AL - 111/8806

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED




Closed

Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')
7.27mtrs. (24')	12.12mtrs. (40')

In Three Fold Size

6.06mtrs. (20') 15.15mtrs. (50')



Extended

Aluminium Tiltable Tower ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. Round Corrugated Tubing of size 25 mm with Chequered Platform, tool tray on the top fitted with Wire Rope and heavy duty winch machine and mounted on M. S. Trolley with two fix and two revolving wheels.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Serving the Nation since 1965

ALUMINIUM WALL SUPPORTING SINGLE LADDER DESIGN NO. AL - 400

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED




Design No. : AL - 400/8808

Design No. : AL - 400/8807



With Hook

Without Hook



Aluminium Wall Supporting Single Ladder made out of Alu. 'C' Section of size 66.6 x 31.7 mm and Step of Alu. Round Corrugated Tubing of size 25 mm fitted with Rubber pads at both Top & Bottom ends.

Available in all sizes 5 Ft to 26 Ft.

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

ALUMINIUM WALL SUPPORTING
EXTENSION LADDER
DESIGN NO. AL - 100/8809

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')
7.27mtrs. (24')	12.12mtrs. (40')

In Three Fold Size

6.06mtrs. (20')	15.15mtrs. (50')
-----------------	------------------

Aluminium Wall Supporting Extension Ladder (Fire Brigade Type) made out of Alu. 'C' Section of size 66.6 x 31.7 mm and Step of Alu. Round Corrugated Tubing of size 25 mm fitted with heavy duty safety lock, pulley, rope and Rubber pads at both Top & Bottom ends.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

A Leader In Innovative Ladders

ALUMINIUM TOWER LADDER DESIGN NO. AL - 444/8810

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED




Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')
7.27mtrs. (24')	12.12mtrs. (40')

In Three Fold Size

6.06mtrs. (20')	15.15mtrs. (50')
-----------------	------------------



Aluminium Tower ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. Round Corrugated Tubing of size 25 mm with Chequered Platform, tool tray on the top fitted with Wire Rope and heavy duty winch machine and mounted on M. S. Trolley with two fix and two revolving wheels with pushing handle.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web : www.sumerindia.com
Fax : 011-23279661
Ph : 011-23267598
Ph : 011-23266973



Serving the Nation since 1965

ALUMINIUM DOUBLE STEP LADDER

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Approved By DGQA
(Ministry of Defence)



Certified



ISO 9001-2008 Co.



Environment
14001 : 2004




Health & Safety
OHSAS 18001




ASHRAE
110-1995

DESIGN NO. AL - 351/8812



DESIGN NO. AL - 8817



Aluminium Double Step Trestle ladder made out of AL-'C' Section of size 66.6 x 31.7 mm and wide steps of size 63 mm fitted with hinge and Rubber pads at lower bottom ends. Without Platform.

Available in all sizes 3 Ft. To 15 Ft.

Aluminium Double Step Trestle ladder made out of AL-'C' Section of size 66.6 x 31.7 mm and wide steps of size 63 mm fitted and auto folding Platform fitted 1 Ft. Below from the Top with hinge and Rubber pads at lower bottom ends.

Available in all sizes 3 Ft. To 15 Ft.

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

ALUMINIUM TELESCOPIC TOWER LADDER DESIGN NO. AL 555 / 8813

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED




Extended

Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')
7.27mtrs. (24')	12.12mtrs. (40')

In Three Fold Size

6.06mtrs. (20')	15.15mtrs. (50')
-----------------	------------------



Closed

Aluminium Telescopic Tower Ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. Round Corrugated Tubing of size 25 mm with Platform, tool tray on the top with Wire Rope and Hand operated winch machine with Two big Wheels of Dia 3Ft. To 4 Ft.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web : www.sumerindia.com
Fax : 011-23279661
Ph : 011-23267598
Ph : 011-23266973




Serving the Nation since 1965

ALUMINIUM FACTORY STEP
SELF SUPPORTING LADDER
DESIGN NO. AL 451 / 8814

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



ALUMINIUM FACTORY STEP SELF SUPPORTING STOOL TYPE LADDER MADE OUT OF AL. 'C' SECTION OF SIZE 66.6 x 31.7 mm AND WIDE STEPS OF SIZE 63 MM ON BOTH SIDES FITTED WITH ONE TOOL TRAY ON THE TOP AND ONE PLATFORM 3 FT. BELOW FROM THE TOP AS WORKING MAN PLATFORM ALONGWITH HINGES AND RUBBER PADS AT LOWER BOTTOM ENDS.

Available in all sizes 3 Ft to 20 Ft.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and wide Steps of size 63 mm

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Serving the Nation since 1965

ALUMINIUM TELESCOPIC
TOWER LADDER
DESIGN NO. AL - 8815

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Approved By DGQA
(Ministry of Defence)



Certified



ISO 9001-2008 Co.




Environment
14001 : 2004



Health & Safety
OHSAS 18001



ASHRAE
110-1995



Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')

Aluminium Telescopic Tower ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. Round Corrugated tubing of size 25 mm with two wheel and Platform on Top.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and wide Steps of size 63 mm

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

**ALUMINIUM SELF SUPPORTING
EXTENSION LADDER
DESIGN NO. AL 786 / 8816**

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Sizes Available

Closed Height	Extended Height
3.66mtrs. (12')	6.096mtrs. (20')
4.27mtrs. (14')	7.32mtrs. (24')
4.88mtrs. (16')	8.54mtrs. (28')
5.49mtrs. (18')	9.76mtrs. (32')
6.096mtrs. (20')	10.98mtrs. (36')

Aluminium Self Supporting Extension ladder made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. Round Corrugated tubing of size 25 mm along with Lock Pulley, Rope fitted with locking device and Rubber Pads at bottom and upper ends.

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and Steps 26 mm Square Tubing

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)
3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web : www.sumerindia.com
Fax : 011-23279661
Ph : 011-23267598
Ph : 011-23266973



Serving the Nation since 1965

ALUMINIUM COLLAPSABLE
HEAVY STEP FOLDING LADDER
DESIGN NO. : AL- 300/8819

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Approved By DGQA
(Ministry of Defence)



Certified



ISO 9001-2008 Co.



Environment
14001 : 2004




Health & Safety
OHSAS 18001



ASHRAE
110-1995

Open



Closed



Aluminium Collapsible Heavy Step Abridge Type Folding ladder made out of AL. 'C' section
Of SIZE 66.6 x 31.7 mm and steps of Alu. Round Corrugated tubing OF SIZE 25 mm
with Rubber Pads at bottom and upper ends.

Available in all sizes 3 Ft. To 20 Ft

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and wide Steps of size 63 mm

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www. sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973




Serving the Nation since 1965

ALUMINIUM STOOL CUM STRAIGHT LADDER DESIGN NO. AL - 8820

A Leader In Innovative Ladders

एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



Available in all sizes.

Stool	Straight Ladder
4'	6'
5'	8'
6'	10'
7'	12'
8'	14'
9'	16'
10'	18'
12'	20'



Aluminium Stool cum Straight Ladder (Convertible Type) made out of AL. 'C' section of size 66.6 x 31.7 mm and steps of Alu. 63 mm one piece step edging with Platform on the top (When Stool Type).

Optional on Extra Cost

Sides of Heavy Duty Zig Zag Type Channel Section of Size 75 x 35 mm and wide Steps of size 63 mm

All Raw material used (Alloy & Temper) confirming to IS - 733/1975 (Latest)

Ladders available confirming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Serving the Nation since 1965


SWIMMING POOL LADDER / ROPE LADDER

A Leader In Innovative Ladders


एन एस आई सी
NSIC
ISO 9001 : 2008
REGISTERED



DESIGN NO. AL - 551



DESIGN NO. AL - 651



**Stainless Steel Swimming Pool Ladder
DESCRIPTION**

Material	- S.S. 304
Size	- 38 mm dia
A	- 28" to 30"
B	- 20" to 24"
C	- 10" to 12"
D	- 4" to 8"
E	- 28" to 32"

Rope Ladder

Cast iron M.S. Hook
 As per I.S. P.P. Rope 12 mm
 Step 25 mm non slippery
 corrugated tubing
 Alternate Flat Step of 63 mm
 can be provided on request

Ladders available conforming to : IS STANDARD AND SPECIFICATIONS EN 131-2:1993 & AC, EN 131-1:1993+AC

We also deals in :
SCAFFOLD, TRUSSED LADDER,
FRP - ALUMINIUM LADDER,
AERIAL WORK PLATFORM
A.C. GRILL, CABLE TRAY, TROLLEYS

Sumer & Co. (Regd.)

3477, GALI BAJRANG BALI
CHAWRI BAZAR, DELHI - 110006
(M) : 9868816111,

E-mail : climb@sumerindia.com
Web. : www.sumerindia.com
Fax : 011-23279661
Ph. : 011-23267598
Ph. : 011-23266973



Narrow Width Scaffolding on Trolley



Double Width Scaffolding with interval Ladders & Trolley



Door Entrance



Easy Climbing Steps



Platform Assembly, Way through Trap Door to Ladder


Website : www.sumerladder.com, www.sumerindia.com, www.scaffoldmanufacturer.com

FRP 159




FRP WALL SUPPORT EXTENSION LADDER

FRP 151




FRP TELESCOPIC ECONOMICAL WHEELED TOWER LADDER

FRP 156



FRP 152



FRP 444

