

Price Less **Quality**

World Class **Cooling**

User Friendly **Technology**



Retail Solutions - Premium Series

Elanpro Flat & Curved Glass Freezers are known for their performance, aesthetics and low power consumption. All curved glass models are available with LED light or Illuminated Canopy with a full basket. White Flat Glass comes with high insulation and standard baskets, they are designed to perform at high ambient.



EKG 215



EKG 626 DL



EKG 405/505



EKG 650

Key Features : Glass Top

- High performing cooling systems
- High insulations
- Low power consumptions
- Heavy duty castors

Key Features : Hard Top

- Low power consumption
- High insulation
- Castors for easy mobility
- Dual temperature – convertible Freezer & Chiller



EF 105



EF 305



EF 555



EF 825

Retail Solutions - Classic Series



PCF 110/200



EF 315/415/515



EF 335 DD



EKG 223/335/435/535



CLASSIC SERIES

DESCRIPTION	EF 135	EF 235	EF 335SD/ 335DD	EF 435 DD	EF 535 DD	EF 735	EF 315	EF 415	EF 515	EKG 235	EKG 335	EKG 435	EKG 535	PCF 110	PCF 200
Type	Hard Top Chest Freezer cum Chiller						Combi Freezer			Flat Glass Top Freezer				FOW	
Capacity (Litres)	100	218	322	428	534	700	166F + 130C	183F + 218C	272F + 237C	214	319	423	528	115	200
External Dimension (WxDxH) (Inch)	22 x 24 x 31	32 x 28 x 35	44 x 28 x 34	55 x 28 x 34	66 x 28 x 34	83 x 28 x 34	44 x 29 x 34	55 x 28 x 34	67 x 29 x 34	32 x 27 x 31	44 x 27 x 31	55 x 27 x 31	66 x 27 x 31	38 x 25 x 28	41 x 25 x 33
Baskets	1	1	1	2	2	3	2	2	2	2	2	2	2	NA	NA
No. of Door/Type	1	1	1 / 2	2	2	3	2	2	2	2/Glass	2/Glass	2/Glass	2/Glass	1/Solid	2/Solid
Temperature range - °C	8°C ~ -25°C						8°C ~ -25°C / -16°C ~ -24°C							-18°C ~ -28°C	
Castors	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	NA	NA
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	NA	NA

Note : Due to continuous product development, specifications, features and colours are subject to change without notice.

PREMIUM SERIES

DESCRIPTION	EF 105	EF 205	EF 305	EF 315 DD (Dual Cabinet)	EF 455	EF 555	EF 825	EKG 155 DC	EKG 215 DC	EKG 310 DL	EKG 410 DL	EKG 415 DL	EKG 626 DL	EKG 205	EKG 305	EKG 405	EKG 505	EKG 650	
Type	Hard Top Chest Freezer cum Chiller							Curve Glass Top Freezer					Flat Glass Top Freezer						
Capacity (Litres)	100	200	300	300	410	550	825	155	205	310	410	400	625	200	300	400	500	650	
External Dimension (WxDxH) (Inch)	22 x 19 x 34	33 x 22 x 34	43 x 26 x 35	48 x 24 x 34	52 x 27 x 33	65 x 27 x 33	95 x 27 x 33	24 x 26 x 36	30 x 26 x 33	39 x 26 x 33	48 x 26 x 33	48 x 27 x 36	73 x 28 x 34	37 x 23 x 33	40 x 27 x 33	48 x 27 x 33	56 x 27 x 33	71 x 27 x 33	
Baskets	1	1	2	1	2	2	3	2	2	4	5	5	9	2	2	2	2	9	
No. of Door	1	1	1	2	2	2	3	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	
Temperature range - °C	8°C ~ -25°C							-16°C ~ -24°C											
Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

Note : Due to continuous product development, specifications, features and colours are subject to change without notice.

EKG 315 and EKG 415 have high density thickness of 82mm.

Upright Showcase Chiller & Freezer (Frost Free & Static)



ECG 405

ECG 515

ECG 775

ECG 1075 / EFGV 1075

ECG 1500/EFGV 1500

ECG 1100 / EFGV 1000

EFGV 500

EFGV 375

EFGV 205

Features:

- Eco-friendly refrigerant
- LED lighting for better visibility
- Adjustable shelves
- Low power consumption
- High insulation
- Removable gasket
- Triple pane heated glass in all freezers
- Tropicalised for harsh Indian weather conditions

DESCRIPTION	ECG 205	ECG 305	ECG 405	ECG 515	ECG 775	ECG 1075	ECG 1100	ECG 1500	EFGV 205	EFGV 375	EFGV 450	EFGV 500	EFGV 1075	EFGV 1000	EFGV 1500
Type	Upright Chiller								Upright Freezer #						
Capacity (Litres)	200	300	400	515	700	1000	1100	1500	200	375	450	500	950	1000	1500
External Dimension (Inch)															
Width	20	22	26	23	41	48	48	81	18	23	27	27	48	48	81
Depth	21	24	25	27	25	28	28	28	24	24	28	28	28	28	28
Height	56	67	77	79	80	80	76	78	71	80	78	80	80	78	78
Shelves	3	4	4	4	8	8	10	15	7	4	4	4	8	10	15
No. of Door/Type	1/Glass	1/Glass	1/Glass	1/Glass	2/Glass	2/Glass	2/Glass	3/Glass	1/Glass	1/Glass	1/Glass	1/Glass	2/Glass	2/Glass	3/Glass
Temperature Range - °C	1°C ~ 10°C								-16°C ~ -24°C						
Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Electricals : 220V, 50Hz, Single phase specifications, features and colours are subject to change without any notice, due to continuous product development. * At 32°C ambient



ELANPRO[®]
The Commercial Refrigeration Experts

@elanprogroup @elanprogroup Elan Professional



Customer Care : +91-88823 02532 • Email : care@elanpro.net
Email : enquiry@elanpro.net • Website : www.elanpro.net
E-Waste Helpline : 1800 258 2550, e-waste@elanpro.net



SCAN TO CONNECT: 8010803166

Authorised Distributor