



INDUSTRIAL PRODUCTS

THOUSAND-AND-ONE SOLUTIONS




**CLEANERS / LUBRICANTS / ANTI-CORROSION PRODUCTS / PAINTS /
WELDING PRODUCTS / ADHESIVES / SPECIALTY PRODUCTS / ACCESSORIES**

www.crcind.com



CLEANERS	4
<i>Precision</i>	5
<i>Heavy-duty</i>	6
<i>Handcleaners</i>	7
<i>Food Processing Safe (FPS)</i>	8
LUBRICANTS	9
<i>Cutting fluids</i>	10
<i>Oils</i>	11-12
<i>Dry lubrication</i>	12
<i>Greases</i>	13-14
<i>Pastes</i>	14
<i>Food Processing Safe (FPS)</i>	15
ANTI-CORROSION PRODUCTS	16
<i>Temporary</i>	17
<i>Durable</i>	18-19
PAINTS	20
<i>Marking & Signalisation</i>	20
WELDING PRODUCTS	21
<i>Spatter release</i>	21
<i>Non Destructive Testing (NDT)</i>	22
ADHESIVES	23
<i>Bonding</i>	23
<i>Locking</i>	24
<i>Sealing</i>	24
SPECIALTY PRODUCTS	25
ACCESSORIES	26
INDEX	27



CRC FAST DRY DEGREASER

Fast drying solvent cleaner for heavy contaminants on mechanical parts suitable for most plastics.

A very fast drying cleaner with a low flash point, which dissolves grease, oil, lubricants and removes contaminants attached to the surface. Designed for applications where non-flammable solvents can be used. Test before application on sensitive plastics (e.g. EPDM, XPS, ABS) or whenever stress cracking of the plastics can be a problem. When using on large surfaces, ensure adequate ventilation.

Aerosol 12 x 500 ml

Bulk 4 x 5L / 1 x 20 L

CRC INDUSTRIAL DEGREASER

Solvent cleaner for heavy contaminants on mechanical parts.

Powerful, fast evaporating cleaner with a flash point of 25°C. Removes greases, oil, lubricants, non-cured adhesives and dirt from equipment, machines and metal parts. When applying to large surfaces or in dip baths, ensure explosion prevention. Test on plastics before use.

Aerosol 12 x 500 ml

Bulk 4 x 5L / 1 x 20 L



CRC LECTRA CLEAN II

Solvent cleaner with high flashpoint for heavy contaminants on mechanical parts.

Heavy-duty cleaner with a high flashpoint of over 60°C for improved application safety. The extended drying time allows the product to react during a longer period and dissolve heavy contaminations. Suitable for use in dip baths and ultrasonic dip tanks.

Aerosol 12 x 500 ml

Bulk 4 x 5L / 1 x 20 L



CRC LABEL OFF

Paper label remover.

For removal of self-adhesive paper labels from office equipment, cables, boxes, components, household articles, etc. CRC Label Off penetrates the label paper and dissolves the underlying adhesive. Most paper labels can be removed easily in one go after only 2 minutes without damaging the underlying surface. Test before using on plastic.

Aerosol 12 x 200 ml



CRC HANDCLEANER

Handcleaner for light contaminated hands.

Contains lanolin and is intended to be used without water. Mild solvents and biodegradable surfactants can remove most dirt and grime.

Tube 12 x 150 ml

Bulk 6 x 2,5 L



CRC SUPER HANDCLEANER

Handcleaner for heavily contaminated hands.

Contains beside the mild solvents and biodegradable surfactants, also small friction parts from natural sources. Very effective on grease, carbon and most stubborn contaminations.

Tube 12 x 150 ml

Bulk 6 x 2,5 L



CRC HAND WIPES

High absorbency cleaning wipes.

Super high absorbency hand wipes layered with an effective polymer web to give all the cleaning power of pumice without the scratching.

Bucket: 100 wipes



CRC WIPES

Multipurpose industrial strength cleaning wipes.

Removes oil, grease, paint, ink and adhesives of different surfaces. The textured side of the wipe will gently but efficiently remove all contamination. The smooth side of the wipe will effectively retain contamination.

Tub: 50 wipes





CRC COMPLEX BLUE

Non-flammable, slow drying water based cleaner for heavy contaminant food processing areas.

A concentrated, water based degreaser for use in the food industry; NSF A1 registered. Excellent product for use in dip tanks, pressure washer, ultrasonic and steam cleaning equipment. Dilute according information on the datasheet. Safe on plastics. Rinse with water after application.

Handsprayer 12 x 750 ml
Bulk 4 x 5 L / 1 x 20 L




CRC INOX KLEEN

Water based, foaming cleaner for degreasing and cleaning shiny metal surfaces.

CRC Inox Kleen is NSF A7, C1 registered for use in the food industry. It eliminates fingerprints, watermarks, dust and dirt from stainless steel. It leaves a protective non-greasy barrier for a long-term original aspect and provides metal surfaces with a long-term staining and contamination resistance. CRC Inox Kleen is also suitable for aluminum, chrome and most plastics (test prior to use).

Aerosol 12 x 500 ml




CRC FOAM CLEANER

Non-flammable, slow drying water based cleaner, suitable for removal heavy contaminants in vertical applications in food processing areas.

A concentrated, water based degreaser for use in the food industry; NSF A1 registered. The stable, non-dripping foam formula ensures a long contact with the contaminant especially on vertical surfaces. Rinse with water after application.

Aerosol 12 x 500 ml



CRC FOODKLEEN

Fast drying solvent cleaner, for dissolving heavy contaminants in food processing areas.

A solvent blend designed for use in the food industry; NSF A8, C1 registered. The flash point is 40°C for safe application. Dissolves grease, oil, lubricants, and non-cured adhesives. Please test before use.

Aerosol 12 x 500 ml



LUBRICANTS

Cutting fluids



Cutting



SUPER CUT



LUB 21

Threading



SUPER TAPPING FLUID

Oils



For metal



3-36



5-56 + PTFE



POWER LUBE



ROST FLASH



PENETRATING OIL + MoS₂

For plastic



SILICONE

For gears and wires



GEAR & WIRE ROPE LUBE

Dry lubrication



Greases



Multi-purpose



MULTI GREASE

High loads



SUPER LT GREASE + MoS₂

Adhesive



SUPER ADHESIVE GREASE

High temperature



HIGH TEMP GREASE

Extreme pressure



WHITE LITHIUM GREASE + PTFE

Pastes



Metal based



COPPER PASTE

Ceramic based



METAL FREE PASTE

Assembly



GRAPHITE ASSEMBLY PASTE + MoS₂

Food Processing Safe



Oils

Heavy-duty



CHAIN LUBE

Plastic



SILICONE

Multipurpose




MULTI OIL

Greases

Multipurpose



FOOD GREASE



CRC SUPERCUT

Low viscous cutting liquid for normal, metal cutting operations.
 Non-chlorinated, high performance cutting liquid. Reduces heat created by friction, cools by transferring heat away from cutting tools and removes shavings out of the cutting area. Increases the tool life considerably and protects freshly machined parts from rusting.

Aerosol 12 x 300 ml
 Bulk 6 x 1 L / 4 x 5 L / 1 x 20 L



CRC SUPERTAPPING FLUID

High viscous cutting liquid for extreme metal cutting operations.

Non-chlorinated, high performance tapping fluid. Designed for high-pressure applications. Reduces heat created by friction, cools by transferring heat away from cutting tools and removes shavings out of the cutting area. Increases the tool life considerably and protects freshly machined parts from rusting.

Aerosol 12 x 300 ml
 Bulk 6 x 1 L / 4 x 5 L




CRC LUB 21

Semi-synthetic cutting fluid for cutting and rectification operations on all kinds of metals (steel, copper, aluminum, stainless steel, etc.)

This cutting fluid provides a significant extension of the life time of cutting tools and gives a superb anti-corrosion coating to the machined parts. The cutting chips are evacuated more easily. Compared to traditional fluids, CRC LUB 21 has a considerable extended life time.

Bulk 2 x 5 L / 1 x 25 L





CRC 3-36

Light lubricating oil, good penetration for general use.

A universal lubricating oil with excellent penetrating properties. Suitable as a multipurpose lubricant for simple applications. Gives also a good corrosion protection for indoor stored parts.

Aerosol 12 x 300 ml / 12 x 500 ml
Bulk 4 x 5 L / 1 x 20 L




CRC 5-56 + PTFE

Multifunctional service fluid for use in the professional mechanical maintenance.

Contains PTFE for an extended lubrication function under industrial conditions. Performs extremely well when frequent start, stop or alternating movements occur. Displaces moisture and prevents electrical failure. Provides a good protection against corrosion. Ultimate penetration capacity for de-blocking threaded connections or clamped metal surfaces. Cleans and protects surfaces contaminated by machining or handling.

Aerosol 12 x 400 ml



CRC POWER LUBE

Light lubrication oil with PTFE, for frequent start-up situations.

Superior lubricant for universal use, containing PTFE. Provides a long-lasting protection against wear, friction and corrosion.

Aerosol 12 x 400 ml

CRC ROST FLASH

Rust loosener with freeze shock effect.

When sprayed onto a rusted nut bolt connection, the rust cools down (-40°C) and cracks, leaving small fissures. The active liquid will rapidly penetrate into those small openings and blocked parts are separated easily. CRC Rost Flash loosens all kind of threaded parts, hinges and sliding parts. Free of silicones and acids.

Aerosol 12 x 500 ml



CRC PENETRATING OIL + MoS₂

A penetrating oil that quickly frees and lubricates seized mechanisms.

Quickly penetrates through corrosion and soil. Frees seized and rusted bolts, nuts and other metal components. Leaves a lubricating MoS₂ film.

Aerosol 12 x 300 ml



CRC SILICONE

Synthetic lubricating oil, suitable for plastic drives and applications at high temperatures.

Superior synthetic lubricant with a premium grade high quality silicone. CRC Industrial Silicone exhibits superior lubrication and temperature/viscosity characteristics. Reduces friction and noise on non-metal parts.

Aerosol 12 x 400 ml

Bulk 4 x 5 L



CRC GEAR & WIRE ROPE LUBE

Heavy-duty Lubricant.

CRC Gear and Wire Rope Lube is formulated to provide protection and lubrication under all operating conditions. The product penetrates deeply for internal protection of open gears, wire ropes, racks and pinions, crown wheels and cams, driving mechanisms in the construction, shipyard, docks and marine, quarrying, heavy engineering, automotive and manufacturing industries.

Aerosol 12 x 400 ml



CRC DRY LUBE

PTFE lubricant for dry lubrication and use on plastic friction points.

CRC Dry Lube is a fast drying dispersion of white, waxy PTFE particles, leaving a clear lubricating film on the surface. The product exhibits outstanding anti-stick and release properties. As a lubricant, it is most effective at reduced speeds and low loads.

Aerosol 12 x 400 ml





CRC MULTI GREASE

Lithium EP grease for general purpose.
For use on all common rotative bearings.

Tube 12 x 100 ml / Cartridge 24 x 400 g
Bulk 12 x 1 kg / 1 x 5 kg

CRC SUPER LT GREASE + MoS₂

Lithium EP grease with MoS₂ for low speed, high load applications.
This grease retains its lubricating properties under high surface pressure and impact loads.

Tube 12 x 100 ml / Cartridge 24 x 400 g
Bulk 12 x 1 kg / 1 x 5 kg



CRC SUPER ADHESIVE GREASE

Lithium EP grease for low speed, high load applications with occasional exposure to splash water.

When vibrations, oscillating movements and impact loads occur under outdoor conditions. The good sticking property allows vertical or overhead applications.

Tube 12 x 100 ml / Cartridge 6 x 400 g
Bulk 12 x 1 kg

CRC HIGH TEMPERATURE GREASE

Lithium EP grease for low speed, high load applications with exposure to high temperatures.

Recommended on bearings of electric motors.

Tube 12 x 100 ml / Cartridge 6 x 400 g
Bulk 12 x 1 kg / 1 x 5 kg



	Max. temp. (°C)	DN (mm/min)	DIN 51 50
CRC Multi Grease	130	400.000	KP 2 K-30
CRC Super LT Grease + MoS ₂	130	280.000	KP 2 K-30
CRC Super Adhesive Grease	140	250.000	KP 2 N-30
CRC High Temperature Grease	150	400.000	KP 2 P-30
CRC Graphite Assembly Paste + MoS ₂	650		



CRC WHITE LITHIUM GREASE + PTFE

Lithium complex grease with PTFE for low speed and high load applications.
 A high purity NLGI 2 white, lithium based grease with an advanced additive package including PTFE for superior lubrication. CRC White Lithium Grease has a smooth consistency for optimum surface coverage.

Aerosol 12 x 400 ml

CRC COPPER PASTE

Paste with copper particles for heavy loads at start-up situations. Also acts as anti-seize.

Contains micronized copper powder, anti-oxidant and anti-wear additives. Prevents metal-to-metal contact, seizing, galling and fretting corrosion, especially on sliding bearings.

Aerosol 12 x 300 ml
 Tube 12 x 100 ml
 Bulk 12 x 500 gr



CRC METAL FREE PASTE

Ceramic paste for heavy loads and high temperatures during start-up conditions. Also acts as anti-seize.

A ceramic separating and mounting paste for applications from -40°C to $+1.400^{\circ}\text{C}$. Prevents metal-to-metal contact as cause for seizing, galling and fretting corrosion, during heavy start up conditions or high temperature application.

Aerosol 12 x 300 ml
 Tube 12 x 100 gr

CRC GRAPHITE ASSEMBLY PASTE + MoS₂

Assembly paste with solid graphite particles and MoS₂ for easy assembly and smooth start-up situations.

Has a good affinity to metals and resists high pressure and elevated temperatures.

Aerosol 12 x 400 ml





CRC CHAIN LUBE

Food Processing Safe, heavy lubricating oil for driving and transport chains. High performance, foaming lubricant, containing PTFE. CRC Chain Lube is compatible with o-rings, highly resistant to splash water and prevents corrosion to occur. The properties and the NSF H1 registration make the product an excellent lubricant for chains in the food industry.

Aerosol 12 x 400 ml




CRC SILICONE

Food Processing Safe, synthetic lubricating oil, suitable for plastic drives and applications at high temperatures.

Superior synthetic lubricant with a premium grade high quality silicone. CRC Silicone exhibits superior lubrication and temperature/viscosity characteristics. NSF H1 registered. It reduces friction and noise on non-metal parts, throughout the food industry.

Aerosol 12 x 400 ml



CRC MULTI OIL (MACHINE OIL)

Food Processing Safe, light multipurpose oil for general use.

Extremely efficient and effective general-purpose lubricant, for use in the food industry. CRC Multi Oil is NSF H1 registered, exhibits an excellent penetrating ability and loosens rust, scale, dirt and corrosion.

Aerosol 12 x 400 ml

Bulk 4 x 5 L



CRC FOOD GREASE


Multipurpose grease for food processing equipment.

Long-term lubrication on food processing equipment where incidental food contact may occur. CRC Food Grease is NSF H1 registered for use in the food industry and can be applied on all metal constructions used in the food industry: hinges, valves, chains, gears, joints,

Aerosol 12 x 400 ml

Cartridge 6 x 400 g

Bulk 12 x 1 kg



ANTI-CORROSION PRODUCTS

Temporary protection

Indoor Storage

Outdoor storage

Up to 6 months

Up to 2 years

Up to 1 year
Covered conditions

Up to 2 years



3-36



SP 350



SP 350



SP 400

Durable protection

Cathodic protection

Coatings

Aluminum aspect

Exceptional gloss

Inox aspect



ZINC



GALVA BRITE



GALVA SHINE



INOX 200

Primer

High temperatures

Electronic parts



ZINC PRIMER



ALU HITEMP



URETHANE



CRC 3-36

Short-term corrosion inhibitor. Indoor protection up to 6 months.

Multipurpose corrosion inhibitor with water repellent and lubricating properties. Forms a thin, almost invisible and long-lasting protective film against water and oxygen. Exceptional penetrating properties, allowing the product to work even into the smallest pores and cracks. CRC 3-36 protects metal parts from corrosion when stored indoors, during a shorter period.

Aerosol 12 x 300 ml / 12 x 500 ml
Bulk 4 x 5 L / 1 x 20 L



CRC SP 350

Long-term corrosion inhibitor. Indoor protection up to 2 years. Outdoor protection when covered, up to 1 year.

Highly viscous protective oil. Forms a thin penetrating protective film, which does not dry. Protects against moisture and corrosive vapors. Displaces moisture and does not drip off. Covers both smooth surfaces and sharp edges. Provides a relatively long corrosion protection. Do not store the protected parts in outdoor and uncovered conditions.

Aerosol 12 x 300 ml
Bulk 4 x 5 L / 1 x 20 L



CRC SP 400

Long-term outdoor, corrosion inhibitor. Outdoor protection up to 2 years.

Waxy corrosion protector. Provides an effective corrosion protection in outdoor conditions, for a long period. The waxy protective film does not become brittle and protects against heavy corrosive circumstances as moisture and salt water.

Aerosol 12 x 300 ml
Bulk 4 x 5 L / 1 x 20 L



CRC ZINC

Cathodic protection, even for damaged galvanized parts. Zinc based coating with excellent adhesion to metal surfaces.

The high Zinc content is sacrificed during the corrosion process and so provides galvanic protection of the treated metal. The dry coating contains a maximum amount of Zinc (purity 98%), ensuring a self-healing effect when the coating gets scratched. The coating is matt and has an excellent surface structure to be painted.

Aerosol 12 x 400 ml
Bulk 6 x 750 ml




CRC GALVA BRITE

Protective, final coating with a shiny aluminum aspect.

A single component Zinc-Aluminum coating. Protects against corrosion and forms a glossy aluminum look on the coated surface. Good adhesion to metal surfaces. Results in a unique combination of flexibility and hardness.

Aerosol 12 x 400 ml



CRC GALVA SHINE

Touch-up paint for hot galvanized pieces.

Protective coating with an exceptional gloss. Gives the work piece the aspect of a fresh hot galvanized piece. The film is very resistant and keeps its brilliance in time. Ideal for touch-ups of freshly galvanized pieces. The paint can also be used to give pieces a new zinc look.

Aerosol 12 x 400 ml





CRC INOX 200

Anti-corrosion coating for stainless steel surfaces.

Coating with good anti-corrosion properties and a nice look, identical to stainless steel (inox). The coating is fast drying, resistant to high temperatures and has excellent adhesion properties. Ideal touch-up paint : to be used after welding or when mounting a stainless steel construction. Will cover and protect discolored welding seams.

Aerosol 12 x 400 ml

CRC ZINC PRIMER

Corrosion protective primer, easy to paint over.

A Zinc-Phosphate primer for metal surfaces. Dries quickly. Improves adhesion of the finishing coating. A corrosion protective additive slows down corrosion. Can be painted over with all kinds of single component paints, already after one hour.

Aerosol 12 x 400 ml




CRC ALU HITEMP

Protective coating with aluminum look. Resists high temperatures.

Paint that resists high peak temperatures up to 600°C. Provides a hard and durable surface, which does not burn, crack or scale down, even at high temperatures. Withstands large fluctuations in temperature. Excellent weather resistance.

Aerosol 12 x 400 ml



CRC URETHANE ISOLATION

Protective, urethane based varnish for electronic components.

Clear transparent or red colored one-component, urethane type coating. Urethane coating seals out water and moisture and acts as a barrier for contaminants. The coating dries fast and adheres well to most surfaces. After curing, the protective film has a high flexibility, is durable and resists abrasion and contamination.

Transparent: Aerosol 12 x 300 ml / Bulk 2 x 4 L

Red: Aerosol 12 x 300 ml / Bulk 2 x 4 L



PAINTS

Marking and Signalisation



Temporary

Multi position



Permanent

Horizontal areas



CRC MARKER PAINT

Special multi position paint for manual marking and signalling.

A fast drying paint, formulated for temporary signalling and marking jobs for all types of outdoor works. CRC Marker Paint can be used in all positions, no need to purge after use. Due to the special resin the product has a very good adherence to any type of substrate (asphalt, rock, concrete, wood, ...), even under severe weather conditions (humidity, cold,...). The special formula ensures a good (fluorescent) aspect over light and dark areas.

Available Colors.

- | | |
|---|---|
| ■ Red fluo | ■ Orange fluo |
| ■ Yellow fluo | ■ Violet fluo |
| ■ Blue fluo | ■ Black |
| ■ Green fluo | ■ White |
| ■ Fuchsia fluo | ■ Yellow construction |



Aerosol 12 x 500 ml



CRC STRIPING PAINT

Special paint for line marking.

CRC Striping Paint is especially developed to trace lines either indoors or outdoors. The chosen resins offer a high resistance to wear and extreme bad weather conditions. Equal and precise line tracing and long lasting coverage over flat surfaces.


Available Colors.

- | | |
|--|--|
| ■ Black | ■ White |
| ■ Red | ■ Green |
| ■ Blue | ■ Yellow |

Aerosol 12 x 500 ml

WELDING PRODUCTS

Spatter release



Non-destructive testing (NDT)



Solvent based Non-flammable



ANTI SPATTER

Solvent Based



EASY WELD

Water based



BIO WELD

Paste



ANTI SPATTER PASTE

Solvent cleaner



CRICK 110

Penetrating colorant



CRICK 120

Developer



CRICK 130

WELDING - SPATTER RELEASE

CRC ANTI-SPATTER PRODUCTS

Ensures an easy removal of spatter on metal surfaces. Protects the area around the welding seam from spatter. Prevents obstruction of the nozzle of automatic and semi-automatic welding equipment, thus ensuring a free gas flow and a free supply of welding material.

CRC Anti Spatter

Non-flammable, solvent based anti spatter, for use on site.

Aerosol 12 x 400 ml
Bulk 4 x 5 L / 1 x 20 L

CRC Easy Weld

Economic anti spatter, for use in the workshop.

Aerosol 12 x 400 ml

CRC Bio Weld


Non-flammable water based anti spatter, ideal when galvanising will be performed afterwards.

Aerosol 12 x 400 ml
Bulk 1 x 5L / 1 x 20 L

CRC Anti Spatter Paste

Pasty anti spatter for protection of the welding torch. Prevents the build-up of welding material on the torch.

Tin 12 x 500 ml



CRC CRICK PRODUCTS

Non-destructive testing (NDT) :

To detect in a quick and reliable way, small cracks or failures in the welding seams, with expensive equipment or destructive testing, the CRC CRICK SYSTEM should be used.

CRC CRICK 110

Solvent cleaner to prepare the surface for examination.

A fast drying cleaner for the removal of all kinds of contaminants on the surface to be inspected. Serves as a preparation of the surface before inspection with penetrant.

Aerosol 12 x 500 ml

CRC CRICK 120

Penetrating colorant to mark the cracks and failures.

Red colored, water washable penetrant for non-destructive testing of metal surfaces. The penetrant can flow into tiny cracks within a time frame of 10 to 20 minutes. The excess of penetrant has to be washed away before using the developer.

Aerosol 12 x 500 ml

CRC CRICK 130

Developer to make the marked cracks and failures visible.

Magnifies and makes each trace of Crick 120 visible after the developer has been applied for at least 7 minutes. Post cleaning of the inspected area can be done with Crick 110.

Aerosol 12 x 500 ml

INSTRUCTIONS FOR USAGE

1. Cleaning of the surface

The surface to be checked must be clean, degreased and dry. All soiling like rust, oil, grease, paint,... which can mask the imperfections must be removed. Finish the cleaning by spraying **CRC Crick 110** generously. If possible wipe with an absorbent cloth and allow to dry thoroughly.



2. Penetrant

Shake the can of **CRC Crick 120** prior to use. Spray the penetrant in a light, even film on the surface, wetting all areas to be inspected. Allow to drain for 10 to 20 minutes.



3. Excess penetrant removal

Remove excess of penetrant by wiping the surface using a lint-free cloth. Apply **CRC Crick 110** or water (**CRC Crick 120** is water washable) until all visible, colored traces are removed. Care must be taken that only disturbing penetrant on the surface is removed. Dry properly.



4. Development

Shake the can of **CRC Crick 130** thoroughly prior to use. Spray a light, homogeneous coating of developer from a distance of about 20 cm. Avoid any excess of developer to avoid masking the finest flaws. Allow to develop for at least 7 minutes so that imperfections are visible.



5. Visual inspection of defects • Detects cracks of 20 µm!

As time passes, the defects appear as red spots or lines on a white background. The speed of appearance, the shape and dimensions can give information on the nature of the defects. If necessary, post-clean the controlled surface and protect it against corrosion with one of CRC's corrosion protection products.



ADHESIVES

Bonding

Cyanoacrylate

Fast Cure



QUICK FIX

Contact adhesives

Fast Dry

High Strength



FAST STICK



POWER STICK

Locking

Temporary



SOFT LOCK

Permanent



EXTRA LOCK

Sealing

Thread



EASY SEAL

Flange



RIGID SEAL

ADHESIVES - BONDING

CRC QUICK FIX

Cyanoacrylate adhesive for general, non-structural bonding on metals and plastics. Designed for general use. CRC Quick Fix has a relatively slow curing time, enabling correct positioning for precise work during some seconds.

Tube in Blister 24 x 3 g

Bottle 12 x 20 g



CRC FAST STICK

Fast tacking, non-chlorinated spray adhesive.

This specialist formulation will provide instant 'grab', allowing stress to be exerted on the bond before full cure strength is achieved.

Aerosol 12 x 500 ml

CRC POWER STICK

High strength adhesive.

Does not contain Methylene Chloride or other chlorinated solvents. CRC Power Stick has a long open bond time, allowing large areas to be covered before the film dries.

Aerosol 12 x 500 ml





CRC SOFT LOCK

Dismountable locker for threaded metal connections.

A blue colored medium strength anaerobic adhesive. CRC Soft Lock is used to lock those threaded connections that will have to be dismantled in the future, by normal tools and without damaging the parts or fittings. Recommended for use on threaded connections from M5 till M16.

Bottle 12 x 50 ml

CRC EXTRA LOCK

Permanent locker for threaded metal connections and fixation of bearings.

A green colored high strength anaerobic adhesive. CRC Extra Lock is used to lock those threaded connections that need a certain fixation and may not loosen during operation. CRC Extra Lock is also suitable for locking bearings and axes. Recommended for use on threaded connections from M5 till M16, as well as on bearings and bushings.

Bottle 12 x 50 ml



CRC EASY SEAL

Liquid seal for threaded metal couplings.

A white colored low strength anaerobic adhesive, used to seal threaded connections in hydraulic or pneumatic installations, as well as threaded connections in the plumbing business. The position of components can be adjusted during an extended period, under low pressure. Recommended for use till 3" BSP connections.

Squeeze Bottle 12 x 50 ml

CRC RIGID SEAL

Liquid seal for machined metal flanges.

An orange colored high strength anaerobic adhesive. CRC Rigid Seal is used to seal stiff, machined metal flanges that are used in industrial piping, engine covers, gearbox covers and hydraulic or pneumatic installations. Excess of material can be wiped off with a dry cloth or is dissolved in oil.

Squeeze Bottle 12 x 50 ml





CRC 2-26

Repels any humidity left after water damage, protects against friction and corrosion.

CRC 2-26 is a multipurpose lubricant, preventing electric and electronic malfunction due to water penetration, humidity, condensation or corrosion. Displaces water, cleans, removes current leaks, lubricates and protects.

Aerosol 12 x 200 ml / 12 x 400 ml
Bulk 4 x 5 L / 1 x 20 L

CRC BELT GRIP

Friction intensifier for non-toothed belts.

Prevents slip on all kinds of belts, except toothed belts. Based on a synthetic polymer, CRC Belt Grip increases the transmission of power between belts and pulley. It gives an improved traction and allows running in at reduced belt tension.

Aerosol 12 x 400 ml



CRC LEAK FINDER

Allows detecting leaks in gas conducts and installations.

Water based detector for gasses. Meets the requirements of EN 14291 and DVGW (Deutsche Vereinigung des Gas- und Wasserfaches) registration number NG-5170AS0069. CRC Leak Finder detects gas leaks in pressurized pipe work and pressurized systems. At the location of a gas leak, it forms highly visible bubbles.



Aerosol 12 x 500 ml

CRC MINUS 50

Inert, non-flammable coolant.

Strong non-flammable inert dry coolant, down to -50°C , for electrical and electronic maintenance. CRC Minus 50 can be used for maintenance, fault detecting and repairs in the electric and electronic field.

Aerosol 12 x 200 ml



CRC RUST REMOVER

Removes corrosion and/or rust from metals.

CRC Rust Remover is a concentrated scale and rust remover. Based on acid, it removes rust and cleans metal surfaces from scale, tarnish, oxidation and stains.

Bottle 12 x 250 ml
Bulk 1 x 5 L / 1 x 20 L



CRC HAND SPRAYER

Simple refillable spraybottle. The spray pressure is generated by a trigger mechanism. The hand sprayer can be used for all CRC bulk products except the cleaners.

Handsprayer 1 x 500 ml

CRC PUMP SPRAYER

Refillable spraybottle. The pressure for spraying is generated by a manual pump system. The pressure available in the bottle allows a constant spray pattern for a longer time. The pump sprayer can be used for most CRC bulk products.

Pumpsprayer 1 x 750 ml



CRC REFILLABLE CAN

The refillable can combines the benefit of using bulk products with the features of an aerosol. The can is brought to a pressure of 8 bars by filling it with compressed air through a standard compressor and filter/regulator unit.

Refill can 6 pieces

CRC HANDCLEANER ACCESSORIES

Rack for easy suspension of the cleaner reservoir. The cover of the reservoir can be exchanged by the handpump. The handpump allows an easy dispensing without spillage and without contaminating the reservoir with dirty hands.

Rack for 2,5 L Handcleaners

Dispenser for 2,5 L Handcleaners




CRC GREASE GUN

An easy loading grease gun for a standard 400g grease cartridge.

Grease Gun



2-26	25
3-36 - Food Processing Safe	11,17
5-56 + PTFE	11
ALU HITEMP	19
ANTI SPATTER	21
ANTI SPATTER PASTE	21
BELT GRIP	25
BIO WELD	21
CHAIN LUBE - Food Processing Safe	15
COMPLEX BLUE - Food Processing Safe	8
CONTACT CLEANER	5
COPPER PASTE	14
CRICK 110	22
CRICK 120	22
CRICK 130	22
DRY LUBE	12
DUST FREE	5
EASY SEAL	24
EASY WELD	21
EXTRA LOCK	24
FAST DRY DEGREASER	6
FAST STICK	23
FOAM CLEANER - Food Processing Safe	8
FOOD GREASE - Food Processing Safe	15
FOODKLEEN - Food Processing Safe	8
GALVA BRITE	18
GALVA SHINE	18
GEAR & WIRE ROPE LUBE	12
GRAPHITE ASSEMBLY PASTE + MoS ₂	14
GREASE GUN	26
HANDCLEANER	7
HAND SPRAYER	26
HAND WIPES	7
HANDCLEANER ACCESSORIES	26
HIGH TEMP GREASE	13
INDUSTRIAL DEGREASER - Food Processing Safe	6
INOX 200	19
INOX KLEEN - Food Processing Safe	8
LABEL OFF	6
LEAK FINDER	25
LECTRA CLEAN II	6
LUB 21	10
MARKER PAINT	20
METAL FREE PASTE	14
MINUS 50	25
MULTI GREASE	13
MULTI OIL (MACHINE OIL) - Food Processing Safe	15
N.F. PRECISION CLEANER	5
PENETRATING OIL + MoS ₂	11
POWER LUBE	11
POWER STICK	23
PUMP SPRAYER	26
QD-CONTACT CLEANER	5
QUICK FIX	23
REFILLABLE CAN	26
RIGID SEAL	24
ROST FLASH	11
RUST REMOVER	25
SILICONE	12
SILICONE - Food Processing Safe	15
SOFT LOCK	24
SP 350	17
SP 400	17
STRIPING PAINT	20
SUPER ADHESIVE GREASE	13
SUPER HANDCLEANER	7
SUPER LT GREASE + MoS ₂	13
SUPER TAPPING FLUID	10
SUPERCUT	10
URETHANE ISOLATION	19
WHITE LITHIUM GREASE + PTFE	14
WIPES	7
ZINC	18
ZINC PRIMER	19



www.crcind.com

Your distributor:

Autho. :- Importers & Distributors

JAY AGENCIEZ

15, Dhamanwala Complex, Opp. Batliboi, G.I.D.C. Pandesara, Surat-392 411. Gujarat-India.

Ph. : +91-261-2893899 Fax : +91-261-2453089

E-mail : jayagenciez@gmail.com Website : www.jayagenciez.com



the Crosby group
INC.

ALL SAFE
POLYESTER SLINGS



WELDING ELECTRODES

H-A
HYD-AIR

E-MC
PNEUMATICS



Devcon

HT-40

WD

ZERO LEAK

NON ASBESTOS GLAND PACKINGS - CERAMIC INSULATIONS - P.T.F.E. TAPES



CRC Industries Europe

Touwslagerstraat 1

B-9240 Zele, Belgium

Tel.: +32 (0)52-456011

Fax: +32 (0)52-450034

www.crcind.com



THOUSAND-AND-ONE SOLUTIONS