



Grow your business with us...

# SHREEM

## ENGINEERS

ISO 9001 : 2015



[www.shreemengineers.com](http://www.shreemengineers.com)



## About us

Established in the year 2003, at Ahmedabad (Gujarat, India), we "**Shreem Engineers**" are recognized as the noteworthy Manufacturer, Exporter and Supplier of a high quality range of Pouch Packing Machine, Pillow Packing Machine, Band Sealer Machine, Strapping Machine, Flow Wrap Packing Machine and Spice Packing Machine. All these machines are precisely manufactured in our modernized and technically advanced infrastructural unit. This unit is comprised of various functional departments like production, quality testing, R&D and warehousing. These departments are well-installed with the cutting-edge machinery and latest tools & equipments that are regularly upgraded as per the latest developments to maximize the production rate.

These machines are manufactured using the finest quality components with the help of advanced technology by our experts. Offered machines are highly appreciated by our clients for features like excellent performance, easy installation, simple operation, durable finish and longer service life. We offer these packaging machines in different technical specifications as per the exact requirements of our precious clients. Our offered machines are used in various industries like food, chemical, pharmaceutical and many more. Further, our skilled team of professionals manufactures these packaging machines in adherence with set quality standards.



## Vision & Mission

We always try to produce better quality with almost care in the process of manufacturing under anticipation of customer's complete satisfaction.

Our mission is to maintain the principles of integrity, honesty & quality in whatever we deliver. We believe in our constant hard efforts which only awards prosperity to our valued customers & business associates.



## Quality Control

Our advanced manufacturing technology delivers the product with optimum quality with minimum wastages so as to be cost effective & efficient manufacturing processes. Our product undergoes stringent quality tests and at least fulfills **ISO 9001 : 2015 quality management standard**.

For all Packing machines Trial Facility Available for our Valuable clients

\*All Pic. Printed on this catalogue are only Ideas its not a part of actual Machines



## Range of Products

### AUTOMATIC SEMI PNEUMATIC POUCH PACKING MACHINE

#### Specification



<b>Application</b>	Detergent Powder, Tea, Spices, Granules etc.
<b>Filling Range</b>	200 gms to 1 kgs.
<b>Packing Speed</b>	20 to 35 shots /minutes (According with nature of Products & Filling Range)
<b>Type of Sealing</b>	Centre Sealing or 3 Sides
<b>Pouch Dim.</b>	Length 60-300 mm / Film Width 50-400 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	230 V A.C. / Single Phase / 50 Hz. / 3 KV
<b>Machine Wt.</b>	350 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Can be compatible with Volumetric Cup Type / Weighing Type / Auger System
<b>Compressed Air</b>	6CFM@6Bar (3HP Compressor)

### HORIZONTAL FLOW WRAPPER MACHINE

#### Specification

<b>Application</b>	To Wrap any kind of solid commodities such as Biscuits, Soaps, Chocolates etc.
<b>Filling Range</b>	Depends on Specific Products
<b>Packing Speed</b>	70 to 130 Pouches /minutes
<b>Type of Sealing</b>	Centre Sealing or 4 Sides
<b>Pouch Dim.</b>	L-40-300 mm / Film W- 20-125 mm H - 5-56 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	2 H.P., 200.30/50 Hz. Heater-2 X 125 W-4 X 125 W
<b>Machine Wt.</b>	450 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Automatic and manual Feeding







Range of Products

## AUTOMATIC POUCH PACKING MACHINE (F.F.S.)



**F.S.S.  
Centre Sealing Machine**



**F.S.S.  
3 / 4 Side Sealing Machine**



**F.S.S. (Liquids/Paste)  
4 Side Sealing Machine**

### F.S.S. Centre / 3 / 4 Side Sealing Machine Specification

<b>Application</b>	Panmasala, Gutkha, Tea, Granules, Spices Etc.
<b>Filling Range</b>	0.5 gm to 250 gm (Nature of Products)
<b>Packing Speed</b>	20 to 35 Pouches /minutes (According with nature of Products & Filling Range)
<b>Type of Sealing</b>	Centre Sealing ,3 Sides, 4 Sides
<b>Pouch Dim.</b>	Length 60-300 mm Film Width 50-400 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	2 Kw, Motor ½ HP / 220 V / Single Phase
<b>Machine Wt.</b>	350 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Can be compatible with Volumetric Cup Type / Weighing Type / Auger System

### F.S.S. 4 Side Sealing Machine (Liquids/Paste) Specification

<b>Application</b>	Shampoo, Lubricant, Oil, wine, Paste Etc.
<b>Filling Range</b>	3 ml upto 100 ml
<b>Packing Speed</b>	20 to 60 Pouches /minutes (According with nature of Products & Filling Range)
<b>Type of Sealing</b>	3/4 Side Sealing
<b>Pouch Dim.</b>	Length 60-300 mm Film Width 50-400 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	2 Kw, Motor ½ HP / 220 V / Single Phase
<b>Machine Wt.</b>	350 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Volumetric Piston or Pump





## Range of Products

### PNEUMATIC COLLAR TYPE AUGER FILLER (Plc Based)

#### Specification



<b>Application</b>	Powder (Free Flowing & Sticky)
<b>Filling Range</b>	25 gm to 2 Kgs.
<b>Packing Speed</b>	25 to 45 Pouches /minutes
<b>Type of Sealing</b>	Centre Sealing
<b>Pouch Dim.</b>	100-260 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	5.5 Kw, 3 Phase
<b>Machine Wt.</b>	650 kgs. +200 Kg. Screw Conveyor
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Automatic
<b>Compressed Air</b>	6CFM@6Bar (3HP Compressor)

### PNEUMATIC COLLAR TYPE MACHINE (Plc Based)

#### Specification

<b>Application</b>	Powder, Tea, Namkeen, Granuales Etc.
<b>Filling Range</b>	25 gm to 2 Kgs.
<b>Packing Speed</b>	25 to 45 Pouches /minutes
<b>Type of Sealing</b>	Centre Sealing
<b>Pouch Dim.</b>	100-260 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	5.5 Kw, 3 Phase
<b>Machine Wt.</b>	650 kgs. +200 Kg. Screw Conveyor
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Automatic
<b>Compressed Air</b>	6CFM@6Bar (3HP Compressor)





## Range of Products

### CANDY PILLOW PACK MACHINE

#### Specification



<b>Application</b>	Candy, Chewing Gum, Chocolates etc.
<b>Filling Range</b>	Depends on Specific Products
<b>Packing Speed</b>	250 to 450 Pouches /minutes
<b>Type of Sealing</b>	Centre Sealing
<b>Pouch Dim.</b>	W- 50-200 mm H - 65-300 mm
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	230 V A.C. /single or 3 Phase
<b>Machine Wt.</b>	600 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Automatic and manual Feeding

### PNEUMATIC COLLAR TYPE MACHINE (MULTI HEAD LOAD CELL)

#### Specification

<b>Application</b>	Granules, Namkeen etc.
<b>Filling Range</b>	5 gms to 500 gms
<b>Weigh Head Nos.</b>	10 Head / 14 Head
<b>Type of Sealing</b>	Centre Sealing
<b>Compressed Air</b>	13 CFM @ 6 Bar (5 HP Compressor)
<b>Pouch Film Material</b>	All Type of heat Sealable Laminates
<b>Power Req.</b>	4 Kw 3 Phase
<b>Machine Wt.</b>	900 kgs. (approx.)
<b>Filling Material Contact Parts</b>	Stainless Steel AISI 304 Grade
<b>Dosing System</b>	Automatic



# SHREEM ENGINEERS

**MFERS.OF : WIDE RANGE OF POUCH PACKING MACHINES**

32, 33, 34, Haridarshan Industrial Park, B/h. Vatva G.I.D.C. Ph. IV, Nr. Baroda Express Way, Trikampura Garnala, Ramol, Ahmedabad-382449. (Gujarat) INDIA.

**M. : 07874618562 (Mr. Hemal Bhatt) M. : 9824920305 (Mr. Sanjay Rathod)**

**E-mail : shreemengineers@yahoo.com / shreemengineers@gmail.com**

**www.shreemengineers.com**