

The Solution For Export Pallet





ISPM15 Compliance,
REACH & ROHS CERTIFIED Pallets

Low Cost Moulded Pallet

ISO 14001:2015 & ISO 9001:2015 Certified Company



Mapac® Technology is the first manufacturer of this new-age and eco friendly Pallet in India. The Pallets we manufacture are known as Compressed Wood Pallets. Our organization is adapting to providing new age and Eco-friendly solution to growing environmental challenges. With a vision to achieving the aim to give back to Mother Nature we are following the principal of "Thinking Eco-Friendly Future", Keeping this in mind we have adopted a unique technology to manufacture environmental friendly or Eco-friendly biodegradable Compressed Wood Pallet from the wood waste for the wide variety of applications to the various industries.

With a factory area spreading over 25000 Sq.Mtrs. and equipped with latest production technology operated and managed by skilled staff, **Mapac**® Technology only uses the raw material from the renewable source to manufacture our bio-degradable compressed wood pallet. Compressed Wood Pallet is environment friendly. So at the end its life cycle the manufactured product will become the part of the mother earth or nature through its natural ecological process of decomposing itself to its place of origin i.e. mother nature.

"Thus making our organizations journey towards achieving our principal a practically achievable reality. Not only we but every individual or the organization attached to us, directly or indirectly is playing a valuable role in our mission of achieving our principal."

OUR JOURNEY:

The timber industry has by far multiplied many a folds worldwide. With experience of over 30 years in the Timber industry the promoters of the organization have a come a long way. Just started as a small band saw unit under the banner of "Mankuva Timber Industries", the organization now has inhouse facility for the timber seasoning, chemical treatment, Heat treatment, wood preservation unit with a well equipped laboratory.

Over the years the organization has added various business activities like Importing timber by setting up overseas office and sourcing operations from world over and also manufacturing facility for various timber & construction related products like door frames, window frames, doors, shutters, pallets, customized sawn sizes. The latest being Compressed Wood Pallets and WPC products under the banner Mapac® Technology.

The highlight or the biggest achievement of our journey has been our precious clients varying from Government organization, Corporate organizations, Housing industry, NGO's to all the sectors of the industry and person. We thank them for all their feedback and support to us. This would not have been possible without anyone of our clientele.





Why Mapac Compressed Wood Pallets?

Compliance to ISPM 15 Regulated Wood Packing Material (WPM)

- Clause 2.1 Exemption-Does not require to be heat-treated of fumigated

Mapac® pallets are moulded from dried wood fibre using very high pressure & temperature. This manufacturing process classifies them as 'particle board', which can also be described as 'processed wood'. ISPM15 regulations only control "non-manufactured wood" or "non-processed wood" and concern raw timber. As every **Mapac**® pallet is manufactured by this process it means you pay nothing extra for this specially prepared (or treated) pallets. It also means that any **Mapac**® Pallet can go anywhere in the world, so no extra stock is needed. Although certification of this product is not entirely necessary, we offer voluntary certification to ensure trouble free exports. Mapac pallets are free of TBP, TCP and TCA Chemicals that are a concern to food, Produce and Pharmaceutical manufacturers.







EASY CUSTOM CLEARANCE SPACE SAVING I.E.

- NESTABLE, STACKABLE & RACKABLE



ECONOMICAL TRANSPORTATION COST & STORAGE COST



RESISTANT TO MOISTURE TERMITES ATTACK & FUNGI



EXEMPT FROM EU AND IPPC REGULATIONS.
NO DOCUMENTATION OR CERTIFICATIONS REQUIRED.



LIGHTWEIGHT AND DURABLE, IT ASSURES EASE AND EFFICIENCY IN TRANSPORTING YOUR PRODUCTS.



STRONG ENOUGH FOR REPEATED USE WHILE BEING ECONOMICAL FOR ONE-WAY APPLICATIONS.



CONSISTENT TARE WEIGHT. ONE-PIECE CONSTRUCTION, NO NAILS OR FASTENERS.



ENVIRONMENTALLY FRIENDLY AND RESPONSIBLE, THEY ARE 100% RECYCLABLE!



WILL NOT HARBOR PEST INFESTATION.
MOLD OR MILDEW.



EASILY ACCESSIBLE 4-WAY ENTRY BY FORKLIFT OR PALLET JACK.





MP 1: 1200 x 800

SPECIFICATION

STACKING: 2000 Kgs LOAD LIFTING: 1000 Kgs LOAD

WEIGHT: 15 ± 1 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE



MP 2: 1200 x 1000

SPECIFICATION

STACKING: 3000 Kgs LOAD LIFTING: 1500 Kgs LOAD

WEIGHT: 19 ± 1 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE



MP 3: 1100 x 1100

SPECIFICATION

STACKING: 3000 Kgs LOAD LIFTING: 1500 Kgs LOAD

WEIGHT: 19 ± 1 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE




MP 4: 1130 x 1130

SPECIFICATION

STACKING: 3000 Kgs LOAD LIFTING: 1500 Kgs LOAD

WEIGHT: 19 ± 1 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE





MP 8: 1100 X 1100 (DD)

(Base Only -for Double Deck Pallet) Detachable

SPECIFICATION

WEIGHT: 13±1

(Uniform Weight in Kgs.)



MP 9: 1400 X 1140

(Customizable Compressed Wood Board)

SPECIFICATION

18 mm

WEIGHT: 20±1
THICKNESS CAN BE

CUSTOMIZED AS PER REQUIREMENT

(Uniform Weight in Kgs.)




MP 10: 1000 x 1000

SPECIFICATION

STACKING: 3000 Kgs LOAD LIFTING: 1500 Kgs LOAD

WEIGHT: 18 ± 1 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE



MP 11:1370 x 1100

SPECIFICATION

STACKING: 3000 Kgs LOAD LIFTING: 1500 Kgs LOAD

WEIGHT: 27 ± 2 (Uniform Weight in Kgs.)

RACKING: APPLICABLE WITH BASE



Compressed Wood Blocks are available in following sizes (In mm)







Hello Sir/Madam, Our country India is a member country following the ISPM15 Regu... [Incident: 150815-000267) 1 message

CBP INFO Center<customs@customs-mail.custhelp.com> <customs@customs-mail.custhelp.com> 18 August 2015 at 23:08 Reply-To: "CBP INFO Center<customs@customs-mail.custhelp.com>" <customs@customs-mail.custhelp.com>

To: mapac.technology@gmail.com

Recently you requested personal assistance from our on-line support center. Below is a summary of your request and our response. If this issue is not resolved to your satisfaction, you may reopen it within the next 7 days. Thank you for allowing us to be of service to you.

Subject: Hello Sir/Madam, Our country India is a member country following the ISPM15 Regu...

Discussion Thread

Response Via Email (CBP Officer Hanzlik) 08/18/2015 01:38 PM

Dear Manish

The Compressed Wood Pallets do not need to be treated, and the link below explains the rules

Mark Answer Title: Requirements for Wood Packaging Material (WPM) imports

Answer Link: https://help.cbp.gov/app/answersi/detail/a_id/931
Thank you for contacting the U.S. Customs and Border Protection (CBP) INFO Center.
Friday from 9:00 AM-4:00 PM Eastern Time.

Please note that in our online tracking software, a "Solved" status simply means that we have provided you with the best information we have to your question. There may still be steps you need to complete before your situation is resolved to your satisfaction. Those steps are explained in our response. If you need further clarification on those steps, please feel free to contact us back. This email is intended for Informational Purposes Only, final determination of admission is solely at the discretion of the CBP Officer based upon the inspection at the time of entry. Thank you again for contacting the CBP INFO Center.

CBP INFO Cente

Customer By Web Form 08/15/2015 05:45 AM

Hello Sir/Mada

Our country India is a member country following the ISPM15 Regulations for the wooden packaging material for the import and exports. We have a query about the COMPRESSED WOOD PALLETS, also popularly known as PRESSWOOD PALLETS. As per the ISPM15 Standards 2.1 clause for the Exemption (for wooden packaging material), any wooden packaging material of particles less than 6mm and material is bonded with adhesive and treated with heat and pressure at the same time and is just similar to any other processed wood such as particle board, it is not required to be further heat treated and furnigated. We have attached a copy of the ISPM15 Regulations copy along with this email for your reference. So, we have a query that for these kind of pallets i.e. Compressed Wood Pallets that: Is there any certification or marking required just in case of traditional wooden pallets for the purpose of export to U.S.? We have attached a picture of the Compressed Wood Pallet for your reference along with this email. Please refer the attached file. Please guide us for the same and give us your valuable advise, due to lack of further details at our end. We thank you for your co-operation. Awaiting your valuable feedback. **Thank you.**

Intertek

Valued Quality Delivared

Ntertek India Private Limited Ntertek India Private Limited
Division: Commedless
"I" Wing Tax Center
28-a, Chandivali Farm Road,
Off. Saki Vihar Road, Andheri (East)
Mumbai - 400 072, India.
Tel: +91 22 42450100 / Fax: +01 22 42450250

REPORT NO.: MUM/1856/2016

Mr. Manish Padmani

20.06.2016

M/s. Mapac Tachnology.

21.06.2016 To 29.06.2016

Meet The Rohs Requirement

REPORT DATE: 29.06.2016

LABORATORY REPORT

Job No.: 01693 nple Received Date: 21.06.2016

M/S. Mapac Technology., Survey No. 595/1, Paddhar, Kandherai Road, Behind Suzlon, Dist. Bhuj-kutch, Gujrat - 370105.

For The Attentio0n Of

Sample Received From Payment Confirmation Received On

Testing Period

Sample Description:

THE SUBMITTED SAMPLE SAID TO BE - Compressed Wood Pailet CONCLUSION:

Tested Sample

Rohs Directive 2011/65/en,

ROHS Test Report

Intertek

Valued Quality Delivared

MUM/1856/2016

Sample Receiver Date: 21.06.2016 Report Date: 29.06.2016

Sample Description

The Submitted Sample Said To Be Compressed Wood Pallet

TESTED SAMPLE STANDARD

Submitted Sample EU REACH Regulation (EC) No 1907 / 2006 Meet Requirement

Article 33(1) Obligation To Provide Information

Safe Use

(see REACH Requirement In Report For Details)

REACH Test Report

प्रारतीय पैकेजिंग संस्थान INDIAN INSTITUTE OF PACKAGING

un autonomous body under Ministry of Commerce & Industry, Govt. of India E-2, MIDC AREA, POST BOX NO. 9432, ANDHERI (EAST), MUMBAI - 400 093. Tel.: 91-22-2821 9803 / 9469 / 6751, 28239623, 2839 1506, 28254631 Fax: 91-22-2823 8178, 2837 5302- URL: http://www.lipi-ncom E-mail: labip@iipnn.com, materiallab@iip-in.com, transportlab@iip-in.com

Title: Test Report 1. Title of the lest Stack Load Test, Compre Block Impact Test M/s. Macpue Technology Survey No. 595°?, Village: Paddhar. Kandherai Road, Behind Su Ion, Dist. Bhuj-Kutch-Gujarat 370105, India

a) Date of Start of Test: 13/03/2015. b) Date of Completion of Test: 1 7/03/2015. Four set of sample

ition: 27 ± T/C & 65 ± 2% RH 6. Fnvimimeiiia Test C

32.71 Party's reques

ASST. DV. AT. DI

DR. S. K. Chattopadhy:
Prof. & Additional Director
LABORATORIES DIVISION

प्रारतीय पैकेजिंग संस्थान

n autonomous body under Ministry of Commerce & Industry, Govt. of India E-2, MIDC AREA, POST BOX NO. 9432, ANDHERI (EAST), MUMBAI - 400 093. Tel.: 91-22-2821 9803 / 9469 / 6751, 28239623, 2839 1506, 28254631 Fax: 91-22-2832 9178, 2837 5302-URL: http://www.iipi-in.com E-mail: labiip@iipnn.com, materiallab@iip-in.com, transportlab@iip-in.com

LABORATORY TEST REPORT

Test Report No: IIP/1142/2015/LAB/M-11

	Test	Unit	Result Obtained		Tested as per
			1130 x 1130	1100 \ 1100	
1.	Stack Load Test (For 24 hrs. with 1000 kg load)		No damage was observed	No damage was observed	Party's request
2.	Compressions Strength (at max. peak)	kgf (Ave.)	7120.0	8890.0	Party's request
3.	Density	g/cc (Ave.)	1.0	1.01	Party's request
4.	Water Absorption (for 24 h)		32.98	33.50	Party's request
5.	Block Impact Test	-	No damage was observed	No damage was observed	Party's request

TESTED BY: 35-)	ASST. DY. JT, DIRECTOR	DR. S. K. Chattopadhya Prof. & Addifiata Director	
This report is for Private use only. Not to be use	sed for Publicity or Litigation	on LABORATORIES DIVISION	

Mapac®

Add: Vill.Paddhar, Kandherai Rd, Dist.Bhuj-Kutch, Gujarat, India Cont. +91 (2832) 275320 / 275361, Email: info@mapac.in, Web: www.mapac.in

MANUFACTURER'S CERTIFICATE



hese pallets are not considered as sold wood. There are no risk material according to 15. (International Plant Protection Convection — International Standards for ray Measures). Wood bised paires can be used as packing or as pallets without any uningation or hear transmert. Also the same has been described under the clause 2.1 of Wood Packaging Material Regulations.

We confirm that MAPAC™ Com

Mapac™ Technology































The Solution For Export Pallet





Marketing Office:

B-1206, Westgate, Near YMCA, S.G. Highway, Ahmedabad, Gujarat - 380051, INDIA. Contact: +91 98253 27909

+91 9978848811

Email: info@mapac.in / mapac.tech@gmail.com Website : www.mapac.in / www.mapacpallet.com



Registered Office:

Bhuj-Kutch, Gujarat, 370105, INDIA. Contact: +91 2832 275320, 275361



OUR CHANNEL PARTNER





