



Hubei Fengpu Abrasive Science and Technology Co., Ltd.

Add: Economy Development Zone, Tongcheng, Xianning, Hubei, China

Telephone: 0086-715-4069401 **Fax:** 0086-715-4069403

Website: www.fengpuabrasive.com

E-mail-1: info@fengpuabrasive.com

E-mail-2: lisa@fengpuabrasive.com

E-mail-3: nicholas@fengpuabrasive.com



Company Introduction

Hubei Fengpu Abrasive Science & Technology Co., Ltd. is one of the most leading manufacturer of coated abrasives, as well as a branch of Hubei Yuli Abrasive Belts Group Co Ltd, the largest manufacturer of coated abrasives in China. We have 258 staff members, including 36 senior professional and technical persons. Our company covers 32,000 square meters. We have 35,000RMB fixed assets and three internationally advanced automatic producing lines, one central lab and one product testing room. Our annual output is more than 30,000,000 square meters for "Three Star", "Sharpness", "Double Fish", "Feng Luan", "Ren Feng" brand and the other series products.

In 2003, the company was ISO9001: 2000 certificated. Our products are popular and welcome in more than 30 countries and regions, such as USA, Canada, Korea, Europe, etc.

The company produces a wide variety of durable and high quality coated abrasives including, Abrasive Sheet, Fiber Disc, Flap wheel, Flap Disc, Sanding Belt, Velcro and Self-adhesive Discs, Sanding Sponges, Sanding Screen, Non-woven Abrasives, etc.

Aiming at creating a world famous brand and providing the first-class product and service, we sincerely stands together with our customers to explore markets and build up a prosperous win-win future

[Heavy Abrasive Belts]

HEAVY ABRASIVE BELTS

硬布基砂带系列

DGY71

精密研磨砂带

Precise abrasive belt

堆积磨料砂带，磨削寿命长，磨削一致性好，磨削热低。主要用于金属表面拉丝，高精面金属材料的磨削和抛光。

Compact grain abrasive belt, long lifetime & low heat generation. Mainly used for wire drawing, sanding and polishing the surface of metal materials.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
纯棉布 或聚酯布 cotton or polyester cloth	氧化铝 白刚玉 单晶刚玉 锆刚玉 A/O; W.A.L.O; single alundum; Z/A	中密 semi-open	1400	良好 good		●	●		P120-P1200

DZY71

锆刚玉聚酯砂带

Zirconium aluminium oxide
abrasive belt

超重型砂带，具有很高的强度和机械性能，适合做成各种砂带，用于超重负荷磨削。适用范围：主要用于黑色金属、有色金属、硬质非金属材料荒磨，也用于中、高密度纤维板的粗磨。

Ultra-heavy polyester cloth backing, with high strength, good machinery property. Suit for making belts. For polishing of ferrous metal, nonferrous metal, hard nonmetal and board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 good		●	●	●	P24-P120

DZY72

锆刚玉涂层砂带

Zirconium aluminium oxide
stearate abrasive belt

超重型涂层砂带，强度高，机械磨削性能好，具有良好的耐热性和防堵塞性能。适用范围：主要用于钛合金、不锈钢、精密铸造、体育运动器材等难磨金属的磨削。

Ultra-heavy polyester cloth backing, with high strength, good machinery property, heat-resistance and anti-clogging. For heavy load polishing of titanium alloy, stainless steel, precision casting and exercise equipment.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	锆刚玉 zirconium aluminum oxide	密 close coated	1400	好 good		●	●		P24-P120

DKY71

氧化铝聚酯砂带

Aluminium oxide abrasive belt

适用范围：超重型砂带，耐水、耐油，抗拉强度高，适合做成宽带及超宽砂带用于各种金属、板材、带材的磨削加工。

Ultra-heavy polyester cloth backing, water-resistance, oil-resistance and high strength. Suit for making wide belt. For polishing of metal, board and strip.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	氧化铝 aluminum oxide	密 close coated	1400	良好 good		●	●		P24-P320

DCY71

碳化硅聚酯基砂带
Silicon carbide abrasive belt

适用范围：超重型砂带，具有很高的强度和极小的延伸率，特别适合做成高速、重负荷宽幅大砂带用于加工各种板材。如高密度纤维板、中密度纤维板、石膏板、硅钙板及大理石、陶瓷、玻璃塑料等材质的打磨和抛光。

Ultra-heavy polyester cloth backing, with high strength and small extension, specially suit for making high speed, heavy load wide belt. For heavy load polishing and finishing of board, plastic, glass, pottery and porcelain.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯布 polyester cloth	碳化硅 silicon carbide	密 close coated	1400	好 good		●	●		P24-P320

BKY71

氧化铝混纺基砂带
Aluminium oxide abrasive belt

适用范围：重型砂带，具有很高的强度和机械磨削性能，适合转换各种砂带用于金属和非金属的磨削和抛光。

Heavy blend cloth backing, with high strength and good machinery property, suit for making belts. For polishing and finishing of board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminium oxide	密 close coated	1400	好 good		●	●		P24-P320

BCY71

碳化硅混纺基砂带
Silicon carbide abrasive belt

适用范围：重型砂带，具有很高的强度和机械磨削性能，适合转换各种宽砂带用于中密度纤维板、刨花板、装饰板等人造板的磨削和抛光。

Heavy blend cloth backing, with high strength and good machinery property, suit for making wide belts. For polishing and finishing of boards.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	碳化硅 silicon carbide	密 close coated	1400	好 good		●	●		P24-P320

GXK61

氧化铝耐水砂带
Aluminium oxide abrasive belt

适用范围：耐水砂带，适合加工成各种水磨及带油磨削，如渔具、渔杆等。

Blend cloth backing, water-resistance and oil-resistance. For polishing and finishing of fishing material.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminium oxide	密 close coated	1400	良好 excellent		●	●		P40-P800

GXC51-P

碳化硅多功能砂带
Silicon carbide abrasive belt

适用范围：主要用各种板材磨削和抛光。
For polishing and finishing of board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	碳化硅 silicon carbide	密 close coated	1400	一般 generally		●	●		P24-P320

GXK51-LA

平面轮专用砂卷
Aluminium oxide abrasive belt

适用范围：平面叶轮专用砂带，适合于做百叶片、千叶轮，用于各种金属及非金属行业的磨削和抛光。
Specially for making flap disc and flap wheel. For polishing and finishing of metal and nonmetal.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
纯棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	一般 generally			●	●	P40-P400

GXK51-Fe

氧化铝普通砂带
Aluminium oxide abrasive belt

适用范围：适合于接成窄砂带，用于一般金属及非金属的磨削加工。
Application: Used for grinding common metal and non-metal materials in narrow belt form.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
纯棉布 cotton	氧化铝 aluminum oxide	密 close coated	1400	一般 generally		●	●	●	P40-P320

GZX71

叶轮锆刚玉砂卷
Zirconium aluminium oxide
abrasive belt

高档异型产品专用砂卷。重型砂带，主要用于制成千叶轮、平面轮、砂布轮等异型产品用于各种难磨金属及特硬非金属等行业的磨削和抛光。
Heavy cloth backing, specially for high quality specialty abrasives, such as flap disc, flap wheel and so on. For polishing and finishing of metal and hard nonmetal.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	锆刚玉 zirconium aluminum oxide	密 close coated	1400	良好 good			●	●	P40-P320

[Flexible Abrasive Belts]

FLEXIBLE ABRASIVE BELTS

软布基砂带系列

DGF51

精密研磨砂带

Precise abrasive belt

堆积磨料砂带，磨削效率高、磨削性能稳定、磨削精度高、使用寿命长。主要用于金属家具，家电、数码产品外壳，水暖器具、运动器材等的磨削和抛光。

Compact grain abrasive belt, high cutting rate, stable sanding performance, good precision and long lifetime. Mainly used for sanding and polishing the metal furniture, household appliances, digit products shell, plumbing instruments & sports equipment etc.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
纯棉布 或混纺布 cotton or blend cloth	氧化铝 aluminum oxide 白刚玉 white aluminum oxide 单晶刚玉 single aluminum oxide 锆刚玉 zirconium aluminum oxide	中密 semi-open	1500	良好 good		●	●		P120-P1200

KKF51

防堵塞布基砂带

Anti-loading abrasive belt
with cloth backing

间歇性植砂，磨削效率高，脱屑性好，散热性好，主要用于各种软金属、家具等易堵塞工件的磨削和抛光。High efficiency, good dust removal and good heat emission. Mainly used for grinding and polishing the easy-loading workpieces, such as soft metal and furniture, etc.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide 碳化硅 silicon carbide 白刚玉 white aluminum oxide 锆刚玉 zirconium aluminum oxide	间歇式 interval	1500	良好 good		●	●		P60-P400

CKF51

柔软基氧化铝砂带

Aluminium oxide abrasive belt

适用范围：柔软布基砂带，易于手撕，用于手工打磨，适合做软基砂碟等。主要用于家具、家私、工艺制品等异型曲面的打磨和抛光。

Soft cloth backing. Easy to split by hand. Suit for hand working and making flap disc. For polishing and finishing complex surface of furniture, art work.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1500	良好 good			●	●	P60-P600

KKJ461

中软基砂带

Aluminium oxide abrasive belt

适用范围：主要用来做八瓣砂、丝轮、气鼓、软基砂碟。主要用于：家具行业的异型曲面的磨削和抛光。
Application: Widely used for making shaped products, wire wheel & flexible sanding disc, grinding & polishing curved surface for furniture.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1500	良好 good			●	●	P60-P600

CJ122

碳化硅软基砂带

Silicon carbide abrasive belt

适用范围：碳化硅软基砂带，具有较高的强度，适合做成砂带。主要用于：有色金属、水暖器材、卫生洁具、厨房用品等的磨削和抛光。

Soft cloth backing, with higher strength. Suit for making belts. For polishing and finishing of nonferrous metal, sanitation, kitchen ware.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	碳化硅 silicon carbide	密 close coated	1400	良好 good		●	●		P60-P600

JB-5

手撕软基砂带

Aluminium oxide abrasive belt

适用范围：手撕软基砂带，强度较小，易于手撕，用于手工磨削，不适宜做砂带。主要用于：各种曲面及异型面的磨削和抛光。

Soft cloth backing, with small strength, easy to split by hand. Suit for hand working and not for making belts. For polishing and finishing complex surface of workpiece.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
棉布 cotton	氧化铝 aluminum oxide	密 close coated	1500	良好 good		●	●		P60-P600

JB-8

机磨软基砂带

Silicon carbide abrasive belt

适用范围：机磨柔软砂带，具有较强的韧性，可做窄砂带。主要用于：原木、松木、家具、油漆、塑料、手工制品、藤制品，也适用于一般软金属的磨削。

Soft cloth backing, with higher tenacity. Suit for making narrow belts. For polishing and finishing of wood, furniture, varnish, plastic, art work, rattan work and soft metal.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide	密 close coated	1400	良好 good		●	●		P60-P600

CCJ52

碳化硅软基涂层砂带

Silicon carbide stearate abrasive belt

适用范围：碳化硅柔软布基涂层砂带，具有较高的强度，适合做成窄砂带。主要用于软金属，如铝合金、铜材等材料的磨削和抛光。

Soft cloth backing, with higher strength and anti-clogging. Suit for making narrow belts. For polishing and finishing of soft metal, such as aluminium alloy, copper and so on.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	碳化硅 silicon carbide	密 close coated	1400	一般 generally		●	●		P60-P600

[Paper Abrasive Belts]

PAPER ABRASIVE BELTS

纸基砂带系列

PKF51

防堵塞纸基砂带

Anti-loading abrasive belt with paper backing

间歇性植砂，磨削效率高、脱屑性好、散热性好，主要用于汽车漆面、油漆、橡胶、塑料、家具等易堵塞工件的磨削和抛光。

High efficiency, good dust removal and good heat emission. Ideal for grinding and finishing the easy-loading workpieces, such as the varnish surface of automobile, paint, rubber & furniture, etc.

结构 structure					形状 shape				粒度范围 grit range
基底 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	氧化铝 碳化硅 白刚玉 锆刚玉 A/O, S/C, W.ALO, Z/A	间歇式 interval	1400	良好 good		●	●	●	P60-P400

PKE51

氧化铝E级砂带

Aluminium oxide paper abrasive belt

适用范围：重型纸基砂带，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、砂卷和异型制品。主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光及加工成圆盘状自粘式产品用于汽车等行业的打磨。

Heavy paper backing, with medium softness, flat sanding surface and small extension. Suit for making various kinds of belts and specialty abrasives. For polishing and finishing of furniture, floor, rubber, plastic, leather, wood, board.

结构 structure					形状 shape				粒度范围 grit range
基底 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	氧化铝 aluminium oxide	密 close coated	1400	良好 good		●	●	●	P40-P800

PCE51

碳化硅E级纸带

Silicon carbide paper abrasive belt

适用范围：重型纸基砂带，具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、砂卷和异型制品。主要用于：家具、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Heavy paper backing, with medium softness, flat sanding surface and small extension. Suit for making various kinds of belts and specialty abrasives. For polishing and finishing of furniture, floor, rubber, plastic, leather, wood, board.

结构 structure					形状 shape				粒度范围 grit range
基底 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	碳化硅 silicon carbide	密 close coated	1400	良好 good		●	●	●	P24-P600

PPE81

皮革专用纸带

White aluminium oxide paper abrasive belt

适用范围：皮革专用砂带，具有较好的柔软度，砂面平整、延伸率小，主要用于皮革、油漆、塑料、木材、木器精磨和抛光。

Heavy paper backing, with good softness, flat sanding surface and small extension. Specialty for polishing and finishing of leather, varnish, plastic, wood.

结构 structure					形状 shape				粒度范围 grit range
基底 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	白刚玉 white aluminium oxide	密 close coated	1400	良好 good		●	●		P40-P800

PCE52

涂层E级纸带

Silicon carbide stearate paper abrasive belt

适用范围：涂层E级纸带，具有适中的柔软度，砂面平整、脱屑性好、延伸率小，适合做各种砂带、异型制品。主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Heavy paper backing, with medium softness, flat sanding surface, anti-clogging and small extension. Suit for making various kinds of belts and specialty abrasives. For polishing and finishing of furniture, floor, rubber, plastic, leather, wood, board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	碳化硅 silicon carbide	密 close coated	1400	良好 good		●	●	●	P40-P600

PCG81

碳化硅重磅纸砂带

Silicon carbide paper abrasive belt

适用范围：超重磅纸基砂带，挺性好、砂面平整、延伸率小，适合做各种砂带、异型制品。主要用于高中密度板、人造板的打磨和抛光。

Ultra-heavy paper backing, with flat sanding surface, small extension. Suit for making various kinds of belts and specialty abrasives. For polishing and finishing of board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
G型纸 G-wt paper	碳化硅 silicon carbide	密 close coated	1400	良好 good		●	●		P40-P240

PKE52

氧化铝涂层纸基砂带

Aluminium oxide stearate paper abrasive belt

适用范围：重磅纸基涂层砂带，脱屑性好、散热性好、具有适中的柔软度，砂面平整、延伸率小，适合做各种砂带、异型制品。主要用于家具、地板、橡胶、塑料、皮革、木材、木器、人造板用油漆表面的精磨和抛光。

Heavy paper backing, with anti-clogging, medium softness, flat sanding surface and small extension. Suit for making various kinds of belts and specialty abrasives. For polishing and finishing of furniture, floor, rubber, plastic, varnish, leather, wood and board.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	氧化铝 aluminum oxide	密 close coated	1400	良好 good		●	●	●	P40-P600

PCC52

碳化硅涂层纸基砂带

Silicon carbide stearate paper abrasive belt

适用范围：耐磨，脱屑性好，不粘灰，主要用白木、油漆、腻子、布料等行业的打磨，属于超精磨。Anti-clogging, durable. For polishing and finishing of wood, varnish, putty, cloth.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	碳化硅 silicon carbide	密 close coated	1400	良好 good		●	●	●	P40-P600

PKC52

涂层C级纸带

Aluminium oxide stearate paper abrasive belt

适用范围：耐磨，脱屑性好，不粘灰，主要用白木、油漆、腻子、皮革、布料等行业的打磨，属于超精磨及加工成圆盘状自粘式产品用于汽车等行业的打磨。

Anti-clogging, durable. For polishing and finishing of wood, varnish, putty, cloth.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	氧化铝 aluminum oxide	密 close coated	1400	良好 good		●	●	●	P40-P600


TSC-80涂层C级纸带

Coated abraive paper belt with C weight base paper

适用范围: 超涂层纸基砂带, 砂面平整, 延伸率小, 散热性好, 适用于做各种不同规格的砂带和异型产品。

产品特点: 乐器、家具、地板、橡胶、塑料、木材、木器、人造板的精磨和抛光。特别适用于钢琴面、小提琴、吉他等乐器漆面的精细抛光。砂面经过特殊处理, 具有防静电抗堵塞功能。

Super coated musical instrument abraive paper belt with smooth sand surface, Small extension and good heat dispersing performance, suite for making various belts and special abraive products. Mainly for polishing and finishing musical instrument, furniture, floor, rubber, plastic, wood and man-made board. Specially suitable for fine grinding musical instrument paint surface, such as pianos, violins and guitars. The sand surface with anti-static and clogging features after through a special treatment.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
TSC-80	进口C型纸 稀植砂 imported C-wt. paper Open coated	碳化硅 Silicon carbide	全树脂 R/R	1260mm	P60-P800


TSE-81涂层D级纸带

Coated abraive paper belt with D weight base paper

适用范围: 涂层纸基砂带, 砂面平整, 脱屑性好, 延伸率小, 散热性好, 适用于做各种不同规格的砂带和异型产品。

产品特点: 家具、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

Coated abraive paper belt with smooth sand surface, anti-clogging, small extension and good heat dispersing performance, suitable for making various belts and special abraive products. Mainly for polishing and finishing furniture, floor, rubber, plastic, leather, wood and man-made board.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
TSE-81	国产D型纸 稀植砂 local D-wt. paper Open coated	碳化硅 Silicon carbide	全树脂 R/R	1260mm	P60-P800

KP308E 涂层E级纸带


Coated abraivse paper belt with E weight base paper(with stearate)

适用范围: 家具、地板、橡胶、塑料、皮革、木材、木器、人造板的精磨和抛光。

产品特点: 涂层纸基砂带,砂面平整,脱屑性好,适用于做各种不同规格的砂带和异型产品。

Stearate abraivse paper belt,the surface of the product is smooth, anti-clogging, can be used to make all kinds of paper belts and special products. Mainly used in furniture, floor, rubber, plastic, leather, wood, board.

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
KP308E	进口E级纸 稀植砂 Imported E weight paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1260mm 1400mm	P80-P800



KP318EE 级纸带

Coated abraivse paper belt with E weight base paper(with stearate)

适用范围: 主要用于皮革、油漆、塑料、木器等工件的精磨和抛光。

产品特点: 精选高档磨料及纸基,具有较好的柔软度,砂面平整,延伸率小,抛磨效果好。

Application: mainly used in leather, paint, plastic, wood and other artifacts of fine grinding and polishing.

Product features: selected high-grade abrasive, paper base and has good softness, sand surface level off, small elongation, good grinding effect.

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
KP318E	进口E级纸 稀植砂 Imported E weight paper, open coated	高温 锻烧 Calcined aluminium oxide	全树脂 R/R	1260mm 1400mm	P80-P800



[Wet & Dry Paper Sheets]

TS-A275干磨砂纸

Dry abrasive paper

适用范围: 金属加工, 磨削量小时选用; 底漆打磨, 漆面修整; 合成材料和玻璃纤维的打磨和抛光; 原木打磨。
产品特点: 经过特殊处理的氧化铝磨料, 锋利且耐磨, 较同类产品磨削效率提高了百分之三十至五十; 使用寿命长, 国际粒度标准的磨料提高了打磨效果的一致性; 强度高, 耐撕裂, 抗堵塞效果较好, 磨削时产品的热量少, 且砂纸不易被染色或褪色, 从而提高了工件表面质量。

Specially treated aluminum oxide abrasive, sharp and long life, compared with similar products, the polishing efficiency is improved by 30-50%; long life, the international standard of abrasive improve the consistency of the polished effect; strength and tear resistance, preferably anti-clogging effect, less heat generated during grinding and polishing, and the sandpaper is not easy to be stained or discolored, thereby improving the quality of the workpiece surface.

Mainly used in metal processing, used in a small amount of grinding; primer sanding, polishing the surface of paint; grinding and polishing of composite and glass fiber; wood polished

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
TS-A275	进口B型纸基 稀植砂 Imported B weight paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1170mm	P80-P800



THREE STAR超涂层干磨砂纸

Stearate abraivse paper

适用范围: 主要用于木器及漆面的表面研磨, 也广泛用于有色金属、铝合金研磨行业。

产品特点: 通用性强, 经特别处理的磨料和改良的粘结剂配方使产品磨削性能更优秀, 效率更高。

Application: mainly used in wood and the paint surface grinding, also widely used in non-ferrous metals, aluminum alloy grinding industry. Product features: versatility is strong, the special treatment of abrasive and grinding performances improved adhesive formula make the product better and more efficient.

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
THREE STAR	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1170mm 1400mm	P80-P1000




TS-237U干磨砂纸

Dry abrasive paper

适用范围: 适用于手机、电脑、电子、铝塑等电子行业及石墨制品等。

产品特点: 磨痕均匀, 针对性强, 是目前抛光手机、数码相机外壳等最具专业性的产品。

Uniformly grinding marks, targeted, is the most professional products for polishing mobile phones, out casing of digital camera. Mainly used in mobile phones, computers, electronics, aluminum-plastic electronics industry and graphite products.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
TS-237U	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	高温 煅烧 氧化铝 Calcined aluminum oxide	全树脂 R/R	1400mm	P80-P800

星牌超涂层干磨砂纸

"STAR" dry abrasive paper

适用范围: 主要用于木器及漆面的表面研磨, 高精度的碳化硅磨料使工件表面品质有较大的提高。

产品特点: 高档干磨砂纸, 基体含乳胶成分, 超涂层能很好的防止堵塞和静电, 特别处理的磨料和改良的粘结剂使产品磨削性能更优越。

Application: mainly used in wood and the paint surface grinding, high precision of the silicon carbide abrasive parts surface quality, improve the quality.

Product features: high-grade dry abrasive paper, matrix containing emulsion composition, stearate can well prevent the clog and static electricity, special treatment of abrasive and improved resin to make products more excellent grinding performance.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
TS589	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	氧化铝 碳化硅 Aluminum oxide/Silicon carbide	全树脂 R/R	1400mm	P80-P800

锋利牌超涂层干磨砂纸

"FENGLI" dry abrasive paper

适用范围：家具、木材、金属、机床腻子等工件的打磨。

产品特点：氧化铝涂层砂纸，具有很好的柔软性。

Application: furniture, wood, metal, machine tools, such as putty grinding of workpiece.

Product features: stearate aluminium sanding paper, has the very good softness



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	国产C型乳胶纸 稀植砂 Local C weight latex paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1170mm	P80-P800

仞锋涂层干磨砂纸

"RENFENG" dry abrasive paper

适用范围：木材、家具、墙面、腻子的打磨。

产品特点：经济适用，可取代部分耐水砂纸。

Application: wood, furniture, walls, putty grinding.

Product features: economy applicable, can replace part waterproof abrasive paper.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	国产C型乳胶纸 稀植砂 Local C weight latex paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1170mm	P80-P600

硬金属、树脂镜面磨削抛光专用砂纸


Abrasive paper special for hard metal and surface of resin glasses

适用范围：产品用途广泛，适用模具、金属、玻璃钢、红木家具树脂镜片等。

产品特点：国际标准粒度，磨痕均匀，纸基经过特殊的防滑防卷处理，超耐磨的磨料经特殊工艺制作而成。

International standard of abrasives, uniformly grinding marks, the base paper through a special non-slip, anti-roll processing. Ultra-resistant abrasive made by a special process. The products are widely applicable to molds, metal, glass, steel, mahogany furniture, resin lens.

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	氧化铝 Aluminium oxide	全树脂 R/R	1170mm	P60-P2000



高档碳化硅耐水砂纸

Superior quality silicon carbide waterproof paper

适用范围：适用于金属及非金属件的研磨抛光，广泛用于汽车，珠宝的生产加工与修理，电子器件、仪器仪表、金属复合材料的精密抛光和研磨。

产品特点：超柔软进口乳胶含量高的原纸，柔软度高，耐磨、耐折、抗撕裂乳胶含量15%–30%，干湿两用，柔韧性好，耐水性优，特别是在打磨凹槽、边角、缝隙等异型曲面能发挥其独特的作用。

Super soft, high content of imported latex base paper, high flexibility, good wear-resistance, folding, tear resistance, the latex content of 15% and 30% of the two, wet and dry, good flexibility, excellent water resistance, grinding grooves, corners, cracks can play its unique role. Polishing for metal and non-metallic, widely used in automobiles, jewelry polishing and repair, electronics, instrumentation, precision polishing of metal composite materials and grinding.

型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	碳化硅 Silicon carbide	全树脂 R/R	1170mm	P60-P3000



三星牌碳化硅耐水砂纸

Silicon carbide waterproof abrasive paper

适用范围：耐水性好，柔软性适中，适用于油漆，填充料加工和汽车修理行业等。

Waterproof, medium softness. For polishing and finishing paint, filling process and automobile repair, etc.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	进口/国产 C型纸密植砂 imported/local C-wt, Finland paper, CL	碳化硅 C	全树脂 R/R	1170mm	P60-P2000

TS734汽车专用高档耐水砂纸

Superior quality waterproof paper special for automotive industry

适用范围：适用于金属及非金属件的研磨抛光，主要应用于汽车，的生产加工与修理，电子器件、仪器仪表、金属复合材料的精密抛光和研磨。

产品特点：超柔软进口乳胶含量高的原纸，干湿两用，柔韧性好、耐水性优。

Super soft, high content of imported latex base paper, wet and dry, high flexibility, excellent water resistance. Mainly used in metal and non-metallic, production, processing and repair of car industry. Electronic devices, instrumentation, metal composite polishing and grinding.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	进口C型乳胶纸 稀植砂 Imported C weight latex paper, open coated	碳化硅 Silicon carbide	全树脂 R/R	1170mm	P120-P1200

锋利牌耐水砂纸

"SHARPNESS" waterproof abrasive paper

适用范围: 锋利水砂纸, 具有较好的柔韧性, 耐水, 耐酸、碱及各种溶剂。

产品特点: 机床, 汽车, 船舶, 仪器, 塑料及机械零件的打磨和抛光。

"SHARPNESS" waterproof abrasive paper with good softness, water-resistance, acid-resistance, alkali-resistance and various impregnant. Mainly used for grinding and polishing machine tool, automobile, vessel, instrument, plastic and machine parts.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	C型纸 C-wt paper op	氧化铝 A	全树脂 R/R	1170mm	P60-P2000

双鱼牌耐水砂纸

"DOUBLE FISH" waterproof abrasive paper

适用范围: 双鱼水砂纸, 具有较好的柔韧性, 耐水, 耐酸、碱及各种溶剂。

产品特点: 机床、汽车、船舶、仪器、塑料及机械零件的打磨和抛光。

"DOUBLE FISH" waterproof abrasive paper with good softness, water-resistance, acid-resistance, alkali-resistance and various impregnant. Mainly used for grinding and polishing machine tool, automobile, vessel, instrument, plastic and machine parts.



型号 Model	基体和结构 Backing & structure	磨料 Grain	粘结剂 Bond	最大宽度 Width (Trimmed)	粒度范围 Grit range
	C型纸 C-wt, Latex paper op	氧化铝 A	全树脂 R/R	1170mm	P60-P2000

[Wood Paper Sheets]

PAPER SHEETS

木砂纸系列



石英砂木砂纸

Quartz paper sheet

适用范围：价格低廉，采用高纯度石英砂作为磨料，它具有坚硬耐磨、切削锋利、理化性能稳定，除能打磨各种木料、腻子外，还能直接打磨玻璃。

Cheap, sharp, durable, physical and chemical property stable. For polishing of wood, putty, glass.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	石英砂 quartz	密 close coated	230x280	一般 generally	●		●	●	P36-P400

玻璃砂木砂纸

Glass paper sheet

适用范围：价格低廉，采用高纯度玻璃砂作为磨料，它具有坚硬耐磨、切削锋利、理化性能稳定，能打磨各种木料、腻子等。

Cheap, sharp, durable, physical and chemical property stable. For polishing of wood, putty, glass.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	玻璃砂 glass	密 close coated	230x280	一般 generally	●		●	●	P36-P400

石榴石木砂纸

Garnet paper sheet

适用范围：价格低廉，采用高纯度石榴石作为磨料，它具有坚硬耐磨、切削锋利、理化性能稳定，除能打磨各种木料、腻子外，还能直接打磨玻璃。

Cheap, sharp, durable, physical and chemical property stable. For polishing of wood, putty, glass.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	石榴石 garnet	密 close coated	230x280	一般 generally	●		●	●	P36-P400

彩色木砂纸

Color paper sheet

适用范围：适用于各种木料、非金属腻子、玻璃的打磨外，还可以用于手、脚指甲的美容。
For polishing of wood, putty, glass and finishing of finger nail and toenail.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	碳化硅 silicon carbide 氧化铝 aluminium oxide	密 close coated	230x280	一般 generally	●		●	●	P36-P400

高档木砂纸

Aluminium oxide paper
sheet

适用范围：适用于各种木料、家具的打磨和抛光，具有磨削持久，不粘灰，脱屑性好的特点。
High quality, durable, anti-clogging. For polishing and finishing of wood, furniture.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	氧化铝 aluminum oxide	密 close coated	230x280	一般 generally	●		●	●	P36-P400

重磅纸木砂纸

Heavy paper sheet

适用范围：适用于各种板材、地板的打磨和抛光。能做成多种彩色砂面。
Heavy paper backing. For polishing and finishing of board, floor.


结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
E型纸 E-wt paper	氧化铝 aluminum oxide	密 close coated	800	一般 generally			●	●	P36-P400

碳化硅木砂纸

Silicon carbide paper sheet

适用范围：适用于各种木材、腻子、玻璃的打磨和抛光。
For polishing and finishing of wood, putty, glass.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
C型纸 C-wt paper	碳化硅 silicon carbide	密 close coated	230x280	一般 generally	●		●	●	P36-P400



[Emery Cloth Sheets]

CLOTH SHEETS

砂布系列

犀利牌砂布

"XIL" brand cloth sheet

适用范围：耐磨性强，防潮防霉，广泛应用于金属、陶瓷、橡胶、塑料、木材、半导体、皮革等多种材料制品的机械加工和手工打磨。

High quality, waterproof, durable. For polishing and finishing of metal, rubber, plastic, wood, semi-conductor, leather by hand use or machine use.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide	密 close coated	230x280 210x270	一般 generally	●		●		P36-P320

CSG砂布

"CSG" brand cloth sheet

适用范围：具有粘结牢靠，磨削锋利，能适用于金属和非金属，硅酸盐材料等多种材料的打磨与抛光。

Durable, sharp. For polishing and finishing of metal, nonmetal, glass, pottery and porcelain.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide	密 close coated	230x280 210x270	一般 generally	●		●		P36-P320

耐水蓝砂布

Blue cloth sheet

适用范围：具有粘结实靠，磨削锋利，能适用于金属和非金属，硅酸盐材料等多种材料的打磨与抛光。
Durable, sharp. For polishing and finishing of metal, nonmetal, glass, pottery and porcelain.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide	密 close coated	230x280	良好 good	●		●		P36-P320

高档红砂布

Red cloth sheet

适用范围：附着力强，磨削持久锋利的特点。主要用于金属、陶瓷、橡胶、木材、皮革和玻璃的打磨和抛光。

High quality, sharp, durable. For polishing and finishing of metal, rubber, wood, leather, glass, pottery and porcelain.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
混纺布 blend cloth	氧化铝 aluminum oxide	密 close coated	230x280	良好 good	●		●		P36-P320



[Polyester Film Abrasive Belts]

POLYESTER FILM ABRASIVE BELT

◎◎ 聚酯薄膜砂带系列

聚酯薄膜砂带

Polyester Film Abrasive Belt

适用范围：平整度好，精密度高。适用于各种精密电子元件、电路板、汽车及汽车轮毂、轴承内芯的精密抛光。

Good flatness. High precision. For precision finishing of electronic component, printing circuit board and core of precision bearing.

基体 backing	磨料 abrasives	结构 structure			耐水性 waterproofness	形状 shape				粒度范围 grit range
		植砂方式 coated structure	最大幅宽 max width			页状 sheet	带状 belt	卷状 roll	圆盘 disc	
聚酯薄膜 polyester film	白刚玉 white aluminum oxide	密 close coated	1400		良好 good	●	●	●	●	P150-P1200



[Specialty Abrasives]

新型船用 钢纸砂盘

Newly-developed fibre disc

安全性能好、耐水性极佳，可在室外潮湿环境中长期使用不变形。磨削效率高，钢纸基体与砂粒可同步消耗，磨削寿命长。主要用于船体抛光除锈、粗糙焊接表面打磨，水泥地面的打磨等。

good safety performance and good waterproofness. Can be long used in damp environment outdoors. High cutting rate and long lifetime, the fibre backing and the grain can be worn in step throughout the finishing process. Mainly used in grinding and polishing applications, such as the body of ship, rough welding and the cement floor, etc.

结构 structure						形状 shape	粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	最大线速度 max linear speed	圆盘 disc	
特种纤维 specific fibre	碳化硅、锆刚玉 S/C; Z/A	密 closed	125 × 16 125 × 22	良好 good	70(M/S)	●	P16-P24

尼龙轮

Nylon grinding wheel

磨削效率高、表面磨削精度和光洁度高，主要用于不锈钢、铝合金、钛合金等金属制造行业磨削和抛光。

High efficiency, high precision & high smooth finish. Mainly performed in manufacturing industry, such as stainless steel, aluminium alloys and titanium alloys.

结构 structure				形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	密度 density	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
尼龙纤维 nylon fabric	氧化铝、碳化硅 白刚玉、单晶刚玉 锆刚玉、石榴石 A/O; S/C; W.A.LO; single alundum; Z/A; garnet	3P-16P	良好 good				●	P40-P3000


自粘式砂盘

Self-adhesive abrasive disc

适用范围：适用于电动、气动工具对各种木料、家俱、汽车、电子等行业的打磨和抛光。

Used on power tool or pneumatic tool. For polishing and finishing of wood, furniture.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminum oxide 锆刚玉 zirconium aluminum oxide 碳化硅 silicon carbide	密 close coated	定制 customize	良好 good	可制成各种形状 拉绒或不干胶背基圆盘 various shapes can be customized				P60-P2000



网格砂布

Abrasive screen

适用范围：是一种新型防堵塞精密抛光工具、磨削、抛光散热和去屑性能良好，有两个工具面，可双面磨削。

A new polishing and finishing tool. Having two working surface, with good performance of polishing and finishing, anti-clogging, heat eliminating.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
合成纤维 synthetic fiber	氧化铝 aluminum oxide 碳化硅 silicon carbide	密 close coated	定制 customize	良好 good	可定制各种形状 various shapes can be customized				P60-P400

百叶片

Flap disc

适用范围：广泛用于不锈钢制品、汽车制造、造船、模具、仪器、医疗器械的除锈、修整和抛光及各种焊缝的打磨和抛光。效率高、同步性好、散热性好、不烧伤工件。

With high efficiency, good heat eliminating and synchronization. Hurtless to workpiece. Widely used for rusting removing, welding line trimming, polishing and finishing.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminum oxide 锆刚玉 zirconium aluminum oxide	密 close coated	72片/72 pcs 46片/46 pcs 37片/37 pcs	良好 good				●	P60-P400

干页轮

Flap wheel

适用范围：弹性强，磨削量大，高效，长寿命，主要用于金属、非金属表面的抛光，对复杂型面进行修焊缝、去毛刺、除锈等。

With good flexibility and dust removal, high efficiency and long working life time. Mainly used for polishing the surface of metal, non-metal, removing rust and burr etc.

结构 structure					形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	规格 specification	耐水性 waterproofness	页状 sheet	带状 belt	卷状 roll	圆盘 disc	
	氧化铝 aluminum oxide 锆刚玉 zirconium aluminum oxide	密 close coated	定制 customize	一般 generally				●	P60-P400

以誠待天下 以信立門戶
Treat the world sincerely and start career with faith

SPECIALTY ABRASIVES

树脂砂轮切割片



树脂钹型砂轮 Newly-developed fibre disc

结构 structure				形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	速度 Speed	页状 sheet	带状 belt	卷状 roll	
	氧化铝 碳化硅 aluminumoxide	R.T.Q	定制 customize	70-80			●	P24-P60

适用范围: 主要是安装在电动或气动角磨机上对金属和各种非金属材料的型面进行除锈、去毛刺、去漆、打磨焊缝, 也是机械修理工作中磨削、磨平、磨光、刮研的理想工具, 同时也广泛用于家具行业的边角打磨和雕花。

Used on angle grinder for removing rust, burr, paint and so on. For polishing in machinery repairing and furniture making.

树脂切割砂轮 Fibre abrasive disc

结构 structure				形状 shape				粒度范围 grit range
基体 backing	磨料 abrasives	植砂方式 coated structure	最大幅宽 max width	速度 Speed	页状 sheet	带状 belt	卷状 roll	
	氧化铝 碳化硅 aluminumoxide	R.T.Q	定制 customize	70-80			● ●	P24-P60

适用范围: 主要是安装在固定式或手提电动切割机对所有金属和混凝土产品, 砖瓦片, 马路修整切等进行切割。

Used on angle grinder for removing rust, burr, paint and so on. For polishing in machinery repairing and furniture making.

地址: 中国湖北省通城县玉立大道218号
ADD: NO.218 Yuli Avenue, TongCheng County, Hubei, China 437400
电话(Tel): ++86(0)715-4322107 4324488
传真(Fax): ++86(0)715-4352111 4322718
http://www.sharpness.com.cn

