



Locks & Accessories

An ISO 9001:2015 & 14001: 2015 Certified Co.



Head Office, Aligarh



Campus



General Office



Product Display & Conference Room



Warehouse

Branch Office, Bengaluru



General Office



Product Display & Conference Room



Warehouse

Official Visit of Honourable Governor of Uttar Pradesh and Ex-Chief Minister of Gujarat on 13-01-2021 Smt. Anandiben Patel



Factory is Powered by Green Energy (Solar Power)



COMPANY PROFILE



Spider, a trusted and popular brand in security & hardware segment, was established in 1985 at Aligarh in Uttar Pradesh province of North India.

In the beginning, with the manufacturing of different type of locks, Now Spider is having a wide range of Architectural Hardware, Door, Window & Furniture Locks & Fittings, Kitchen & Wardrobe Fittings, Glass Hardware, Door Closing Devices & Fasteners.

A symbol of trust for last 35 years, with ISO 9001:2015 , 14001:2015 & CE Certification, Spider is committed to meet the customer's satisfaction with consistency in quality & affordable prices.

Spider products are available all over India, Middle East, Africa, Nepal & Bhutan thru a strong network of distributors & dealers.

An ISO 9001:2015 & 14001:2015 Certified & CE Certified Company



Domestic Presence



International Presence



AWARDS



Quality Award Received From Honourable Chief Minister
of Uttar Pradesh



CERTIFICATION





INTERNATIONAL & NATIONAL ACTIVITIES

Canton Fair
China



2018



2019

HBLF Show
at Ahmedabad



2018



2019

Exhibition
at Hyderabad
(2020)



Exhibition
at Bengaluru




2018



2019



2017



2018

Exhibition
at Colombo,
Sri Lanka



2018



2019

Exhibition
at Kathmandu
Nepal



Exhibition
at Chandigarh
2018



Dar es Salaam
Fair Tanzania

Index
Exhibition
at Mumbai
2018



2018










2019

Big 5 Show at Dubai



Veedu Exhibition at Kerala

DIFFERENT STYLES OF MORTICE LOCK & LATCHES



INDEX

09-25

Zinc Mortice Lock Set

31-34

Stainless Steel Mortice Lock Set

42-47

Steel Mortice Lock Set

54-60

Door Locks

65-66

Auto Concealed Hinges

69-70

Stainless Steel Door Hinges

88-89

Fittings

91-92

Door Closers, Floor Springs & Accessories

26-30

Brass Mortice Lock Set

35-41

Alm./Steel Mortice Lock Set

48-53

Mortice Locks, Cylinders & Latches

61-64

Padlocks & Multipurpose Locks

67-68

Drawer Slides

71-87


Door Fittings

90

Folding Brackets


93

Screws




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+J8516*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12



Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+J8515*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+J8513*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12



SN/CP
(Satin Nickel/Chrome Plated)




MAB/CP
(Matt Antique Brass/Chrome Plated)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+J8510*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12



CS
(CP-SS)



AB
(Antique Brass)




BS
(Silver Black)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ49J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



AB
(Antique Brass)




CS
(Antique Brass)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ48J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



BS
(Silver Black)



AB
(Antique Brass)




CS
(CP-SS)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ47J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



CS
(CP-SS)



AB
(Antique Brass)




BS
(Silver Black)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ45J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



MAB/CP
(Matt Antique Brass/Chrome Plated)




MSS/CP
(Matt Satin Silver/Chrome Plated)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ44J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



AB
(Antique Brass)



CS
(CP-SS)




BS
(Silver Black)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ41J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



AB
(Antique Brass)



CS
(CP-SS)




BS
(Silver Black)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ37J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



BS
(Silver Black)




AB
(Antique Brass)



CS
(CP-SS)


Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ32J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ20J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	250mm	12




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+ZZ09J*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	275mm	12



MAB
(Matt Antique Brass)




BN/GP
(Black Nickel / Gold Plated)

Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS505	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	245mm	16



MAB
(Matt Antique Brass)




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS506	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	245mm	16




MAB
(Matt Antique Brass)



MAE
(Matt Coffee)


Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS508	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	245mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS509	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	245mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS5010	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	240mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS5013	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	240mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS5015	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	240mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS5016	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	240mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+ZZS5018	Zinc Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	245mm	16




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ50M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ50S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ49M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ49S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ48M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ48S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ47M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ47S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ45M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ45S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		





Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ44M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ44S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ41M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ41S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ37M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ37S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ35M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ35S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ32M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ32S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ20M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ20S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ16M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ16S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ09M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ09S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KM6+ZZ01M	Zinc Mortice Lock Set with KY Lock (D/A)	200mm	12
SCLZB+ZZ01S*	Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ50CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ50C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ49CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ49C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ48CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ48C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ47CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ47C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ45CB	Zinc Mortice Concealed Latch with Latch Body	60mm	20
WCLZB+ZZ45C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ44CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ44C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor

Code	Description	Size	Packing/ Carton
KBL+ZZ41CB	Zinc Mortice Concealed Latch with Latch Body	105mm	20
WCLZB+ZZ41C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		





Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+ZZ37CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ37C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		





Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor

Code	Description	Size	Packing/ Carton
KBL+ZZ32CB	Zinc Mortice Concealed Latch with Latch Body	105mm	20
WCLZB+ZZ32C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		



Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor


Code	Discription	Size	Packing/ Carton
KBL+ZZ09CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ09C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		



Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Outdoor & Indoor


Code	Discription	Size	Packing/ Carton
KBL+ZZ01CB	Zinc Mortice Concealed Latch with Latch Body	55mm	20
WCLZB+ZZ01C*	Zinc Mortice Concealed Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		

ZINC MORTICE BABY LATCH SET




Material: Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+ZZ01B	Zinc Mortice Baby Latch with Latch Body	120mm	24




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+B01J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12



Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+B03J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	275mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+B43J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	300mm	12



AB
(Antique Brass)



G
(Silver Gold)




CS
(CP-SS)

Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+B60J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	250mm	12



AB
(Antique Brass)



G
(Silver Gold)




SS
(Satin Silver)

Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB62J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	250mm	12




SS
(Satin Silver)



AB
(Antique Brass)


Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB61J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	250mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB50J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	275mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB48J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	275mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB45J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	280mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
 Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB44J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	275mm	12




Material: Brass | Door Thickness: 35-50mm | Installation Center Distance: 50mm
 Lock Body: 50 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCL4NC+FB13J*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	250mm	12




Material: Brass | Door Thickness: 35-45mm | Installation Center Distance: 50mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+FB62CB	Brass Mortice Concealed Latch with Latch Body	55mm	20
WCL4NC+FB62C*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)		




Material: Brass | Door Thickness: 35-45mm | Installation Center Distance: 50mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+FB61CB	Brass Mortice Concealed Latch with Latch Body	55mm	20
WCL4NC+FB61C*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)		




Material: Brass | Door Thickness: 35-45mm | Installation Center Distance: 50mm
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
KBL+FB60CB	Brass Mortice Concealed Latch with Latch Body	55mm	20
WCL4NC+FB60C*	Brass Mortice Lock Set with 4 Bullet CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Computer Keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+AZ23E*	SS Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)	220mm	24




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ22M	SS Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+AZ22M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ22S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ18M	SS Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+AZ18M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ18S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ17M	SS Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+AZ17M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ17S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ16M	SS Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+AZ16M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ16S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ11M	SS Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+AZ11M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ11S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ05M	SS Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+AZ05M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ05S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+AZ03M	SS Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+AZ03M	SS Mortice Lock Set with KY Lock (D/A)		
SCLZBS+AZ03S*	SS Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal keys)		




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 30-45mm
Installation Center Distance: 45mm

Code	Description	Size	Packing/ Carton
KBL+AZ11B	SS Mortice Baby Latch with Latch Body	125mm	24




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 30-45mm
Installation Center Distance: 45mm

Code	Description	Size	Packing/ Carton
KBL+AZ05B	SS Mortice Baby Latch with Latch Body	125mm	24




Material: SS 304 Grade / Zinc Alloy | Door Thickness: 30-45mm
Installation Center Distance: 45mm

Code	Description	Size	Packing/ Carton
KBL+AZ03B	SS Mortice Baby Latch with Latch Body	125mm	24




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+IAL859	Steel-Aluminium Mortice Lock Set with CY Lock & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	260mm	16




Material: Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZBC+IAL858	Steel-Aluminium Mortice Lock Set with CY Lock & 60mm Brass Pin Cylinder (3 Brass Computer Keys)	260mm	16



MAB
(Matt Antique Brass)




MAE
(Matt Coffee)

Material: Alm./Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+IAL507	Steel-Aluminium Mortice Lock Set with CY Lock & 60mm Small Brass Pin Cylinders (3 Brass Computer Keys)	230mm	20



MAB
(Matt Antique Brass)




MAE
(Matt Coffee)

Material: Alm./Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+IAL504	Steel-Aluminium Mortice Lock Set with CY Lock & 60mm Small Brass Pin Cylinders (3 Brass Computer Keys)	230mm	20



MAE
(Matt Coffee)




MAB
(Matt Antique Brass)

Material: Alm./Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SCS1SB+IAL503	Steel-Aluminium Mortice Lock Set with CY Lock & 60mm Small Brass Pin Cylinders (3 Brass Computer Keys)	230mm	20



MAB
(Matt Antique Brass)



IAL08E
(CY Small)

KY




SS
(Silver Satin)

Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM08	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM08	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE08*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		



SS
(Satin Silver)



IAL07E
(CY Small)

KY




MAB
(Matt Antique Brass)

Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM07	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM07	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE07*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		



SS
(Satin Silver)



IAL06E
(CY Small)


KY



MAB
(Matt Antique Brass)

Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor


Code	Description	Size	Packing/ Carton
RML6+IALM06	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM06	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE06*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		


SS
(Satin Silver)

IAL05E
(CY Small)

MAB
(Matt Antique Brass)

Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor



Code	Description	Size	Packing/ Carton
RML6+IALM05	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM05	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE05*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		


MAB
(Matt Antique Brass)

IAL04E
(CY Small)

SS
(Satin Silver)

Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM04	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM04	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE04*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		



MAB
(Matt Antique Brass)

IAL03E
(CY Small)

BS
(Silver Black)

SS
(Satin Silver)


Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM03	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM03	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE03*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		



Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM02	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM02	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE02*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		




Material: Aluminium/Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 50mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+IALM01	Steel-Alm. Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+IALM01	Steel-Alm. Mortice Lock Set with KY Lock (D/A)		
SCS1SB+IALE01*	Steel-Alm. Mortice Lock Set with CY Lock Body & 60mm Small Brass Pin Cylinder (3 Brass Computer Keys)		



SS
(Satin Silver)




MAB
(Matt Antique Brass)

Material: Aluminium/Steel | Door Thickness: 35-45mm
Installation Center Distance: 45mm | Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+IALB06	Steel-Alm. Mortice Baby Latch with Latch Body	120mm	24



MAB
(Matt Antique Brass)




SS
(Satin Silver)

Material: Aluminium/Steel | Door Thickness: 35-45mm
Installation Center Distance: 45mm | Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+IALB05	Steel-Alm. Mortice Baby Latch with Latch Body	120mm	24




MAB
(Matt Antique Brass)



SS
(Satin Silver)


Material: Aluminium/Steel | Door Thickness: 35-45mm
Installation Center Distance: 45mm | Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+IALB04	Steel-Alm. Mortice Baby Latch with Latch Body	120mm	24



Material: Aluminium/Steel | Door Thickness: 35-45mm
Installation Center Distance: 45mm | Function: Bathroom Door


Code	Discription	Size	Packing/ Carton
KBL+IALB02	Steel-Alm. Mortice Baby Latch with Latch Body	120mm	24



Material: Aluminium/Steel | Door Thickness: 35-45mm
Installation Center Distance: 45mm | Function: Bathroom Door

Code	Discription	Size	Packing/ Carton
KBL+IALB01	Steel-Alm. Mortice Baby Latch with Latch Body	120mm	24


CY-LARGE



Material: Steel / Zinc Alloy | Door Thickness: 35-50mm | Installation Center Distance: 45mm
Lock Body: 45 x 85mm | Function: Outdoor

Code	Description	Size	Packing/ Carton
WCLZB+SZ01J*	Steel-Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)	250mm	12


CY-KY SMALL



Material: Steel / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+SZ01M	Steel-Zinc Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+SZ01M	Steel-Zinc Mortice Lock Set with KY Lock (D/A)		
SCLZB+SZ01S*	Steel-Zinc Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		

BABY LATCH




Material: Steel / Zinc Alloy | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+SZ01B	Steel-Zinc Mortice Baby Latch with Latch Body	125mm	24



MAB
(Matt Antique Brass)



KY




SS
(Satin Silver)

Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S705M	Steel Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+S705M	Steel Mortice Lock Set with KY Lock (D/A)		



SS
(Satin Silver)



KY




MAB
(Matt Antique Brass)

Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S303M	Steel Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+S303M	Steel Mortice Lock Set with KY Lock (D/A)		



BS
(Silver Black)



KY


S606S
(CY Small)



AB (Antique Brass) CP (Chrome Plated) BR (Brown) AC (Antique Copper) MSS (Matt Satin Silver) AL (Antique Black)


Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2, (CY) 45 x 44.4mm | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S606M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S606M	Steel Mortice Lock Set with KY Lock (D/A)		
SCLZB+S606S*	Steel Mortice Lock Set with CY Lock Body & 60mm Brass Pin Cylinder (3 Brass Normal Keys)		
RBR2+S606R	Steel Mortice Bathroom Lock Set		




Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S811M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S811M	Steel Mortice Lock Set with KY Lock (D/A)		




Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S509M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S509M	Steel Mortice Lock Set with KY Lock (D/A)		




Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S507M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S507M	Steel Mortice Lock Set with KY Lock (D/A)		




Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S412M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S412M	Steel Mortice Lock Set with KY Lock (D/A)		



Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S214M	Steel Mortice Lock Set with KY Lock (S/A)	200mm	24
KM6+S214M	Steel Mortice Lock Set with KY Lock (D/A)		




Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S115M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S115M	Steel Mortice Lock Set with KY Lock (D/A)		



AB
(Antique Brass)



KY



CP
(Chrome Plated)


Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Lock Body: (KY) 45 x 56.2 | Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
RML6+S804M	Steel Mortice Lock Set with KY Lock (S/A)	175mm	24
KM6+S804M	Steel Mortice Lock Set with KY Lock (D/A)		

STEEL MORTICE BABY LATCH SET



MAB
(Matt Antique Brass)




SS
(Satin Silver)

Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+S705B	Steel Mortice Baby Latch with Latch Body	125mm	24



BS
(Silver Black)




MAB
(Matt Antique Brass)

Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+S303B	Steel Mortice Baby Latch with Latch Body	125mm	24



BS
(Silver Black)



BR
(Brown)



AB
(Antique Brass)




CP
(Chrome Plated)

Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+S606B	Steel Mortice Baby Latch with Latch Body	125mm	24




BS
(Silver Black)



MAB
(Matt Antique Brass)


Material: Steel | Door Thickness: 35-45mm | Installation Center Distance: 45mm
Function: Bathroom Door

Code	Description	Size	Packing/ Carton
KBL+S115B	Steel Mortice Baby Latch with Latch Body	125mm	24




Material: Steel / Brass | Size: 60 x 85mm
 Door Thickness: 35-50mm | Action: Double Action
 Installation Center Distance: 45mm
 Finish: Electro Coated Body & SS Cram | Function: Outdoor

Code	Description	Size
WCL4NXW	Winner CY Large Mortice Lock Body (without Cylinder)	60x85mm




Material: Steel / Brass | Size: 50 x 85mm
 Door Thickness: 35-50mm | Action: Double Action
 Installation Center Distance: 50mm
 Finish: Electro Coated Body & SS Cram | Function: Outdoor

Code	Description	Size
WCL4NW	Winner CY Large Mortice Lock Body (without Cylinder)	50x85mm




Material: Steel / Zinc | Size: 45 x 85mm
 Door Thickness: 35-50mm | Action: Double Action
 Installation Center Distance: 45mm
 Finish: Electro Coated Body & SS Cram | Function: Outdoor

Code	Description	Size
WCLZW	Winner CY Large Mortice Lock Body with Zinc Latch & Bolt (without Cylinder)	45x85mm




Material: Steel / Zinc | Size: 45 x 44.4mm
 Door Thickness: 35-50mm | Action: Double Action
 Installation Center Distance: 45mm
 Finish: Electro Coated Body & SS Cram
 Function: Outdoor & Indoor

Code	Description	Size
SCLZW	Super CY Small Mortice Lock Body with Zinc Latch & Bolt (without Cylinder)	45x44.4mm




Material: Steel / Zinc | Size: 45 x 50mm
 Door Thickness: 35-50mm | Action: Double Action
 Installation Center Distance: 45mm
 Finish: Electro Coated Body & SS Cram
 Function: Outdoor & Indoor

Code	Description	Size
SCS1SBW	Super CY Small Mortice Lock Body with Zinc Latch & Bolt For Small Cylinder (without Cylinder)	45x50mm




Material: Steel / Zinc | Size: 70mm | Door Thickness: 35-45mm
 Installation Center Distance: 41mm | Lever: 6 Steel Lever
 Action: Double Action | Keys: 3 Steel CP Keys
 Finish: Electro Coated Body & SS Cram | Function: Indoor

Code	Description	Size
KM6	Sleek Mortice Lock, 6 Lever, D/A 3 CP Keys	70mm




Material: Steel / Zinc | Size: 65mm | Door Thickness: 35-45mm
 Installation Center Distance: 46mm | Lever: 6 Steel Lever
 Action: Single Action | Keys: 2 Steel CP Keys
 Finish: Electro Coated Body & SS Cram | Function: Indoor

Code	Description	Size
RML6	Mortice Lock, 6 Lever, 2 CP Keys	65mm



Material: Steel / Zinc | Size: 65mm | Door Thickness: 30-45mm
 Installation Center Distance: 46mm | Lever: 4 Steel Lever
 Action: Single Action | Finish: Electro Coated Body & CP Cram
 Function: Bathroom Door

Code	Description	Size
RBR2	Regular Mortice Bathroom Lock, 4 Lever with Knob	65mm




Material: Steel / Zinc | Size: 65mm
 Door Thickness: 35-50mm
 Installation Center Distance: 45mm
 Finish: Electro Coated Body & SS Cram
 Function: Indoor

Code	Description	Size
KBL	Sleek Baby Latch	65mm



BPL
(Brass Polished Lacquer)



SS
(Satin Silver)




AB
(Antique Brass)

Material: Brass | Size: 60mm | Keys: 3 Brass Computer Keys | Pin: 5 Pin

Code	Description	Size
CPC	Brass Pin Cylinder Both Side Key 3 Brass Computer Keys	60mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 60mm | Keys: 3 Brass Computer Keys | Pin: 5 Pin

Code	Description	Size
CPCR	Brass Pin Cylinder One Side Key One Side Knob 3 Brass Computer Keys	60mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 70mm | Keys: 3 Brass Computer Keys | Pin: 5 Pin

Code	Description	Size
CPC70	Brass Pin Cylinder Both Side Key 3 Brass Computer Keys	70mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 70mm | Keys: 3 Brass Computer Keys | Pin: 5 Pin

Code	Description	Size
CPC70R	Brass Pin Cylinder One Side Key, One Side Knob 3 Brass Computer Keys	70mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 60mm | Key: 3 Brass Normal Keys | Pin: 5 Pin

Code	Description	Size
UPC	Brass Pin Cylinder Both Side Key 3 Brass Normal Keys	60mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 60mm | Key: 3 Brass Normal Keys | Pin: 5 Pin

Code	Description	Size
UPCR	Brass Pin Cylinder One Side Key One Side Knob 3 Brass Normal Keys	60mm



BPL
(Brass Polished Lacquer)



SS
(Satin Silver)




AB
(Antique Brass)

Material: Brass | Size: 70mm | Key: 3 Brass Normal Keys | Pin: 5 Pin

Code	Description	Size
UPC70	Brass Pin Cylinder Both Side Key 3 Brass Normal Keys	70mm



SS
(Satin Silver)



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)

Material: Brass | Size: 70mm | Key: 3 Brass Normal Keys | Pin: 5 Pin

Code	Description	Size
UPC70R	Brass Pin Cylinder One Side Key, One Side Knob 3 Brass Normal Keys	70mm



AB
(Antique Brass)




SS
(Satin Silver)

Material: Brass | Size: 60mm | Key: 3 Brass Computer Keys | Pin: 6 Pin

Code	Description	Size
SCS1CY60	Brass Small Pin Cylinder Both Side Key 3 Brass Computer Keys	60mm



SS
(Satin Silver)




AB
(Antique Brass)

Material: Brass | Size: 60mm | Key: 3 Brass Computer Keys | Pin: 6 Pin

Code	Description	Size
SCS1CY60R	Brass Small Pin Cylinder One Side Key One Side Knob 3 Brass Computer Keys	60mm



AB
(Antique Brass)




SS
(Satin Silver)

Material: Brass | Size: 70mm | Key: 3 Brass Computer Keys | Pin: 6 Pin

Code	Description	Size
SCS1CY70	Brass Small Pin Cylinder Both Side Key 3 Brass Computer Keys	70mm



SS
(Satin Silver)




AB
(Antique Brass)

Material: Brass | Size: 70mm | Key: 3 Brass Computer Keys | Pin: 6 Pin

Code	Description	Size
SCS1CY70R	Brass Small Pin Cylinder One Side Key, One Side Knob 3 Brass Computer Keys	70mm



AB
(Antique Brass)




SS
(Satin Silver)

Material: Steel / Brass | Size: 125mm | Mechanism: Pin Cylindrical
Keys: 4 Brass Computer Keys
Action: Double Action, 3 Bullet | Function: Outdoor

Code	Description	Packing/ Carton
DLTB01	Door Lock With 4 Brass Computer Keys One Side Key	16





SS
(Satin Silver)



AB
(Antique Brass)



Material: Steel / Brass | Size: 125mm
Mechanism: Pin Cylindrical, Both Side Keys | Keys: 4 Brass Computer Keys
Action: Double Action, 3 Bullet | Function: Outdoor

Code	Description	Packing/ Carton
DLTB03	Door Lock With 4 Brass Computer Keys Both Side Key	16




Material: Steel/Brass
 Size: 125mm | Mechanism: Pin Cylindrical
 Keys: 3 Brass Computer Keys | Action: Double Action
 Finish: Electro Coated Body & Brass Cover
 Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SDL6C	Side Door Lock, Cylindrical (2in1) D/A 3 Brass Computer Keys One Side Knob	125mm	36




Material: Steel/Brass
 Size: 125mm | Lever: 8 Steel Lever
 Keys: 3 Steel CP Keys | Action: Double Action
 Finish: Electro Coated Body & Brass Cover
 Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SDL6	Side Door Lock, 8 Lever, D/A, 3 CP Keys	125mm	36



Material: Steel
 Size: 125mm | Lever: 8 Steel Lever
 Keys: 3 Steel CP Keys | Action: Double Action
 Finish: Electro Coated Body & Stainless Steel Cover
 Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
SDL5	Side Door Lock, 8 Lever, D/A, 3 CP Keys	125mm	36



Material: Steel


Size: 100mm | Lever: 6 Steel Lever

Keys: 2 Steel CP Keys | Action: Double Action

Finish: Electro Coated Body & SS Cover

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Cartoon
SDL1	Side Door Lock, 6 Lever, D/A, 2 CP Keys	100mm	36



Material: Steel


Size: 100mm | Lever: 6 Steel Lever

Keys: 2 Steel CP Keys | Action: Double Action

Finish: Electro Coated Body & SS Cover

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Cartoon
SDL3	Side Door Lock, 6 Lever, D/A, 2 CP Keys	100mm	36



Material: Steel


Size: 100mm | Lever: 6 Steel Lever

Keys: 2 Steel CP Keys | Action: Double Action

Finish: Electro Coated Body & SS Cover

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Cartoon
SDL4	Side Door Lock, 6 Lever, D/A, 2 CP Keys	100mm	36



Material: Steel

Size: 75mm | Lever: 6 Steel Lever

Keys: 2 Steel CP Keys | Action: Double Action


Finish: Electro Coated Body & SS Cover

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Cartoon
DL75	Side Door Lock, 6 Lever, D/A, 2 CP Keys	75mm	50



SS
(Satin Silver)




AB
(Antique Brass)

Material: Stainless Steel/Brass | Door Thickness: 25-50mm | Available Backset: 60mm
Keys: 3 Brass Normal Keys | Function: Outdoor & Indoor

Code	Description	Packing/ Cartoon
CL01	Cylindrical Lock With 3 Brass Normal Keys	24



SS
(Satin Silver)




AB
(Antique Brass)

Material: Stainless Steel/Brass | Door Thickness: 25-50mm | Available Backset: 60mm
Function: Outdoor & Indoor | Keys: Keyless

Code	Description	Packing/ Cartoon
CL01-BK	Cylindrical Lock Keyless	24



PB
(Polished Brass)




SS
(Satin Silver)



AB
(Antique Brass)



Material: Stainless Steel/Brass | Door Thickness: 25-50mm | Available Backset: 60mm
Keys: 3 Brass Computer Keys | Function: Outdoor & Indoor

Code	Description	Packing/ Cartoon
CL11	Cylindrical Lock With 3 Brass Computer Keys	24




Material: Stainless Steel/Brass | Mechanism: Pin Cylindrical | Action: Six Action
Keys: 3 Brass Computer Keys | Function : Outdoor

Code	Description	Packing/ Carton
CGL2NSS	Cylindrical Gate Lock 6 Turn, 3 Brass Computer Keys	25




Material: Stainless Steel/Brass | Mechanism: Pin Cylindrical | Action: Six Action
Keys: 3 Brass Normal Keys | Function : Outdoor

Code	Description	Packing/ Carton
CGL2IV	Cylindrical Gate Lock 6 Turn, 3 Brass Normal Keys	25




Material: Stainless Steel/Brass | Mechanism: Pin Cylindrical | Action: Three Action
Keys: 3 Brass Normal Keys | Function : Outdoor & Indoor

Code	Description	Packing/ Carton
CGL1IV	Cylindrical Gate Locks 3 Turn, 3 Brass Normal Keys	32




Material: Stainless Steel & Brass
Locking: Single Action | Mechanism: Pin Cylindrical
Keys: 3 Brass Wave Keys | Function: Glass to Glass

Code	Description	Packing/ Carton
GDL01	Glass Door Lock Semi Circle With 3 Brass Wave Keys (Glass to Glass)	20




Material: Stainless Steel & Brass
Locking: Single Action | Mechanism: Pin Cylindrical
Keys: 3 Brass Wave Keys | Function: Glass to Wall

Code	Description	Packing/ Carton
GDL01W	Glass Door Lock Semi Circle With 3 Brass Wave Keys (Glass to Wall)	20




Material: Stainless Steel & Brass | Locking: Single Action
Mechanism: Pin Cylindrical, One Side Knob
Keys: 3 Brass Moulded Wave Keys | Function: Glass to Glass

Code	Description	Packing/ Carton
GDL01R	Glass Door Lock Semi Circle With 3 Brass Wave Moulded Keys, One Side Knob (Glass to Glass)	20



Material: Stainless Steel & Brass | Locking: Single Action
Mechanism: Pin Cylindrical, One Side Knob
Keys: 3 Brass Moulded Wave Keys | Function: Glass to Wall

Code	Description	Packing/ Carton
GDL01RW	Glass Door Lock Semi Circle With 3 Brass Wave Moulded Keys, One Side Knob (Glass to Wall)	20




Material: Stainless Steel & Brass | Locking: Single Action

Mechanism: Pin Cylindrical | Keys: 3 Brass Wave Keys

Function: Glass to Glass

Code	Description	Packing/ Carton
GDL02	Glass Door Lock Oval With 3 Brass Wave Keys (Glass to Glass)	20




Material: Stainless Steel & Brass | Locking: Single Action

Mechanism: Pin Cylindrical | Keys: 3 Brass Wave Keys

Function: Glass to Wall

Code	Description	Packing/ Carton
GDL02W	Glass Door Lock Oval With 3 Brass Wave Keys (Glass to Wall)	20




Material: Stainless Steel & Brass | Locking: Single Action

Mechanism: Pin Cylindrical, One Side Knob | Keys: 3 Brass Wave Keys

Function: Glass to Glass

Code	Description	Packing/ Carton
GDL02R	Glass Door Lock Oval With 3 Brass Wave Moulded Keys, One Side Knob (Glass to Glass)	20




Material: Stainless Steel & Brass | Locking: Single Action

Mechanism: Pin Cylindrical, One Side Knob | Keys: 3 Brass Wave Keys

Function: Glass to Wall


Code	Description	Packing/ Carton
GDL02RW	Glass Door Lock Oval With 3 Brass Wave Moulded Keys, One Side Knob (Glass to Wall)	20



Material: Brass & Stainless Steel | Mechanism: Pin Cylindrical
Keys: 3 Brass Computer Keys | Shackle: Steel Hardened
Function:

Code	A	B	C	D	E
RSLC90	90mm	27mm	14mm	20mm	31mm


Code	Description	Size	Packing/ Carton
RSLC90	Cylindrical Shutter Lock 3 Brass Computer Keys	90mm	24



Material: Brass & Stainless Steel | Mechanism: Pin Cylindrical
Keys: 3 Brass Computer Keys | Shackle: Steel Hardened
Function:

Code	A	B	C	D
PLC460	60mm	10mm	45mm	30mm


Code	Description	Size	Packing/ Carton
PLC460	Cylindrical Pad Lock 3 Brass Computer Keys	60mm	36



Material: Brass & Stainless Steel | Mechanism: Pin Cylindrical
Keys: 3 Brass Computer Keys | Shackle: Steel Hardened
Function:

Code	A	B	C	D
PLC460L	60mm	10mm	65mm	30mm

Code	Description	Size	Packing/ Carton
PLC460L	Cylindrical Pad Lock 3 Brass Computer Keys Long Shackle	60mm	36




Material: Steel | Mechanism: Lever
Keys: 3 CP Keys | Shackle: Steel
Function:

Code	A	B	C	D
PLC460	60mm	10mm	45mm	30mm

Code	Description	Size	Packing/ Carton
PLAT60	Steel Pad Lock (Atoot), D/L 8 Lever, 3 CP Keys	60mm	36



CP
(Chrome Polished)




Material: Steel | Keys: 3 Steel CP Keys | Shackle: Steel
Function:


Size:

Code	XX	A	B	C	D
RP30	30mm	11mm	4mm	14.5mm	13.5mm
RP40	40mm	14.5mm	5mm	19.5mm	18mm
RP50	50mm	20mm	6.5mm	23.5mm	21mm
RP65	65mm	22.5mm	9mm	30mm	24mm
RP75	75mm	27mm	11mm	37mm	28mm

Code	Description	Size	Packing/ Carton
RP30	Steel Padlock, 4 Lever, 3 CP Keys	30mm	360
RP40	Steel Padlock, 5 Lever, 3 CP Keys	40mm	200
RP50	Steel Padlock, 5 Lever, 3 CP Keys	50mm	200
RP65	Steel Padlock, 8 Lever, 3 CP Keys	65mm	120
RP75	Steel Padlock, 9 Lever, 3 CP Keys	75mm	45



CP
(Chrome Polished)



Material: Steel | Keys: 3 Steel CP Keys | Shackle: Steel
Function:


Size:

Code	XX	A	B	C	D
RP40L	40mm	33mm	5mm	19.5mm	17mm
RP50L	50mm	35mm	6.5mm	23.5mm	21mm
RP65L	65mm	56.5mm	9mm	30.5mm	25.5mm
RP75L	65mm	75mm	9mm	30.5mm	25.5mm

Code	Description	Size	Packing/ Carton
RP40L	Steel Padlock, 5 Lever, 3 CP Keys, Long Shackle	40mm	150
RP50L	Steel Padlock, 5 Lever, 3 CP Keys, Long Shackle	50mm	150
RP65L	Steel Padlock, 8 Lever, 3 CP Keys, Long Shackle	65mm	100
RP75L	Steel Padlock, 8 Lever, 3 CP Keys, Long Shackle	75mm	-



Brass



Material: Brass & Steel | Keys: 3 Brass Keys | Shackle: Steel
Function:


Size:

Code	XX	A	B	C	D
RPB50	50mm	20mm	6.5mm	23.5mm	21mm
RPB65	65mm	22.5mm	9mm	30mm	24mm

Code	Description	Size	Packing/ Carton
RPB50	Brass Padlock, 5 Lever, 3 Brass Keys	50mm	200
RPB65	Brass Padlock, 8 Lever, 3 Brass Keys	65mm	120



(Black Powder Coated)




Material: Zinc Alloy / Steel
 Locking: Double Action | Lever: 6 Pcs Brass
 Accessories: 2 Steel CP Keys , 1 Rosette
 Function: Office Furniture , Home Furniture

Code	Description	Packing/ Carton
MMP	Mini Multipurpose Lock, D/A Zinc Steel Body, 2 CP Keys	240



(Chrome Plated)




Material: Zinc Alloy / Steel
 Locking: Single Action | Lever: 6 Pcs Brass
 Accessories: 2 Steel Moulded Keys , 1 Rosette
 Function: Office Furniture , Home Furniture

Code	Description	Packing/ Carton
PMP	Multipurpose Lock, S/A Zinc Steel Body 2 Moulded Keys with Cram	240



(Black Powder Coated)




Material: Zinc Alloy / Steel
 Locking: Single Action | Lever: 6 Pcs Brass
 Accessories: 2 Steel Moulded Keys , 1 Rosette
 Function: Office Furniture , Home Furniture

Code	Description	Packing/ Carton
RMP	Regular Multipurpose Lock, S/A Zinc Body, 2 Moulded Keys	240



(Black Powder Coated)




Material: Zinc Alloy / Steel
 Locking: Double Action | Lever: 6 Pcs Brass
 Accessories: 2 Steel Moulded Keys , 1 Rosette
 Function: Office Furniture , Home Furniture

Code	Description	Packing/ Carton
UMP	Ultra Multipurpose Lock, D/A Zinc Body 2 Moulded Keys	240




SS
(Satin Silver)




Material: Stainless Steel / Brass
Locking: Single Action | Lever: 6 Pcs Brass
Accessories: 2 Brass Wave Keys, 1 Rosette
Function: Office Furniture, Home Furniture

Code	Description	Packing/ Carton
MPC01	CY Multipurpose Lock, Stainless Steel Body 2 Brass Wave Keys	240



SS
(Satin Silver)




Material: Stainless steel / Brass
Locking: Double Action | Lever: 6 Pcs Brass
Accessories: 2 Brass Wave Keys
Function: Office Furniture, Home Furniture

Code	Description	Packing/ Carton
CBC125	Cylindrical Cupboard Lock, 2 Wave Keys, 25mm	100
CBC132	Cylindrical Cupboard Lock, 2 Wave Keys, 32mm	100



CP
(Chrome Plated)




Material: Steel | Locking: Single Action
Lever: 6 Pcs Steel | Accessories: 2 Steel CP Keys
Function: Office Furniture, Home Furniture

Code	Description	Packing/ Carton
ICB01	Cupboard Lock, 2 Steel CP Keys	240



CP
(Chrome Plated)




Material: Steel | Lever: 6 Brass Lever
Keys: 2 Steel Moulded Keys
Function: Office Furniture, Home Furniture

Code	Description	Packing/ Carton
RGL	Regular Glass Lock	240



(Nickel)




Material: Steel | Angle of Opening : 110° | Cup Diameter: 35mm | Cup Depth: 11.5mm
Function: Indoor
Available in 8°

Code	Description	Packing/ Carton
AH161-8 (Short Arm)	Auto Concealed Hinge 8° (Short Arm) Cup Dia. 35mm, Cup Depth 11.5mm	100



(Nickel)




Material: Steel | Angle of Opening : 110° | Cup Diameter: 35mm | Cup Depth: 11.5mm
Function:
Available in 0°, 8°, 16°

Code	Description	Packing/ Carton
AH261	Auto Concealed Hinge 0° / 8° / 16° Cup Dia. 35mm, Cup Depth 11.5mm	100




SS
(Satin Silver)




Material: Stainless Steel | Angle of Opening : 110° | Cup Diameter: 35 mm
Cup Depth: 11.5mm | Function:
Available in 0°, 8°, 16°

Code	Description	Packing/ Carton
AHS261	Stainless Steel Auto Concealed Hinge 0° / 8° / 16° Cup Dia. 35mm, Cup Depth 11.5mm	100



Material: Steel | Angle of Opening : 110° | Cup Diameter: 35mm
Cup Depth: 11.5mm | Function:
Available in 0° , 8° , 16°

Code	Description	Packing/ Carton
HH888	Hydraulic Concealed Hinges 0° / 8° / 16° Hydraulic (Clip On) Cup Dia. 35mm, Cup Depth 11.5mm	50



Material: Stainless Steel | Angle of Opening : 110° | Cup Diameter: 35mm
Cup Depth: 11.5mm | Function:
Available in 0° , 8°

Code	Description	Packing/ Carton
HHS282	Stainless Steel Hydraulic Concealed Hinges 0° / 8° Hydraulic (Clip On) Cup Dia. 35mm, Cup Depth 11.5mm	75



Material: Steel | Thickness: 0.9 x 0.9 x 0.9mm | Length: 10" to 24" | Load Capacity: 35 Kg/18"
 Width: 42mm | Function: Office Furniture, Kitchen Cabinet and Home Furniture Drawer
 Available Finish: Zinc Plated, Black Coated

Code	Description	Size	Packing/ Carton
S4209	Steel Drawer Channel Triple Ball (Wt. 52Gms.)	250mm/10"	15
		300mm/12"	
		350mm/14"	
		400mm/16"	
		450mm/18"	
		500mm/20"	
		550mm/22"	
		600mm/24"	



Material: Steel | Thickness: 1.2 x 1.21 x 1.5mm | Length: 10" to 24" | Load Capacity: 45 Kg/18"
 Width: 45mm | Function: Office Furniture, Kitchen Cabinet and Home Furniture Drawer
 Available Finish: Double Zinc, Black Coated

Code	Description	Size	Packing/ Carton
S4515	Steel Drawer Channel Six Ball (Wt. 76Gms.)	250mm/10"	15
		300mm/12"	
		350mm/14"	
		400mm/16"	
		450mm/18"	
		500mm/20"	
		550mm/22"	
		600mm/24"	



Material: Stainless Steel | Thickness: 1.0 x 1.0 x 1.2mm | Length: 12" to 20"

Load Capacity: 45 Kg/18" | Width: 45mm

Function: Office Furniture, Kitchen Cabinet and Home Furniture Drawer | Ball: SS Ball

Code	Description	Size	Packing/ Carton
SS4510 (Stainless Steel)	Stainless Steel Drawer Channel Triple Ball (Wt. 62Gms.)	300mm/12"	15
		350mm/14"	
		400mm/16"	
		450mm/18"	
		500mm/20"	




Material: Steel | Thickness: 1.2 x 1.21 x 1.5mm | Length: 20" | Load Capacity: 45 Kg/18"

Width: 45mm | Function: Office Furniture, Kitchen Cabinet and Home Furniture Drawer


Available Finish: Double Zinc Coated

Code	Description	Size	Packing/ Carton
S45158-20 (Soft Closing)	Steel Drawer Channel Soft Closing Six Ball (Wt. 74Gms.)	500mm/20"	15
		550mm/22"	



Material: Stainless Steel | Size: 100.5 x 76.5 x 2.5mm | Bearing: 4BB | Screw: 8 Pcs. SS Screw
Function: Support and Switch Door Leaf

Code	Description	Size	Packing/ Carton
DH4325	Stainless Steel Door Hinge with Screw (Ball Bearing)	100.5x76.5x 2.5mm	30




Material: Stainless Steel | Size: 126 x 76.5 x 3mm | Bearing: 4BB | Screw: 10 Pcs. SS Screw
Function: Support and Switch Door Leaf

Code	Description	Size	Packing/ Carton
DH5330	Stainless Steel Door Hinge with Screw (Ball Bearing)	126x76.5x 3mm	30



SS
(Satin)



Material: Stainless Steel


Function: Support and Switch Door Leaf

Thickness Available: 1.7mm & 2.5mm

Code	Description	Size	Packing/ Carton
DH316	Stainless Steel Door Hinge (Welded)	75x51x1.7mm	180
DH312		75x51x2.5mm	



SS
(Satin)



Material: Stainless Steel


Function: Support and Switch Door Leaf

Thickness Available: 2mm & 2.5mm

Code	Description	Size	Packing/ Carton
DH414	Stainless Steel Door Hinge (Welded)	100x61x2mm	90
DH412		100x61x2.5mm	



SS
(Satin)




Material: Stainless Steel


Function: Support and Switch Door Leaf

Thickness Available: 2mm & 2.5mm

Code	Description	Size	Packing/ Carton
DH514	Stainless Steel Door Hinge (Welded)	125x66x2mm	90
DH512		125x66x2.5mm	



G
(Silver Gold)



A5XXYY

X = 4 (12mm) & 5 (16mm) Rod Dia
YY = 08, 10, 12 & 14 (Rod Length)

Material: Brass

Size:

Code	X (Rod Dia)	YY (Inch) (Rod Length)	A	B
A5408(3+1)	12mm	08	108mm	40mm
A5510(3+1)	16mm	10	126mm	47mm
A5512(3+1)	16mm	12	126mm	47mm
A5514(3+1)	16mm	14	126mm	47mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
A5408<	Aldrop (2 + 1) Rod Dia 12mm	200mm	20
A5408	Aldrop (3 + 1) Rod Dia 12mm	200mm	20
A5510	Aldrop (3 + 1) Rod Dia 16mm	250mm	20
A5512	Aldrop (3 + 1) Rod Dia 16mm	300mm	20
A5514	Aldrop (3 + 1) Rod Dia 16mm	350mm	10




AB
(Antique Brass)




BPL
(Brass Polished Lacquer)



SS
(Satin Silver)



AB
(Antique Brass)



A7XXYY

X = 4 (12mm) & 5 (16mm) Rod Dia
YY = 08, 10, 12 & 14 (Rod Length)

Material: Brass

Size:

Code	X (Rod Dia)	YY (Inch) (Rod Length)	A	B
A7408(3+1)	12mm	08	96mm	40mm
A7510(3+1)	16mm	10	113mm	45mm
A7512(3+1)	16mm	12	113mm	45mm
A7514(3+1)	16mm	14	113mm	45mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
A7408<	Aldrop (2 + 1) Rod Dia 12mm	200mm	20
A7408	Aldrop (3 + 1) Rod Dia 12mm	200mm	20
A7510	Aldrop (3 + 1) Rod Dia 16mm	250mm	20
A7512	Aldrop (3 + 1) Rod Dia 16mm	300mm	20
A7514	Aldrop (3 + 1) Rod Dia 16mm	350mm	10




G
(Silver Gold)



BPL
(Brass Polished Lacquer)



SS
(Satin Silver)

CS
(CP-SS)**ZPR20X**

X = 08, 10 & 12 (Total Length)

Material: Zinc Alloy


Size:

Code	X (Inch)	A	B	C
ZPR2008	8	46mm	150mm	48mm
ZPR2010	10	50mm	200mm	53mm
ZPR2012	12	50mm	255mm	53mm

Function: Outdoor & Indoor

MAB
(Matt Antique Brass)BS
(Silver Black)

Code	Description	Size	Packing/ Box
ZPR2008	Zinc Pull Handle on Rose	200mm	2
ZPR2010		250mm	
ZPR2012		300mm	

BS
(Silver Black)**ZPR3212**

Material: Zinc Alloy


Size:

Code	X (Inch)	A	B	C
ZPR3212	12	52mm	250mm	48mm

Function: Outdoor & Indoor

CS
(CP-SS)AB
(Antique Brass)

Code	Description	Size	Packing/ Box
ZPR3212	Zinc Pull Handle on Rose	300mm	2

CS
(CP-SS)**ZPR37X**

X = 10 & 12 (Total Length)

Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
ZPR3710	10	52mm	205mm	59mm
ZPR3712	12	52mm	250mm	59mm


Function: Outdoor & Indoor

AB
(Antique Brass)BS
(Silver Black)

Code	Description	Size	Packing/ Box
ZPR3710	Zinc Pull Handle on Rose	250mm	2
ZPR3712		300mm	



AB
(Antique Brass)



ZPR910

Material: Zinc Alloy
Size:

Code	X (Inch)	A	B	C
ZPR910	10	52mm	215mm	43mm

Function: Outdoor & Indoor



CS
(CP-SS)




BS
(Silver Black)

Code	Description	Size	Packing/Box
ZPR910	Zinc Pull Handle on Rose	250mm	2

Zinc Cabinet Handle



MAB
(Matt Antique Brass)



ZCH206

Material: Zinc Alloy
Size:

Code	X (Inch)	A	B
ZCH206	6	24mm	32mm

Function: Outdoor & Indoor




CS
(CP-SS)



BS
(Silver Black)

Code	Description	Size	Packing/Box
ZCH206	Zinc Cabinet Handle	150mm	12

**ADH01X**

X = 12, 14, 16, 20 & 24 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0112	12	40mm	200mm	42mm
ADH0114	14	40mm	250mm	42mm
ADH0116	16	40mm	300mm	42mm
ADH0120	20	40mm	400mm	42mm
ADH0124	24	40mm	500mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0112	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0114		350mm/14"	
ADH0116		400mm/16"	
ADH0120		500mm/20"	
ADH0124		600mm/24"	

**ADH02X**

X = 12, 14, 16, 20 & 24 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0212	12	40mm	200mm	42mm
ADH0214	14	40mm	250mm	42mm
ADH0216	16	40mm	300mm	42mm
ADH0220	20	40mm	400mm	42mm
ADH0224	24	40mm	500mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0212	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0214		350mm/14"	
ADH0216		400mm/16"	
ADH0220		500mm/20"	
ADH0224		600mm/24"	



ADH03X

X = 12, 14, 16, 20 & 24 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0312	12	40mm	200mm	42mm
ADH0314	14	40mm	250mm	42mm
ADH0316	16	40mm	300mm	42mm
ADH0320	20	40mm	400mm	42mm
ADH0324	24	40mm	500mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0312	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0314		350mm/14"	
ADH0316		400mm/16"	
ADH0320		500mm/20"	
ADH0324		600mm/24"	



ADH04X

X = 12, 14, 16, 20 & 24 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0412	12	40mm	200mm	42mm
ADH0414	14	40mm	250mm	42mm
ADH0416	16	40mm	300mm	42mm
ADH0420	20	40mm	400mm	42mm
ADH0424	24	40mm	500mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0412	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0414		350mm/14"	
ADH0416		400mm/16"	
ADH0420		500mm/20"	
ADH0424		600mm/24"	

**ADH05X**

X = 12, 14, 16, 20 & 24 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0512	12	40mm	200mm	42mm
ADH0514	14	40mm	250mm	42mm
ADH0516	16	40mm	300mm	42mm
ADH0520	20	40mm	400mm	42mm
ADH0524	24	40mm	500mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0512	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0514		350mm/14"	
ADH0516		400mm/16"	
ADH0520		500mm/20"	
ADH0524		600mm/24"	

**ADH06X**

X = 12, 16 & 20 (Total Length)


Material: Aluminium

Size:

Code	X (Inch)	A	B	C
ADH0612	12	40mm	200mm	42mm
ADH0616	16	40mm	300mm	42mm
ADH0620	20	40mm	400mm	42mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/Box
ADH0612	Aluminium Pull Handles (40x10)	300mm/12"	2
ADH0616		400mm/16"	
ADH0620		500mm/20"	



SDH02X

X= 12 & 16 (Total Length)

Material: Stainless Steel

Size:

Code	X (Inch)	A	B	C
SDH0212	12	40mm	200mm	39mm
SDH0216	14	40mm	300mm	39mm

Function: Outdoor & Indoor

Code	Description	Size	Packing/ Box
SDH0212	Stainless Steel Pull Handles	300mm/12"	2
SDH0216		400mm/16"	

CHS01


X = 4, 6, 8, 10, 12, 14 & 16 (Total Length)

Material: Stainless Steel

Size:

Code	X (Inch)	A	B	C
CHS011004/1204	4	10/12mm	64mm	30mm
CHS011004/1206	6	10/12mm	96mm	30mm
CHS011004/1208	8	10/12mm	128mm	30mm
CHS011004/1210	10	10/12mm	160mm	30mm
CHS011004/1212	12	10/12mm	192mm	30mm
CHS011004/1214	14	10/12mm	224mm	30mm
CHS011004/1216	16	10/12mm	256mm	30mm

Function: Outdoor & Indoor



Code	Description	Size	Packing/Box
CHS011004/1204	Stainless Steel Cabinet Handles With Screw	100mm/4"	50
CHS011006/1206		150mm/6"	50
CHS011008/1208		200mm/8"	50
CHS011010/1210		250mm/10"	50
CHS011012/1212		300mm/12"	50
CHS011014/1214		350mm/14"	50
CHS011216		400mm/16"	25

CHS05


X = 4, 6 & 9 (Total Length)

Material: Stainless Steel


Size:

Code	X (Inch)	A	B	C
CHS0504	4	15mm	64mm	21mm
CHS0506	6	15mm	96mm	21mm
CHS0509	9	15mm	128mm	21mm

Function: Outdoor & Indoor



Code	Description	Size	Packing/Box
CHS0504	Stainless Steel Cabinet Handles With Screw	96mm/4"	36
CHS0506		160mm/6"	24
CHS0509		224mm/9"	24



WCH1X

X = 4, 6, 9 & 12 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH104	4	20mm	64mm	28mm
WCH106	6	20mm	160mm	33mm
WCH109	9	20mm	224mm	38mm
WCH112	12	20mm	288mm	38mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH104	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH106		160mm/6"	24
WCH109		224mm/9"	12
WCH112		288mm/12"	12



WCH2X

X = 4, 6, 9 & 12 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH204	4	20mm	64mm	28mm
WCH206	6	20mm	160mm	33mm
WCH209	9	20mm	224mm	38mm
WCH212	12	20mm	288mm	38mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH204	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH206		160mm/6"	24
WCH209		224mm/9"	12
WCH212		288mm/12"	12

**WCH3X**

X = 4, 6, 9 & 12 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH304	4	20mm	64mm	28mm
WCH306	6	20mm	160mm	33mm
WCH309	9	20mm	224mm	38mm
WCH312	12	20mm	288mm	38mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH304	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH306		160mm/6"	24
WCH309		224mm/9"	12
WCH312		288mm/12"	12

**WCH4X**

X = 4, 6, 9 & 12 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH404	4	12mm	64mm	37mm
WCH406	6	12mm	160mm	37mm
WCH409	9	12mm	224mm	37mm
WCH412	12	12mm	288mm	37mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH404	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH406		160mm/6"	24
WCH409		224mm/9"	12
WCH412		288mm/12"	12



WCH5X

X = 4, 6, 9 & 12 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH504	4	12mm	64mm	33mm
WCH506	6	12mm	160mm	33mm
WCH509	9	12mm	224mm	33mm
WCH512	12	12mm	288mm	33mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH504	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH506		160mm/6"	24
WCH509		224mm/9"	12
WCH512		288mm/12"	12



WCH6X

X = 4, 6, 10 & 13 (Total Length)


Material: Zinc Alloy

Size:

Code	X (Inch)	A	B	C
WCH604	4	12mm	64mm	33mm
WCH606	6	12mm	160mm	33mm
WCH610	10	12mm	256mm	33mm
WCH613	13	12mm	320mm	33mm

Function: Indoor

Code	Description	Size	Packing/Box
WCH604	Zinc Cabinet Handles With Screw	96mm/4"	36
WCH606		160mm/6"	24
WCH610		256mm/10"	12
WCH613		320mm/13"	12

**WCH7X**

X= 4, 5 & 6 (Total Length)

Material: Zinc Alloy

Size:


Code	X (Inch)	A	B	C
WCH704	4	12mm	64mm	27mm
WCH705	5	12mm	128mm	27mm
WCH706	6	12mm	160mm	27mm

Function: Indoor

Code	Description	Size	Packing/ Box
WCH704	Zinc Cabinet Handles	96mm/4"	36
WCH705		128mm/5"	24
WCH706		160mm/6"	12



SS
Anodised-Satin Silver



ATB712X

X = 4, 6 & 8 (Length)

Material: Aluminium / SS

Size:

Code	Rod Dia	X (Inch)	A	B
ATB7124	12mm	4	38mm	15mm
ATB7126	12mm	6	38mm	15mm
ATB7128	12mm	8	38mm	15mm

Function: Indoor




AB
(Antique Brass)

Code	Description	Size	Packing/ Carton
ATB7124	Aluminium Body with SS Rod 12mm	100mm	200
ATB7126		150mm	120
ATB7128		200mm	100



SS
Anodised-Satin Silver



ATB610X

X = 4, 6 & 8 (Length)

Material: Aluminium / SS

Size:


Code	Rod Dia	X (Inch)	A	B
ATB6104	10mm	4	25mm	13mm
ATB6106	10mm	6	25mm	13mm
ATB6108	10mm	8	25mm	13mm

Function: Indoor

Code	Description	Size	Packing/ Carton
ATB6104	Aluminium Body with SS Rod 10mm	100mm	200
ATB6106		150mm	120
ATB6108		200mm	100



AB
(Antique Brass)



ATB512X

X = 4, 6 & 8 (Length)

Material: Aluminium / SS

Size:

Code	Rod Dia	X (Inch)	A	B
ATB5124	12mm	4	38mm	17mm
ATB5126	12mm	6	38mm	17mm
ATB5128	12mm	8	38mm	17mm

Function: Indoor




SS
(Satin Silver)

Code	Description	Size	Packing/ Carton
ATB5124	Aluminium Body with SS Rod 12mm	100mm	120
ATB5126		150mm	100
ATB5128		200mm	80



SS
(Anodised-Satin Silver)



ATB210X

X = 4, 6, 8, 10, 12, 18 & 24 (Length)

Material: Aluminium / SS

Size:

Code	Rod Dia	X (Inch)	A	B
ATB2104	10mm	4	25mm	13mm
ATB2106	10mm	6	25mm	13mm
ATB2108	10mm	8	25mm	13mm
ATB21010	10mm	10	25mm	13mm
ATB21012	10mm	12	25mm	13mm
ATB21018	10mm	18	25mm	13mm
ATB21024	10mm	24	25mm	13mm

Function: Indoor




AB
(Antique Brass)

Code	Description	Size	Packing/ Carton
ATB2104	Aluminium Body with SS Rod 10mm	100mm	200
ATB2106		150mm	120
ATB2108		200mm	100
ATB21010		250mm	-
ATB21012		300mm	-
ATB21018		450mm	-
ATB21024		600mm	-



SS
(Anodised-Satin Silver)



ATB110X

X = 4, 6, 8, 12 & 18 (Length)

Material: Aluminium / SS

Size:

Code	Rod Dia	X (Inch)	A	B
ATB1104	10mm	4	25mm	13mm
ATB1106	10mm	6	25mm	13mm
ATB1108	10mm	8	25mm	13mm
ATB11012	10mm	12	25mm	13mm
ATB11018	10mm	18	25mm	13mm

Function: Indoor




AB
(Antique Brass)

Code	Description	Size	Packing/ Carton
ATB1104	Aluminium Body with SS Rod 10mm	100mm	200
ATB1106		150mm	120
ATB1108		200mm	100
ATB11012		300mm	-
ATB11018		450mm	-



SS
(Satin)



STB112X

X = 4, 6, 8, 10 & 12 (Length)


Material: Stainless Steel

Size:

Code	Rod Dia	X (Inch)	A	B
STB1124	12mm	4	38mm	15mm
STB1126	12mm	6	38mm	15mm
STB1128	12mm	8	38mm	15mm
STB11210	12mm	10	38mm	15mm
STB11212	12mm	12	38mm	15mm

Function: Indoor

Code	Description	Size	Packing/ Carton
STB1124	Stainless Steel Tower Bolt 12mm (One Pc. Rod)	100mm	200
STB1126		150mm	120
STB1128		200mm	100
STB11210		250mm	-
STB11212		300mm	-



SLTB110X

X= 4 & 6 (Length)

Material: Stainless Steel

Size:


Code	Rod Dia	X (Inch)	A	B
SLTB1104	10mm	4	38mm	15mm
SLTB1106	10mm	6	38mm	15mm

Function: Indoor

Code	Description	Size	Packing/ Carton
SLTB1104	Stainless Steel Tower Bolt 10mm (L-Type)	100mm	-
SLTB1106		150mm	-



G
Silver Gold



BDS02

Material: Brass
Function: Outdoor & Indoor

Code	Description	Packing/ Box
BDS02	Brass Door Stopper	6



BPL
(Brass Polished Lacquer)




AB
(Antique Brass)



SS
(Satin Silver)



SS
Anodised-Satin Silver




ADS4

Material: Aluminium
Function: Outdoor & Indoor

Code	Description	Packing/ Box
ADS4	Aluminium Door Stopper	6




SS
Satin



SDS1

Material: Stainless Steel
Function: Outdoor & Indoor

Code	Description	Packing/ Box
SDS1	Stainless Steel Door Stopper	6




MDH01

Material: Zinc Alloy | Size: 75mm
Feature: installed on the ground or wall



Code	Description	Size	Packing/ Box
MDH01	Magnetic Door Stopper / Holder Zinc Alloy	75mm	6




DVZ1

Material: Zinc Alloy | Size: 30 x 15mm
Door Thickness: 35-50mm
Cover: With Cover




Code	Description	Size	Packing/ Box
DVZ1	Door Eye / Viewer Zinc Alloy	30x16mm	12



GB01CP

Material: Zinc
Function: Indoor


Code	Description	Size	Packing/ Box
GB01CP	Glass Brackets	21mm	3000



GB03CP

Material: Zinc
Function: Indoor


Code	Description	Size	Packing/ Box
GB03CP	Glass Brackets	24.5mm	1500



GS2 (Silver)

Material: Steel | Load Capacity: 60N, 80N, 100N, 150N, 200N
Function: Kitchen Cabinet

Code	Description	Size	Packing/ Carton
GS260	Gas Spring	60N	100
GS280		80N	
GS2100		100N	
GS2150		150N	
GS2200		200N	



BCB01SS (SS)

Material: Brass
Function: Indoor

Code	Description	Packing/ Carton
BCB01SS	Cam Bolts	-



SS
Satin

SSFB1X

X = 8, 10, 12, 14 or 16 (Full Length)

Material: Stainless Steel | Load Capacity: 100 Kgs/10 Inch

Feature: 2 Fold Bracket | Function: Indoor

Code	Description	Size	Packing/ Carton
SSFB18	Stainless Steel Folding Bracket (2 Fold Bracket)	200mm/8"	40
SSFB110		250mm/10"	40
SSFB112		300mm/12"	40
SSFB114		350mm/14"	30
SSFB116		400mm/16"	30



IV
Ivory

SFB1X

X = 8, 10, 12 or 14 (Full Length)


Material: Steel | Load Capacity: 60 Kgs/10 Inch

Feature: L-Type Bracket | Function: Indoor

Code	Description	Size	Packing/ Carton
SFB18IV	Steel Folding Bracket (L-Type Bracket)	200mm/8"	40
SFB110IV		250mm/10"	40
SFB112IV		300mm/12"	40
SFB114IV		350mm/14"	30



SS
Satin Silver




FS60A

Material: SS & Steel
Load Capacity: 60 Kg
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
FS60A	Floor Spring (Single Spring) Capacity: 60 Kgs. (with Accessories)	250x110x46mm	4



SS
Satin Silver



FS95

Material: SS & Steel
Load Capacity: 95 Kg
Function: Outdoor & Indoor

Code	Description	Size	Packing/ Carton
FS95	Floor Spring (Single Spring) Capacity: 95 Kgs. (without Accessories)	248x110x50mm	4




FSA01

Floor Spring Accessories

Code	Description	Size	Packing/ Carton
FSA01	Floor Spring Wooden Door Accessories	-	-

**DCA01S**


Material: Aluminium & Steel | Load Bearing: 80 Kg
 Function: Outdoor & Indoor | Speed: Double Speed



Code	Description	Size	Packing/ Carton
DCA01S	Universal Hydraulic Door Closer Double Speed (80 kgs.)	200x38x40mm	10

**DCA911S**

Material: Aluminium & Steel | Load Bearing: 35-65 Kg
 Function: Outdoor & Indoor | Speed: Double Speed



Code	Description	Size	Packing/ Carton
DCA911S	Universal Hydraulic Door Closer Double Speed (35-65 kgs.)	175x41x65mm	10



SSTP1C

Finish: Nickel

Code	Description	Size	Finish	Packing/ Jar
SSTP1C413	Stainless Steel Self Taping CSK Phillips Screws (Full Thread)	4 x 13mm	Nickel	1000
SSTP1C416		4 x 16mm		700
SSTP1C419		4 x 19mm		600
SSTP1C613		6 x 13mm		700
SSTP1C616		6 x 16mm		500
SSTP1C619		6 x 19mm		500
SSTP1C625		6 x 25mm		300
SSTP1C632		6 x 32mm		200
SSTP1C725		7 x 25mm		200
SSTP1C819		8 x 19mm		300
SSTP1C825		8 x 25mm		200
SSTP1C832		8 x 32mm		150
SSTP1C838		8 x 38mm		100
SSTP1C850		8 x 50mm		100

DWS

Finish: Black Phosphorus, Nickel



Code	Description	Size	Packing/ Box
DWS3513	Dry Wall Screws (Self Taping)	3.5 x 13mm	1000
DWS3516		3.5 x 16mm	1000
DWS3519		3.5 x 19mm	1000
DWS3525		3.5 x 25mm	1000
DWS3532		3.5 x 32mm	1000
DWS3538		3.5 x 38mm	1000
DWS3550		3.5 x 50mm	500
DWS3565		3.5 x 65mm	500
DWS3575		3.5 x 75mm	500
DWS4225		4.2 x 25mm	1000
DWS4232		4.2 x 32mm	1000
DWS4238		4.2 x 38mm	1000
DWS4250		4.2 x 50mm	500
DWS4265		4.2 x 65mm	500
DWS4275		4.2 x 75mm	500

SBR

Finish: SS



Code	Description	Size	Finish	Packing/ Box
SBR3212	Steel Blind Rivets	3.2 x 12mm	SS	1000
SBR3812		3.8 x 12mm		1000
SBR4020		4.0 x 20mm		1000

Spider Metal Products Pvt. Ltd.

(Head Office & Mfrg. Unit)

A-56, Tala Nagari - II, Ramghat Road,
Aligarh-202 001 U.P. (India)
Phone : +91-571-2780123
Mobile : +91-9219527703, 9219527707
e-mail : info@spiderlocks.com
URL : www.spiderlocks.com

Spider Metal Products Pvt. Ltd.

(Branch Office)

#86, N.V. Gardens, Jayanthi Nagar Main Road,
Horamavu, Bengaluru-560 043 Karnataka (India)
Mobile : +91-9148688003, 9536674713
e-mail : info@spiderlocks.com

SPL Hardware

(Procurement & QC Office)

Guangzhou

Toll Free No. 1800 200 0660



facebook.com/spiderlocks



Locks & Accessories

An ISO 9001:2015 & 14001: 2015 Certified Co.