

Phenalkamine epoxy hardner (solvent free)							
		Key Properties		Application			
Sr. No.	Product	PHR (EEW 190)	Viscosity / Colour	Marine	Protective	Industrial	Construction
1	K2P-LV370	50~60	LV /Amber	✓	✓	✓	✓
2	K2P-LV373	50~60	VLV /Amber			✓	✓
3	K2P-LV374	50~60	VLV /Amber			✓	✓
4	K2P-LV300	70~80	LV /Amber	✓	✓	✓	✓
5	K2P-LV300SP	100	LV /Amber	✓	✓	✓	✓
6	K2P-LV460	35~45	LV /Amber	✓	✓	✓	✓
7	K2P-MV300	70~80	MV /Amber	✓	✓	✓	✓
8	K2P-MV301	70~80	MV /Amber	✓		✓	✓
9	K2P-MV300F	70~80	MV /Amber	✓		✓	✓
10	K2P-HV300	70~80	HV /Amber	✓	✓	✓	✓
11	K2P-HV301	70~80	HV /Amber	✓	✓	✓	✓
12	K2P-HV300F	70~80	HV /Amber	✓	✓	✓	✓
13	K2P-5418	60~70	LV /Amber	✓	✓	✓	✓
14	K2P-5408	40~45	LV /Amber	✓	✓	✓	✓
15	K2P-5588	50~60	LV /Amber	✓	✓	✓	✓
16	K2P-LV1400NF	10~12	LV / Light Yellow	✓	✓		
17	K2P-HV370NF	50~80	HV / Light Yellow	✓	✓		
18	K2P-HV300NF	80~100	HV / Light Yellow	✓	✓		
Modified Cycloaliphatic & Aliphatic amines (solvent free)							
		Key Properties		Application			
Sr. No.	Product	PHR (EEW 190)	Viscosity / Colour	Marine	Protective	Industrial	Construction
1	K2P-CA5001	50~55	LV / Light Yellow	✓	✓	✓	
2	K2P-CA5002	50~55	LV / Light Yellow	✓	✓	✓	
3	K2P-CA5003	50~55	LV / Light Yellow	✓	✓	✓	✓
4	K2P-CA5004	50~55	LV / Light Yellow	✓	✓	✓	✓
5	K2P-CA5007	50~55	LV / Light Yellow	✓	✓	✓	✓

6	K2P-CA5009	50~55	LV / Light Yellow	✓	✓	✓	✓
7	K2P-CA5009	50~55	LV / Light Yellow	✓	✓	✓	✓
8	K2P-LV370 SL	50~55	LV / Light Yellow	✓	✓	✓	✓
9	K2P-CA6001	60~65	LV / Light Yellow	✓	✓	✓	✓
10	K2P-CA6002	60~65	LV / Light Yellow	✓	✓	✓	✓
11	K2P-CA6003	50~55	LV / Light Yellow	✓	✓	✓	✓
12	K2P-CA9901	100	MV / Light Yellow		✓	✓	✓
13	K2P-CA9902	100	MV / Light Yellow			✓	✓
14	K2P-CA9903	100	MV / Light Yellow			✓	✓
15	K2P-CA9904	100	ULV / Light Yellow			✓	✓
Reactive Polyamide (solvent free)							
		Key Properties		Application			
Sr. No.	Product	PHR (EEW 190)	Viscosity / Colour	Marine	Protective	Industrial	Construction
1	K2P-RPD160	50~55	LV / Light Yellow	✓	✓	✓	✓
2	K2P-RPD140	50~55	LV / Light Yellow	✓	✓	✓	✓
Flexible Hardeners (solvent free)							
		Key Properties		Application			
Sr. No.	Product	PHR (EEW 190)	Viscosity / Colour	Marine	Protective	Industrial	Construction
1	K2P-LV300flx	80	LV /Amber		✓	✓	✓
2	K2P-LV200flx	100	LV /Amber		✓	✓	✓
3	K2P-CA9902flx	100	LV / Light Yellow		✓	✓	
4	K2P-CA9901flx	100	HV / Light Yellow		✓	✓	
Epoxy + Diluent + Accelerator							
1	K2P-EP250		MV / Light Yellow	✓	✓	✓	✓
2	K2P-EP201		LV / Light Yellow	✓	✓	✓	✓
3	K2P-EP210		MV / Light Yellow	✓	✓	✓	✓
4	K2P-EP211		MV / Light Yellow	✓	✓	✓	✓

5	K2P-EPcrd		Amber	✓	✓	✓	✓
6	K2P-EPnrd		Dark yellow	✓	✓	✓	✓
7	K2P-DMP30		Yellow	✓	✓	✓	✓
Polyol							
1	K2P-CPoly101			✓	✓	✓	✓

