

An ISO 9001: 2008 Certified Company







OUR PRODUCT RANGE
CATALOGUE



WELCOME TO NETROX

wide product range of

Ro Water Purifier...!

Dear Customer,

We thank you for your trust in Netrox RO water purifier. We know that your greatest joy is to see your family healthy and happy. You have ensured your family's health and happiness for life, because Netrox RO Water purifier gives you complete solutions to your water problems. We are confidente that you will be satisfied with it's performance and that it will serve your need for safe and clean drinking water.


Company Profile

Netrox Aqua Fresh Pvt. Ltd. is well known company and reputed brand name in RO manufacturing industry. We are pleased to inform you that we are the manufacturer of domestic/commercial RO water purifier, DM Plant, Softener, Dialysis Plant, Bottling Plant, Water Cooler, Chiller, Water ATM, UF Plant with exclusive product range, outstanding quality at reasonable prices. All the models of domestic RO unit and commercial RO - 25 to 50,000 LPH are readily available with us at any time along with their components. Other large RO units and mineral water bottling plants are being made on order. Do believe on us, you will never regret for sure.

How Netrox Reverse Osmosis Function?

Reverse Osmosis is a hyper-filtration process in which all impurities (dissolved ions, heavy molecular weight compounds, bacteria, viruses) are removed from water by passing through membrane under designed pressure. The water is splitted into two streams. The pure water comes after passing through the membrane holes, containing only permissible ingredient. All undesirable elements including salts & biological impurities flush out along with





DOMESTIC RO



GRAND+

PURIFICATION BY:











PRODUCT INFORMATION:-

Model Name NAF-Netrox Grand Plus

Stages

System Fully Automatic with Auto on/Off

Suitable For Wall Mounted Table Top

Purifying Cap. 15Ltrs./Hr. Max. Duty Cycle: 90Ltrs. Storage Tank Cap.: 12Ltrs.

RO. Membrane 1812-75GPD 0.0001 micron

Voltage **24V DC**

Booster Pump 100GPD 24Volt DC ₹ 16,999/-



KRONO+

PURIFICATION BY:











PRODUCT INFORMATION :-

Model Name : NAF-Netrox Crystal Plus+

Stages : 9 Stage

System : Fully Automatic with Auto on/Off

Suitable For : Wall Mounted Table Top

Purifying Cap. : 15Ltrs./Hr.
Max. Duty Cycle : 90Ltrs.
Storage Tank Cap. : 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC

MRP : ₹ 18,850/-



Ultimate+

PURIFICATION BY:









PRODUCT INFORMATION :-

Model Name : NAF-Netrox Ultimate+

Stages : 9 Stage

System : Fully Automatic with Auto on/Off

Suitable For : Wall Mounted Table Top Purifying Cap. : 15Ltrs./Hr.

Max. Duty Cycle : 90Ltrs.
Storage Tank Cap.: 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC

MRP : ₹ 19,550/-



Ultimate

PURIFICATION BY:











PRODUCT INFORMATION:-

Model Name : NAF-Netrox Ultimate+

Stages : 9 Stage

System : Fully Automatic with Auto On/Off Suitable For : Wall Mounted Table Top

Suitable For : Wall Mounted T Purifying Cap. : 15Ltrs./Hr. Max. Duty Cycle : 90Ltrs.

Storage Tank Cap.: 12Ltrs.
RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC MRP : ₹ 18,550/-



Ultra Smart+

PURIFICATION BY:











PRODUCT INFORMATION :-

Model Name NAF-Netrox Ultra Smart+

Stages 9 Stage

System Fully Automatic with Auto on/Off

Suitable For Wall Mounted Table Top

Purifying Cap. 15Ltrs./Hr. Max. Duty Cycle : 90Ltrs. Storage Tank Cap.: 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage 24V DC

Booster Pump 100GPD 24Volt DC

MRP ₹ 19,550/-



Netrox Smart

PURIFICATION BY:











Model Name NAF-Netrox Smart Stages

9 Stage

System Fully Automatic with Auto on/Off

Suitable For **Wall Mounted Table Top**

Purifying Cap. 15Ltrs./Hr. Max. Duty Cycle: 90Ltrs. Storage Tank Cap.: 12Ltrs.

1812-75GPD 0.0001micron RO. Membrane :

Voltage 24V DC **Booster Pump** 100GPD 24Volt DC

₹ 18,550/-



Glory Plus

PURIFICATION BY:











PRODUCT INFORMATION:-

NAF-Netrox Glory Plus Model Name

Stages 9 Stage

Fully Automatic with Auto On/Off System

Wall Mounted Table Top Suitable For Purifying Cap. 15Ltrs./Hr.

Max. Duty Cycle : 90Ltrs. Storage Tank Cap.: 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage **24V DC**

Booster Pump 100GPD 24Volt DC MRP ₹ 17,850/-



Wave+

PURIFICATION BY:











PRODUCT INFORMATION :-

Model Name : NAF-Netrox Wave+

Stages : 9 Stage

System : Fully Automatic with Auto on/Off

Suitable For : Wall Mounted Table Top

Purifying Cap. : 15Ltrs./Hr.
Max. Duty Cycle : 90Ltrs.
Storage Tank Cap. : 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001 micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC

MRP : ₹19,550/-



Diamond+

PRODUCT INFORMATION:-

Model : Netrox Diamond+

USP : Tank-in-tank Configuration To Prevent Overflow

Installation : Table-top

Technology : Gravity Based Uf Technology
Purification Cap : 10litres/hour20 Litres/hour

Storage Tank Cap.: 10 Litres - Raw Water, 10 Litres - Purified Water Filter Cartridges : 55 Mesh, Sediment, Activated Carbon

UF Membrane : 0.1 Microns Hollow Fiber Hydrophilic UF Membrane

Net Weight : 3.40 Kgs MRP : ₹ 2299/-



Netrox Reviva

PURIFICATION BY:







JAPANESE UV TECHNOLOGY

PRODUCT INFORMATION :-

- Advance Uv
- Self Replaceable Filter
- Digital Display
- Intelligent Membrane Flushing
- 5 Stage Filtration
- Fruit & Vegetable Detoxifier (optional)
- Table Top / Wall Mounting
- Storage Tank 8 Ltr.

COMMERCIAL RO



Grant 25 LPH RO

PURIFICATION BY:











PRODUCT INFORMATION :-

Model Name : Netrox Grant 25LPH

Stages : 9 Stage

System : Fully Automatic with Auto on/Off Suitable For : Wall Mounted Table Top

Suitable For : Wall Mounted Table Top Purifying Cap. : 15Ltrs./Hr.

Max. Duty Cycle: 90Ltrs. Storage Tank Cap.: 12Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC

MRP : ₹ 24,490/-



Grant + 50 LPH

PURIFICATION BY :











PRODUCT INFORMATION:-

Model Name : Netrox Grant+50 LPH

Stages : 9 Stage

System : Fully Automatic with Auto on/Off
Suitable For : Wall Mounted Table Top

Purifying Cap. : 25Ltrs./Hr. Max. Duty Cycle : 90Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC

MRP : ₹ 36,990/-



Grant+ 100 LPH

PURIFICATION BY:











PRODUCT INFORMATION :-

Model Name : Netrox Grant+ 100 LPH

Stages : 9 Stage

System : Fully Automatic with Auto on/Off

Suitable For : Wall Mounted Table Top Purifying Cap. : 100Ltrs./Hr.

Max. Duty Cycle : 200Ltrs.

RO. Membrane : 1812-75GPD 0.0001micron

Voltage : 24V DC

Booster Pump : 100GPD 24Volt DC MRP : ₹45,000/-







250LPH to 10,000 LPH

Product Specification : Industrial RO Water Purifier Plant
Industrial RO Water Purifiers are available in different range such as RO 500
LPH and RO 1000-50000 LPH. These are fabricated using high grade raw
material and are helpful in purifying the water.

Features

- Permissible input Water Quality -upto 5000 ppm of TDS.
- · High Capacity raw water pump.
- Dual Media filter To remove the Total Suspended Solids.
- Activated Carbon filter To remove the Colour, Odor, and smell from water.
- Anti Scalant Dosing system To protect the RO membrane
- from Scaling.
- Micron Filter Stage 1
 microns
- To remove the fine particles upto 10
- Micron Filter Stage 2
- To remove the fine particles upto 5 microns.
- High Pressure pump
- To feed the water to RO Membranes.
- RO Membranes
- To remove the major part of TDS upto 98%

250LPH SS TO 10,000 LPH SS

Product Details:

Automation Grad : Automatic, Semi-Automatic

Material of Construction : Stainless Steel

RO Capacity (LPH) : 0-200, 200-500, 500-1000, 1000-2000,

2000-3000,>3000

Number of Membranes in RO: 1,2,4

Max Water Recovery Rate : 50-55 %, 55-60 %, 60-65 %, 65-70 %,

70-75%,>75%

Number of Filtration Passes : 1,2 We are offering SS Reverse Osmosis Plant.

Features:

Optimum quality
 Fine designs

Specifications:

Capacity: 1000 to 10000 Liter/Hour
 Voltage: 380V /220V

Hospital Dialysis Water Plant

It is the quality of water that puts significant impact on performance of hemodialysis system. Considering an integral part and key requirement for a successful dialysis treatment, it is necessary that hemodialysis water must follow certain standards set up by related authorities. At NETROX AQUA FRESH PVT LTD., we manufacture customized reverse osmosis water systems that produce water following recommended standards of AAMI, FDA and ISO. We assure you about the quality of water, which is further used for renal replacement therapy (RRT). Output water meets circulars and standards defined in the European pharmacopeia.

Reverse Osmosis in Dialysis

Reverse Osmosis is the most trusted water purification technology used in purifying water for hemodialysis process. A typical dialysis water system combines Pre filter or Sediment Filter, Carbon Filter, Water Softener and Reverse Osmosis (RO) System. No matter what your source water is, we provide a safe, reliable water purifier system that is designed to produce water to ensure safe, high quality care for hemodialysis patients. To know more, how we can help you in setting up a reverse osmosis dialysis unit

Dialysis Water Treatment Solutions

Didysio Water Fredment Coldinors	
Single Stage Dialysis RO System	Central Stage RO Plant
DM Plant For Dialysis	Rental ro plant for dialysis
Water Sampling And Analysis	Precise consultation
Custom Designing	Installation and training
Repair and AMC	Spare parts supply



DM WATER PLANT

Product Specification

Water Source	River Water
Output Tds	3-5ppm
Weight	30kg
Input Tds	50ррт
Inlet TDS	River Water 50ppm Maximum
Minimum Order Quantity	1 Number

PORTABLE, 100% Recovery, Compact design &less space, 3 beds system (Cation, Anion & Mixed bed), Pump flow.

For raw water TDS is below 50ppm, DM water received 5000lit. Afterwards system has to be regenerated. (Regeneration chemicals cost Rs 250 approx)
Output DM water TDS <5 ppm. pH 6.5 to 7.0

Accessories supplied- inline digital conductivity meter, regeneration pp tank 50lit 1no, Air mixing drum, raw water pump 1/4 hp, Operation Instruction Manual.

Mineral Bottling Plant



2000 BPH to 10,000 BPH



WATER CHILLER



CROWN

Available In 10 15 25 35 & 50 Ltr. Metal Body 5 Year Warranty (1 year Metallic Element + 4 Year on Tank)

- 2000 watts
- High precision Thermostat control
- Safety Valve
- Fire Retardant Power Cable
- High Working Pressure, Suitable High Rise Buildings Avoiding Rust Proof Powder Coating
- SS 304 Grade Inner Tank(Durable)
- Preset Thermal Cutout
- Heavy Thickness SS Apparatus Plate
- Heavy Copper Heating Element
- 6.5 Bar Pressure Rating



DELUX

Available In 10 15 & 25 Ltr. 5 Year Warranty (1 Year Electric Element + 4 Year On Tank)

- 2000 Watts
- High precision Thermostat Control
- High working pressure 0.65Mpa Ideal for high rise Buildings
- Fire Retardant Cable

- Preset Thermal Cut-out
- Preset Adjuster Pressure safety value
- Heavy copper Heating Element
- SS Water Tank(utmost Durability)
- 3.5 bar Pressure Rating











Membrane Commercial



Membrane Housing FRP

















For any query or details call or visit us at:-

Toll Free: 1800 212 8393

Web.: www.netrox.in, Email. id.: info@netrox.in

Mfg. by:

NETROX AQUA FRESH PVT. LTD.

Plot No. - 1/9 , Savitri Apartment, Vasant Kunj,

New Delhi - 110070

Mob no-9810481089/9555713388

Mktd. by:

NETROX AQUA FRESH PVT. LTD.

Maurya Vihar Colony, Transport Nagar, Kumhrar, Patna-26

Maa Geeta Complex, 2nd Floor, Mahatma Gandhi Nagar Road, Kankarbagh, Patna-26 Tel. no-0612-2350082 Mob-9934013834/7634910918