

ABEBA

Ladies Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	- Ladies Safety Shoes	Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine
Size	- 3 To 8 (39 To 45)	Lask	- 522 (Broad Shape)
Upper	- Butty Grain Leather	Lining	- Air Mesh (250.gsm)
Upper Thickness	- 1.6-1.8 mm	Toe Cap	- EN 12568 Marked (Imported) Impact Resistance 200J
Out Sole	- PU Double Density & Double Colour & Also Single Colour	Colour	- Full Black/Black-grey
Sole Thickness	- 6 mm Sole + 4 mm Cleats (total 10 mm)	Antistatic	- As Per Buyer Requirement
Heal Thickness	- 20 mm Sole + 4 mm Cleats (total 24 mm)	Anti-Penetration	- As Per Buyer Requirement
Insole	- Soft EVA 4 Mm With Polydrill Cloth	Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safety matters

enta

Leather Safety Shoes



Steel Toe Cap



IS: 15298:2016
PART-2



CM/L:4822668



Type	- Derby Safety Shoes	Lining	- Air Mesh (250.gsm)
Size	- 5 To 11 (39 To 45)	Laces	- 90 cm Flat
Upper	- Grain Leather (Genuine Leather)	Eyelet	- Heavy Copper Mattel Eyelet With Lacquer Coated
Upper Thickness	- 1.8-2.0mm	Toe Cap	- EN 12568 Marked (Imported) Impact Resistance 200J
Sole	- PU Double Density & Double Colour	Colour	- Black/Grey
Sole Thickness	- 6 mm Sole + 4 mm Cleats (Total 10 mm)	Antistatic	- As Per Buyer Requirement
Heel Thickness	- 20 mm Sole + 4 mm Cleats (Total 24 mm)	Anti-penetration	- As Per Buyer Requirement
Insole	- Soft EVA 4 mm With Polydrill Cloth	Approval	- IS:15298:2016 Part-2, CE
Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		
Last	- 522 (Broad Shape)		



Safety matters

BELTON

With Lace



Steel Toe Cap

APRICOTE

With Lace



Steel Toe Cap



- Type - Fully Moulded PVC Shoes
Made by Air Max
Imported Machine
- Style - Derby Shoes
- Size - 6 To 10 (40 To 44)
- Upper - Soft PVC
- Sole - Hard PVC

- Insole - 2 mm EVA With Ludhiana Cloth
- Inner Lining - Without Lining
- Laces - 90 cm Round
- Toe - With & Without Steel Toe Cap
- Colour - Full Black
- Packing - With Inner Box Packing
20 Pair Per Outer Box



Safetymatters

BERN+

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	- High Ankle Nitrile Rubber Safety Shoes	Lask	- 522 (Broad Shape)
Size	- 5 To 12 (39 To 46)	Lining	- Skin Fit (250.gsm)/Leather
Upper	- Grain Leather	Laces	- 100cm Round
Upper Thickness	- 1.8-2.0mm	Toe Cap	- En 12568 Marked (Imported) Impact Resistance 200J
Out Sole	- Nitrile Rubber Sole (Heat Resistant Up To 300°C)	Colour	- Full Black / Black Green
Insole	- Soft EVA 4mm	Antistatic	- As Per Buyer Requirement
Construction	- Direct Vulcanizing Process & Toe Cap Lasted by Imported Machine	Ant-Penetration	- As Per Buyer Requirement
Fitting	- English Fitting	Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safety matters

BLACK CARBON

Leather Safety Shoes



Steel Toe Cap



IS: 15298:2016
PART-2



CM/L:4822668



Type	- High Ankle Safety Shoes	Laces	- 110 cm Round
Size	- 5 To 11 (39 To 45)	Eyelet	- D Type Rust Proof
Upper	- Grain Leather (Genuine Leather)		- Lacquer Coated (Imported)
Upper Thickness	- 1.8-2.0mm	Toe Cap	- EN 12568 Marked (Imported)
Sole	- PU Single Density		- Impact Resistance 200J
Sole Thickness	- 6 mm Sole + 4 mm Cleats (Total 10 mm)	Colour	- Full Black
Heel Thickness	- 20 mm Sole + 4 mm Cleats (Total 24 mm)	Antistatic	- As Per Buyer Requirement
Insole	- Soft EVA 4 mm With Polydrill Cloth	Anti-penetration	- As Per Buyer Requirement
Construction	- Direct PU Moulded & Toe Cap Lasted by Imported Machine	Approval	- IS:15298:2016 Part-2, CE
Fitting	- English Fitting	Packing	- 20 Pairs Carton
Lask	- 522 (Broad Shape)		
Lining	- Air Mesh (250.gsm)		



Safety matters

BLACK DIAMOND®

Synthetic Leather Safety Shoes



CE



Steel Toe Cap

Type	- High Ankle	Laces	- 100cm Flat
Size	- 5 To 10 (39 To 44)	Toe Cap	- Alloy Steel
Upper	- Synthetic Leather	Colour	- Full Black & Black/Orange
Upper Thickness	- 1.8 mm	Approval	- CE
Sole	- PVC With A Blend of 10% Rubber	Packing	- 1 Pair Printed Box & 20 Pairs in One Outer Carton
Insole	- 2mm EVA With Speed Mesh		
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stoble With Non Woven Cloth		



Safetymatters

BULLET

Synthetic Leather Safety Shoes



CE



Steel Toe Cap

Type	- High Ankle	Laces	- 100cm Flat
Size	- 5 To 10 (39 To 44)	Toe Cap	- Alloy Steel
Upper	- Synthetic Leather	Colour	- Full Black & Black/Orange
Upper Thickness	- 1.8 Mm	Approval	- CE
Sole	- PVC With A Blend of 10% Rubber	Packing	- 1 Pair Printed Box & 20 Pairs in One Outer Carton
Insole	- 2mm EVA With Speed Mesh		
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stable With Non Woven Cloth		



Safety matters

CAMBRIDGE

Leather Safety Shoes



IS: 15298:2011
PART-3



CM/L:9512429321



Steel Toe Cap

Type	- Derby Shoe	Lask	- 459
Size	- 5 To 11 (39 To 45)	Lining	- Skin Fit (250.gsm) With 4mm Foam
Upper	- Genuine Leather	Laces	- 80cm Flat
Upper Thickness	- 1.6-1.8mm	Toe Cap	- Impact Resistance 100J
Sole	- PU Single Density	Colour	- Full Black
Construction	- Direct PU Moulded & Toe Cap Lasted by Imported Machine	Approval	- IS:15298:2011 Part-3, CE
Fitting	- English Fitting	Packing	- 20 Pairs Carton



Safetymatters

DE-MILAN

Leather Safety Shoes



IS: 15298:2011
PART-3



CM/L:9512429321



Steel Toe Cap



Type	- High Ankle Safety Shoes	Lask	- 522 (Broad Shape)
Size	- 5 To 10 (39 To 44)	Laces	- 100 Cm Round
Upper	- Buffalo Leather (Genuine Leather)	Lining	- Cambрил (250gsm).
Leather Thickness	- 1.6-1.8mm	Toe Cap	- Steel Toe Cap (100 To 140J) Also Availbale Composite Toe
Sole	- PVC With A Blend Of 10% Rubber	Colour	- Full Black / Black & Brown Thread
Insole	- Soft Eva 4 Mm With Polydrill Cloth	Approval	- IS 15298:2011 Part-3
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safety matters

Dr.SAFE

MANGLA



Steel Toe Cap

Type
Size
Upper
Upper Thickness
Sole
Construction

- Derby Safety Shoes
- 6 To 10 (40 To 44)
- Synthetic Leather
- 1.8 mm (Heavy Matty Cloth)
- PVC With A Blend of 10% Rubber
- Direct Injection PVC Moulded & Toe Cap Lasted By Imported Machine

- Laces - 90cm Round
- Toe Cap - Alloy Steel
- Colour - Full Black & Black/Orange
- Approval - CE
- Packing - 20 Pairs Carton



Safetymatters

EIGER+ Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	- High Ankle Safety Shoes	Lace	- 522 (Broad Shape)
Size	- 5 To 11 (39 To 45)	Lining	- Air Mesh (250.gsm)
Upper	- Butty Grain Leather	Laces	- 110 cm Round
Upper Thickness	- 1.8-2.0mm	Eyelet	- D Type Rust Proof Lacquer
Out Sole	- PU Double Density & Double Colour		- Coated (Imported)
Sole Thickness	- 6 mm Sole + 4 mm Cleats (Total 10 mm)	Toe Cap	- EN 12568 Marked (Imported)
Heel Thickness	- 20 mm Sole + 4 mm Cleats (Total 24 mm)		Impact Resistance 200J
Insole	- Soft EVA 4 mm With Polydrill Cloth	Colour	- Black/Grey
Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine	Antistatic	- As Per Buyer Requirement
Fitting	- English Fitting	Anti-penetration	- As Per Buyer Requirement
		Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safetymatters

EMILY

Ladies Safety Shoes



IS: 15298:2016
PART-2



CM/L-4822668



Steel Toe Cap

TRACY

Ladies
Safety Shoes



Type	- Ladies Safety Shoes	Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine
Size	- 3 To 8 (39 To 45)	Lask	- 522 (Broad Shape)
Upper	- Butty Grain Leather	Lining	- Air Mesh (250.gsm)
Upper Thickness	- 1.6-1.8 mm	Toe Cap	- EN 12568 Marked (Imported) Impact Resistance 200J
Out Sole	- PU Double Density & Double Colour & Also Single Colour	Colour	- Full Black/Black-grey
Sole Thickness	- 6 mm Sole + 4 mm Cleats (total 10 mm)	Antistatic	- As Per Buyer Requirement
Heal Thickness	- 20 mm Sole + 4 mm Cleats (total 24 mm)	Anti-Penetration	- As Per Buyer Requirement
Insole	- Soft EVA 4 Mm With Polydrill Cloth	Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safetymatters

GLACIER

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	-	High Ankle Safety Shoes	Lining	-	Air Mesh (250.gsm)
Size	-	5 To 11 (39 To 45)	Laces	-	110 cm Round
Upper	-	Grain Leather (Genuine Leather)	Eyelet	-	D Type Rust Proof Lacquer
Upper Thickness	-	1.8-2.0mm	Toe Cap	-	Coated (Imported)
Out Sole	-	Pu Double Density & Double Colour			EN 12568 Marked (Imported)
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)			Impact Resistance 200J
Heel Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)	Colour	-	Black/Grey
Insole	-	Soft EVA 4 mm With Polydrill Cloth	Antistatic	-	As Per Buyer Requirement
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine	Anti-penetration	-	As Per Buyer Requirement
Fitting	-	English Fitting	Approval	-	IS:15298:2016 Part-2, CE
Last	-	S22 (Broad Shape)	Packing	-	20 Pairs Carton



Safety matters

सशक्त कदम Jungle Boot



IS: 15298:2018



PART-4



Type -
Size -
Upper -
Upper Thickness -
Sole -
Insole -
Construction -

Laces - 100cm Flat
Toe Cap - Alloy Steel
Colour - Full Black & Black/Orange
Approval - CE
Packing - 1 Pair Printed Box &
20 Pairs in One Outer Carton



Safety matters

सशक्त कदम

Jungle Boot



IS: 15298:2018



PART-4



Type -
Size -
Upper -
Upper Thickness -
Sole -
Insole -
Construction -

Laces - 100cm Flat
Toe Cap - Alloy Steel
Colour - Full Black & Black/Orange
Approval - CE
Packing - 1 Pair Printed Box &
20 Pairs in One Outer Carton



Safety matters

KOSMOS

Synthetic Leather Safety Shoes



Steel Toe Cap



ELTEN

Synthetic Leather Safety Shoes



Steel Toe Cap



- | | |
|-----------------|--------------------------------|
| Type | - Derby Safety Shoes |
| Size | - 6 To 10 (40 To 44) |
| Upper | - Synthetic Leather |
| Upper Thickness | - 1.6 mm (Heavy Matty Cloth) |
| Sole | - PVC |
| Construction | - Direct Injection PVC Moulded |

- | | |
|---------|-----------------------------|
| Laces | - 90cm Round |
| Toe Cap | - Alloy Steel |
| Colour | - Full Black & Black/Orange |
| Packing | - 20 Pairs Carton |



Safety matters

LAND RIVER

Gumboot



Steel Toe Cap

Type	- Moulded PVC Ankle Boot Made by Fully Computerized Imported Machine	Sole	- Hard Pvc
Style	- Full PVC Ankle Boot	Insole	- 2 mm Eva With Ludhiana Cloth
Size	- 4 To 11 (38 To 45)	Inner Lining	- Cotton Lining
Height	- 6" + / -0.5"	Laces	- 110 Cm Round
Upper	- Soft PVC	Toe	- With & Without Steel Toe Cap
		Colour	- Full Black, Black Red & Black Grey
		Packing	- With Inner Box Packing 20 Pair Per Outer Box



Safetymatters

MARSHAL

Three Button Ankle boot



CE



Steel Toe Cap



- | | |
|----------------|----------------------------------|
| Type | - Three Botton Boot (Ankle Boot) |
| Size | - 5 To 11 (39 To 45) |
| Upper & Sole | - Soft PVC |
| Sole | - Hard PVC |
| Sole Thickness | - 6 Mm Sole+4 mm Cleats |
| Heel Thickness | - 20 Mm+4mm Cleats |

- | | |
|----------|--------------------------------------|
| Lining | - Cotton/Nylon |
| Toe | - With Steel And Without Steel |
| Colour | - Black/Black, Black Red, Black Grey |
| Approval | - CE |
| Packing | - 20 Pair Carton |



Safety matters

MOCCASIN

Shoes



CE



Type - Moulded PVC Moccasin
Made by Fully Computerized
Imported Machine
Size - 5 To 11 (39 To 45)
Upper - Soft PVC

Sole - Hard PVC
Lining - Cotton/Lining
Toe - Without Toe Cap
Colour - Full Black / Black-brown
Approval - CE
Packing - 20 Pair Carton

NAPLES

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	- Derby Safety Shoes	Lask	- 459
Size	- 5 To 11 (39 To 45)	Lining	- Air Mesh (250.gsm)
Upper	- Genuine Leather	Laces	- Without Laces
Upper Thickness	- 1.6-1.2.0mm	Toe Cap	- EN 12568 Marked (Imported) Impact Resistance 200J
Sole	- PU Single Density	Colour	- Full Black
Sole Thickness	- 6 mm Sole + 4 mm Cleats (Total 10 mm)	Antistatic	- As Per Buyer Requirement
Heal Thickness	- 20 mm Sole + 4 Mm Cleats (Total 24 mm)	Anti-penetration	- As Per Buyer Requirement
Insole	- Soft EVA 4 mm With Polydrill Cloth	Approval	- IS:15298:2016 Part-2, CE
Construction	- Direct PU Moulded & Toe Cap Lasted by Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safety matters

NAVY BOOT

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap



Type	- Derby Nitrile Rubber Safety Shoes	Lask	- 522 (Broad Shape)
Size	- 5 To 12 (39 To 46)	Lining	- Skin Fit (250.gsm)/Leather
Upper	- Grain Leather	Laces	- 90cm Round
Upper Thickness	- 1.8-2.0mm	Toe Cap	- En 12568 Marked (Imported) Impact Resistance 200J
Out Sole	- Nitrile Rubber Sole	Colour	- Full Black / Black Green
Insole	- (Heat Resistant Up To 300°C) Soft EVA 4mm	Antistatic	- As Per Buyer Requirement
Construction	- Direct Vulcanizing Process & Toe Cap Lasted By Imported Machine	Ant-penetration	- As Per Buyer Requirement
Fitting	- English Fitting	Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safety matters

NEOFEU

Leather Safety Shoes



IS: 15298:2011
PART-3



CM/L:9512429321



Steel Toe Cap

Type	- High Ankle	Lask	- 522 (Broad Shape)
Size	- 5 To 10 (39 To 44)	Laces	- 100 Cm Round
Upper	- Buffalo Leather (Genuine Leather)	Lining	- Cambril (250gsm).
Leather Thickness	- 1.6-1.8mm	Toe Cap	- Steel Toe Cap (100 To 140J) Also Availbale Composite Toe
Sole	- PVC With A Blend of 10% Rubber	Colour	- Full Black / Black & Brown Thread
Insole	- Soft EVA 4 Mm With Polydrill Cloth	Approval	- IS 15298:2011 Part-3
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safety matters

PANTHER

One Button



Steel Toe Cap

Type	- Moulded PVC Ankle Boot Made by Fully Computerized Imported Machine	Insole	- 2 mm EVA With Ludhiana Cloth
Style	- Full PVC Ankle Boot	Inner Lining	- Nylon Lining
Size	- 6 To 10 (40 To 44)	Laces	- 90 cm Round
Height	- 5" + / -0.5"	Toe	- With & Without Steel Toe Cap
Upper	- Soft PVC	Colour	- Full Black, Black Red & Black Grey
Sole	- Hard PVC	Packing	- With Inner Box Packing 20 Pair Per Outer Box



Safetymatters

PANTHER

With Lace



Steel Toe Cap

Type - Moulded PVC Ankle Boot
Made by Fully Computerized
Imported Machine

Style - Full PVC Ankle Boot

Size - 6 To 10 (40 To 44)

Height - 5" + / -0.5"

Upper - Soft PVC

Sole - Hard PVC

Insole - 2 Mm EVA With Ludhiana Cloth

Inner Lining - Nylon Lining

Laces - 90 cm Round

Toe - With & Without Steel Toe Cap

Colour - Full Black, Black Red & Black Grey

Packing - With Inner Box Packing
20 Pair Per Outer Box



Safety matters

REACH

Synthetic Leather Safety Shoes

MANGLA

CE



Steel Toe Cap



Steel Toe Cap

Type	- Derby Safety Shoes	Laces	- 90cm Round
Size	- 5 To 12 (39 To 46)	Toe Cap	- Alloy Steel
Upper	- Synthetic Leather	Colour	- Full Black & Black/Orange
Upper Thickness	- 1.8 mm	Approval	- CE
Sole	- PVC With A Blend of 10% Rubber	Packing	- 20 Pairs Carton
Construction	- Single Colour or Double Colour Double Density Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine		



Safetymatters

ROBINSON+

Synthetic Leather Safety Shoes



CE



Steel Toe Cap

Type	- High Ankle	Laces	- 90cm Flat
Size	- 6 To 10 (39 To 46)	Lining	- Ludhiana Mesh With 4mm Foam
Upper	- Synthetic Leather With Heavy Matty	Toe	- Alloy Steel Toe Cap
Upper Thickness	- 1.8mm	Colour	- Full Black / Black & Orange
Sole	- PVC With A Blend of 10% Rubber	Approval	- CE
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine	Packing	- 20 Pairs Carton



Safety matters

ROCK MASTER

Leather Safety Shoes



CE



Steel Toe Cap




Type	- Ankle Safety Shoes	Lask	- 522
Size	- 5 To 12 (39 To 46)	Lining	- Skin Fit (250.gsm) With 4mm Foam
Upper	- Genuine Leather	Laces	- 80cm Flat
Upper Thickness	- 1.6-1.8mm	Toe Cap	- Impact Resistance 100J
Sole	- PU Single Density & Double Density	Colour	- Full Black
Construction	- Direct Pu Moulded & Toe Cap Lasted	Approval	- CE
	- By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safetymatters

SILVER STONE

Leather Safety Shoes



IS: 15298:2011
PART-3



CM/L:9512429321



Steel Toe Cap



Type	- Derby	Lask	- 522 (Broad Shape)
Size	- 5 To 10 (39 To 44)	Laces	- 100 Cm Round
Upper	- Buffalo Leather (genuine Leather)	Lining	- Cambril (250gsm).
Leather Thickness	- 1.6-1.8mm	Toe Cap	- Steel Toe Cap (100 To 140J) Also Availbale Composite Toe
Sole	- PVC With A Blend Of 10% Rubber	Colour	- Full Black / Black & Brown Thread
Insole	- Soft EVA 4 Mm With Polydrill Cloth	Approval	- IS 15298:2011 Part-3, CE
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safety matters

SPORTY

Safety Shoes



CE



Steel Toe Cap

Type	- Derby Safety Shoes	Laces	- 90cm Round
Size	- 6 To 10 (40 To 45)	Toe Cap	- Alloy Steel
Upper	- Synthetic Cloth	Colour	- Black & Blue
Upper Thickness	- 1.8 mm	Approval	- CE
Sole	- PVC With A Blend of 10% Rubber	Packing	- 20 Pairs Carton
Construction	- Single Colour Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine		



Safetymatters

swatch
Synthetic Leather Safety Shoes



CE



Steel Toe Cap

Type	- High Ankle Protective Shoes	Laces	- 100cm Flat
Size	- 5 To 12 (39 To 46)	Lining	- Ludhiana Mesh With 4mm Foam
Upper	- Synthetic Leather With Heavy Matty	Toe	- Alloy Steel Toe Cap
Upper Thickness	- 1.8mm	Colour	- Full Black / Black & Orange
Sole	- PVC With A Blend Of 10% Rubber	Approval	- CE
Insole	- 2mm EVA With Speed Mesh	Packing	- 20 Pairs Carton
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stroble With Non Woven Cloth		



Safetymatters

swatch⁺

Synthetic Leather Safety Shoes



CE



Type	- High Ankle Double Density	Laces	- 100cm Flat
	- Double Colour Protective Shoes	Lining	- Ludhiana Mesh With 4mm Foam
Size	- 5 To 12 (39 To 46)	Toe	- Alloy Steel Toe Cap
Upper	- Synthetic Leather With Heavy Matty	Upper Colour	- Full Black/Black & Orange
Upper Thickness	- 1.8mm	Sole Colour	- Black Red/Black Grey
Mid Sole	- Soft Air Blowing PVC	Approval	- CE
Out Sole	- Hard Compact PVC	Packing	- 20 Pairs Carton
Insole	- 2mm EVA With Speed Mesh		
Construction	- Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stroble With Non Woven Cloth		



Safety matters

TACTICAL BOOT

Leather Military Boot



IS: 15298:2011
PART-3



CM/L:9512429321



Type	- Long Boot	Lask	- 459
Size	- 5 To 11 (39 To 45)	Lining	- Skin Fit (250.gsm) With 4mm Foam
Upper	- Genuine Leather	Laces	- 120cm Flat
Upper Thikness	- 1.6-1.8mm	Toe Cap	- Without Steel Toe Cap
Sole	- PU Single Density	Colour	- Full Black
Construction	- Direct PU Moulded & Toe Cap Lasted by Imported Machine	Approval	- IS:15298:2018 Part-4, CE
Fitting	- English Fitting	Packing	- 18 Pairs Carton



Safety matters

TARGET +

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap

Type	- Derby Safety Shoes	Lask	- 522 (Broad Shape)
Size	- 5 To 11 (39 To 45)	Lining	- Air Mesh (250.gsm)
Upper	- Genuine Leather	Laces	- 100 cm Flat
Upper Thickness	- 1.6-1.2.0mm	Eyelet	- D Type Rust Proof
Sole	- PU Single Density		Lacquer Coated (Imported)
Sole Thickness	- 6 mm Sole + 4 mm Cleats (Total 10 mm)	Toe Cap	- EN 12568 Marked (Imported)
Heal Thickness	- 20 mm Sole + 4 mm Cleats (Total 24 mm)		Impact Resistance 200J
Insole	- Soft EVA 4 mm With Polydrill Cloth	Colour	- Full Black
Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine	Antistatic	- As Per Buyer Requirement
Fitting	- English Fitting	Anti-Penetration	- As Per Buyer Requirement
		Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safety matters

TOP SAFE

Leather Safety Shoes



IS: 15298:2011
PART-3



CM/L:9512429321



Steel Toe Cap

Type	- High Ankle	Lask	- 459
Size	- 5 To 11 (39 To 45)	Lining	- Skin Fit (250.gsm) With 4mm Foam
Upper	- Genuine Leather	Laces	- 80cm Flat
Upper Thikness	- 1.6-1.8mm	Toe Cap	- Impact Resistance 100J
Sole	- Pu Single Density	Colour	- Full Black
Construction	- Direct PU Moulded & Toe Cap Lasted By Imported Machine	Approval	- IS:15298:2011 Part-3, CE
Fitting	- English Fitting	Packing	- 20 Pairs Carton



Safety matters

VETO-POWER

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap



HR
HEAT
RESISTANT
HRD UP TO
300°C



Type	- Derby Nitrile Rubber Safety Shoes	Lask	- 522 (Broad Shape)
Size	- 5 To 12 (39 To 46)	Lining	- Skin Fit (250.gsm)/Leather
Upper	- Grain Leather	Laces	- 90cm Round
Upper Thickness	- 1.8-2.0mm	Toe Cap	- En 12568 Marked (Imported)
Out Sole	- Nitrile Rubber Sole		Impact Resistance 200J
Insole	- (Heat Resistant Up To 300°C) Soft EVA 4mm	Colour	- Full Black / Black Green
Construction	- Direct Vulcanizing Process & Toe Cap Lasted By Imported Machine	Antistatic	- As Per Buyer Requirement
Fitting	- English Fitting	Ant-penetration	- As Per Buyer Requirement
		Approval	- IS:15298:2016 Part-2, CE
		Packing	- 20 Pairs Carton



Safety matters

WATER HORSE

Leather Safety Shoes



CE



Steel Toe Cap

Type	- Ankle Safety Shoes	Lask	- 522
Size	- 5 To 12 (39 To 46)	Lining	- Skin Fit (250.gsm) With 4mm Foam
Upper	- Genuine Leather	Laces	- 80cm Flat
Upper Thickness	- 1.6-1.8mm	Toe Cap	- Impact Resistance 100J
Sole	- Pu Single Density & Double Density	Colour	- Full Black
Construction	- Direct Pu Moulded & Toe Cap Lasted	Approval	- IS:15298:2011 Part-3, CE
	- By Imported Machine	Packing	- 20 Pairs Carton
Fitting	- English Fitting		



Safety matters

WELTEX

Leather Safety Shoes



IS: 15298:2016
PART-2



CM/L:4822668



Steel Toe Cap



Type	-	High Ankle Safety Shoes	Lining	-	Air Mesh (250.gsm)
Size	-	5 To 11 (39 To 45)	Laces	-	110 cm Round
Upper	-	Suede Leather (Genuine Leather)	Eyelet	-	D Type Rust Proof Lacquer
Upper Thickness	-	1.8-2.0mm	Toe Cap	-	Coated (Imported)
Out Sole	-	Pu Double Density & Double Colour			EN 12568 Marked (Imported)
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)			Impact Resistance 200J
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)	Colour	-	Black/Grey
Insole	-	Soft EVA 4 mm With Polydrill Cloth	Antistatic	-	As Per Buyer Requirement
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine	Anti-penetration	-	As Per Buyer Requirement
Fitting	-	English Fitting	Approval	-	IS:15298:2016 Part-2, CE
Last	-	522 (Broad Shape)	Packing	-	20 Pairs Carton



Safety matters