


RETICINE PHARMAIDS LIMITED

(AN ISO 9001:2015 Certiftied Co.)
















Opportunity Knocks On Veterinary Pharmaceuticals Door

"Pharma Specialists expanding their Business to Indian Veterinary Markets"

Reticine Pharmaids Limited, a leading marketing co. of pharmaceutical formulations announces its new venture for potential Indian market.

The company prides itself in providing QUALITY veterinary medicines at COMPETITIVE PRICES which are manufactured in WHO-GMP certified units.

Our diverse range offers more than 200 HIGH QUALITY PRODUCTS. We will further expand our product portfolio considering our quest for INNOVATION and EXCELLENCE.

We will work hard to see our sales reach 100 crores in the next three years and expand in new countries as well.

We thank our existing business partners and invite future partners, doctors to be a part of our journey towards growth and success.

From the Desk of Group Chairman*







	LIQUID INJECTIONS	
DECIN	Inj. Amikacin Sulphate IP 250mg/ml	Glass Vial (30ml ,100ml)
MORCEE	Inj. Ascorbic Acid IP 250mg/ml	Glass Vial (100 ml)
NAVDOT	Inj. Atropine Sulphate IP 0.6mg/ml	Glass Vial (100ml)
NAVDOT	Inj. Atropine Sulphate IP 1mg/ml	Glass Vial (100ml)
BUTARET-12	Inj. Butaphosphan 100 mg & Cyanocobalamin 50 mcg	Glass Vial (100 ml)
PROCR-8	Inj. Buserelin Acetate IP 4 Mcg	5ml Amp with Dispo Syringe, Tray, Swab
MORCAL	Inj. Calcium Gluconolactobionate 137.5mg, Cholecalciferol (Vit. D3) IP 5000 I.U., Cycnocobalamine IP 50mcg	Glass Vial (100ml)
MORCAL	Inj. Calcium levulinate 76.4mg Cholecalciferol (Vit. D3) IP 5000 I.U., Cycnocobalamine IP 50mcg	Glass Vial (100ml)
N-CHARGE	Inj. Chlorpheniramine Maleate IP 10mg/ml	Glass Vial (100ml)
RT MATE	inj. Cloprostenol IP 250 mcg	2ml Amp with Dispo Syringe, Tray, Swab
NAVDEX	Inj. Dexamethasone IP 4mg/ml	Glass Vial (30ml)
ENRODEEP	Inj. Enrofloxacin IP 100mg/ml	Glass Vial (30ml,100ml)
ENRODEEP L.A	Inj Enrofloxacin IP 200 mg/ml	Glass Vial (100ml)
LUMIN-F	Inj. Flunixin Meglumine IP 83.3mg/ml	Glass Vial (20ml,100ml)
NAVGEN	Inj. Gentamicin Sulphate IP 40mg/ml	Glass Vial (30ml,100ml)
D-GEST	Inj. Hydroxy Progesterone Caproate IP 250mg/ml	Ampoule (3ml) with Dispo Syringe
VETOP	Inj. lodized Vitamin A IP 250000 IU, Vitamin D3 IP 25000 IU, Vitamin E IP 100 IU, Biotin USP 12.5mcg/ml	Glass Vial (5ml,10ml)
ISOFDON	Inj. Isoflupredone 2mg/ml	Glass Vial (10ml,30ml)
D-TIN LA	Inj. Ivermectin 31.50 mg/ml	Glass Vial (100ml)
D-TIN	Inj. Ivermectin IP 10mg/ml	Glass Vial (10ml,50ml,100ml)
RETOFEN	Inj. Ketoprofen 100mg/ml	Glass Vial (100ml)
LEVET	Inj. Levofloxacin 100mg/ml	Glass Vial (30ml,100ml)
	Inj. Meloxicam IP 5mg, Paracetamol IP 150mg/ml	



	LIQUID INJECTIONS	
ENB-2500	Inj. Mecobalamin IP 2500mcg/ml	Glass Vial (30ml)
DEEGIN	Inj. Meloxicam IP 5mg/ml	Glass Vial (30ml,100ml)
NAPRO	Inj. Natural Progesterone BP 250mg/3ml	Ampoule (3ml) with Dispo Syringe
NIM-P	Inj. Nimesulide BP 100mg, Paracetamol IP 150mg/ml	Glass Vial (30ml,100ml)
NIM-100	Inj. Nimesulide BP 100mg/ml	Glass Vial (100ml)
OXYDEEP LA	Inj. Oxytetracycline Dihydrate IP 200mg/ml	Glass Vial (30ml,100ml)
OXYDEEP	Inj. Oxytetracycline Hcl IP 50mg/ml	Glass Vial (30ml,100ml)
X-CHARGE	Inj. Pheniramine Maleate IP 22.75 mg	Glass Vial (100ml)
RETICAM	Inj. Piroxicam IP 10mg, Paracetamol IP 150mg/ml	Glass Vial (30ml,100ml)
D-CORT	Inj. Prednislone Acetate B. Vet C 10mg/ml	Glass Vial (10ml)
FERT-SAP	Inj. Sodium Acid Phosphate IP 40 % w/v	Glass Vial (30ml,100ml)
SULDIM	Inj. Sulphadimidine IP 1gm/3ml	Glass Vial (100ml)
REVIL	Inj. Thiamine Hcl IP 25mg, Nicotinamide IP 50mg, Pyridoxine IP 5mg, Cyanocobalamin IP 50mcg, Choline Chloride 25mg, Riboflavin Sodium Phosphate IP 1.5mg, Crude Liver extract having Vitamin B12activity eqv to 2mcg	Glass Vial (100ml)
VEVIT-A	Inj. Vitamin A IP 600000 IU	Ampoule (2ml) with Dispo Syringe
DEJET	Inj. Vitamin B1 IP 50mg, Vitamin B6 IP 50mg, Vitamin B12 IP 500mcg	Glass Vial (30ml,100ml)
REVIL GOLD	Inj. Vitamin B Complex & Liver Extract (B1, B2, B3, B12)	Glass Vial (30ml,100ml)
REVIL-B 100ML	Inj. Vitamin B-Complex	Glass Vial (100ml)
DRY POWDER INJECTIONS		
LACTUM FORTE	Inj. Amoxycillin Sodium IP eq. to Amoxycillin 3g, Sulbactum Sodium USP eq. to Anhydrous Sulbactum 1.5g	(4.5gm) with WFI
ABETA	Inj. Ampicillin 2gm IP, Sterile Cloxacillin Sodium IP eq. to Anhydrous Cloxacillin 2g	(4gm) with WFI
BACPEN	Inj. Benzathine Penicillin IP 48,00,000 IU	Vial with WFi

D-TAX	Inj. Ceftizoxime 3g	(3gm) with WFI	
DEBETA	Inj. Sterile Amoxycillin Sodium IP eq. to Anhydrous Amoxycillin 2g , Sterile Cloxacillin Sodium IP eq. to Anhydrous Cloxacillin 2g	(4gm) with WFI	
NEOBACT	Inj. Cefoperazone 3g, Sterile Sulbactum Sodium USP eq. to Anhydrous Sulbactum 1.5g	(4.5gm) with WFI	
D-XONE-1	Inj. Ceftriaxone 1 g	Vial, Tray with WFI	
D-XONE T-4.5	Inj. Ceftriaxone 4g, Tazobactum 500mg	(4.5gm) with WFI	
D-XONE T	Inj. Ceftriaxone 500 mg & Tazobactum 62.5 mg	(562.5 gm) with WFI	
D-XONE-0.5	Inj. Sterile Ceftriaxone Sodium IP eq. to Anhydrous Ceftriaxone 500mg	(500mg) with WFI	
D-FUR	Inj. Sterile Ceftiofur Sodium IP eq. to Ceftiofer 1g	(1gm) with WFI	
D-XONE S-3	Inj. Sterile Ceftriaxone Sodium IP eq. to Anhydrous Ceftriaxone 2g, Sterile Sulbactum Sodium USP eq. to Anhydrous Sulbactum 1g	(3gm) with WFI	
D-XONE-3	Inj. Sterile Ceftriaxone Sodium IP eq. to Anhydrous Ceftriaxone 3g	(3gm) with WFI	
D-XONE-4	Inj. Sterile Ceftriaxone Sodium IP eq. to Anhydrous Ceftriaxone 4g	(4gm) With WFI	
D-XONE S-4.5	Inj. Sterile Ceftriaxone Sodium IP eq. to Anhydrous Ceftriaxone 3g, Sterile Sulbactum Sodium USP eq. to Anhydrous Sulbactum 1.5g	(4.5gm) with WFI	
S-PN 2.5 GM	Inj. Strepto -penicillin For Suspension 2.5 gm	Vial	
S-PN 5 GM	Inj. Strepto -penicillin For Suspension 5 gm	Vial	
RETCLAV-A	Inj. Amoxicillin 3 gm, Potassium Clavulanate 0.6 gm	(3.6gm) with WFI	
SUSPENSION / LIQUID ORAL			
ALMACID	Oral Suspension Albendazole IP 2.5%	Pet Bottle (30/60ml/1 Ltr	
ALMACID PLUS	Oral Suspension Albendazole IP 2.5 %, Ivermectin IP 1 mg	Pet Bottle (30ml)	
VETCLAV-A	Amoxycillin & Potassium Clavulanate Oral Suspension IP 228.5mg	100ml	
VETCLAV-A	Amoxycillin & Potassium Clavulanate Oral Suspension IP 228.5mg	30ml	
ENRODEEP-OS	Enrofloxacin Liquid Oral 10%	100ml/500ml/1ltr	
RETLEV-OZ IU	Levofloxacin HemhydrateIP 20 mg, Ornidazole IP 40 mg, Alpha Lipoic Tocophesol Acetate IP 5 mg Solution	60ml	
RETIBLOAT	Simethicone IP 1% w/v & Dill Oil BP 0.5% w/v Suspension	100ml	

NIDESOL-S	Oxyclozanide IP 60mg & Levamisole IP 30mg Oral Suspensio	n 90 ml (Doble Strength)
RETOF-OZ IU	Ofloxacin IP 50mg, Ornidazole IP 125mg, Urea IP 500mg	60 ml
DTIN-OS	Ivermectin Oral Solution 0.08 % w/v	100 ml/500 ml/1 Ltr
CLORET-OS	Closantel Oral Solution 15% w/v	100 ml/500 ml/1 Ltr
ENRODEEP-BH	Enrofloxacin 20%, Bromehexine Hcl 1.5 %	100 ml/500 ml/1 Ltr
	TABLET / BOLUSES	
ALMACID	Bolus Albendazole IP 3gm	Single Bolus Strip
ALMACID	Bolus Albendazole IP 150 mg	10x10 Tablet
MORHEAT	Kit of Clomiphene Citrate IP 300mg,Copper Sulphate 1500mg	5 Kits/Box
BESTDEW	Bolus Fenbendazole IP 3gm Ivermectin IP 100mg	Single Bolus Strip
RETCUR-3	Bolus Fenbendazole I.P. 3gm	Single Bolus Strip
D-TIN	Bolus Ivermectin IP 100mg	Single Bolus Strip
NIDESOL	Bolus Levamisol I.P. 2 gm, Oxyclozanide I.P. 4 gm	Single Bolus Strip
MOTION OFF-L	Bolus Lopramide I.P. 7.5 mg, Metronidazole I.P. 1000 mg, Furozolidine I.P. 500 mg	Single Bolus Strip
UTI CLEAN	Bolus Metronidazole IP 100 mg, Nitrofurazone IP 60 mg Urea IP 6 gm & Povidone Iodine IP 60 mg	Four Bolus Strip
DEEGIN PLUS	Bolus Meloxicam BP 100mg, Paracetamol IP 1500mg	Four Bolus Strip
MOTION OFF	Bolus Metronidazole IP 500mg, Furazolidone IP 250mg, Atropine Sulphate IP 0.5mg	Four Bolus Strip
OXYDEEP	Bolus Oxytetracycline Hydrochloride I.P. 500 mg/300 mg	Four Bolus Strip
NIM-P	Bolus Nimesulide IP 400 mg , Paracetamol IP 1500 mg	Four Bolus Strip
SULDIM B-5	Bolus Sulphadimidine IP 5gm	Four Bolus Strip
MILK SHOOT UP	BolusCalcium & Vitamin	Single Bolus Strip
RETIMIN GOLD-B	Bolus Mineral Mixture	Four Bolus Strip
RETGEST	Bolus Yeast/Probiotic	Four Bolus Strip
RETMOX	Bolus Amoxicillin IP 1500 mg	Two Bolus Strip
ENRODEEP-B	Bolus Enrofloxacin IP 1500 mg	Single Bolus Strip
FEED SUPPLEMENTS		
MORCAL STRONG	Feed Supplements with Calcium, Phosphorus, D3 & B12	2L, 5L HDPE Dolu

MORCAL GOLD (CHELATED)	Feed Supplements with Calcium, Phosphorus, Vit A, D3 & B12	1L HDPE Bottle 5L HDPE Dolu,20L Can	
PLACENTA-X	Herbal Ecbolic Uterine Tonic	1L HDPE Bottle	
RETI-MIN	High Quality Mineral Mixture	5Kg Pouch	
RETI-MIN GOLD (CHELATED)	High Quality Mineral Mixture	1Kg Pouch, 5Kg Pouch, 20/25kg Bucket	
LIVFIT	Liver Tonic	1L HDPE Bottle,500 ml	
MORCAL -GEL	Liquid Calcium Gel	300 ml Long Neck Bottle	
RETI-M.V.	Multivitamins-vitamin A, D3, E, H & Nicotinamide	60, 120, 500 ml Pet Bottle	
RETIMAST	Mastitis Powder with Serratiopeptidase & Vitamins	3 Pouch of 60 gm	
EXTERNAL PREPARATION			
HEAL OUT SPRAY	Aerosol Wounding Spray (Herbal)	100ml	
HEAL-TIK	Herbal Antitick/Antiflies Spray	100 ml	
HEAL-MAST	Herbal Anti Mastitis Spray	100 ml	
ECT FREE SOAP	Permethrin 5% Soap	75 gm	
	ECTOPARASITES		
RETRAZ	Amitraz Dip Concentrate IP	6ml, 15ml, 50ml, 1L	
C-TICK	Cypermethrin 10 % High CIS Solution	15ml, 50ml, 1L	
D-TICK	Deltarmethrin 1.25% EC Solution	15ml, 50ml, 1L	
RETIFLU	Flumethrin 1% Pour On Solution	30ml, 50ml, 100ml	
INTRAMAMMARY TUBES			
MAMBACT	Cefoperazone Sodium I.P. 250 mg	10 ml Pre filled Syringe	
NEOLEX-P	Cephalexin 100 mg, Neomycin Sulphate 100 mg, Prednisolone 10 mg	5 gm pre Filled Syringe	
OINTMENTS			
PROCET-G	Gamma Benzene Hexychloride I.P. 0.1% w/w, Proflavine Hemisulphate 0.1% w/w, Cetrimide I.P. 0.45 % w/w	30 gm/100 gm Tube	



	UPCOMING PRODUCTS
1	Inj. Analgen 500mg/ml.
2	Inj. Diminazene 70m, Phenazone 375 mg.
3	Inj. Etamsylate BP 125mg, Benzyl Alcohol 9mg
4	Inj. Buparvaquone 50mg/ml
5	Inj. Ketoprofen 60mg, Enrofloxacin 100 mg
6	Inj. Ivermectin 10 mg, Clorsulon 100mg
7	Inj. Ketoprofen 100 mg/ml., Benzyl alcohol 1.0% v/v
8	Inj. Frusemide I.P 50mg, Benzyl Alcohol I.P 1% w/v
9	Inj. Monosemicarbazone 5mg
10	Inj. Phenylbutazone 200mg
11	Inj. Dicyclomine Hydrochliride 10mg/ml.
12	Inj. Tolfenamic Acid 40mg, Benzyl Alcohol 10.4mg
13	Inj. TYLOCIN 20%
14	Inj. RANITIDINE
15	Inj. Methylergometrine Meleate 0.2mg
16	Inj. Xylazine 2%
17	Bolus Ciprofloxacin 1500mg, Tinidazole 1800mg
18	Bolus Trimethoprim 400mg, Suphamethxazole. 2gm
19	Bolus Praziquantel 50mg, Pyrantel Pamoate 144mg, Fenbendazole 500mg
20	Liquid Povidine lodine 5% w/v, Metronidazole 1% w/v
21	SPRAY FIPRONIL 0.25
22	SPRAY PERMITHRIN 2%
23	Spray Gention Violet 0.3gm
24	Syrup Pyrantel Embonate 14.4mg, Fabentel 15mg
25	Dusting Powder Propoxur 10mg
26	Ointment Sarson oil 15.5%, + Desi mom 12.5% + Bhimseni kapoor 1% + wheat germ oil 1% + ghritkumari swaras 10% + shudh suhaga 0.5%
& Many More	

& Many More

DECIN

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each 2 ml contains:

Amikacin Sulphate eq. to Amikacin I.P. 500 mg

INDICATION

- * Effective in Septicemia, Wounds, Skin Infections, Trachea Bronchitis
- * Gynaecological Infections Such As : Metritis, Cervicits, Vaginitis.
- * Urinary Infections.
- * Mastitis, Enteritis, Osteomyelitis etc.
- * Highly Effective Gentamicin Resistant Organisms.

ADMINISTRATION & DOSAGE:

I.M & I.V Use only.

Large Animals: 5-7 mg/Kg Body Wt./12 Hr.

Single Dose: 10-15 ml

Small Animals: 10 mg/Kg Body Wt/12 hr

PRESENTATION

Vial of 30 ml, 100 ml



MORCEE

विटामिन सी का टीका

COMPOSITION

Each ml contains:

Ascorbic Acid I.P. 250mg

INDICATION

- * It is a Nutritive Supplement used in Vit. C Deficiency
- * Also Helps in Wound Healing.
- * Facilitate Rapid Wound Healing When Healing is Slower Than Expected
- * Also given to facilitate Recovery in any Treatment.
- * Inflammatory Febrile Diseases
- * Wounds & Fractures of Retarded Recovery.
- * Dental Damages

ADMINISTRATION & DOSAGE:

I.M/IV Use only.

1-10 ml Depending on Body Weight.

PRESENTATION

Vial of 100 ml



NAVDOT

जहर और दस्त की दवा

COMPOSITION

Each ml contains:

Atropine Sulphate I.P. 0.6 mg/1 mg

INDICATION

* Antidote for organophosphorus poisoning and co-therapy in Diarrohea, by reducing peristalsis movement also used for the reduction of salivary and bronchial secretions, prevention of cholinergic effects on the heart.

Administration & Dosage:

By I/M ,Slow I/V use only

For treatment of Diarrhoea:

30 - 40 ml / cow or buffalo

For treatment of Poisoning:

Large Animal: 0.01 - 0.1 mg / Kg Body Wt. Small Animals: 0.02 - 0.04 mg / Kg Body Wt

PRESENTATION

Vial of 100ml



BUTARET-12

विटामिन का इन्जेंक्शन

COMPOSITION

Each ml contains:

Inj Butophosphan IP 100 mg Cyanocobalmin IP 100 mcg

INDICATION

- *Curing the metabolic disorders.
- *Developmental and nutritional disorders in young animals resulting from diseases during the period of growth, metaphylaxis of infertility and puerperal diseases and support of sterility treatment.
- *Treatment of tetanus and pareses.
- *Calcium and magnesium therapy, as support of muscular physiology, as an effective tonic in cases of stress, over-exertion, exhaustion, and reduced resistance.

ADMINISTRATION & DOSAGE:

IV/IM/SC Use Only

Horses and cattle: 10.0 - 25.0 ml. Fowls and calves: 5.0 - 12.0 ml. Sheep and goats: 2.5 - 8.0 ml

PRESENTATION

100 ml



PROCR-8

प्रजनन समस्याओं के लिए

COMPOSITION

Each ml contains

Buserelin IP 4mcg
Benzyl Alcohol IP 1% w/v
Water for injection IP q.s.

INDICATION

- * Helps to stimulate follicular development, oestrus, and ovulation by enhancing the release of FSH & LH.
- * Fertility disorder of ovarian origin (particularly follicular cyst with or without symptoms of nymphomania) Early post-partum oestrus cycle induction Improvement of conception rate post-AI, Synchronization of oestrus

ADMINISTRATION & DOSAGE:

- * IM/IV Use Only
- * For fertility disorder 5 ml, For early oestrus 5 ml
- * For improvement of conception, Synchronization of oestrus 2.5 ml

PRESENTATION

5 ml vial with a sterile swab, disposable syringe & needle.



MORCAL

केल्शियम का इन्जेंक्शन

COMPOSITION

Each ml Contains:

Calcium Glucolactobionate IP 137.5 mg
Cholecalciferol IP 5000 I.U
Cyanocobalamin IP 50 mcg

INDICATION

- *Prevention and treatment of hypocalcaemia, debility, weakness, to improve health, productivity and milk yield.
- *To maintain steady and higher milk production.
- *To meet extra calcium demand in the last trimester of pregnancy.
- *To prevent milk fever attack, expulsion of placenta and uterine involution, In cases of anorexia and debilitated conditions.

ADMINISTRATION & DOSAGE:

By Deep I/M use only.

Large Animals: Pre parturition: 5-10 ml/3 days

Post parturition: 15-20 ml/3 days Debilitated animals: 10 ml/3 days

Small Animals: 1 – 5 ml/3 times per week





N-CHARGE

एलर्जी का टीका

COMPOSITION

Each ml contains:

Chlorpheniramine Maleate I.P. 10mg
Benzyl Alcohol IP 1% w/v

INDICATION

- * Itching, eczema, dermatitis, urticaria, skin oedema, insect bites, photodermatitis, rhinitis, tail eczema in horses, stomatitis, toxic hoof corns, paresis during, pregnancy, puerperal toxemia and secondary retention, pulmonary oedema, toxic hypopepsia.
- * Drug allergies, anaphylactic shock, laminitis, bloat in ruminants acute septic metritis in cows in conjunction with anti-bacterial therapy.

ADMINISTRATION & DOSAGE:

IM/SC Use Only

Large animals: 5-10 ml or more

Small animals: ½ -1 ml or more Injection

PRESENTATION Vial of 100 ml

RT MATE

प्रजनन समस्याओं के लिए

COMPOSITION

Each ml contains

Cloprostenol Sodium IP 263 mcg
Equivalent to Cloprostenol - 250 mcg
Chlorocresol IP 1 mg
Water for injection IP q.s.

INDICATION

- * Helps in the treatment of reproductive disorders like sub-oestrus, pyometra, luteal cyst & synchronization of oestrus.
- * Treatment of non-detected estrus associated with a functioning of persistent corpus luteum, chronic endometritis/pyometra and treatment of ovarian luteal cystsInduction of parturition
- * Termination of pregnancy

ADMINISTRATION & DOSAGE:

Cattle: 2 ml equivalent to 0.5 mg Cloprostenol per animal intra muscularly (IM Use Only)

PRESENTATION

5 ml vial with a sterile swab, disposable syringe & needle.



ENRODEEP/ENRODEEP-LA

COMPOSITION COMPOSITION

Each ml contains: Each ml contains:

Enrofloxacin I.P. 100mg Enrofloxacin I.P. 200mg

INDICATION

- * Effective Against Alimentary Canal Infections
- * Respiratory Tract Infections (pneumonia)
- * Urogenital Infection (metritis, Cystitis),
- * Skin Infections, Bacterial Dermatitis, Pyometra
- * Mastitis, Haemorrhagic Septicaemia
- * Broad Spectrum Bacterial mycoplasmicidal Antibiotic.

Dosage And Administration:

- * 5 mg/kg by Im/sc/ Slow Iv for 3-5 Days
- * Enrodeep-LA

Cattle, Sheep, Goats, Camels & Swines: 1 mL/40-80 Kg,

Dogs And Cats: 0.1 mL/4-8 Kg S.C/IM Poultry: 0.15 mL/2 Kg /IM

PRESENTATION

100 ml, 30 ml



NAVGEN

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each ml contains:

Gentam i cin I.P. 40mg

INDICATION

- * Excellent Medicine against Gram Negative Bacteria.
- * Bactericidal antibiotic active even at low concentrations against wide spectrum of Bacteria.
- * Against infections Caused by Bacteria in U.T., R.T. it is the drug to treat Metritis & Repeat Breeders.

ADMINISTRATION & DOSAGE:

I.M & I.V Use only.

Large Animals: 1-2 mg/Kg Body Wt. Small Animals: 2-4 mg/Kg Body Wt.

Intra-Uterine: 2ml

PRESENTATION

Vial of 100ml



D-GEST

प्रजनन

COMPOSITION

Each 3 ml contains:

Hydroxyprogesterone Caproate I.P. 750 mg.

INDICATION

- * Solve Reproductive Problems Like Habitual Abortion, Repeat Breeders, Prolapse of Uterus, Induction of Oestrus.
- * Infertility caused by progesterone deficiency

ADMINISTRATION & DOSAGE: I/M Use only

For Large Animals :- Habitual Abortion :- 750 mg after 1.5 Month of Pregnancy & Repeat 4/5 Times at 10 days interval. Repeat Breeders 500 mg. or 750 mg. Followed for 3 weeks. Prolapse of Uterus two days induction of Oestrus: 500 mg

Sheep and Goats: 100 mg-200 mg

only (0.5 ml to 1 ml)

PRESENTATION

Ampoule of 3ml, Syringe, Dispo Pack



VETOP

विटामिन का इन्जेंक्शन

COMPOSITION

Each ml Contains

Retinol-Vitamin A: 2, 50,000 IU Cholecalcipherol-Vitamin D3: 25000 IU Tocopherol acetate-Vitamin E acetate: 100 IU

Biotin 12.5 mcg

INDICATION

- *Degenerative myopathy and dystrophy of the liver.
- *Rickets and osteomalacia.
- *Digestive and respiratory disorders.
- *Hemeralopia, xerophthalmia, keratomalacia, keratitis Allotriophagy.
- *Impaired development of hair, feathers, hoofs, claws and horns.
- *Sterility in female animals.

ADMINISTRATION & DOSAGE: (IM Use Only) Cattle, a horse 5 – 10 ml, a calf, a pig, a foal 3 – 7 ml a piglet, a lamb, a kid 1 – 3 ml, a dog 0.1 ml/5 kg of the body weight; In severe cases, repeat 2 -3 times in half doses in 2-day intervals.

PRESENTATION

10 m



ISOFDON

स्टीरोएड का इन्जेंक्शन

COMPOSITION

Each ml. contains Inj. Isofluperidone

2mg/ml

INDICATION

- * Bovine Ketosis
- Musculoskeletal Conditions
- * Allergic Reactions
- * Overwhelming Infections
- * Severe Toxicity Shock
- * Supportive therapy in the treatment of the stress associated with parturient paresis ie. milk fever. It should be given intramuscularly, before or after the administration of the calcium infusion solutions

ADMINISTRATION & DOSAGE: (IM Use Only)

- * Not to be added to the infusion solutions.
- * The usual intramuscular dose for cattle is 10 to 20 mg

PRESENTATION

10 ml, 30 ml



DEEGIN/DEEGIN PLUS

COMPOSITION

Each ml contains:

Meloxicam I.P. 5mg

COMPOSITION

Each ml contains:

Meloxicam

I.P. 5mg

Paracetamol I.P. 150mg I.P.

150mg

INDICATION

- * Non-steroidal anti-inflammatory drug, which selectively inhibits cox-2 enzyme and has no side effects.
- * Reduce the inflammatory muscular pain and fever.
- * Along with antibiotic, it is useful for the treatment of Pneumonia, Bronchopneumonia, Spain, Arthritis, Mastitis, Prolapse of Uterus and Otitis.

ADMINISTRATION & DOSAGE:

I/M, I/V or S/C Use only. Large Animal:- Prolapse &

Pneumonia: 05 mg/Kg. BW

IN OTHER CONDITIONS:

15 ml for 300 Kg BWt.

PRESENTATION

100 ml, 30 ml

दर्द बुखार व सूजन के लिए असरदार दव



D-TIN/D-TIN LA

COMPOSITION

बाहरी व अंदरूनी कीट की रोकथाम में सहायक

Each ml contains:

Ivermectin

10 mg/31.5 mg I.P.

INDICATION

- * Ready to use Anthelmintic and endetocide against both Endoparasites and Ectoparasites.
- * Indicated in G.I Round Worms, ectoparasites such as: Lice, Mites, Ticks & Manges.

ADMINISTRATION & DOSAGE:

By S/C use only. Not to be used I/V or I/M Large & Small Animals: 200 mcg/Kg BW (10mg/50 KG BW) 1ml for 50 Kg Bwt.

D-TIN LA

Cattle/Camels: 0.5ml per 50kg B/W Sheep/Goat: 0.25ml/25kg B/W Pigs/Rabbits:0.15ml/10kg B/W

PRESENTATION

10 ml, 50 ml, 100 ml D-TIN LA:- 100 ml



प्रजनन

समस्याओं के लिए

COMPOSITION

Each 3 ml Contains

NAPRO

Natural Micronised Progesterone

B.P.

250mg

INDICATION

- * To correct failure in foetal nidation (implantation) by administration after ovulation.
- * In habitual & threatened abortions.
- * In treatment of nymphomania (an excessive sexual desire in a female) associated with ovarian cysts.
- * For the development of udder
- * Synchronization of estrous cycles
- Dysfunctional uterine bleeding.
- * Uterine fibroma
- * To delay estrus & Ovulation in Cattle, Swine & Dogs

ADMINISTRATION& DOSAGE:

Habitual abortion: 3ml after 45 days of pregnancy. Repeat 4-5 doses after 10 days interval in between.

PRESENTATION

Ampoule of 3ml, Syringe, Dispo Pack



NIM-P

दर्द बुखार व सूजन के लिए असरदार दवा

COMPOSITION

Each ml contains:

Nimesulide B.P. 100mg Paracetamol I.P. 150mg

INDICATION

CATTLE – Acute respiratory infection and diarrhoea, with antibiotic therapy, Acute mastitis. **PIGS** – Acute non-infectious locomotor disorders, puerperal septicaemia and toxaemia, oppose the effects of endotoxins and hasten recovery.

HORSES – For single dose rapid initiation of therapy of disorders and relief of pain associated with colic.

ADMINISTRATION & DOSAGE:

(IM Use Only)

Large Animals: 15ml to 20 ml Small Animal: 5 mg per 1 kg/day

PRESENTATION

Vial of 100 ml, 30ml Also Available (Nim-100, Nimesulide 100 mg)





OXYDEEP / OXYDEEP-LA

COMPOSITION

Each ml contains: Each ml contains:

Oxytetracycline HCL IP 50 mg/ml

Oxytetracycline Dihydrate IP 200 mg/ml

COMPOSITION

INDICATION

- * Antimicrobial agent, gram-positive and gram-negative bacteria, rickettsia and mycoplasma, like respiratory, intestinal, dermatological, genitourinary and septicemic infections in cattle, sheep, goats, pigs etc.
- * Recommended wherever prolonged antibiotic treatment is indicated, or where for practical, economic, or veterinary reasons, frequent animal handling and repeat treatment is not feasible.

ADMINISTRATION & DOSAGE: (IM Use Only)

Do not inject intravenously.

By intramuscular injection. Cattle, sheep goats pigs: 10-20mg/kg body weight.

PRESENTATION

100 ml, 30 ml

असरदार एन्टिबायोटिक दवा



D-CORT

स्टीरोएड का इन्जेंक्शन

COMPOSITION

Each ml. Contains:

Inj prednisolone acetate C 10 mg/ml

INDICATION

Supportive treatment in ketosis, rheumatoid arthritis, bursitis inflammatory and allergic conditions in large and small animals.

ADMINISTRATION & DOSAGE: (IM Use Only)

For Systemic Treatment, Injection Is Given Deep Into

Muscle Cattle: 5-20 ml

Calves: 2.5-5 ml

Piglets, Dogs, Cats: 1-3 ml

PRESENTATION

10 ml



REVIL

विटामिन बी का टीका

COMPOSITION

Each ml contains: Multivitamin injection

Thiamine Hcl	I.P.	25mg
Nicotinamide	I.P.	50mg
Pyridoxine	I.P.	5mg
Cyanocobalamin	I.P.	50mcg
Choline Chloride		25mg
Riboflavin Sodium Phosphate	I.P.	1.5mg
Crude liver extract having B12 acti	ivity eqv. to	2mcg

INDICATION

* Treatment of anorexia and liver disorders associated with fatty degeneration of liver, Sluggish liver, Debility and general weakness, Blood protozoan diseases, Hepetitis and Jaundice, reduced intake, stress etc. For all animals in prophylaxis and treatment of B-complex deficiency, stunted growth, dermatitis, hematuria.

ADMINISTRATION & DOSAGE:

I/M use only

Large Animals: 5 - 10 ml Daily.

Small Animals: 1-2 ml Daily.

PRESENTATION

Vial of 100ml



VEVIT-A

विटामिन का इन्जेंक्शन

COMPOSITION

Each 2ml Contains

Vitamin A 600000 IU

INDICATION

Use in Night Blindness and Supportive treatment.

ADMINISTRATION & DOSAGE:

I/M use only

Large Animals:

2 amp on alternate day for 2 weeks

(in Infertility) in other conditions 3-6 amp per weeks

Small Animals: 2-4 mg/kg

PRESENTATION

6 Ampoule Tray pack



DEJET

विटामिन का इन्जेंक्शन

COMPOSITION

Vitamin B1 100 mg, per 2 ml Vitamin B6 IP 100 mg, per 2 ml Vitamin B12 IP 1000 mcg, per 2 ml

INDICATION

Synthesis of co enzymes and the integrity of the nervous system. It is indicated for anorexia, fatigue and debility conditions. Neurological disorders, dermatitis, pregnancy and lactation. Also indicated in post-parturient paresis and paralysis of limbs.

ADMINISTRATION & DOSAGE:

By I/M use only.

Large Animals: 10 ml Small Animals: 2 - 3 ml

PRESENTATION

100 ml





REVIL GOLD

विदामिन का डन्जेंक्शन

COMPOSITION

Each ml. Contains

Veterinary B-Complex with Liver Extract Injection

INDICATION

- * Liver Extract with B-Complex can be used in liver disorders like Hepatitis, Jaundice, Fatty degeneration, parasitic anemia, Chronic diarrhoea, General weakness & Emaciation. Also as an adjuvant in liver fluke infestation in Sheep, Goat & Cattle.B complex vitamins are involved in energy production, digestive and liver function, and blood production.
- * Hard working animals may benefit from supplementary B complex vitamins.

ADMINISTRATION & DOSAGE: (IM Use Only)

- * Cattle, buffaloes and horses: 10 ml. daily for 3 or more days.
- * Calves, Sheep, Goats and Pigs: 5 ml. daily for 3 or more days.
- * Dogs and Cats: 2 ml. to 5 ml. daily for 3 or more days.

PRESENTATION

100 ml Injection



REVIL-B

इन्जेंक्शन

COMPOSITION

B Complex Injection

INDICATION

- * Debility and general weakness, Blood protozoan diseases, Hepetitis and Jaundice, reduced intake, stress etc.
- * For all animals in prophylaxis and treatment of B-complex deficiency, stunted growth, dermatitis, hematuri

ADMINISTRATION & DOSAGE: (IM/IV Use Only)

- * Cattle, buffaloes and horses: 10 ml. daily for 3 or more days.
- * Calves, Sheep, Goats and Pigs: 5 ml. daily for 3 or more days.
- * Dogs and Cats: 2 ml. to 5 ml. daily for 3 or more days.

PRESENTATION 100 ml Injection



SULDIM

असरदार एंटीबायोटीक दवा

COMPOSITION

Each ml Contains
Sulphadimidine Sodium I.P. 1 gm.

INDICATION

- * Haemorrhagic septicaemia * Foot rot
- * Broncho * Pneumonia * Calf diphtheria
- * Calf Diarrhoea * Bacterial enteritis
- * Actinobacillosis * Metritis
- * Mastitis * Coccidiosis

ADMINISTRATION & DOSAGE:

By I.V, S.C route.Large

Animals:Initial Dose: 15-30 ml / 50 kg body weight. Half the above dose should be administered at a interval of 24 hrs for 4-7 days.

PRESENTATION

100 ml



FERT SAP

बांझपन का ईलाज

COMPOSITION

Each ml Contains

Each ml contains :Sodium Acid Phosphate . 40.3 % W.V (eq to Elemental Phospahate 80 mg. Per ml)

INDICATION

indicated in Infertility cases, such as: Under developed Genitalia, Delayed maturity, Anoestrus and maintenance of Pregnancy. It is very effective to treat Metabolic disorders such as: Post parturient Haemoglobinuria, Hypo Phosphataemia, Ketosis and Milk fever. It is useful in General debility conditions and in the treatment of Bloat, Tetany, Pica & Rickets in lambs.

ADMINISTRATION & DOSAGE:

By I/M, I/V, S/C use.

Large Animals: 5 - 10 ml for alternate days.

Small Animals: 2 - 5 ml The dose may be adjusted according to the Phosphorous requirement of the animal. It is advised to administer half the dose in I/V and the remaining half dose in several places by S/C route in several places.

PRESENTATION

100 ml



RETICAM

बुखार और दर्द की दवा

COMPOSITION

Each ml Contains

Piroxicam U.S.P: 20 mg, Paracetamol U.S.P: 150 mg, Benzyl Alcohol U.S.P: 2 % w/v

INDICATION

- *Cancers in dogs and cats
- *Pain due to osteoarthritis.
- *Regulate homeostasis, allowing the kidney to respond to hypotension and protect the GI tract.
- *Osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, etc.

ADMINISTRATION & DOSAGE:

As Directed by the Veterinarian.

PRESENTATION

100 ml



LUMIN-F

बुखार और दर्द की दवा

COMPOSITION

Each ml Contains

Flunixin Meglumine – 83 mg (equivalent to Flunixin 50 mg)

INDICATION

- * Pyrexia and inflammation related to Metritis, Mastitis, Endotoxemia (Septicemia), and Pneumonia.
- * Flunixin Meglumine is an effective non-steroidal, non-narcotic, analgesic ingredient with antipyretic and anti-inflammatory activity.
- * Flunixin Injection for cattle is useful for controlling pyrexia related to cattle respiratory disease, acute cattle mastitis, bloat in cattle and endotoxemia.

ADMINISTRATION & DOSAGE:

slow I/V or I/M injection route

Cattle, Sheep & Goat

1 ml to 2 ml -per 45 kg body weight

Dogs:1 mg per kg body weight

Camel: 1.1 mg to 2.2 mg per kg body weight Pigs: 1 mg to 2 mg per kg body weight

PRESENTATION

20/100 ml



NAVDEX

स्टेरॉयड को इन्जेक्शन

COMPOSITION

Each ml Contains
Dexamethasone I.P. 4 mg

INDICATION

- * Treat immune-mediated disease such as immune-mediated hemolytic anemia or thrombocytopenia
- * Some cancers; allergic reactions such as asthma, hives, and itching.
- * Inflammatory diseases and some neurologic diseases.
- * Skin, Rheumatic and eye problems.
- * Treatment of ketosis

ADMINISTRATION & DOSAGE:

5 to 20mg intravenously or intramuscularly.

PRESENTATION

30 ml



MAMBACT

स्तन की सूजन का इलाज

COMPOSITION

Each PFS Contains Cefoperazone Sodium I.P. 250 mg

INDICATION

- *Single dose treatment of clinical mastitis in lactating cattle.
- *Protects precious mammary tissues from bacterial damage.

ADMINISTRATION & DOSAGE:

Single administration, one syringe per affected quarter immediately after milking.

PRESENTATION

10 ml Disposable Prefilled Syringe

NEOLEX-P

स्तन की सूजन का इलाज

COMPOSITION

Each Tube Contains Cephalexin 100 mg, Neomycin Sulphate 100 mg, Prednisolone 10 mg

INDICATION

- * Mastitis
- * Wide spectrum antimicrobial and anti-inflammatory intramammary infusion and is effective against Gram +ve, Gram -ve organisms.

ADMINISTRATION & DOSAGE:

Intramammary use at rate of one syringe per affected quarter

CONTRAINDICATIONS:-

Hypersensitivity or allergy to the drug.

PRESENTATION

5 gm Disposable Prefilled Syringe

RETCLAV-A

असरदार एंटीबायोटीक दवा

COMPOSITION

Each Vial Contains Amoxicillin 3 gm & Potassium Clavulanate 0.6 gm

INDICATION

- * Treat or prevent bactercatial infections in animals.
- * Kills bacteria by inhibiting production of the bacteria cell wall.
- * Skin infections, bone infections, wound infections, infections in the mouth, pneumonia and bladder infections. Amoxicillin + clavulanate is not effective for viruses and parasitic infections (such as worms or mites).

ADMINISTRATION & DOSAGE:

The dose of amoxicillin ranges from 5 to 12 mg per pound (10 to 25 mg/kg) two or three times a day

CONTRAINDICATIONS:-

Hypersensitivity or allergy to the drug.

PRESENTATION

Vial with WFI and Tray



LACTUM FORTE

असरदार

एन्टिबायोटिक दवा

COMPOSITION

Each vial contains:

3g Amoxycillin Sodium I.P. I.P. Sulbactum Sodium 1.5g

INDICATION

- * Soft tissue injuries, Post-surgical care, Urinary tract infections, Upper respiratory tract infections
- * Mastitis / Metritis
- * Respiratory Tract Infections
- * Uro-genital infections
- * Skin & Soft tissue infections
- * Intra abdominal infections
- * Pre surgical prophylaxis





ADMINISTRATION & DOSAGE:

For Cows & Buffalos7-10 mg/kg body weight by I/M or I/V, every 8-12 hours

PRESENTATION

4.5 gm Vial with WFI

PRESENTATION

By I/M & I.V use only

ABETA

COMPOSITION

Each Vial Contains

gastro- intestinal infections.

ADMINISTRATION & DOSAGE:

Large Animals: 5-10 mg/Kg. Body.wt

INDICATION

Cloxacillin 2 gm, Ampicillin 2 gm Water for Injection

* Ampicillin + Cloxacillin is used to treat respiratory tract

infections, ear, nose and throat infections, pelvic infections,

urinary tract infections, skin and soft tissue infections, and

* Metritis, Retained Placenta, Mastitis, septicaemia, systemic

and local infections, chronic wounds, abscesses, enteritis,

post surgical therapy, pyrexia of unknown origin, Pneumonia.

4 gm Vial with wfi

Small Animals: 10 - 20 mg / Kg. Body. wt

असरदार

एनटिबायोटिक दवा

BACPEN

पेनिसिलिन एनटिबायोटिक

COMPOSITION

Benzathine penicillin 48 LAC I.U.

INDICATION

Against Gram-positive and Gram-negative bacteria, To treat arthritis, mastitis, gastrointestinal, respiratory and urinary tract infections caused by penicillin-sensitive microorganisms

ADMINISTRATION & DOSAGE:

BY I /M USE ONLY

After intramuscular administration within 1 to 2 hours, therapeutic blood concentrations are obtained. Due to the slow reabsorption of benzathine penicillin, the action is maintained for two days.



PRESENTATION

VIAL PLUS WFI

NEOBACT

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each vial contains

Cefoperazone Sodium 3 gm Sulbactum Sodium 1.5 gm

INDICATION

- *Mastitis
- *Metritis
- *Cervicitis
- *Abdominal infection
- *Pneumonia and septicaemia.

ADMINISTRATION & DOSAGE:

By I/M, & I/V use only.

Large Animals: 5 - 10 mg / Kg. Body wt. Small Animals: 10 - 15 mg/ Kg. Body wt.

Dissolve the content with sterile water provided along with the pack and use.

PRESENTATION

Vial with wfi



D-XONE T

असरदार

एन्टिबायोटिक दवा

COMPOSITION

Each vial contains

Ceftriaxone 4 gm & Tazobactum 0.5 gm Ceftriaxone 500 mg & Tazobactum 62.5 mg

INDICATION

- *Bones and joint infections,
- *Septicaemia, Acute otitis media, Skin and
- *Skin structure infections,
- *Vagina, Septicemia, Intra abdominal infections
- *Stomach and other conditions

ADMINISTRATION & DOSAGE: (IM/IV Use Only)

Cattle and Buffalo-

5 to 10 mg per kg b.w.

Sheep & Goat -

20 mg/kg body weight.

Dog – 15 to 25 mg/kg body weight.

PRESENTATION

Vial with WFI, Tray

D-FUR



असरदार एन्टिबायोटिक दवा

COMPOSITION

Each vial contains

Ceftiofur sodium 1gm with water for injection

INDICATION

- * Genital infections of bovine (acute metritis, cervicitis, prolapse related to retention of placenta cases,)
- * Respiratory diseases of cattle, buffalo, sheep and goat (Shipping fever, pneumonia)
- * Acute interdigital necrobacillosis (foot rot, pododermatitis)

ADMINISTRATION & DOSAGE: (IM/SC Use Only)

Cattle, Buffalo, Sheep & Goat: 1.1 to 2.2 mg ceftiofur per kg body wt. by I/M route for 3-5 days.

ioi o o days.

PRESENTATION Vial of 1gm



DEBETA

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each vial contains:

Sterile Amoxycillin Sodium I.P. 2g Sterile Cloxacillin Sodium I.P. 2g

INDICATION

- * Tried and tested combination therapy for tough infections like Mastitis, Metritis, Salmonellosis, Calf Scour, HS, BQ, E-coli infections and Brucellosis. It is the drug of choice for all Resp Tract Infections as well as Urinary Tract infections. Indicated in Mastitis & Metritis
- * Effective Against Both gm+ve & gm-negative Bacteria.

ADMINISTRATION & DOSAGE:

By I/M, & I/V use only.

Large Animals:

6 - 10 mg / Kg. Body wt. Small Animals:

10 - 20 mg/ Kg. Body wt.

PRESENTATION

4gm, 3gm



D-XONE S

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each vial contains:

Ceftriaxone B.P. 3g
Sulbactum U.S.P. 1.5g

INDICATION

- * Broad-spectrum Activity Against Gram-positive And Gram-negative Bacteria
- * Used To Treat Serious Infections, Particularly Those Caused By Susceptible Strains of Enterobacteriaceae.
- * Respiratory tract infections, Dermatological infections, Urinary tract infections, Bacterial septicemia, Bone and joint infections, Intra-abdominal infections, Meningitis, Pyrexia, Pneumonia, Mastitis Surgical Interventions.

ADMINISTRATION & DOSAGE: (IM/IV Use Only)

Large Animals:- 5-10 mg/kg. Body Weight Small Animals:- 15-20 mg/kg. Body Weight

PRESENTATION
1 5gm 3gm 4 5gm

1.5gm, 3gm, 4.5gm Also Available

3gm, 4gm, 0.5gm Plain Ceftriaxone



S-PN 2.5/ S-PN 5.0

पेनिसिलिन एनटिबायोटिक

COMPOSITION

Each vial contains:

Streptomycin Sulphate B.P 2.5 g

Procaine Penicillin G B.P 15,00,000 units
Penicillin G Sodium B.P 5,00,000 units

INDICATION

- * S-PN is highly effective against a wide variety of Gram-positive & Gram-negative bacteria sensitive to Penicillins and Streptomycin.
- * Also helpful in infections of unknown origin.

ADMINISTRATION & DOSAGE: (IM Use Only)

Large Animals : 2ml / 50 kg b.w. Small Animals : 1 ml / 5 kg b.w. Administered by I/M route.

PRESENTATION

2.5 g Vial, 5.0 g Vial



MORCAL Strong/Gold

दूध बढ़ाने की फीड पूरक

COMPOSITION

Non Chelated And Chelated Liquid Calcium

INDICATION

- * Improves milk yield.
- * Helps formation of strong bones in young growing animals.
- * Ideal feed for pregnant animals.
- * Useful after De-worming.
- * Better health better milk productions.
- * Higher Bio availability of chelated minerals.

ADMINISTRATION & DOSAGE:

For High Yielding Cattle-100 MI Mixed With Reti M.v

PRESENTATION

1 L, 5 L,20L Dolu



PLACENTA-X

स्वस्थ थन की दवा

Said Linese Tell

COMPOSITION

- *Empowered with herbs with ecbolic effect
- *Vitamin A, Vitamin D3, Vitamin E, Vitamin B12, Biotin, Zinc, Chromium, and Monoester of Lauric acid

INDICATION

- *Maintain Uterine Health Aids in reviving new Estrous cycle.
- *Ensures complete revival of the uterus and helps to restore uterine lining. It prevents infection and inflammation.
- *Enhances uterine contractions leading to complete removal of placenta and uterine debris just after calving.

ADMINISTRATION & DOSAGE:

Cleaning of uterus Just after calving:

Cattle/Buffalo- 100ml twice a day for 5 days OR 200ml once for 5 days.

Retention of Placenta:

Cattle/Buffalo- 100 ml after every 3-4 hours interval until complete expulsion of the placenta.

PRESENTATION

900 ml.

RETIMIN / RETIMIN GOLD

COMPOSITION

दूध बढ़ाने की फीड पूरक

Powerful chelated mineral and vitamin supplement for cattle. The high bioavailability of minerals ensures enhanced fertility.

INDICATION

- * Ensures good reproductive health
- * Improve the conception rate
- * Ensures a healthy pregnancy
- * Improves the growth rate
- * Improves the skin and coat

ADMINISTRATION & DOSAGE:

Mix 1 kg of RETIMIN in 100 kg of Feed. For Regular supplementation Large Animals - 50 g daily Small Animals - 5-10 g daily

PRESENTATION

1 kg bag / 5 kg bag & 20 kg /bag, 20 kg / 25 kg bucket





LIVFIT

भूख बढ़ाने का फीड पूरक

COMPOSITION

Veterinary Herbal Liver Tonic For Cattle, Buffalo, Cows, Sheep, Goat, Poultry & Farm Animals

INDICATION

- * Helps in Liver Regeneration.
- * Anti-Oxidant,
- * Hepatoprotective.
- * Reduce blood lipids.
- * Helps in liver regeneration.
- * Increases liver cell synthesis.
- * It also increases milk production.
- * Protects the liver from the effect of toxins

ADMINISTRATION & DOSAGE:

Cows, Buffaloes: 50 ml twice daily Horses, Camels, Calves, Pigs Foals: 20- 25 ml twice daily Sheep & Goat: 10- 15 ml twice daily

Poultry(per 100 birds) : 10ml Daily
PRESENTATION

1 Ltr., 5 Ltr.



MORCAL GEL

दूध बढ़ाने की फीड पूरक

COMPOSITION

(Calcium Gel) A mineral supplement for animal feeding provides protein, energy, and fiber which is essential.

INDICATION

Maintains calcium balance Optimizes optimum nutrient balance

ADMINISTRATION & DOSAGE:

1 tube of MORCAL GEL daily around calving. Unscrew the cap to open,

remove the induction seal completely.

Secure the animals head in an elevated position.

Place the unsealed nozzle of the bottle on one side of the mouth.

Administer the entire contents slowly into the mouth

PRESENTATION

300 ml



RETI-MV

विटामिन एच

COMPOSITION

Effective vitamin and anti-stress supplement for cattle that aids in proper growth. Combination anti stress vitamins- Vit A, D3, H, E and B12

INDICATION

- * Removes stress
- * Acts as an immunostimulant for cattle
- * Keeps udder healthy
- * Keeps animal stress free
- * Minimize chances of mastitis
- * Improves conception rate

ADMINISTRATION & DOSAGE:

Large Animals - 10 ml daily Small Animals - 5 ml daily

PRESENTATION

500 ml In Aluminium Bottle



RETIMAST

स्तन की सूजन का ईलाज

COMPOSITION

Each 60mg Pouch Contains

Pottassium Iodide with Vitamins minerals & Serratiopeptidase

INDICATION

- * For control & prevention of mastitis
- * Fortified with encapsulated vitamins for better immunity and as antioxidants
- * Fortified with yeast form selenium as immuno stimulant
- * Fortified with rumen protected amino acids for milk & fat improvements
- * Fortified with trace minerals to develop udder tissues & growth
- * Fortified with lodine to check the fibrosis of udder tissue

ADMINISTRATION & DOSAGE:

60 grams powder daily for 3 days or as prescribed by veterinarian

PRESENTATION

3 Pouches of 60 gms in 1 Box



ALMACID Bolus

COMPOSITION

Each uncoated bolus contains:

Albendazole I.P. 3g

INDICATION

- * Ensures complete protection from all types and all life stages of Worms. It acts as a complete killing dewormer. helps in the control and treatment of gastrointestinal and pulmonary.
- * Gastrointestinal worms: Bunostomum, Cooperia, Chabertia, Haemonchus, Nematodirus, Oesophagostomum, Ostertagia, Strongyloides.

ADMINISTRATION & DOSAGE:

Doses range from 10mg/kg, 25mg/kg, and up to 50mg/kg

PRESENTATION Single Bolus Strip



कीड़े मारने की दवा MORHEAT BOLUS

COMPOSITION

Each Strip Contains

Clomifene Citrate 300 mg Copper Sulphate 1500 mg

INDICATION

- * Stimulates ovarian activity by releasing FSH and LH.
- * Supplements essential micro nutrient Cu
- * Increase uterine tonicity
- * Stimulates ovarian activity by releasing FSH and LH.

ADMINISTRATION & DOSAGE:

1 kit Daily for 5 Days

Dissolve 2 tablet of

MORHEAT (Copper sulphate) in 30ml

Water & Drench.

after 3-5 min

Adminster 1 tablet

MORHEAT (Clomifene

Citrate) in 30 ml of water

PRESENTATION

5 kits in 1 box



BESTDEW

कीड़े मारने की दवा

COMPOSITION

Each uncoated bolus contains:

Fenbendazole I.P. 3g I.P. Ivermectin 100mg

INDICATION

* Highly effective against small and large intestinal worms, caecal & abomasal nematodes also. Effective against lung and tape worms. 85% efficacy against liver flukes. Broad spectrum anthelmintic having both larvicdal & Ovicidal activities.

ADMINISTRATION & DOSAGE:

1 Bolus per 300 kg B.W

PRESENTATION

3.1g



D-TIN BOLUS की इे मारने की दवा

COMPOSITION

Each uncoated bolus contains:

Ivermectin I.P. 100mg

INDICATION

- * Ready to use Anthelmintic and endetocide against both Endoparasites and Ectoparasites.
- * Indicated in G.I Round Worms, ectoparasites such as: Lice, Mites, Ticks & Manges.

ADMINISTRATION & DOSAGE:

Use As Suppository As Directed By

Veterinarian.

PRESENTATION

Single Bolus Strip



DEEGIN PLUS

दर्द बुखार की दवा MOTION OFF

दस्त की दवा

COMPOSITION

Each Bolus Contains:-

Meloxicam I.P. 100 mg Paracetamol I.P. 150mg I.P. 1500 mg

INDICATION

- * Non-steroidal anti-inflammatory drug, which selectively inhibits cox-2 enzyme and has no side effects.
- * Reduce the inflammatory muscular pain and fever.
- * Along with antibiotic, it is useful for the treatment of Pneumonia, Bronchopneumonia, Spain, Arthritis, Mastitis, Prolapse of Uterus and Otitis.

ADMINISTRATION & DOSAGE:

Large Animals 2-4 bolus daily. Small Animals 1-2 bolus daily

PRESENTATION

4 Bolus Strip



COMPOSITION

Each uncoated bolus contains:

MetronidazoleI.P.1000mgFurazolidoneI.P.500mgAtropine SuphateI.P.0.5mg

INDICATION

- * Treatment of diarrhea or enteritis
- * Typhoid fever and salmonella infections.
- * Provide relief from intestinal spasms & colic with anti-inflammatory effects.
- * Restores intestinal rhythm naturally & prevents nutrient loss, Helps in amoebic & other protozoan dysentery

ADMINISTRATION & DOSAGE:

One Bolus thrice daily

PRESENTATION

4 Bolus Strip



UTI CLEAN BOLUS

गर्भाशय की बीमारी का इलाज

COMPOSITION

Each Bolus Contains
Nitrofurazone IP - 60 mg.
Metronidazole IP - 100 mg.
Povidone Iodine IP - 60 mg.
Urea IP - 6 gm.

INDICATION

- * Mix indications caused by Bacteria
- * Parasites -Intra Uterine Infections.

ADMINISTRATION & DOSAGE:

As directed by Veterinary Practitioner.

Insert the bolus in to uterus or
dissolve in pintwarm water to make flush.

For Intrauterine or tropical use only.

Not for oral use.

PRESENTATION

4 bolus per strip



NIM-P

दर्व बुखार की दवा

COMPOSITION

Each uncoated bolus contains:

Nimesulide B.P. 400 mg
Paracetamol I.P. 1000 mg

INDICATION

CATTLE – Acute respiratory infection and diarrhoea, with antibiotic therapy, Acute mastitis.

PIGS – Acute non-infectious locomotor disorders, puerperal septicaemia and toxaemia, oppose the effects of endotoxins and hasten recovery.

HORSES – For single dose rapid initiation of therapy of disorders and relief of pain associated with colic.

ADMINISTRATION & DOSAGE:

Large Animals 2-4 bolus daily.
Small Animals 1-2 bolus daily

PRESENTATION

4 Bolus Strip



NIDESOL

पेट के कीड़े की दवा

COMPOSITION

Each Bolus Contains Levamisole Hydrochloride 2 gm & Oxyclozanide 4 gm

INDICATION

* Anthelmintic that acts against a broad spectrum of gastrointestinal worms and against lungworms.

ADMINISTRATION & DOSAGE:

As Directed by the veterinarian.



CONTRAINDICATIONS:-

Administration to animals with an impaired liver function.

PRESENTATION

Single Bolus Strip

असरदार एंटीबायोटीक दवा

COMPOSITION

SULDIM-B

Each Bolus Contains
Sulphadimidine Sodium I.P. 5 gm.

INDICATION

- * Haemorrhagic septicaemia * Foot rot
- * Broncho * Pneumonia * Calf diphtheria
- * Calf Diarrhoea * Bacterial enteritis
- * Actinobacillosis * Metritis
- * Mastitis * Coccidiosis

ADMINISTRATION & DOSAGE:

Large Animals: 0.2 gm/kg. Body weight Small Animals: 0.1 gm/kg. Body weight.

PRESENTATION

4 Bolus Strip



MILK SHOOT UP/RETIMIN GOLD-B

COMPOSITION

Bolus Calcium & Vitamin / Bolus Mineral Mixture

INDICATION

- * Increases fat content in milk.
- * Increases quantity of milk.
- * Supplement body calcium after Calving and prevent hypocalcemia.
- * Ensures good reproductive health
- * Improve the conception rate
- * Ensures a healthy pregnancy
- * Improves the growth rate
- * Improves the skin and coat

ADMINISTRATION & DOSAGE:

Give one bolus prior to or immediately after, calving and a second bolus twelve hours later.

PRESENTATION

Single Bolus Strip / Four Bolus Strip

OXYDEEP

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each Uncoated Bolus Contains

Oxytetracycline HCL IP 500 mg/300 mg

INDICATION

- * Antimicrobial agent, gram-positive and gram-negative bacteria, rickettsia and mycoplasma, like respiratory, intestinal, dermatological, genitourinary and septicemic infections.
- * Recommended wherever prolonged antibiotic treatment is indicated, or where for practical, economic, or veterinary reasons, frequent animal handling and repeat treatment is not feasible.

ADMINISTRATION & DOSAGE:

- 1 Bolus/90 kg Every
- 12 Hrs/4 days

PRESENTATION

4 Bolus Strip



RETGEST

भूख लगने की दवा

COMPOSITION

Each Bolus Contains:-

Live yeast culture, Saccharomyces Cerevisiae Fermented Yeast Culture, Saccharomyces boularlii Lactobacillus sporogenes, Lactobacillus acidophilus

INDICATION

- * Liver extract supports liver Amino acids for microbial protein synthesis
- * Maintains beneficial rumen microflora
- * Ginger powder as a carminative
- * Helps to manage anorexia, indigestion
- * Reduces the chances of bloat & tympany
- * Maintains proper appetite
- * As supportive to AMAs therapy

ADMINISTRATION & DOSAGE:

Large animal- 2 bolus twice daily for 3-5 days

Small animal – ½ -1 bolus or as directed by

the veterinarian

PRESENTATION

4 Bolus Strip



PROCET-G

जख्म से मक्खियाँ भगाने की दवा

COMPOSITION

Each gm Contains
Gamma Benzene Hexychloride I.P. 0.1% w/w,
Proflavine Hemisulphate 0.1% w/w,
Cetrimide I.P. 0.45 % w/w

INDICATION

- * Insecticide and is used to treat scabies and lice infestations
- * Powerful Fly Repellent and curative for open wounds.
- * Follicular mange, Maggot, wounds, Flies.

ADMINISTRATION & DOSAGE:

Clean the wounds properly and apply Procet-G cream on infected part thoroughly 2 – 3 times daily, until complete healing.

PRESENTATION

50 gm



ALMACID

कीड़े मारने की दवा

COMPOSITION

Each ml contains:

Albendazole I.P. 25mg

INDICATION

- * Ensures complete protection from all types and all life stages of Worms. It acts as a complete killing dewormer.
- * Helps in the control and treatment of gastrointestinal and pulmonary.

ADMINISTRATION & DOSAGE:

5 mg Micronised Albendazole per kg body weight

Large Animals- 60-90 ml Small Animals- 5-10 ml

Dogs & Cats - 3-5 ml BD for 3 Days

PRESENTATION

30 ml, 60 ml, 90 ml, 1 Ltr



ALMACID PLUS

कीड़े मारने की दवा

COMPOSITION

Each ml contains

Albendazole IP 25 mg Ivermectin IP 1 mg

INDICATION

* Oral Anthemintic of choice for the treatment of hydatid, Cystecercosis, Ring worms-Hook worms-Thread worms Infection. Ivermectin works by binding to muscle and nerve cells of worms causing their paralysis and death. Albendazole works by keeping the worms from absorbing sugar (glucose), so that they lose energy and die. This treats your infection effectively

ADMINISTRATION & DOSAGE:

For Cattle :60-90 ml For Calf :15-30 ml

For Sheep & Goat : 2-3 ml per 10 kg body weight

PRESENTATION

30 ml



RETOF-OZ IU

अंतर्गर्भाशयी चिकिप्सा

COMPOSITION

Each ml Contains
Ofloxacin 50mg, Ornidazole 125 mg, Urea 500 mg

INDICATION

- * High effective in Metritis, Pyometra & Repeat Breeder condition
- * Complete efficacy against infections of aerobic, anaerobic bacteria & protozoa- Effective in presence of tissue debris and pus.

ADMINISTRATION & DOSAGE:

30 to 60 ml by I/U

PRESENTATION

60 ml



VETCLAV-A

असरदार एंटीबायोटीक दवा

COMPOSITION

Each 5 ml. Contains Amoxicillin 200 mg & Potassium Clavulanate Suspension 28.5 mg

INDICATION

- * Treat or prevent bactercatial infections in animals.
- * Kills bacteria by inhibiting production of the bacteria cell wall.
- * Skin infections, bone infections, wound infections, infections in the mouth, pneumonia and bladder infections. Amoxicillin + clavulanate is not effective for viruses and parasitic infections (such as worms or mites).

ADMINISTRATION & DOSAGE:

The dose of amoxicillin ranges from 5 to 12 mg per pound (10 to 25 mg/kg) two or three times a day orally

CONTRAINDICATIONS :-

Hypersensitivity or allergy to the drug.

PRESENTATION

30 ml, 100 ml



RETIBLOAT

पेट की गैस की दवा

COMPOSITION

Each ml Contains

Simethicone I.P. 1.0% w/v (As Simethicone emulsion U.S.P)
Dill Oil B.P. 0.5% w/v

INDICATION

- * FlatulenceGas / Bloating
- * Discomfort
- * Pain
- * Burping
- * Gastric torsion

ADMINISTRATION & DOSAGE:

ORALLY as DRENCH or By INTRARUMINAL route using

CANNULA or a LONG NEEDLE. Cattle & Buffalo : 100 ml Sheep & Goat : 20 ml

PRESENTATION

100 ml



RETLEV-OZ IU

अंतर्गर्भाशयी चिकिप्सा

COMPOSITION

Each ml Contains

Levofloxacin Hemihydrate IP 20mg,

Alpha Tocopherol Acetate IP 5mg, Ornidazole IP 25 mg

INDICATION

to treat uterine infections associated with

- * Metritis
- * Cervitis
- * Vaginitis
- * Retained Placenta
- * Delayed uterine Involution

ADMINISTRATION & DOSAGE:

For uterine infections use 30ml twice daily, for 3–5 days

PRESENTATION

60 ml



ENRODEEP-OS

असरदार एन्टिबायोटिक दवा

COMPOSITION

Each ml contains

Enrofloxacin 100 mg

INDICATION

- * Broad spectrum antibiotic respiratory tract infections, breathing difficulties, gastrointestinal, urogenital tract infections, dermatitis, pneumonia, chronic respiratory infections, bronchial tract, trachea infections, sinusitis, and mucus-related infections.
- * Not effective against infections caused by viruses, fungi or parasites

ADMINISTRATION & DOSAGE:

Calves, goats and sheep: twice daily 10 ml per 75 - 150 kg body weight for 3 - 5 days. Poultry: 1 litre per 1500 - 2000 litres of drinking water for 3 - 5 days. Swine:1 litre per 1000 - 3000 litres of drinking water for 3 - 5 days.

PRESENTATION

100 ml, 250 ml, 500 ml, 1Ltr.

NIDESOL-S

पेट के कीड़े की दवा

COMPOSITION

Each ml Contains

Levamisole Hydrochloride & Oxyclozanide Oral Suspension (1.5% And 3% or 3% and 6%)

INDICATION

* Anthelmintic that acts against a broad spectrum of gastrointestinal worms and against lungworms.

ADMINISTRATION & DOSAGE:

Cattle, calves: 2.5 ml. per 10 kg. body weight. Sheep and goats: 1 ml. per 4 kg. body weight. Shake well before use.

CONTRAINDICATIONS:-

Administration to animals with an impaired liver function.

PRESENTATION

90 ml



Expense Sales

ECTFREE SOAP

कीडे मारने का साबुन

COMPOSITION

PERMETHRIN 5%

INDICATION

* Potent ectoparasiticide that kills Mange Mites, Ticks, Lice & Biting Flies infestation of head, body & pubic area.

ADMINISTRATION & DOSAGE:

For best results wet the body parts of animal with warm water. Apply ECTFREE Soap to make rich lather, leave for 10 minutes and rinse thoroughly with water or as directed by Veterinarian.

PRESENTATION

Packing -75gm



HEAL OUT

जख्म सुखाने का स्प्रे

COMPOSITION

A HERBAL WOUND SPRAY WITH TULSI OIL

INDICATION

- * An excellent fly repellent, as it prevents flies on the wounds, promotes rapid wound repair.
- * Broad Antimicrobial Spectrum, has potent antimaggot action, that prevents re-infestation of wounds, promotes rapid wound repair.
- * Deep seated wounds
- * Dermatomycosis
- * Maggot wounds
- * Shearing Wounds in sheep

ADMINISTRATION & DOSAGE:

as directed by veterinarian

PRESENTATION

100 ml Aerosol Spray Can



RETRAZ

चमड़ी के कीड़े मारने की दवा

COMPOSITION

Each ml. Contains Amitraz 12.5% w/v

INDICATION

Helps in the control and treatment of ectoparasites like ticks, mites, lice.

ADMINISTRATION & DOSAGE:

Large animalTick control/ earsore/Humpsore etc.

2 ml/litre of water

Mites 3-4 ml/litre of water

Dogs & Cats Ticks & fleas 2 ml/ litre of water

Mites 3-4 ml/litre of water

APPLICATION

One application per week

PRESENTATION

6ml, 15 ml, 50 ml, 1 ltr.



चमड़ी के कीड़े मारने की दवा

COMPOSITION

D-TICK

Each ml. Contains
Deltamethrin 1.25% Ec Solution

INDICATION

* For the control and treatment of Ticks, Flies, Mites & Lice in dairy animals on cattle, sheep, goat, horses, poultry, and Dogs

ADMINISTRATION & DOSAGE:

Can be used either as a spray or dip 2-4 ml Per Liter of Water





C-TICK

चमड़ी के कीड़े मारने की दवा

COMPOSITION

Each ml contains:

Cypermethrin High Cis 10% w/v

INDICATION

* Flies of cattle and horses, blowfly larvae, biting lice, ticks and head flies of sheep and mites of poultry, scabies and mangemites of cattle, sheep and dogs.

ADMINISTRATION & DOSAGE:

Cattle & Camel :- 1 ml / lit water charge and replenishment.

Whole body spray dip, initial.

Sheep & Goat :- 1 ml / lit water

Dip initial charge and replenishment.

Dogs :- 1 ml / lit water Whole body spray or wash

PRESENTATION

15 ml, 50 ml, 1 ltr.



चमड़ी के कीड़े मारने की दवा

COMPOSITION

RETIFLU

Each ml. Contains
Flumethrin 1 % Pour-On Solution

INDICATION

For Control And Management of all Ticks species, Lice, Manage Mites and Biting Flies

ADMINISTRATION & DOSAGE:

Pour-On topically at the dose rate of 1 ml per 10 kgs body weight along the back line from top of shoulder to tail setting.



PRESENTATION

30 ml, 50ml, 100 ml





ADDRESS





Branch Office - Near Sugar Mill Ladwa Road Shahabad (Markanda), Distt. Kurukshetra, Haryana (136135)

CONTACT US

support@reticine.com



sales@reticine.com



www.reticine.com

+91 98120-42748 +91 98138-42748

Our Sister Concerns

KAY KAY INDUSTRIES
KAY KAY POULTRY PRODUCTS
KAY KAY KAY FARM









