



PRODUCT CATALOG

DIALYSIS CONSUMABLES
CATHLAB ACCESSORIES
CRITICAL CARE
GENERAL DISPOSABLE

- **INTRODUCTION:**

St.Stone Medical Devices was incorporated in 2012 and start his planning for the one of the big project in North East India. Company has started his Official venture in 2014 by setup of Manufacturing Plant in North Eastern India. Althrough As a new born company having vast vision and mission to achieve as been granted the licence for manufacturing and Distribution of Medical Devices First time in North East India by CDSCO & State Drug Authority. We are into manufacturing & assembling of medical devices having vast range which falls under Interventional Cardiology Consumable, Nephrology, Aneasthesia and General Consumables.

- **QUALITY ACCREDITATIONS:**

We are Quality Certified ISO 13485:2012 and ISO 9001:2008 From UKAS Accreditation Body., CE Certification (Comp.) , WHO-GMP Certification(Comp.) we are proud member of Pharmaexcil, All India Medical Device Association.

- **RESEARCH, PLANNING AND DEVELOPMENT:**

As a growing company we don't have to work only on research and development. so we are working on research, development as well as planning . Our Hardcore team member are from Developed Companies from the same industry. Who join us to make this happen that quality is the basic need in healthcare industry which help us to compete by making different strategies.

- **MANUFACTURING AND DISTRIBUTIONS:**

As an growing company we need to think all the parameter which are essential for the Manufacturing of Medical Devices under WHO-TRS compliances. We although understand the major and minor necessities of Manufacturing

- **MANUFACTURING AREA:**

Our Manufacturing is as per standard of WHO Guidelines. Having 0.03 Um AHU Planted in Assembling, Manufacturing Area and Testing Lab. and 0.05Um AHU in Packaging, Sterilization and other areas of the premises.

- **PACKAGING AREA:**

Our Packing is as Classified into Class II as per WHO-TRS. Packaging Material is trans passes through Static Passboxes for much safety of the pouches and labels for not mixing and contaminations.

- **STERILIZATION:**

St. Stone Having in house facility for Sterilization of Medical Device under EO Category. Sterilizer Calibration and Validation has been done in every intervals so we can assure on best quality for longer shelf life.

- **DISTRIBUTION:**

We are working on PAN INDIA so we can serve every one with our quality products. We are having International Distributor of ASIAN AND SAARC Counties

- **ST. STONE MEDICAL VISION:**

St. Stone Medical Devices Vision is to provide Quality Healthcare at affordable to the people and making healthcare sector to be assured. St. Stone Medical Devices is not believing into making better Healthcare business, is believing into making Healthier Healthcare Industry for which St. Stone Medical Devices is working into.

- **ST.STONE MEDICAL MISSION:**

St. Stone Medical Devices is having aim to be the successful partner with many Healthcare Institution. The key to our success is our high degree of innovative drive coupled with the creativity of our highly qualified workforce

TABLE OF CONTENTS

1. DIALYSIS CONSUMABLES

• PLATINUM™	HEMODIALYSIS CATHETER KIT	2
• PLATICATH™	HEMODIALYSIS CATHETER	3
• SHINECATH™	SINGLE LUMEN HEMODIALYSIS CATHETER	4
• PLATINUM+™	PERMANENT HEMODIALYSIS CATHETER AND KIT	4
• SHINEWIRE™	STAINLESS STEEL GUIDEWIRE	5
• MERCURY+™	INTRODUCER NEEDLE	5
• STARFIST™	AV FISTULA NEEDLE	6
• T-GUARD™	TRANSDUCER PROTECTOR / FILTER	6

2. CRITICAL CARE & GENERAL DISPOSABLES

• CENTVENT™	CENTRAL VENOUS CATHETER AND KIT	7
• MERCURY+™	SPINAL NEEDLE	8
• MERCURY+™	EPIDURAL KIT	8
• MERCURY+™	BIOPSY NEEDLE	9
• EASEGUN™	BIOPSY GUN	9

3. CATHLAB CONSUMABLES

• STARFOLD™	MANIFOLD	10
• Y-STAR™	PTCA Y CONNECTOR	11
• FEATHER™	INFLATION DEVICE AND KIT	12
• PIVOT™	INTRODUCER SHEATH	13
• STARBAND™	RADIAL COMPRESSION DEVICE	13
• SHINEWIRE™	PTFE COATED GUIDEWIRE	14
• LEICHIL™	PRESSURE MONITORING LINE	15
• LEICHIL™	EXTENSION-LINE	15
• LEICHIL™	HIGH PRESSURE LINE	16
• EDHOU™	CONTROL SYRINGE	16

PLATINUM™ HEMODIALYSIS CATHETER KIT (SHORT TERM HEMODIALYSIS CATHETER)

DOUBLE/TRIPLE LUMEN CATHETER KIT

Set Contains:

- ▶ Polyurethane HD Straight/Curve Catheter
- ▶ Guidewire with Advancer "J" Tip 70cm
- ▶ Catheter Protector Pouch
- ▶ 18Ga - 7cm Introducer needle
- ▶ 5ml Guiding Syringe
- ▶ 5ml Disposable Syringe
- ▶ Vessel dilators 4Scalpel #11 4Injection Cap
- ▶ Patient Identification sticker 4Drape Sheet

PLATINUM™ DOUBLE/TRIPLE LUMEN CATHETER KIT

TYPE	DESCRIPTION	STRAIGHT CODE	CURVE CODE
DOUBLE LUMEN	8.5 FR X 13 CM	PP8513S	—
DOUBLE LUMEN	8.5 FR X 13 CM	--	PP8513C
DOUBLE LUMEN	11.5 FR X 13 CM	--	PP11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PP11515S	--
DOUBLE LUMEN	11.5 FR X 16 CM	PP11516S	--
DOUBLE LUMEN	11.5 FR X 20 CM	PP11520S	--
TRIPLE LUMEN	12 FR X 13 CM	—	PPT1213C
TRIPLE LUMEN	12 FR X 15 CM	PPT1215S	PPT1215C
TRIPLE LUMEN	12 FR X 16 CM	PPT1216S	—
TRIPLE LUMEN	12 FR X 20 CM	PPT1220S	--



PLATICATH™ HEMODIALYSIS CATHETER (SHORT TERM HEMODIALYSIS CATHETER)



DOUBLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- ▶ Flexibility & Firmness
- ▶ Softness and anti kinking
- ▶ Material and durability
- ▶ Size and flow

Catheter Set Features:

- ▶ Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- ▶ Polyurethane Catheter
- ▶ Vessel dilators
- ▶ Catheter Protector Pouch
- ▶ Patient Identification sticker
- ▶ Injection Cap

PLATICATH™ DOUBLE LUMEN CATHETER

TYPE	DESCRIPTION	STRAIGHT CODE	CURVE CODE
DOUBLE LUMEN	8.5 FR X 11 CM	PL8511S	PL8511C
DOUBLE LUMEN	8.5 FR X 13 CM	PL8513S	PL8513C
DOUBLE LUMEN	11.5 FR X 13 CM	PL11513S	PL11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PL11515S	--
DOUBLE LUMEN	11.5 FR X 16 CM	PL11516S	--
DOUBLE LUMEN	11.5 FR X 20 CM	PL11520S	--

Anti-distorted and high flow rate can meet the requirement of femoral venous puncture.

TRIPLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- ▶ Flexibility & Firmness
- ▶ Softness and anti kinking
- ▶ Material and durability
- ▶ Size and flow

Catheter Set Features

- ▶ Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- ▶ Polyurethane Catheter
- ▶ Vessel dilators
- ▶ Catheter Protector Pouch
- ▶ Patient Identification sticker
- ▶ Injection Cap

PLATICATH™ TRIPLE LUMEN CATHETER

TYPE	DESCRIPTION	STRAIGHT CODE	CURVE CODE
TRIPLE LUMEN	12 FR X 13 CM	--	PLT1213C
TRIPLE LUMEN	12 FR X 15 CM	PLT1215S	PLT1215C
TRIPLE LUMEN	12 FR X 16 CM	PLT1216S	--
TRIPLE LUMEN	12 FR X 20 CM	PLT1220S	--

Above mention product are specified can be customized as per demand request



SHINECATH™ SINGLE LUMEN DIALYSIS CATHETER

(SHORT TERM HEMODIALYSIS CATHETER)

An Optimum Compromise between competing Factors.

Where a balance between:

- ▶ Flexibility & firmness
- ▶ Softness and anti kinking
- ▶ Material and durability
- ▶ Size and flow

Catheter Features:

- ▶ Soft tip
- ▶ Small rotating fixation wing
- ▶ Extension lines stand repeated clamping and de-clamping
- ▶ Multiple threads female luer end
- ▶ Injection caps
- ▶ Variety of sizes, lengths and shapes

SHINECATH™ SINGLE LUMEN CATHETER

TYPE	DESCRIPTION	PRODUCT CODE
SINGLE LUMEN FEMORAL GREEN HUB	14GA / 13.5 CM	SHC14ANG
SINGLE LUMEN FEMORAL PINK HUB	14GA / 13.5 CM	SHC14AP

PLATINUM+™ PERMANENT CATHETER KIT (LONG TERM HEMODIALYSIS CATHETER KIT)

The Catheter is made from premium silicone, which has excellent biocompatibility. The dacron cuff can protect immigration of catheter and reduce the chance of CRBI (Catheter Related Bloodstream Infections). The silicone material makes catheter more floppy, hence it can minimize the trauma to the vein and reduce the incident of clot.

Kit Contains:

- ▶ Silicone Catheter
- ▶ Valved Peelable Introducer
- ▶ Introducer Needle
- ▶ Adhesive Wound Dressings
- ▶ Scalpel
- ▶ Guide-wire
- ▶ Tunneler
- ▶ Syringe
- ▶ Gauze Sponges
- ▶ Vessel Dilator
- ▶ Needle with Suture
- ▶ Heparin Caps

PLATINUM+™ PERMANENT CATHETER (LONG TERM HEMODIALYSIS CATHETER)


TYPE	DESCRIPTION	PRODUCT CODE
DOUBLE LUMEN	10 FR	PPL10XXS
DOUBLE LUMEN	12 FR	PPL10XXS
DOUBLE LUMEN	15 FR	PPL10XXS

Note.: "XX" stands for Length of the catheter, The length of the catheter we can offer is **13cm to 50cm**.

SHINEWIRE™ STAINLESS STEEL GUIDEWIRE

Product Feature:

- ▶ Accurate Measurement for Catheter Tracking
- ▶ Easy to insert and Removal
- ▶ Smooth Tip for insertion
- ▶ Angle and Straight Tip
- ▶ Smooth Advancer for Dispensing of Guidewire
- ▶ Kink Resistance
- ▶ Variety of sizes, lengths and shapes.
- ▶ Safety Cover for Unwanted Hazard Damage



SHINE WIRE™ SS GUIDEWIRE

TYPE	DESCRIPTION	STRAIGHT CODE	3MM ANGLE CODE
GUIDEWIRE	0.021" X 50CM	SW2150ST	SW2150J
GUIDEWIRE	0.025" X 50CM	SW2550ST	SW2550J
GUIDEWIRE	0.032" X 50CM	SW3250ST	SW3250J
GUIDEWIRE	0.035" X 50CM	SW3550ST	SW3550J
GUIDEWIRE	0.038" X 50CM	SW3850ST	SW3850J
GUIDEWIRE	0.021" X 70CM	SW2170ST	SW2170J
GUIDEWIRE	0.025" X 70CM	SW2570ST	SW2570J
GUIDEWIRE	0.032" X 70CM	SW3270ST	SW3270J
GUIDEWIRE	0.035" X 70CM	SW3570ST	SW3570J
GUIDEWIRE	0.038" X 70CM	SW3870ST	SW3870J

MERCURY+™ INTRODUCER NEEDLE

Introducer Needle


- ▶ Extremely low insertion forces
- ▶ Easy access and reduce tissue trauma.
- ▶ Smooth Guidewire Insertion
- ▶ Safety Cover for Unwanted Hazard
- ▶ Variety of sizes, lengths and shapes.



MERCURY+™ INTRODUCER NEEDLE

TYPE	DESCRIPTION	PRODUCT CODE
CLEAR HUB-SQUARE	18GA / 7CM	MCCH1870
PINK HUB-SQUARE	18GA / 7CM	MC1870
PINK HUB-ROUND	18GA / 7CM	MCRH1870
CLEAR HUB-SQUARE	20GA / 3.81CM	MC20381

STARFIST™ AV FISTULA NEEDLE



An arteriovenous (AV) Fistula is an abnormal connection between an artery and a vein normally, blood flows from your arteries to your capillaries to your veins. Nutrients and oxygen in your blood travel from your capillaries to tissues in your body. With an arteriovenous fistula, blood flows directly from an artery into a vein by passing some capillaries.

Fistula needles are a crucial link between the patient and the dialysis machine. For this reason, all needles have to meet the requirements of highest quality, safety and comfort - both from the user's as well as from the patient's perspective.

STARFIST™ AV FISTULA NEEDLE

TYPE	DESCRIPTION	PRODUCT CODE
FIXED WING	16G/17G Length: Standard	SF16G
ROTATING WING	16G/17G Length: Standard	SF17G

T-GUARD™ TRANSDUCER PROTECTOR/FILTER



Features:

- ▶ Efficient Filter
- ▶ PTFE Membrane
- ▶ 0.05Um Accuracy
- ▶ Smallest Size Packing
- ▶ Efficient Filter for Blood Transfusion

An Optimum Compromise between competing Factors. Where a balance between:

- ▶ Flexibility & firmness
- ▶ Softness and anti kinking.
- ▶ Material and durability
- ▶ Size and flow.

T-GUARD™ TRANSDUCER PROTECTOR/FILTER

TYPE	DESCRIPTION	PRODUCT CODE
0.5UM	PTFE	TG 03

Above mention product are specified can be customized as per demand request

CENTVENT™ CENTRAL VENOUS CATHETER AND KIT

The CVC is designed for placement in the Jugular Vein in critically ill patients. It's designed for long term vascular access. For central veins catheterization (subclavian, Jugular Veins) according to Seldinger method. Atraumatic metallic conductor with a J-shaped tip Prevents the vessel wall from injury.

Kit Contains:

- ▶ Central Venous Catheter
- ▶ SS Guidewire with Advancer "J" Tip 50cm
- ▶ Wound Dressing Pad
- ▶ 18Ga - 7cm Introducer needle
- ▶ 5ml Guiding Syringe
- ▶ Vessel dilators
- ▶ Suture Wing
- ▶ Scalpel #11
- ▶ Injection Cap
- ▶ Patient Identification sticker

CENTVENT™ CENTRAL VENOUS CATHETER AND KIT

TYPE	SIZES	LENGTH	PRODUCT CODE
SINGLE LUMEN CATHETER	14G	8CM, 13CM, 15CM, 16CM, 20CM	CNTSXXYY
	16G		CNTSXXYY
	18G		CNTSXXYY
	20G		CNTSXXYY
	22G		CNTSXXYY
DOUBLE LUMEN CATHETER	4.5 FR	8CM, 13CM, 15CM, 16CM, 20CM	CNTDXXYY
	5 FR		CNTDXXYY
	7 FR		CNTDXXYY
	8.5 FR		CNTDXXYY
TRIPLE LUMEN CATHETER	4.5 FR	8CM, 13CM, 15CM, 16CM, 20CM	CNTTXXYY
	5 FR		CNTTXXYY
	7 FR		CNTTXXYY

*** XXYY Stand for Abbreviation of Fr.Size and Length

MERCURY+™ SPINAL NEEDLE



Spinal Introducer needles allow for easy insertion of the Spinal Needle and provide additional support.

Available in two types quincke and Pencil type Quincke Type needles provide a sharper bevel for low puncture force, while allowing for a tactile, reliable the precision-ground stylets are designed to minimized tissue coring and optimize gliding characteristics.

MERCURY+™ SPINAL NEEDLE

TYPE	SIZES	LENGTH	PRODUCT CODE
QUINCKE TYPE	16G	90MM	SN1690Q
	18G		SN1890Q
	20G		SN2090Q
	22G		SN2290Q
	23G		SN2390Q
	24G		SN2490Q
	25G		SN2590Q
	26G		SN2690Q
	27G		SN2790Q

MERCURY+™ EPIDURAL KIT



Epidural catheter is specially designed for continuous anesthesia and pain relief therapy. Catheter is made from unique plasticizer free polymer with excellent bio-compatibility. Flexible and atraumatic soft tip with three lateral eyes. Catheter is printed to determine the depth of insertion and accurate placement of catheter in the epidural space. Luer lock twist connector. Crystal clear catheter with radio opaque line.

Kit Contains:

- Epidural/tuohy Needle
- Luer Syringe
- Detachable Connector
- Epidural Catheter
- Threading Assist Guide
- Hydrophobic Filter

MERCURY+™ EPIDURAL KIT

TYPE	DESCRIPTION	PRODUCT CODE
EPIDURAL KIT	16G Length: Standard	EK16G
EPIDURAL KIT	18G Length: Standard	EK18G

MERCURY+™ BIOPSY NEEDLE



Biopsy Needle is a cutting semi-automatic biopsy needle, easy to operate, spring-loaded and obtain complete biopsies. Delta slot cutting is intended for cutting biopsies, marked by graduation on the external needle is convenient for depth reference. Core needle is available, is convenient for operate under Bustrasonic or CT.

Features:

- ▶ Small size and lightweight design give you better handing and control
- ▶ High velocity throw and precise needle contribute to consistent, high quality samples.

MERCURY+™ BIOPSY NEEDLE

TYPE	DESCRIPTION	PRODUCT CODE
BIOPSY NEEDLE	14 G / 10CM	MBN1410
BIOPSY NEEDLE	14 G / 15CM	MBN1415
BIOPSY NEEDLE	14 G / 20CM	MBN1420
BIOPSY NEEDLE	16 G / 10CM	MBN1610
BIOPSY NEEDLE	16 G / 15CM	MBN1615
BIOPSY NEEDLE	16 G / 20CM	MBN1620
BIOPSY NEEDLE	18 G / 10CM	MBN1810
BIOPSY NEEDLE	18 G / 15CM	MBN1815
BIOPSY NEEDLE	18 G / 20CM	MBN1820

EASEGUN™ BIOPSY GUN



Biopsy Gun is a fully-automatic cutting ease device, easy to install, special fixation handle & provides a high success rate in punctures. Core needle is available, is convenient for operate under Bustrasonic or CT. Needle point with echo-enhancement for accurate positioning under ultrasound.

EASEGUN+™ BIOPSY GUN

TYPE	DESCRIPTION	PRODUCT CODE
BIOPSY GUN	14 G / 10CM	EGBG1410
BIOPSY GUN	14 G / 15CM	EGBG1415
BIOPSY GUN	14 G / 20CM	EGBG1420
BIOPSY GUN	16 G / 10CM	EGBG1610
BIOPSY GUN	16 G / 15CM	EGBG1615
BIOPSY GUN	16 G / 20CM	EGBG1620
BIOPSY GUN	18 G / 10CM	EGBG1810
BIOPSY GUN	18 G / 15CM	EGBG1815
BIOPSY GUN	18 G / 20CM	EGBG1820

STARFOLD™ MANIFOLD

Medical's High & Medium Pressure Stopcocks and Manifolds are suitable for CathLab and other interventional applications and are designed to withstand 500 to 1200 psi pressure. Our products are available in 2 way and 3 way configurations with rotating High Pressure adapters or a standard swivel luer lock nut.

High & Medium Pressure Stopcocks and Manifolds Withstand 500 to 1200 psi

Manifolds are designed with easy-to-grip handles and clear polycarbonate bodies for visibility.



HALF BODY



Medium & Low Pressure Stopcocks and Manifolds Withstand 250 to 500 psi

STARFOLD™ MANIFOLD

GANG	BODY	PRESSURE	TYPE	CATALOG CODE
2 PORT	FULL BODY	600 PSI	RIGHT ON	STF2600RON
2 PORT	FULL BODY	600 PSI	RIGHT OFF	STF2600ROF
3 PORT	FULL BODY	600 PSI	RIGHT ON	STF3600RON
3 PORT	FULL BODY	600 PSI	RIGHT OFF	STF3600ROF
2 PORT	HALF BODY	500 PSI	RIGHT ON	STF2500RON
2 PORT	HALF BODY	500 PSI	RIGHT OFF	STF2500ROF
3 PROT	HALF BODY	500 PSI	RIGHT ON	STF3500RON
3 PORT	HALF BODY	500 PSI	RIGHT OFF	STF3500ROF

Y-STAR™ PTCA Y CONNECTOR



Y-Connector Push Click System

Y-Click Connector, provides an easy -touse hemostatic device for both diagnostic and interventional procedures. This ergonomically designed device significantly reduces the blood loss during interventional procedures. Among the Y-Click most unique advantages are its self closing mechanism and semi -open position, as well as its one - handed operation.



Y-Connector Push Pull System

Y-Push Pull Connector, which is used for coronary intervention, Push Pull head knob, which ensures minimal blood and precise navigation of devices in the vasculature. A specially engineered valve with micro vertical slits which facilitate smooth manipulation of device nullify blood loss.



Y-Connector Touhy Borst System

Touhy Borst also know a Screw Type Y Connector, which is used for coronary intervention. It has a latest screw type head knob, which ensures minimal blood adjustable Thumb Wheel Mechanism pervents over tightening, loss of bloods and devices movement when turned. Allow for insertion of different size devices.

Y-STAR™ PTCA Y CONNECTOR

TYPE	DESCRIPTION	PRODUCT CODE
Y-CLICK SET	Click Type Y Connector Hemostatis with extension line + Torque Device + insertion tool	YSTC9FI
PUSH PULL SET	Push Pull Y Connector Hemostatis with extension line + Torque Device + insertion tool	YSTPPS
TOUHY BORST	Screw Type Y Connector Hemostatis with extension line + Torque Device + insertion tool	STRTB9F

FEATHER™ INFLATION DEVICE



Inflation Device

Uses while performing balloon dilation procedures to inflate the balloon, monitor the pressure within the balloon & deflate the balloon.

Product Feature:

- ▶ High quality pressure sensing element makes Inflation Device pressure
- ▶ Pressure reading highly accurate even at extremes of pressure.
- ▶ Excellent graduation and error minimization for reading on grid and barrel
- ▶ Excellent eye to hand coordination by 30 ATM/Bar angled analogue pressure gauge
- ▶ Accurate pressure reading and high visibility.
- ▶ Feather Inflation Device ensures accurate repeatability of the measurements for several times.
- ▶ Lighter to handle and Easy to Operate

FEATHER™ INFLATION DEVICE

TYPE	DESCRIPTION	PRODUCT CODE
INFLATION DEVICE	Feather Inflation Device 20ml 30atm/bar with Stopcock	FID2030
INFLATION DEVICE WITH KIT	Feather Inflation Device 20ml 30atm/bar with Stopcock	FIDK2030

INFLATION DEVICE (GUN-TYPE)



Kit Contains:

- ▶ Inflation Device
- ▶ PTCA Y-Connector
- ▶ Extension Line
- ▶ Blunt Needle
- ▶ Torque Device

FEATHER™ INFLATION DEVICE (GUN-TYPE)

TYPE	DESCRIPTION	PRODUCT CODE
INFLATION DEVICE	Inflation Device Gun-Type 20ml 30atm/bar with Stopcock	FID2030GUN
INFLATION DEVICE KIT	Inflation Device Gun-Type kit 20ml 30atm/bar with Stopcock	FIDK2030GUN

PIVOT™ INTRODUCER SHEATH (FEMORAL / TRANSRADIAL)



Product Feature:

- ▶ Smooth transition of guidewire-to-dilator and dilator-to-sheath facilitates easy access
- ▶ Maintains uncompromised hemostasis
- ▶ Small outside diameter and large inside diameter reduces the size of the access site without compromising ease of device passage

Kit Contains:

- ▶ Introducer Sheath (Femoral / Transradial)
- ▶ SS Guidewire
- ▶ Introducer Needle
- ▶ Dilator
- ▶ Scalpel
- ▶ Syringe with needle

PIVOT™ FEMORAL INTRODUCER SHEATH

TYPE	DESCRIPTION	PRODUCT CODE
FEMORAL SHEATH	5Fr / Length 11cm	PIVF5011
FEMORAL SHEATH	6Fr / Length 11cm	PIVF6011
FEMORAL SHEATH	7Fr / Length 11cm	PIVF7011

PIVOT™ TRANSRADIAL INTRODUCER SHEATH

TYPE	DESCRIPTION	PRODUCT CODE
TRANSRADIAL SHEATH	5Fr / Length 11cm	PIVR5011
TRANSRADIAL SHEATH	6Fr / Length 11cm	PIVR6011
TRANSRADIAL SHEATH	7Fr / Length 11cm	PIVR7011

Note.: Available length for Transradial Sheath is 7cm and 11cm

STARBAND™ RADIAL ARTERY COMPRESSION DEVICE




Product Features

- ▶ Transparency ensures complete visual control from start to finish
- ▶ Dual compression balloons provide precise compression of the radial artery to ensure blood return-without compromising local nerve structure
- ▶ Innovative design makes it easy to use

STARBAND™ RA COMPRESSION DEVICE

TYPE	DESCRIPTION	PRODUCT CODE
CLEAR STRIP	20ML	S-RCD-20-CS

SHINEWIRE™ PTFE COATED GUIDEWIRE



Angiography PTFE Coated Guidewire

Product Feature:

- ▶ Accurate Measurement for Catheter Tracking
- ▶ Smooth Advancer for Dispensing of Guidewire
- ▶ Safety Cover for Unwanted Hazard Damage
- ▶ Easy to insert and Removal
- ▶ Angle and Straight Tip
- ▶ Variety of sizes, lengths and shapes.
- ▶ Smooth Tip for insertion
- ▶ Kink Resistance

SHINEWIRE™ PTFE COATED GUIDEWIRE

OD SIZE	LENGTH	TIP	DESCRIPTION	CATALOG CODE
0.025"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW25150J-SSMD
0.025"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW25150ST-SSMD
0.032"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32150J-SSMD
0.032"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32150ST-SSMD
0.035"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35150J-SSMD
0.035"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35150ST-SSMD
0.038"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38150J-SSMD
0.038"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38150ST-SSMD
0.032"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32260J-SSMD
0.032"	260 CM	Angle "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW32260ST-SSMD
0.035"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35260J-SSMD
0.035"	260 CM	Angle "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW35260ST-SSMD
0.038"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38260J-SSMD
0.038"	260 CM	Angle "ST"	3MM FIXED CORE,PTFE COATED GUIDEWIRE	SW38260ST-SSMD

SHINEWIRE™ is a range of complete guidewire, intended for use of introduction spring winding, standard & special sizes, small diameter less grinding, specially tip forming, J-Tip, Straight Tip, Angle & other shape & depth marking.

LEICHIL™ PRESSURE MONITORING LINE



Pressure Monitoring Line is non expandable PVC Tubing with a rigid wall & non rigid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male-to-female connectors from 10cm to 200cms in length.

Product Feature:

- ▶ Small bore high pressure extension line.
- ▶ Suitable for high pressure monitoring
- ▶ Provided with male luer lock and female luer lock
- ▶ Luer lock compatible with all standard equipment.
- ▶ Luer lock connectors provide secure fitting.

LEICHIL™ PRESSURE MONITORING LINE

TYPE	LENGTH	PRODUCT CODE
PRESSURE MONITORING LINE	50 CM	PML50
PRESSURE MONITORING LINE	100 CM	PML100
PRESSURE MONITORING LINE	150 CM	PML150
PRESSURE MONITORING LINE	200 CM	PML200

LEICHIL™ EXTENSION LINE



Extension Line with 3way stopcock is to be used with any of the Various Infusion or transfusion devices in order to allow for attachment with any special or general purpose medical device. In order to improve ease of use also to provide an alternative channel for introduction of medicine to the patient.

LEICHIL™ EXTENSION LINE

TYPE	LENGTH	PRODUCT CODE
EXTENSION LINE WITH 3 WAY STOPCOCK	10 CM	EXL10
EXTENSION LINE WITH 3 WAY STOPCOCK	25 CM	EXL25
EXTENSION LINE WITH 3 WAY STOPCOCK	50 CM	EXL50

LEICHIL™ HIGH PRESSURE LINE / BRAIDED HIGH PRESSURE LINE



High Pressure Monitoring Line is non expandable PVC Tubing with a rigid wall & non rigid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male-to-female connectors from 10cm to 200cms in length.

LEICHIL™ HIGH PRESSURE LINE

TYPE	LENGTH	PRODUCT CODE
HIGH PRESSURE LINE	50 CM	HPL50HP
HIGH PRESSURE LINE	100 CM	HPL100HP
HIGH PRESSURE LINE	120 CM	HPL120HP

LEICHIL™ BRAIDED HIGH PRESSURE LINE

TYPE	LENGTH	PRODUCT CODE
BRAIDED HIGH PRESSURE LINE	50 CM	HPL50HPB
BRAIDED HIGH PRESSURE LINE	100 CM	HPL100HPB
BRAIDED HIGH PRESSURE LINE	120 CM	HPL120HPB

EDHOU™ CONTROL SYRINGE



Product Feature

- ▶ Transparent cylinder enhances visual effect of gauge mark and contrast level
- ▶ Special designed Silicone piston head and lubrication technology
- ▶ Easy to move plunger in cylinder and generate high pressure resistance
- ▶ Excellent eye to hand coordination
- ▶ Lighter to handle and Easy to Operate

EDHOU™ CONTROL SYRINGE

TYPE	DESCRIPTION	PRODUCT CODE
MALE LUER LOCK	10 ML	EDU10
MALE LUER LOCK	12ML	EDU12



**WE DO OEM FOR OUR SELECTED CUSTOMER
AVAILABLE ALL CUSTOMIZED DISPOSABLE PRODUCT AS PER REQUEST**



Manufacturing Unit:

ST. STONE MEDICAL DEVICES PRIVATE LIMITED

G-03, Ground Floor, Dewlahland, Imphal, Manipur-India

Licence No. : 01/DHSM/MFG (MD)

Phone: 0385 2422827, 2422828

Corporate Office :

ST. STONE MEDICAL DEVICES PRIVATE LIMITED

A-13, 3rd Floor, Devli Road, Khanpur, New Delhi-110062

Phone: +91-011 65002005, + 91 011 65002011

Email: info@stsmedicals.com / stsmedicals@hotmail.com

ISO 13485 | ISO 14971 | CE
| ISO 9001 | WHO:GMP



www.stsmedicals.com