






Bopp Printed Self Adhesive Tape, Industrial Bopp Printed Adhesive Tape, Adhesive Printed Bopp Tape, Brown Bopp Tape, Paper Carft Tape, Duct Tape, Tissue Tape, Bag Sealing Tape, Bopp Self Adhesive Tapes, Industrial Tape, etc.



DUCT TAPE



BOPP TRANSPARENT PACKING ADHESIVE TAPE



PVC INSULATION TAPE









About Us

Trusting Medhansh Enterprises is the best option for customers if they require high-quality BOPP Tapes, Masking Tapes, Edge Banding Tapes, etc. Our company is operational as a manufacturer, supplier, and exporter, and we ensure that whatever the customers seek to avail from us is delivered effortlessly to their doorsteps. We are backed by some of the most proficient professionals in the industry, who help us with the production of world-class products that comprise high durability, accurate design, smooth texture, etc. We deliver such products with unmatched quality standards to satisfy the requirements of our customers. Further, the professionals not only help us with the manufacturing process but also excellently execute each and every task assigned to them.

We are a firm that seeks to fulfill the demands of its customers successfully in exchange for affordable prices. The element that makes us able to fully deliver to our esteemed customers is undoubtedly our warehouse. From this unit, we deliver all the orders of our customers on time and without compromising the quality of the products. Consequently, we become a trustworthy firm, on which customers can rely for the fulfillment of their needs.

Incorporated in 2016, we are Medhansh Enterprises, a company that is extensively renowned for being engaged in delivering world-class quality products such as Edge Banding Tapes, Masking Tapes, and much more. Bareilly in Uttar Pradesh, India, is the city where we have established our facility, and this facility is maintained in a manner that helps us conduct all our operations perfectly. We are well regarded and highly capable of delivering products and experiences par excellence to our customers. As we forbid to disappoint our customers, we emphasize maintaining attributes that help us impress our valued customers in every business deal. All our business dealings are conducted in an ethical and transparent manner. Thus, owing to the aforesaid statements, we are referred to as a trusted manufacturing and export company.

Key Facts

Nature of Business	Manufacturer, Supplier, Exporter
Year of Establishment	2016
No. of Employees	12
GST No.	09CPWPS4558A1Z9
IE Code	CPWPS4558A
Banker	Bank of Baroda
Warehousing Facility	Yes
Company Branch	01
Location	Bareilly, Uttar Pradesh, India









1 - PACKING TAPE

(A) INDUSTRIAL BOPP TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Stationery / gift wrapping / box packaging

(B) BROWN BOPP TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Stationery / gift wrapping / box packaging

(C) STRONG ADHESIVE BOPP TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Stationery / gift wrapping / box packaging

(D) BOPP JUMBO ROLL TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Making for tape roll









(E) SPARKLE TAPE



Backing	BOPP Film	
Adhesive	Water Acrylic Adhesive	
Total Thickness	39 Micron	
Standard Color	Silver, Purple, Blue, Yellow, Green , Red, Pink, Etc	
Application	Decoration, Carton Sealing, Packaging, Stationery	

(F) COLORED BOPP TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Stationery / gift wrapping / box packaging

(G) INDUSTRIAL BOPP PRINTED ADHESIVE TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive
Total Thickness	35-70 micron
Standard Color	BOPP film + Red printing
Special Color	White, Light blue/green/ red / pink, etc
Application	Carton sealing/security packaging

(H) BOPP TRANSPARENT PACKING ADHESIVE TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive/ hot melt adhesive
Total Thickness	35-70 micron
Standard Color	Transparent / brown
Special Color	Red/white/green/blue/yellow, etc
Application	Stationery / gift wrapping / box packaging

(I) INDUSTRIAL BOPP TRANSPARENT TAPE



Backing	BOPP film
Adhesive	Water acrylic adhesive
Total Thickness	35-70 micron
Standard Color	BOPP film + Red printing
Special Color	White, Light blue/green/ red / pink, etc
Application	Carton sealing/security packaging





2 - INDUSTRIAL TAPES

(A) MASKING TAPE



Backing:	Crepe paper.	
Adhesive:	Natural rubber adhesive.	
Standard Color:	Biege.	
Temperature resistance:	80deg C temperature in 30 minutes.	
Application: Indoor or outdoor painting masking for the surface of furniture, wood craft, music instrument, sport equipment, decoration, metal, rubber, plastic parts etc.		

(B) ALUMINIUM TAPE



Backing	Aluminum foil
Adhesive	water acrylic/ solvent acrylic
Structurer	Aluminum foil + adhesive + release liner
Thickness: (aluminum foil)	25 micron / 30 micron / 36 micron / 40 micron / 50 micron etc
Application	for sealing joints, seaming against moisture and vapor on foil jacketing insulation etc

(C) BROWN CRAFT PAPER TAPE



Adhesive	Hot melt adhesive natural rubber adhesive /water acrylic solvent acrylic
Color	Brown
Application	Packaging carton sealing Wire wrapping

(D) ALUMINIUM SCRIM KRAFT TAPE



Backing	Aluminum foil + kraft paper		
Adhesive	Hot melt adhesive/solvent acrylic		
Structurer	Aluminum foil + adhesive+ kraft paper + adhesive + release liner		
Backing thickness	110 micron		
Total Thickness	165 micron		
Application	For sealing joints, seaming against moisture and vapor on foil jacketing insulation, etc.		









(E) DOUBLE SIDE CLOTH TAPE



Backing	PET film	
Adhesive	Solvent acrylic	
Total Thickness	125 micron/160 micron / 205 micron	
Liner	White glassine paper liner/ Yellow PP film liner	
Application	Suitable for gasket mounting, camera lens fixing, electrical wire fixing, microphone dust protection net fixing, PCB fixing, etc.	
Application	Names plates & film switches mounting fixing.	

(F) KITCHEN FURNITURE EDGE BINDING TAPE



Backing	Edge foam
Adhesive	Solvent acrylic
Thickness	2mm/3mm/5mm/6mm/8mm etc
Liner	Blue plastic film liner
Application	General usages, space filling in structural Facade and holding hooks etc.

(G) FIBER GLASS TAPES



Backing	fiberglass film		
Adhesive	hot melt adhesive/solvent acrylic		
Total Thickness	160 micron		
Standard Color	for metal/wood materials, furnishing packaging, heavy duty packaging and electric, equipment (like washing machine, refrigerator etc) packaging.		

(H) MASKING TAPE



Backing:	Crepe paper.
Adhesive:	Natural rubber adhesive.
Standard Color:	Biege.
Temperature resistance:	80deg C temperature in 30 minutes.
Application:	Indoor or outdoor painting masking for the surface of furniture, wood craft, music instrument, sport equipment, decoration, metal, rubber, plastic parts etc.

(I) BAG SEALING ADHESIVE TAPE



Bag Sealing Adhesive Tape is a type of adhesive tape that is used to seal plastic bags and other flexible packaging materials. It is made of a strong, durable adhesive that creates a secure bond between the bag's surfaces. These adhesive tapes are ideal for use in the food industry, where it is used to seal bags of food products, such as snacks and sandwiches. It is also commonly used in the medical industry for sealing bags of medical supplies and equipment. Bag Sealing Adhesive Tape is easy to apply and provides a reliable, long-lasting seal.









(J) KAPTON TAPE



Kapton tape is a versatile product with a variety of uses. It is most commonly used in electrical applications because it is resistant to high temperatures and chemicals. Kapton tape can withstand temperatures up to 260 degC (500 F) and resists solvents, oils, and acids. This makes it an ideal material for use in high-temperature environments or for applications where solvent resistance is required.

(K) RED POLYSTER TAPE



Backing	PET film	
Adhesive	Solvent acrylic	
Total Thickness	125 micron/160 micron / 205 micron	
Liner	White glassine paper liner/ red PP film liner	
Application	Suitable for gasket mounting, camera lens fixir electrical wire fixing, microphone dust protectine fixing, PCB fixing, etc.	
Application	Names plates & film switches mounting fixing.	

(L) DOUBLE SIDE TISSUE TAPE



Backing	Tissue	
Adhesive	Solvent acrylic	
Total Thickness	80micron-100micron	
Liner	White /light yellow/yellow glassine paper liner	
Temperature resistance	120C for about 20 minutes; 150C for about 2 minutes	
Application	Bonding nameplates, film switches, evaporator in refrigerator & catalogue etc Jumbo size, 1250 x 1000m	

(M) PVC FINE LINE TAPE



Backing	Plasticized PVC film	
Adhesive	Rubber adhesive	
Thickness	120 micron / 150 micron	
Color	Green /blue	
Application	It provides masking protection for complex curved lines, sharp curves, irregularly shaped panels, over rivets and into seams. It has the temperature resistance of 163 C in 60 minutes at least	

(N) PVC FLOOR MARKING TAPE



Thickness	130 micron - 170 micron
Single Color	Red/white/blue/yellow/green/orange etc
Double Color	White & green/red & white/yellow & black
Application	Warning and marking of harardous area









(O) GASKET OR EVA TAPE



Thickness	1-8mm
Colour	White/black and Yellow
Width	6mm-1500mm
Length	5m-10m
Liner	White paper

(P) PROTECTION TAPE



Backing:	PE Film	
Adhesive:	solvent acrylic / water acrylic adhesive	
Color:	white/blue	
Application:	for floor protection, carpet protection glass protection films, ABS etc.	
Standard Size:	2 feet x 100 feet	
Black & White fo	r aluminium panels	
Printing facility als	o available	

(Q) PVC INSULATION TAPE



- · Uniform Thickness, Width & assured Length.
- Provides mechanical support at High Temperatures (up to 70 deg C).
- Withstands up to 6500 V AC.
- · Fade Resistant colors
- Flame Retardant -Extinguishes the fire before it is propagated.
- · Non-migratory adhesive
- High adhesion strength adhesive does not dry up.
- · Indoor & Outdoor applications Weather Resistant

(R) SPACER TAPE



Backing	EVA foam
Adhesive	Solvent acrylic
Thickness	2mm/3mm/5mm/6mm/8mm etc
Liner	Blue plastic film liner
Application	General usages, space filling in structural Facade and holding hooks etc.

(S) BITUMEN TAPE



The opportunity to quickly eliminate leaks on flat or pitched roofs without using complex materials and with minimal labor costs. This is a convenient way to seal various cracks and seams. Waterproof tape for the roof can be used for joint insulation and roof repair systems.









(T) HDPE TAPE



- · A self adhesive tape which has been specially made for joining and sealing of bags with HDPE base.
- · The tape has high adhesions and tensile which help in keeping joints well sealed and required for permanent applications.
- · Ideal for heavy carton sealing
- · FIBC industry product, FIBC bag jointing
- · High shear strength
- Colors Available : Blue, White, Red & Green

(U) ACRYLIC FOAM TAPE



Backing	Acrylic foam
Color	Clear/white/grey
Thickness	0.25mm/0.5mm/1mm/ 1.5mm/2mm etc
Liner	Red plastic liner

(V) DUCT TAPE



Backing	PE laminated cloth
Adhesive	Hot melt adhesive / natural rubber adhesive
Mesh	27/35/50/ 70
Color	Silver / black / red / green / blue / yellow
Application	Pipe wrapping and heavy duty packaging

(W) DOUBLE SIDE FOAM TAPE



Double Sided Foam Tape is a type of adhesive tape that has a foam core with adhesive on both sides. It is commonly used in various applications where a strong, permanent bond is required. The foam core provides cushioning and allows for a conformable fit, making it ideal for use on uneven surfaces. The offered tape is commonly used for mounting and bonding applications, such as mounting signs, pictures, and mirrors. It is also used in the automotive industry for attaching trim and emblems. The adhesive used in the tape is strong and durable, making it resistant to temperature changes and humidity. The offered Double Sided Foam Tape is a reliable solution for bonding and mounting applications.











KEY PERSONNEL

Manoj Sharma
(PROPRIETOR)

