

## Zenco Industries

Rudraksh Building, Shop No - 3, Sector No - 3, Plot 53 A, Karanjade,  
Panvel-410206

Contact Us: +91 8689928105 / 9309575344  
Website: www.zencoindustries.com

Email: zenco.enquiry@gmail.com  
zenco.sales@gmail.com

### DRI-FOG HUMIDIFIER - V24.2

#### Technical Specifications:

- Working Principle : Ultrasonic
- Particle size : < 5 microns
- Power consumption : 8 amps.
- Area Coverage : 650 ~ 800 mtr<sup>2</sup>
- Fog Output : 24 Ltrs./Hr.
- Stabilised Power Supply : 230 VAC / 50 Hz
- Water supply require : DM / RO Water only
- Fog Pipe Outlet : 3 Nos. (110 mm)
- Dimensions/Weight : 83\*52\*54 cms (62 Kgs)



#### Features / Advantages:

- 100% atomization with zero water wastage and no condensation.
- Supplied with separate "Digital Humidity Controller" to automatically monitor, control & maintain RH level.
- Supplied with separately wired humidity sensor (ROTRONICS brand) & Controller + Humidifier designed to be installed outside the room.
- Supplied with Voltage Stabiliser\*.
- Designed with inbuilt float system to maintain water level along with auto water tank cleaning/drainage system.
- No compressed air or water pressure pump required.
- High gasification rate up to 80%.
- Two-stage + dual air filtration system with primary & secondary air filter.
- Portable and easy to move with castor wheels.
- Entire body made of Stainless Steel (SS304) for life long corrosion free system.
- Plug and play device (ready-to-use).



# Zenco Industries

Email : [zenco.sales@gmail.com](mailto:zenco.sales@gmail.com)

Website : [www.zencoindustries.com](http://www.zencoindustries.com)

## DIGITAL CONTROLLER

*(To automatically control and maintain the desired humidity level)*

### Features:

- Ready-to-use controller with live humidity display
- Digital countdown timer
- Digital Hour Counter
- Digital Volt Indicator
- Extended cables to keep controller outside room and only sensor inside room.





Idealin Fogging Systems

## DRIFOG HUMIDIFIER DIMENSIONS


Models: 15, 18, 21, 24 LPH



Idealin Fogging Systems

Overhead Water Tank

## WATER CONNECTIONS





## OTHER MODELS



# Zenco Industries

Rudraksh Building, Shop No - 3, Sector No - 3, Plot 53 A, Karanjade,  
Panvel-410206

Contact Us: +91 8689928105 / 9309575344

Email: [zenco.enquiry@gmail.com](mailto:zenco.enquiry@gmail.com)

Website: [www.zencoindustries.com](http://www.zencoindustries.com)

[zenco.sales@gmail.com](mailto:zenco.sales@gmail.com)

## Why choose humidifiers from IDEALIN FOGGING SYSTEMS™

- The only manufacturer of indigenous “foggers and humidifiers” in INDIA.  
(Dedicated & specialising in this field since 1997)
- Market leader with over 10000 foggers & 8000 Humidifiers in circulation.  
(Across India and exported to > 30 countries)
- Record highest number of customer testimonials received - across industries.  
(Only company to have the highest number of client testimonials on their letter heads)
- ISO 9001:2008 and ISO 13485:2012 management driven company.  
(Accredited & certified)
- CE and ROHS certification for all products.  
(Accredited & certified)
- SSI & UAM registered firm.  
(Directorate of Industries - Gujarat)
- Only UL & CE approved motors used in both humidifiers and foggers.  
(Quality & performance of our products remains unmatched)
- Only SS304 & higher grade used for all fitting components & metal contacts.  
(Quality is never compromised at IFS)
- First company in INDIA to build “ROTOSTAND” for centrifugal spot humidifiers.  
(Needless to say, we introduced the concept of “uniform distribution of mist particles”)
- Products approved by Govt. bodies, public ltd. firms & private institutions.  
(Highest number of testimonials received in our segment)
- Young team of individuals dedicated to co-ordinating & communicating with you on every aspect of fogging & humidification.  
(We do not impose “terms & conditions” in spreading knowledge - Call us today for any queries)

*\* Some features may be available in select models only. Due to continuous product improvements, images and specifications may vary from those shown above.*