COFE
PEACE FOR LIFE

PRODUCT BROCHURE

- AI Video Surveillance
- IP/WiFi/4G/Solar Cctv
- Sim Router 4G/5G
- UPS 5V/12V
- Solar UPS

ABOUT US

Rooted in India and headquartered in New Delhi,

COFE - Peace for Life

includes the domain of the Internet and its employment in security and monitoring applications. It has created a niche for itself by diversifying into various business sectors for meeting customers needs effectively.We manufacture, import, and supply the robust and finest range of Internet devices such as Routers, CCTV Cameras, UPS and Solar

WHY COFE?

Cofe offers multi-potential sensing products to capture the most meaningful data and makes it accessible across diverse applications. It innovatively applies emerging technologies such as AI, 4G, 5G, IoT and Solar to distinct use scenarios. With a commitment to making sensing matter, Cofe quickly responds to customer-specific challenges and collaborates with an expanding network of partners to deliver unique data value. It is determined to make real, positive impacts in smart buildings, intelligent traffic, intelligent security, smart cities, and beyond.

01 ADVANCED TECHNOLOGY

Up-to-the-minute technologies and strong R&D power keep in step with the fast-growing market.

02 BETTER QUALITY

Cofe is dedicated to creating stylish, high-quality, and affordable CCTV, Sim Router, Solar video surveillance products with minimal defect rates. As an ISO9001 certified company, our products meet global security industry standards

03 WORLDWIDE COVERAGE

Cofe caters to the diverse demands of global markets, serving many countries and regions. We offer comprehensive solutions for various sectors, including retail, government, industry, education, commercial, and agriculture, etc.

Reliability

Customer Oriented

Win-win Partnership

Quick Response

OTHER SUPERIOR STRENGTH

Efficiency

User-friendly

Professionalism

Integrity

AI IP CAMERA SERIES

CF-IP-PDL02
Megapixel `3MP` `4MP` `5MP` `6MP` `8MP`
Housing: Plastic, AI, Full Color
Night Vision, Audio, Intercom with Mic
& Speaker in Connector, ONVIF
Support for Human, POE, Facial Detection
IR Range Up-To 20 mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-MPDL01
Megapixel `3MP` `4MP` `5MP` `6MP` `8MP`
Housing: Metal+Plastic, AI, Full Color Night
Vision Audio Intercom with Mic & Speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 25 mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-VMDL03
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Metal, AI, Full Color Night
Vision, Audio Intercom with mic & speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 25 mtr, Lens 4mm-6mm(Opt)
Zoom 4X/5X (Optional)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-PMBL08
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Metal+Plastic, AI, Full Color Night
Vision Audio Intercom with mic & speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 25 mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-MBL02
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Metal, AI, Full Color Night
Vision, Audio Intercom with mic & speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 30 mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-PMBL05
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Metal+Plastic, AI, Full Color Night
Vision Audio Intercom with mic & speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 80mtr, Lens 4mm-6mm-12mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-BP02
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Plastic, AI, Full Color Night
Vision Audio Intercom with mic & speaker in
Connector, Supports for Human Detection,
Face Detection, Vehicle Detection (Optional)
IR Range Up-To 30mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-05MBVF
Megapixel `4MP` `5MP` `8MP`
Housing: Metal, CMOS Sensor 1/3"
Starlight Low Lux Motorized zoom lens
Multi-lines OSD Motion Detection, Mirror
Flip, Onvif, Digital WDR, Best night vision
IR Range Up-To 50 mtr, Lens 4mm-6mm(Opt)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-MBL R06
Megapixel `3MP` `4MP` `5MP` `8MP`
Housing: Metal+Plastic, AI, Full Color
Night Vision, Audio, Intercom with mic and
Speaker in Connector, ONVIF Support
for Human, POE, Facial, Vechile
IR Range Up-To 100 mtr, Lens 8mm-12mm(Opt)
Zoom 4X/5X/10X/18X (Optional)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-T-MPL R06
Megapixel `3MP`
Housing: Metal, AI Dual Full
Color Night Vision, Audio, Intercom
with mic & Speaker in Connector,
ONVIF, Support for Human, POE,
Facial, Vechile Detection (Optional)
IR Range Up-To 100 mtr, Lens 8mm-12mm(Opt)
Zoom 4X/5X/10X/18X (Optional)

ONVIF
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

*Technical Specification and look may very

AI IP CAMERA SERIES

CF-IP-P36XPTZ

Megapixel `4MP` `5MP` `6MP` `8MP`
Housing: Metal, AI, Full Color, Dual Light
Night Vision, Audio, Intercom with Mic
& Speaker in Connector, ONVIF, Human Tracking
Support for Human, POE, Facial Detection
10X/20X/36X Zoom

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-E36XPTZ

Megapixel `3MP` `4MP` `5MP` `6MP` `8MP`
Housing: Metal+Plastic, AI , IR
Night Vision, Audio, Intercom with mic &
Speaker in Connector, 36X zoom, Support
for Human, POE+SD(O), 10X/20X/36X Zoom
Facial Detection

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-IP-90XLTH

Automatic Zoom Visible Lens, 1/1.8"
Progressive CMOS, Digital Zoom 16X
10.5-945mm, 90X Optical Zoom, 1m-10m
(wide-tele), Approximately 8s(Optical Lens
Wide to Tele), Main Stream, Third Stream
AE / Aperture Priority / Shutter Priority /
Manual Exposure

ONVIF

CF-IP-33XTH

Defogging defrosting module, 33X PTZ
Visible camera, 1/2.8" Progressive
CMOS, Digital zoom 16X, 5.5-180mm
33X Optical Zoom, 100mm-1000mm
(wide-tele), Approximately 3.5s(optical
lens, wide to tele), Main Stream,
Third Stream, AE,Auto Focus / One
Focus /Manual Focus/Semi-AutoFocus

ONVIF

CF-10-NV1H   **ONVIF**   4K NVR `10CH`

10-Channel Single Disk Network HD Hard Disk Recorder, It Supports a Variety
of Intelligent Functions Such as Human, Face, Car, and so on
Both as NVR for Local Independent Work, But also Networking to form a Security System

CF-16-NV1H   **ONVIF**   4K NVR `16CH`

16-Channel Single Disk Network HD Hard Disk Recorder, It Supports a Variety
of Intelligent Functions Such as Human, Face, Car, and so on
Both as NVR for Local Independent Work, But also Networking to form a Security System

CF-36-NV2H   **ONVIF**   4K NVR `36CH`

36-Channel Dual Disk Network HD Hard Disk Recorder, It Supports a Variety
of Intelligent Functions Such as Human, Face, Car, and so on
Both as NVR for Local Independent Work, But also Networking to form a Security System

CF-04-NVPO   **ONVIF**   POE NVR `04CH`

04-Channel PoE Single Disk Network HD Hard Disk Recorder Developed by Our Company. It Supports a Variety of
Intelligent Functions Such as Human, Face, Car, and so on, Both as NVR for Local Independent Work, But Also
Networking to Form a Security System

CF-08-NVPO   **ONVIF**   POE NVR `08CH`

08-Channel PoE Single Disk Network HD Hard Disk Recorder Developed by Our Company. It Supports a Variety of
Intelligent Functions Such as Human, Face, Car, and so on, Both as NVR for Local Independent Work, But Also
Networking to Form a Security System

CF-16-NVPO   **ONVIF**   POE NVR `16CH`

16-Channel PoE Single Disk Network HD Hard Disk Recorder Developed by Our Company. It Supports a Variety of
Intelligent Functions Such as Human, Face, Car, and so on, Both as NVR for Local Independent Work, But Also
Networking to Form a Security System

CF-64-NV4H   **ONVIF**   4K NVR `64CH`

H.265/H.264 Dual Stream Decoding, Embedded Linux Operating System, Support Synchronous Recording Remote Monitoring
Backup Up To 16CH Video Synchronous Playback and Multi-Channel Backward Playback Support External alarm; Two-way Audio
Intercom, Support Our Smart IPC Target Count, Electric Fence Human Detection, Retrograde Detection, Leave Position Detection

CF-64-NV8H   **ONVIF**   8 SATA NVR `64CH`

8*SATA Network High-Definition Hard Disk Recorder, Supports Dual Gigabit Network Access, Dual HDMI Video
Output, Supports Various Intelligent Functions Such as Humanoid, Facial and Vehicular, Supports Access
to Multi Camera Devices Integrate Various High-Tech Technologies, Such as Video and Audio Encoding and Decoding

*Technical Specification and look may very

AI HD CAMERA SERIES

CF-MHD-DP02

Megapixel 2.4MP 5MP 8MP

Dual light, TFcard/Cloud Storage
Support human detection, intrusion detection
IR-Cut Filter with auto-Switching, Mic and
Speaker(Optional), Alarm Push Notification
IR Range Up-To 20 mtr, Lens 4mm-6mm

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-MHD-BP02

Megapixel 2.4MP 5MP 8MP

Dual light, TFcard/Cloud Storage
Support human detection, intrusion detection
IR-Cut Filter with auto-Switching, Mic and
Speaker(Optional), Alarm Push Notification
IR Range Up-To 30 mtr, Lens 4mm-6mm

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-MHD-BMP08

Megapixel 2.4MP 5MP 8MP

Dual light, TFcard/Cloud Storage
Support human detection, intrusion detection
IR-Cut Filter with auto-Switching, Mic and
Speaker(Optional), Alarm Push Notification
IR Range Up-To 30 mtr, Lens 4mm-6mm

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-MHD-BMP05

Megapixel 3MP

Dual light, TFcard/Cloud Storage
Support human detection, intrusion detection
IR-Cut Filter with auto-Switching, Mic and
Speaker(Optional), Alarm Push Notification
IR Range Up-To 100 mtr, Lens 6mm-8mm

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

HD DVR SERIES

CF-MHD-XV0405N   CF-MHD-XV0408N   ONVIF

HD DVR 4CH

Support human Detection, Face Detection Vehicle Detection and Other Intelligence, Support Coaxial Audio, Support Coaxial Control
Support WEB, CMS, VMS, MYEYE Platform, Perfect Protection Circuit, Unique Triple Watchdog Function, Mobile phone
Remote Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL, 3G, WIFI, IP search,
Alarm Center, Etc, Cloud Services, P2P, Alarm Information Push to Phone

CF-MHD-XV0805N   CF-MHD-XV0808N   ONVIF

HD DVR 8CH

Support human Detection, Face Detection Vehicle Detection and Other Intelligence, Support Coaxial Audio, Support Coaxial Control
Support WEB, CMS, VMS, MYEYE Platform, Perfect Protection Circuit, Unique Triple Watchdog Function, Mobile phone
Remote Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL, 3G, WIFI, IP search,
Alarm Center, Etc, Cloud Services, P2P, Alarm Information Push to Phone

CF-MHD-XV1605N   CF-MHD-XV1608N   ONVIF

HD DVR 16CH

Support human Detection, Face Detection Vehicle Detection and Other Intelligence, Support Coaxial Audio, Support Coaxial Control
Support WEB, CMS, VMS, MYEYE Platform, Perfect Protection Circuit, Unique Triple Watchdog Function, Mobile phone
Remote Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL, 3G, WIFI, IP search,
Alarm Center, Etc, Cloud Services, P2P, Alarm Information Push to Phone

*Technical Specification and look may very

AI WIFI CAMERA SERIES

CF-W-RBC01
Megapixel `2MP` `3MP` `4MP` `8MP`
Dual light, TF card/ Cloud Storage
Supports Human Detection
Intrusion Detection, Motion Detection
Full-Color Night Vision, Pan & Tilt
`ONVIF`

CF-W-RBC02
Megapixel `6MP`
Dual light, TF card/ Cloud Storage
Supports Human Detection
Intrusion Detection, Motion Detection
Full-Color Night Vision, Pan & Tilt
Supports Dual-Lens, Camera View
`ONVIF`

CF-W-RBBT
Megapixel `4MP`
Battery Camera, Baby Monitor WiFi Surveillance
Camera Full Color Infrared Night Vision,
Two-Way Audio Intercom, Mobile Surveillance
Sound Detection, Motion Detection
`ONVIF`

CF-W-RBSC
Megapixel `4MP`
Night Vision, Motion Detection, Video Call
One Click Video Call, Support Speaker
Indoor Usage, Alarm push
Human Detection
`ONVIF`

CF-W-DP04
Megapixel `2MP` `4MP` `8MP`
Dual light, TFcard/Cloud Storage
Supports Human Detection
Intrusion Detection, Motion Detection
Full-color night vision, Indoor
`ONVIF`
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-BP01
Megapixel `2MP` `5MP`
Dual light, TFcard, Cloud Storage
Support Human Detection, Intrusion
Detection, Full-Color Night Vision
Outdoor
`ONVIF`
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-BP01-Spk
Megapixel `3MP` `5MP`
Dual light, TFcard, Cloud Storage
Supports Human Detection, Intrusion
Detection, Full-Color Night Vision,
Dual Speaker Inbuilt
`ONVIF`

CF-W-BPM09
Megapixel `2MP` `4MP` `8MP`
Dual light, TFcard/Cloud Storage
Supports Human Detection
Intrusion Detection, Motion
Detection, Full-Color Night Vision
`ONVIF`
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTBL02
Megapixel `4MP`
Dual Screen WiFi PTZ Camera, Human
Tracking, Dual lens, Dual Video, Floodlight
TF Card, Cloud Storage up to 256GB
Two-Way Speech, Motion Detection,
Scheduled Recording
`ONVIF`
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-FEDL-180
Megapixel `4MP`
PIR Motion Detection, Night Vision
IR Night Vision / Color Night Vision
Monitoring Angle: 180 Degree Wide Angle
Two Way Audio, Dual lens, Alarm Push
`ONVIF`
SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

*Technical Specification and look may very

AI WIFI CAMERA SERIES

CF-W-032MBT
Megapixel 3MP 5MP

TF card/ Cloud Storage
Supports Human Detection
Intrusion Detection, Motion Detection

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-VMDL03
Megapixel 3MP 5MP

TF card, Cloud Storage
Supports Human Detection Intrusion
Detection, Motion Detection

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTC01
Megapixel 2MP 4MP 8MP

Dual light, TF card, Cloud Storage
Supports Human Detection
Intrusion Detection
Full-Color Night Vision, Pan & Tilt

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTC02
Megapixel 6MP

Dual light, TF card, Cloud Storage, Dual Lens
Supports Human Detection
Intrusion Detection
Full-Color Night Vision, Pan & Tilt

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ02-8XHZ
Megapixel 6MP

Dual light, TF card, Cloud Storage, Dual Lens
Supports Human Detection
Intrusion Detection, Full Color Night Vision
Pan & Tilt, 8x Hybrid Zoom

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ03-8XHZ
Megapixel 2MP 5MP

Triple Lens, Dual light, TF card/Cloud
Storage, Support dual-lens, 8x hybrid Zoom,
Support Dual-Screen Preview for Near and
Farview, Support Human Detection

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ04-8XHZ
Megapixel 12MP

Four Lens, TFcard, Cloud Storage
Supports Human Detection, Intrusion
Detection Full-Color Night Vision,
8X Hybrid Zoom, Four View Camera

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ1012-SL0Z
CF-W-PTZ2036-SL0Z
Megapixel 5MP

Dual light, TFcard/Cloud Storage
Supports Human Detection, Face
Detection, Intrusion Detection, Motion
Detection, Full-color night vision
Zoom 12X/36X

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ1012-DL0Z
CF-W-PTZ2036-DL0Z
Megapixel 6MP 8MP

Motion detection, IR Dual light, Human
Detection, Two-way audio, alarm push
notification, intercom, Supports cloud storage
and TF card Human Detection, Voice
Detection, Dual Lens, Zoom 36X

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTZ3036-TL0Z
Megapixel 8MP

Triple Lens, TF card/Cloud Storage
Supports human detection, intrusion
detection, Ultra-Wide180°, Full-Color
Night Vision, Zoom 36X

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

*Technical Specification and look may very

WIFI SOLAR CAMERA SERIES

CF-W-SL-BL04

Megapixel 4MP

Dual light, TF card, Cloud Storage,
Support PIR detection, Support dual-light,
Support APP remote wake-up
Built-In rechargable battery with solar panel,
customizable activity zones & voice detection
Solar Panel 7 Watt

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTSL-M

Megapixel 1080P FULL HD

Dual light, TF card, Cloud Storage,
Support PIR detection, Support dual-light,
Support APP remote wake-up
Built-In rechargable battery with solar panel,
customizable activity zones & voice detection
Solar Panel 7 Watt

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-PTSL07-DL

Megapixel 4MP

Radar and QR code scanning can be added
simultaneously, with a fast network
distribution method, Bidirectional duplex voice
monitoring, intercom, PIR human Detection
Solar Panel 8 Watt

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-W-4NVSLB

Megapixel 4CH

4-channel 5MP Wi-Fi base station
developed by our company, which enhances
Wi-Fi signals, improves connection stability
and supports 4-channel 5M Wi-Fi camera
access; Support recording local TF card
storage, cloud storage; Support vigilance
linkage.warehouses and other scenes

4G CAMERA-4G SOLAR CAMERA-4G SOLAR NVR

CF-4G-DP04

Megapixel 2MP 4MP

Dual light, TFcard/Cloud Storage
Supports Human Detection
Intrusion Detection, Motion Detection
Full-color night vision

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-4G-BP07

Megapixel 2MP 4MP

Dual light, TFcard, Cloud Storage
Support Human Detection, Intrusion
Detection, Full-Color Night Vision

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-4G-PTC01

Megapixel 3MP 4MP

Dual light, TFcard, Cloud Storage
Supports Human Detection, Intrusion
Detection, Full-Color Night Vision,
Pan and Tilt

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-4G-BPM09

Megapixel 2MP 4MP

Dual light, TFcard/Cloud Storage
Supports Human Detection
Intrusion Detection, Motion
Detection, Full-Color Night Vision

ONVIF

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-4G-PTSL24-A-DL

24X7 4G dual-light PT camera
It supports 1 frame recording
in 1 second (24X7) + full frame rate recording
4G network connection
Solar Panel inbuilt battery

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

CF-4G-PTSL24-B-DL

24X7 4G dual-light PT camera
It supports 1 frame recording
in 1 second (24X7) + full frame rate recording
4G network connection
Solar Panel inbuilt battery

SUPPORTS EXTERNAL SPEAKER (OPTIONAL)

*Technical Specification and look may very

UPS AND SOLAR SERIES

CF-UN03

Input Voltage : 110-240V
Rated Power : 50/60Hz
Output Voltage : 5V2A
Battery Capacity : 2600 mAh, Up-To 4hr
Number of batteries : 1
Function Protection : Over charge,
Over voltage, Over current protection
Short circuit protection
Application : 5V WiFi Router/CCTV (4-7hr*)

CF-UNW07

Input Voltage : 110-240V
Rated Power : 50/60Hz
Output Voltage : 12V2A
Battery Capacity : 7800 mAh, 10-16hr
Number of batteries : 3
Function Protection : Over charge,
Over voltage, Over current protection
Short circuit protection
Application : 12V WiFi Router/CCTV/DVR/
NVR and water-resistant UPS

CF-UNW09

Input Voltage : 110-240V
Rated Power : 50/60Hz
Output Voltage : 12V2A
Battery Capacity : 13500 mAh, 18-32hr
Number of batteries : 3
Function Protection : Over charge,
Over voltage, Over current protection
Short circuit protection
Application : 12V WiFi Router/CCTV/DVR/
NVR and water-resistant UPS

CF-SLB2514

Solar Panel Wattage:- 25Watt
In-Built Battery
Battery Capacity:- 13500mah
Output Voltage:- 12-13.5V
Maximum Current:- 3-6Amp

CF-SLB4018

Solar Panel Wattage:- 40Watt
In-Built Battery
Battery Capacity:- 18000mah
Output Voltage:- 12-13.5V
Maximum Current:- 3-6Amp

CF-SLB5027

Solar Panel Wattage:- 50Watt
In-Built Battery
Battery Capacity:- 27000mah
Output Voltage:- 12-13.5V
Maximum Current:- 3-6Amp

CF-SLB5-0710
CF-SLB5-2527

Output Voltage:- 5V/27V
Battery Capacity:- 10400mah/27000mah
Solar Panel:- 7Watt

CF-SLB12-2509

Output Voltage:- 12V
Battery Capacity:- 9000mah
Solar Panel:- 25Watt

CF-SLB5-1522

Output Voltage:- 5V
Battery Capacity:- 22500mah
Solar Panel:- 15Watt

CF-SLB12-1578

Output Voltage:- 12V
Battery Capacity:- 7800mah
Solar Panel:- 15Watt

*Technical Specification and look may very

AI POE SWITCH SERIES

CF-SWP-2504

PoE Switch 4CH

Support Restrain Network Storm, VLAN, Function, Support Max Transmission Distance
Support Watchdog Function, Built-in Power Supply, Maximum Power of Single PoE Port:
4*10/100M PoE Port+2 100M Uplink Port, 250m Extended
Short-Circute Protection ,VLAN

CF-SWP-2508   CF-SWP-2508UG   CF-SWP-2508FG

PoE Switch 8CH

Support Restrain Network Storm, VLAN, Function, Support Max Transmission Distance
Support Watchdog Function, Built-in Power Supply, 250m Extended
Short-Circute Protection ,VLAN

CF-SWP-25016UG   CF-SWP-25016FG-SFP

PoE Switch 16CH

Support Restrain Network Storm, VLAN, Function, Support Max Transmission Distance
Support Watchdog Function, Built-in power supply, Maximum Power of Single PoE Port:
16* 10/100Mbps Ethernet Switch , Metal Cabinet,12V1.5A Adpater, Plastic Cabinet

CF-SWP-25024UG-SFP   CF-SWP-25024FG-SFP

PoE Switch 24CH

Support Restrain Network Storm, VLAN, Function, Support Max Transmission Distance
Support Watchdog Function, Built-in Power Supply, Maximum Power of Single PoE Port:
24 PoE 100/1000Mbps+2 LAN 100/1000Mbps+2 SFP Slot , PoE Extended 100m ,300W Power Supply

CF-SWD-1505

Networking Switch 5CH

5 *10/100Mbps Ethernet Switch , Platics Cabinet ,5V1A Adapter

CF-SWD-1508

Networking Switch 8CH

8* 10/100Mbps Ethernet Switch, Platics Cabinet, 5V1A Adapter

CF-SWD-15016

Networking Switch 16CH

16* 10/100Mbps Ethernet Switch, Metal Cabinet,12V1.5A Adpater, Plastic Cabinet

CF-SWD-15024

Networking Switch 24CH

24* 10/100Mbps Ethernet Switch ,12V1.5A Adpater, Plastic Cabinet

*Technical Specification and look may very

4G+WIFI-6 ROUTER SERIES

CF-021UFC C-Type Dongle

Hi-Speed Network Connection Device,
All 4G SIM Network Supportable,
No Loading Buffering, Create Your
Personal Wi-Fi Zone
5G/4G Sim Compatible
Type-C, WiFi Range Up- To 50 Mtrs.

CF-707 WIFI-6

4G LTE, 2.4 GHZ, LAN, WIFI Up-To 600 mbps
Linux, All GSM Support, IMEI Based
Wi-Fi+Lan/Wan with Auto-Switching
Nano Sim Portable, Working Temp-20 To 65
WiFi Range Up-To 80 Mtrs. 4G /5G SIM
Compatible, POE (Optional)

CF-106 SS With WIFI-6
CF-106 Dual Sim

4G LTE, 2.4 GHZ, Wi-Fi+LAN/WAN, Linux
All 4G Sim Support, IMEI Based, Portable
Type-C Support Internet & Power, Nano
Sim, Working Temp-20 To 65, Wi-Fi
Range Up To 70 Mtrs. 4G/5G Sim
Compatible, Wi-Fi+Lan/Wan With
Auto Switching

CF-4G-903 WIFI-6

Lan Port + WiFi-6
Range up-to 120mtr, External Tripple
Antenna ,Hi-Speed Network Device
All GSM network Support,
Plug & Play , Indoor , 4G LTE,LAN
Port, Auto Switching LAN/WAN
4G/5G SIM Compatible Double

CF-903 PRO WIFI-6

4G LTE, 2.4 GHZ, Lan/Wan Port
All GSM Support, IMEI Based
Nano Sim, Portable, Working Temp-20 To 65
WiFi Range Up-To 180 Mtrs. Type-C
Support Internet & Power TableTop/Wall
Mountable, 4G/5G SIM Compatible Double
Power Protection (optional), Auto Switching
LAN/WAN

CF-05-CT4 WIFI-6

4G LTE, 2.4 GHZ, Lan/Wan+3Lan+Volte+WIFI
Battery Support (Optional), All GSM
Support, IMEI Based, Nano Sim, Working
Temp- 20 To 65, WiFi Range Up- To 200
Mtrs., 4G/5G SIM Compatible Support
32 Devices Support Telephone,

CF-037PRO Volte with Battery

4G LTE, 2.4 GHZ, Lan/Wan+3Lan+Volte+WIFI
Battery Support (optional), All GSM Support
IMEI Based, Nano Sim, Working
Temp- 20 To 65, WiFi Range Up- To 200
Mtrs., 4G/5G SIM Compatible Support
32 Devices Support Telephone

CF-807WD III WIFI-6
CF-807WDIIS WIFI-6 Without Lpd Antenna

4G LTE,2.4 GHZ, Lan, WIFI, Linux, All
GSM Support, IMEI Based, Nano Sim,
Working Temp-20 To70, WiFi Range
Up-To150 Mtrs. 4G/5G SIM Compatible Wi-Fi
+Lan/Wan with AutoSwitching,
Supports External Antenna
*Pull Network up-to 6 km(cf-w-807wdiis)
4G/5G SIM Compatible Support

CF-5G-607

5G LTE, 2.4/5.8 GHZ, Lan, WIFI, Linux, All
GSM Support, IMEI Based, Nano Sim,
Working Temp-20 To70, WiFi Range
Up-To150 Mtrs
NSA NR：Downlink/Uplink up to 3.5Gbps/700Mbps
SA NR：Downlink/Uplink up to 2.77Gbps/1.25Gbps
LTE：Downlink/Uplink up to 1.2Gbps/150Mbps
WCDMA：Downlink/Uplink up to 42.2Mbps
/11.5Mbps

CF-SLB03   CF-SLB04

22500mah, Solar Panel:-15Watt
WiFi-6 4G Sim Support , 4G LTE, 2.4 GHZ
Lan, WIFI, Linux, All GSM Support,
25 Camera or iot Devices Auto Switching
LAN/WAN, 4G/5G Sim Compatible
WiFi Range up-to 200mtrs

*Technical Specification and look may very

STAY CONNECTED.
STAY INFORMED.
STAY INSPIRED.

COFE www.cofesolutions.com
PEACE FOR LIFE

RR-22 3rd Floor, Rohtak Rd, Peera Garhi, Opp.Metro Pillar No - 306,
New Delhi, Delhi, 110083
mail:- info@cofesolutions.com

www.cofesolutions.com