



HIGH PRESSURE SOLAR WATER HEATER



SPECIFICATIONS

- Hot Deep Galvanize Tank - 5mm
- Fluid Jacket - 3mm
- Hot Deep Galvanize Stand
- 50 to 60 mm Put Insulation
- Three Layer Tubes
- S.S. Bolting
- S.S. Nipple with Forging Coupling



HOT DIP GALVANIZE
STAND



HOT DIP GALVANIZE
CONTAINER

ॐ

Ever green Delta solar the green warrior



**AN ISO 9001-2015
CERTIFIED COMPANY**



NO.1 QUALITY

SPECIFICATIONS

- High Density Galvanise Thick Tank
- Thick Tank Gives More Strength
- PUF Insulation
- Dura Marine EPX Coating Inside
- Aluminium / G.I side cover
- G.I. Sheet Stand
- S.S. Nipples (with forging coupling)

APPLICATIONS

- Household Water Heating
- Hotel & Restaurant
- Industrial & Commercial
- Swimming Pool
- Health Club etc.
- Boiler Feed Water Preheating
- Hostel • Hospital
- World's latest Innovated technologies.
- High temperature.
- Less scale due to tube big diameter.

**DELIVERING
BEST QUALITY
SINCE 1999**

→ **Elevation Proof Solar System as per architecture
(not seen from outside) Requirement also available**



• Ceramic coating also available in some model



HOT DIP GALVANIZE STAND




HOT DIP GALVANIZE BASE



HOT DIP GALVANIZE LEG



THREE TUBE LAYER



Industrial Installation - @ 80° Avg.



Hotel Pallav



Project FPC Pressurised System



ETC Pressurised System



Industrial Installation




FPC pressurised System



Many Foil Solar Water System

Our Commitment: · We may design and install customized product. · Free plumbing guidance for any hot water system.

Overhead tank water feeding system



Manual water feeding system



Sealine Model



Hot Dip Galvanize Optional Stand

Non-Pressurised System

CAPACITY IN LITER	OCCUPIED AREA BY (N - S) x (E - W) IN FEET
100	7' x 3'.5"
150	7' x 5'
200	7' x 6'.5"
250	7' x 7'.5"
300	7' x 8'.5"
500	8' x 9'
600	8' x 11'
750	8' x 14'
800	8' x 15'

Pressurised System

CAPACITY IN LITER	Model		OCCUPIED AREA (N - S) x (E - W) IN FEET
	LP Dura	HP Sealine	
ETC TYPE			
300	✓	✓	8' x 8'
500	✓	-	(8' x 9') (10' x 14')
FPC TYPE			
300	✓	✓	10' x 9'
400	✓	✓	10' x 14'
500	✓	✓	10' x 19'

· GI sheet metal stand only available upto 300 LTD · In all model M.S angle with PP powder coating / hot deep GI Stand available · If required upper lit. capacity is adjustable with tube lit. capacity · *Conditions apply

· 1000 & 1200 LPD also available as per Application