

HI-PACK & FILL MACHINES

Manufacturer & Exporter Of Packing Machines



FFS PACKING MACHINES
MULTITRACK LIQUID FFS
HORIZONTAL FFS MACHINE
MULTIWEIGHER WITH BAGGER
SEALING & REWINDING MACHINE



www.hipackfill.com

Balancing the quality, durability & economy simultaneously

Zulfiqar Saifi, who laid foundation stone of his company in 1993. now running with the name of Hi-Pack & Fill Machines Pvt. Ltd. with the strong base of more than 2500 (Approx.) satisfied customers with more than 10,000 [Approx.] installations in India as well Russia, Middle East, Nepal, Bangladesh and African Companies.

As we look at customer and installation ratio it comes to 10 machines per customer which shows our constant relationship with our customers because of our Quality, Service and constant Research and Development by our team of qualified technocrats and professionals.

The experience and strong technical background of management reflects all over right from approaching a client for presentation our product and service range to installation to after sales service.

Company has its regular range of machines for regular applications and arrangements to design and manufacture machines according to customers specific need within a specific time frame.



“Our existence in Packaging Industry is not only as manufacturer but we also balance the Quality, Durability & for our client Economy simultaneously.”

Zulfiqar Saifi



Hi-Pack & Fill Machines

MANUFACTURER & EXPORTER OF PACKING MACHINES



VALUES

VISION

Our vision is to make our customer, prosperous with futuristic machines.

MISSION

Our mission is to earn loyalty of our existing machines owners and grow our family by developing and marketing a client base who required world class packaging solutions.

MANAGEMENT

Hi-Pack has a proven records of quality of service, each member of Hi-Pack offers their own special contribution to skill base, which includes design, drafting & good old fashioned common sense.

RESEARCH & DEVELOPMENT


Hi-Pack's passionate engineers at R&D division closely observe the need of our clients and work together to transform their passion into innovation.

EXPORTS

Our outstanding performance has build customer trust and faith globally.

AFTER SALES SERVICE

Hi-Pack's spare parts and service division demonstrate our continued commitment to the customer supports and after sales service.



Mechanical FFS Machines



HP-095
FFS Pneumatic Triangle
Machine



HP-095A
Pneumatic Cup Filler Machine



HP-095B
Pneumatic Auger Filler Machine



Model No.	HP-095	HP-095A	HP-095B
Sealing Type	Triangle	Three Side / Center Side	Three Side / Four Side /Center Side
To Pack	Paste, Liquid & Granules	Powder & Granules	Fine Powder
Packaging Range	5gm - 250gm	5gm - 500gm	5gm - 500gm
Filling Type	Volumetric Cup / Piston Filler	Volumetric Cup Filler	Auger Filler
Speed	20-45 Pouches/min (Depending on the filling volume)	45-90 Pouches/min (Depending on the filling volume)	35-90 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2kW	Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2kW	Motor : 0.25hp/0.5hp Supply : 230V (Single Phase) Heating Load : 4kW
Compressor	2.5 cu Mtrs/Hr. @ 7 Bar	2.5 cu Mtrs/Hr. @ 7 Bar	-
Accuracy	±1%	±1%	±1%
Dimensions (mm)	750 x 600 x 2600	750 x 600 x 2600	1000 x 1000 x 3000
Weight	450 kg (Approx.)	450 kg (Approx.)	450 kg (Approx.)

Mechanical FFS Machines



HP-094
FFS Pump Filler Machine



HP-096
FFS Cup Filler Machine



HP-099
FFS Cup Filler Machine



HP-099A
FFS Hi-Speed Cup Filler Machine



Model No.	HP-094	HP-096	HP-099	HP-099A
Sealing Type	Three Side / Four Side	Three Side / Four Side	Four Side / Three Side	Three Side / Four Side
To Pack	Paste & Liquid	Powder & Granules	Powder & Granules	Powder & Granules
Packaging Range	0.5ml - 250ml	5gm - 250gm	0.5gm - 25gm	0.5gm - 20gm
Filling Type	Volumetric Piston Filler	Volumetric Cup Filler	Volumetric Cup Filler	Volumetric Cup Filler
Speed	30-35 Pouches/min (Depending on the filling volume)	20-45 Pouches/min (Depending on the filling volume)	60-65 Pouches/min (Depending on the filling volume)	200-350 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2KW	Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2KW	Motor : 0.25HP/0.5HP Supply : 230V (Single Phase) Heating Load : 2KW	Motor : 1hp Supply : 230V (Single Phase) Heating Load : 2.5KW
Accuracy	±1%	±1%	±1%	±1%
Dimensions (mm)	950 x 550 x 1800	750 x 600 x 3000	900 x 650 x 2000	900 x 650 x 2300
Weight	350 kg (Approx.)	550 kg (Approx.)	350 kg (Approx.)	450 kg (Approx.)

Collar Type FFS Machines



HP-101
Pneumatic Collar Type Machine



HP-102
Pneumatic Auger Collar Type Machine



Model No.	HP-101	HP-102
Sealing Type	Center Seal	Center Seal
To Pack	Snacks, Tea, Grains, Sugar, Coffee, Spices, Detergent Powder, Salt, etc.	Fine Powder, Mehndi, Spices, Atta, Maida (Specially fine powder those sticks in hopper)
Packaging Range	10gm - 2000gm	10gm - 2000gm
Filling Type	Volumetric Cup Filler	Volumetric Auger Filler
Speed	15-60 Pouches/min (Depending on the filling volume)	15-60 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 2.5kW/Hr Supply : 230V (Single Phase)	Motor : 7kW/Hr Supply : 230V (Single Phase)
Compressor	4 cu Mtrs/Hr. @ 7 Bar	4 cu Mtrs/Hr. @ 7 Bar
Accuracy	±1%	±1%
Dimensions (mm)	1300 x 980 x 2500	1500 x 1200 x 3000
Weight	750 kg (Approx.)	1050 kg (Approx.)

Collar Type FFS Machines



HP-103
Hi-Speed Servo Collar Type
Machine



HP-103
Hi-Speed Servo Collar Type
Bag Machine

Model No.	HP-103 System	HP-103 Bag Maker
Number of Heads	10 / 14 Heads	-
Sealing Type	Center Seal	Center Seal
To Pack	Potato Chips, Dry Fruits, Snacks, Pasta, Fries, etc.	Snacks Tea, Grains, Sugar, Coffee, Spices, Detergent Powder, Salt, etc.
Packaging Range	5gm - 1000gm	10gm - 1000gm
Filling Type	Weigh Filler - Multihead	Volumetric Cup Filler
Speed	60-85 Pouches/min (Depending on the filling volume)	90-95 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 7.5kW/Hr Supply : 230V (Three Phase)	Motor : 5kW/Hr Supply : 230V (Single Phase)
Compressor	1.5 cu Mtrs/Hr. @ 7 Bar	1.5 cu Mtrs/Hr. @ 7 Bar
Accuracy	±1%	±1.5%
Dimensions (mm)	2100 x 2000 x 4000	2100 x 2000 x 3000
Weight	1800 kg (Approx.)	1200 kg (Approx.)

Multiweigher With Bagger



HP-103B
Hi-Speed Servo Auger Filler Machine



HP-103A
Hi-Speed Servo Cup Filler Machine



Model No.	HP-103B	HP-103A
Sealing Type	Center Seal	Center Seal
To Pack	Fine Powder, Mehndi, Spices, Atta, Maida (Specially fine powder those stuck in hopper)	Snacks, Tea, Grains, Sugar, Coffee, Spices, Detergent Powder, Salt, etc.
Packaging Range	10gm - 1000gm	10gm - 1000gm
Filling Type	Auger Filler	Volumetric Cup Filler
Speed	90-95 Pouches/min (Depending on the filling volume)	90-95 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 7.5kW/Hr Supply : 230V (Three Phase)	Motor : 5kW/Hr Supply : 230V (Single Phase)
Compressor	1.5 cu Mtrs/Hr. @ 7 Bar	1.5 cu Mtrs/Hr. @ 7 Bar
Accuracy	±1%	±1.5%
Dimensions (mm)	2100 x 2000 x 4000	2100 x 2000 x 3000
Weight	1250 kg (Approx.)	1000 kg (Approx.)


MultiTrack Liquid FFS



HP-094A
Pneumatic Single Track



HP-106
Pneumatic Six Track



HP-108
Pneumatic Four Track



Model No.	HP-094A	HP-108	HP-106
Tracks	1 Track	4 Track	6 Track
Sealing Type	Three Side / Four Side	Four Side	Four Side
To Pack	Paste, Liquid & Granules	Powder & Granules	Liquid & Paste
Packaging Range	0.5ml - 250ml	0.5ml - 100ml	0.5ml - 100ml
Filling Type	Volumetric Piston Filler / Cup Filling	Cup Filling	Volumetric Piston Filler
Speed	15-45 Pouches/min (Depending on the filling volume)	40-45 Strokes/min (Depending on the filling volume)	60-70 Strokes/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Compressor	4 cu Mtrs/Hr. @ 7 Bar	1.5 cu Mtrs/Hr. @ 7 Bar	1.5 cu Mtrs/Hr. @ 7 Bar
Power	3kW (Single Phase)	75kW (Three Phase)	75kW (Three Phase)
Dimensions (mm)	600 x 1000 x 1800	1500 x 1500 x 2100	1500 x 1500 x 3000
Weight	500 kg (Approx.)	1100 kg (Approx.)	1200 kg (Approx.)

Horizontal FFS & Candy Machines



HP-098
Horizontal Flow Wrap



HP-100
Candy Pillow Pack

Model No.	HP-098	HP-100
Sealing Type	Center Seal	Center Seal
To Pack	Biscuits, Cream Waffer Sticks, Cake, Soap, Rusk, Chocolate Bar, Instant Noodles, Engineering Components, Hardware Products, etc.	Candies
Packaging Range (mm)	Length : 70 - 300 Width : 30 - 180 Height : 3 - 100	Length : 25 - 50 Width : 20 - 50
Feeding Type	Manual / Automatic	Automatic
Speed	40 - 120 Pouches/min	300 - 450 Pouches/min
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor : 1 HP/AC with AC Drive / Available Voltage : 220V / 440V Phase : 1 Phase / 3 Phase Load : 3kW	Motor : 1 HP/AC with AC Drive / Available Voltage : 220V / 440V Phase : 1 Phase / 3 Phase Load : 3kW
Dimensions (mm)	3000 x 1700 x 1800	1080 x 1000 x 1360
Weight	580 kg (Approx.)	700 kg (Approx.)

Sealing / Rewinding Machines



HP-105A
Continuous Band Sealer

Model No.	HP-105A
Sealing Strength	Up to 5kg / 10kg



HP-105
Continuous Band Sealer

Model No.	HP-105
Sealing Strength	Up to 1kg



HP-109
Rewinding Machine

Model No.	HP-109
Loading Type	Side Loading
Max Roll Width	450mm
Unwinding Reel Diameter	400mm
Rewinding Reel Diameter	76mm ØD
Speed	150 mtrs/min (max.)
Web Guide Stock	±25mm
Dimension (LxWxH)	1950 x 1580 x 1200
Weight	500kg (Approx.)

Dip Tea Bag Packing Machine



HP-DB-04
Dip Tea Packing Machine

Model No.	HP-DB-04
Measuring	Volumetric Cup Filler
Filling Range	3-15ml
Packing Speed	40-60 bags/min
Bag Size (LxW) mm	20-24 x 40-55
Thread Length	155mm
Inner Bag Size (LxW) mm	50-75 x 50-75
Outer Bag Size (LxW) mm	70-120 x 60-90
Power	220V/50Hz/3.7kW
Dimension (LxWxH) mm	1200 x 700 x 1800
Weight	500kg

Automatic Mono Carton Packing Machine



HP-110
Automatic Mono Carton Packing Machine

Model No.	HP-110
Application	50gm & 1000 gm
Filling Output	20 to 80 Carton per Minute (Approx.)
Carton Outfeed	Height to carton base: 550mm (Approx.)
Number Of Stations	18/36 Station Max.
Carton Dimensions (mm)	102 (L) x 72 (W) x 191 (H) mm
Dosing System Product	Servo Auger Filler / Cup Filler
Contact Other Parts	SS 304 Servo Auger Filler
Electrical Parts Motor PID	Hindustan / Crompton
Electrical Control	Standard Grade
Component Size	All carton dimensions can be changed within given range
Change Electric Supply Power	Standard 440 / 220 volt, 3 phase, 50Hz.
Consumption Floor	5-6 kW, (depending on equipment)
Required Machine Space	7 x 4.5 meter (working space)
Weight	1500-2000kg. (Approx.)
Variation Liner	Filling can be done only at 1 or 2 station
Compressed Air	4 CFM @ 8 Kg / Sq. cm.
Material Requirement	Liner material is specifically selected from a wide range of laminates depending on the product protection required.

Filter Khaini Packing Machine



HP-111
Filter Khaini Packing Machine

Model No.	HP-111
Product	Tobacco
Sealing Type	Center seal pillow type
Packaging Range	0.2gm to 0.4gm
Filling Type	Volumetric air filling system
Speed	300 pouch per min (depend on weight and size)
Packing Material	Non-woven filter paper
Power	3kW, 440V AC, 50Hz, 3 Phase
Compressor	3cu mtrs/hr. @ 8Bar
Accuracy	+/- 1%
Dimensions (mm)	1900 x 900 x 2150
Weight	1000 kg

Hi-Speed Rotary Packing Machine



HP-112
Hi-Speed Rotary Packing Machine

Model No.	HP-112
Product	Paan Masala, Granuales, Powder
Sealing Type	Three Side
Packaging Range	0.5gm to 25gm
Filling Type	Heat sealable laminate
Speed	500 - 700 pouches per min (depend on weight and size)
Packing Material	Non-woven filter paper
Power	8kW, 440V AC, 50Hz, 3 Phase
Compressor	2.5cu mtrs/hr. @ 8Bar
Accuracy	+/- 1%
Dimensions (mm)	2700 x 1400 x 2000
Weight	1500 kg

Water Bottle Packing Machine



HP-113
Water Bottle Packing Machine

Model No.	HP-113
Filling Type	Gravity based
Packaging Range	200gm to 2 liter
Speed	30BPM to 150BPM
Container	Pet Bottle (Application using neck holding)
Power	3.5kw, 440v, 50 Hz 3-phase
Accuracy	+/- 1%
Dimension (LxWxH) mm	3000 x 2200 x 2500
Weight	2000 kg

Bopp Labeling Machine



Model No.	HP-113A
Bottle Type	Round
Usage / Application	Bottle Mineral
Water / Carbonated Soft Drink	Drink
Capacity	60-240 BPM
Controller	PLC
Frequency	50 HZ
Weight	1200kg

Multi-track Liquid FFS Machine



HP-114
Multi-track Liquid FFS
Machine

Model No.	HP-114
Tracks	12 Tracks
Packaging Range	0.5ml - 100ml
To Pack	Liquid & Paste
Sealing Type	Four Side
Filling Type	Volumetric Piston Filler
Speed	60-70 stroke/min. (Depending on the filling volume)
Packing Material	Heat sealable laminate
Compressor	1.5 cu Mtrs/Hr. @ 7 Bar
Power	22kW - Three Phase
Dimension (LxWxH) mm	2500 x 2000 x 3500
Weight	2000 kg



HP-104
Pick Fill Seal Machine

Model No.	HP-104
No. of Head	10/14 Heads
Sealing Type	Top Sealing
To Pack	Fine Powder, Mehndi, Spices Atta, Maida, Potato, Chips, Dry Fruits Snacks, Pasta, Fries etc.
Packing Range	L 100-400mm W 130-250mm
Filling Type	Weight Filler / Auger Filler Multi Head Packing
Speed	40 - 50 Bags
Packing Type	Bags (Flat Bags, Doypack Zippered Bags, Premade Bags)
Packing Material	Heat Sealable Laminate
Power	Motor : 8.5Kw Supply : Voltage 415V - 440V 3 Phase
Dimension	1950 X 1400 X 1520mm
Weight	1450 Kg

Juice & Jelly Packing Machines



Fully Automatic Cup Jelly Filling & Sealing Machine



Fully Automatic HDPE / Pet Bottle Filling & Sealing Machine



Fully Automatic Toy Jelly Filling & Sealing Machine

Vacuum Packing Machines



Table Top Vacuum Packing Machine
Size : 300 to 350 mm



Vacuum Packing Machine with Double Sealing Bar
Size : 400 / 500 / 600 mm



Vacuum Packing Double Chamber
Size : 400 / 500 / 600 mm

Plastic Container Sealing Machines



Manual Round Container Sealing Machine



Manual Rectangular Container Sealing Machine



Automatic Container Sealing Machines

Shrink Wrapping Machines



Shrink Tunnel
Size : 400/450 mm



Shrink Wrapping Machine with L-Sealer
available in 400/500/600 mm



Thermal Shrink Packaging Machine
Size : 450/550/600 mm



Heavy Duty Shrink Wrapping Machine
for larger products
(made to order)



Fully automatic shrink wrapping machine
(made as per the order)

Strapping & Carton Taping Machines



Roller Convery Expandable



Rollar Conveyor Non Motorised



**Carton Taping/
Carton Sealer**



**Semi Automatic
Strapping Machine**



**Fully Automatic
strapping machine**

Semi Automatic Packing Machines



Multi Functional Film Sealer (Horizontal Type)



Multi Functional Film Sealer (Vertical Type)



Continuous Sealer with Nitrogen Gas/Air Flushing Option



Pedal Sealer Size : 200 mm to 1000 mm



Skin Packaging Machine



Pad Printing Machine



Semi Automatic Colored Tape Hot Printer 09



Continuous Batch Coding Machine



Manual Induction Sealing Machine 13



Continuous Induction Sealing Machine 14



Locking & Capping Machine



Reverse Osmosis Pure Water Machine



Automatic Liquid Packer



Automatic Glass / Cup / Bottle Filling and Sealing Machine







Hi-Pack & Fill Machines Private Limited

Corporate Office : 16/5, Karkhana Bagh, Mathura Road, Faridabad - 121002. INDIA

Phone : +91 129 4118 735

Mobile : +91 981 194 7860 / 981 1112 394

E-mail : sales@hipackfill.com

Website : www.hipackfill.com



Scan QR
to visit website



Scan QR for
whatsapp