

SS SALES CORPORATION



*A Manufacturer unit of
Hospital Furniture*

Hospital Furniture

Hospital Curtains

Ot Lights & Tables

Surgical Goods

Mannequins



indiamart <https://m.indiamart.com/sssalescorporationambala/>

Shop No. 209, Heera M. Market,
G.T. Road, Ambala City (Hr.).
Mob. 70157-15349, 99965-99999

Nursing Training Models

Medical Equipments



A	
Type of Enterprise	Micro Small Medium
Manufacturing	A B C
Services	D E F
UAM No	HR01A0006774

Udyog Aadhaar Memorandum

1 Aadhaar Number
2 Name of Entrepreneur AMANDEEP KAUR
3 Social Category GENERAL
4 Name of Enterprise SS SALES CORPORATION
5 Type of Organization Partnership
6 Postal Address 209, HEERA MOTOR MARKET, GT ROAD, AMBALA CITY
District AMBALA State HARYANA PIN 134003
Mobile No: 8901115252 Email: sssalescorporation4@gmail.com
7 Date of commencement 02/10/2019
8 Previous Registration details-if any :-
9 Bank Details IFS Code SBIN0006595
Bank Account 38940608019
10 Major Activity MANUFACTURING
11 National Industry Classification Code

Two_DigitActivity	Four_DigitActivity	Five_DigitActivity	Activity
Manufacture of fabricated metal products, except machinery and equipment	Manufacture of other fabricated metal products n.e.c	Manufacture of other fabricated metal products n.e.c	Manufacturing

12 Persons employed 4
13 Investment (Plant & Machinery / Equipment's) 5 (Rs. In Lakhs)
14 District Industry Centre AMBALA

Declaration
I hereby declare that information given above is true to the best of my knowledge. Any information, that may be required to be verified, shall be provided immediately before the concerned authority.

[Please find below contact details of concerned DIC]

[DIC Address Details] [DIC Address] District Industries Centre Staff Road, Ambala cantt
[Phone]
[Fax]
[Email id]

MSME unit can approach Micro and Small Enterprise Facilitation Council (MSEFC) in their State to redress their delayed payment grievance

Please click here to print online.

For different Scheme Click Here

For eBook of MSME Click Here

Click Here to fill data on MSME Databank. This will help you to avail schemes benefits of Ministry of MSME, Govt. of India.

Udyog Aadhaar Acknowledgement

Udyog Aadhaar Number HR01A0006774
Name of Enterprise SS SALES CORPORATION
Postal Address 209, HEERA MOTOR MARKET, GT ROAD, AMBALA CITY
District AMBALA State HARYANA PIN 134003
Mobile No: 8901115252 Email: sssalescorporation4@gmail.com

Date of commencement 02/10/2019
Previous Registration details-if any :-
Acknowledgement Date of Filing 27/11/2019

Disclaimer: This is computer generated statement, no signature required.
Printed from udyogaadhaar.gov.in

MSME unit can approach Micro and Small Enterprise Facilitation Council (MSEFC) in their State to redress their delayed payment grievance

Please click here to print online.

For different Scheme Click Here

Click Here to fill data on MSME Databank. This will help you to avail schemes benefits of Ministry of MSME, Govt. of India.

For eBook of MSME Click Here

MyMSME Mobile App (Beta Version) is available now for download. <https://play.google.com/store/apps/details?id=msme.mysmsme>

Profile

We are having a twenty years of experience in hospital furniture, manufacturing & fabrication. The company is managed by a team that has hands on experience in every sphere of activity that is required to keep pace with dynamics associated with this field. It has dedicated team of professionals & technical persons.

It has special unity of purpose, catering to the various outposts and providing products as per specification at most affordable price. we are fully geared to cater this unique clientele where quality and delivery schedules are norm than exception

We have more than hundred products of hospital furniture which works comfortably and smoothly which makes your hospital look modern

ICU BED



Hi-Low ICU Bed (SSC 901)
ABS Panel 7 Function with Tray

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated four sectional CRCA sheet Top
- Back-Rest , Knee-Rest, Trendlenburg/Reverse trendlenburg and (Hi-Low) Position Obtained by Electric Actuator .
- ABS Moulded Head & Foot Panels.
- Abs Tuck Away Side Safety Railing.
- Bed Mounted On 125 Mm . Special Castors , two With Brakes .
- One Telescopic S.S.I.V. Rod .
- Overall Size : 220L X 100w X 60-80h cms.
- Pre-treated and epoxy powder coated

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated four sectional CRCA sheet Top
- Back-Rest , Knee-Rest, Trendlenburg/Reverse trendlenburg Position Obtained by Electric Actuator .
- ABS Moulded Head & Foot Panels.
- Abs Tuck Away Side Safety Railing.
- Bed Mounted On 125 Mm . Special Castors , two With Brakes .
- One Telescopic S.S.I.V. Rod .
- Overall Size : 220L X 100w X 60-80h cms.
- Pre-treated and epoxy powder coated



SUPER LUXURY ICU Bed (SSC 902)
ABS Panel 5 Function



Super Luxury ICU Bed Manual (SSC 903)

- Frame made of strong Rectangular CRCA pipe.
- Uniformly Perforated four sectional CRCA sheet top.
- Back-Rest , Knee-Rest, Trendlenburg/Reverse trendlenburg positions by crank mechanism at foot end . .
- ABS Moulded head & foot panels.
- S.S. Swing away type side safety railing .
- Bed Mounted on 125 mm. special castors, two with brakes
- One telescopic S.S.I.V. ROD .
- Overall Size : 220L X 100w X 60-80H cms.
- Pre Rreated and epoxy powder coated.

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated four sectional CRCA sheet Top
- Back-Rest , Knee-Rest trendlenburg/Reverse trendlenburg by Position by crank
- ABS Moulded Head & Foot Panels.
- Abs Tuck Away Side Safety Railing.
- Bed Mounted On 125 Mm . Special Castors , two With Brakes .
- One Telescopic S.S.I.V. Rod .
- Overall Size : 220L X 100w X 60-80h cms.
- Pre-treated and epoxy powder coated



Luxury ICU Bed Manual (SSC 904)



Super Luxury Full Fowler Bed Electric (SSC 905)

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated four sectional CRCA sheet Top
- Back-Rest , Knee-Rest, Position by Crank Mechanism at foot end.
- ABS Moulded Head & Foot Panels.
- Bed Mounted On 125 Mm . Special Castors , two With Brakes .
- One Telescopic S.S.I.V. Rod .
- Overall Size : 208L X 9w X 60H cms.
- Pre-treated and epoxy powder coated

FULL FOWLER BED

- Frame made of strong rectangular CRCA pipe. .
- Uniformly perforated four sectional CRCA sheet top.
- Back rest, Knee rest position by electric actuator.
- Abs moulded head & foot panels .
- S.S swing away type side safety railing .
- Bed Mounted on 125 mm. special castors, two with brakes.
- Location provided for I.V. ROD .
- Overall Size : 208L X 9w X 60H cms.
- Pre-treated and epoxy powder coated.



Luxury Full Fowler Bed (SSC 906)



Full Fowler Bed (SSC 907)

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated four sectional CRCA sheet Top
- Back-Rest , Knee-Rest positions by crank mechanism at foot end
- S.S. head and foot bows with laminated panels
- Location provided for I.V. rod.
- Overall Size : 208L X 90w X 60H cms.
- Pre-treated and epoxy powder coated

- Frame made of strong Rectangular CRCA pipe.
- Uniformly Perforated four sectional CRCA sheet top.
- Back-Rest , Knee-Rest, positions by crank mechanism at foot end .
- S.S. head & foot bows with Laminated panels.
- S.S. Swing away type side safety railing .
- Bed Mounted on 150 mm. special castors, two with brakes
- One telescopic S.S.I.V. ROD .
- Overall Size : 208L X 90w X 60H cms.
- Pre Rreated and epoxy powder coated.



Eco Model Full Fowler Bed (SSC 908)



Super Luxury Semi Fowler Bed (SSC 909)

SEMI FOWLER BED

- Frame made of strong rectangular CRCA pipe. .
- Uniformly perforated two sectional CRCA sheet top.
- ABS Panels on both sides
- S.S. Swing away type side Safety railing Bed
- Mounted on 125 mm. castors, two with brakes.
- One telescopic S.S.I.V. Rod
- Overall Size : 208L X 9w X 60H cms.
- Pre-treated and epoxy powder coated.

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated two sectional CRCA sheet Top
- Back-Rest , Position by Crank Mechanism at foot end.
- ABS Moulded Head & Foot Panels.
- Location provided for I.V. Rod .
- Overall Size : 208L X 9w X 60H cms.
- Pre-treated and epoxy powder coated



Luxury Semi Fowler Bed (SSC 910)



Semi Fowler Bed (SSC 911)

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated two sectional CRCA sheet Top
- Back-Rest positions by crank mechanism at foot end
- S.S. head and foot bows with laminated panels
- Location provided for I.V. rod.
- Overall Size : 208L X 90w X 60H cms.
- Pre-treated and epoxy powder coated

- Frame Made of strong rectangular CRCA pipe.
- Uniformly perforated two sectional CRCA sheet Top
- Back-Rest positions by crank mechanism at foot end
- Power coated new design Head & Foot bows.
- Location provided for I.V. rod.
- Overall Size : 208L X 90w X 60H cms.
- Pre-treated and epoxy powder coated



Eco Model Semi Fowler Bed (SSC 912)



Luxury Plane Bed (SSC 913)

P. Attendant BED

- Frame made of strong rectangular CRCA pipe. .
- Uniformly perforated two sectional CRCA sheet top.
- Back-Rest Position by Ratchet System
- Tubular head & foot bows of unequal height with vertical tub supports
- Location provided for I.V. rod
- Overall Size : 208L X 9w X 60H cms.
- Pre-treated and epoxy powder coated.

- Frame Made of strong rectangular CRCA pipe.
- Bed strong tubular head and leg bones of an
- Equal height with vertival tube support
- Location provided for I.V. Rod .
- Overall Size : 195L X 92w X 60H cms.
- Pre-treated and epoxy powder coated



Plane Bed (SSC 914)



Luxury Attendant Bed (SSC 915)

- Frame Made of CRCA pipe/CRCA Sheet
- Overall Size : 192L X 62w X 46H cms.
- Pre-treated and epoxy powder coated

- Frame Made of CRCA pipe/CRCA Sheet
- Overall Size : 192L X 62w X 46H cms.
- Pre-treated and epoxy powder coated



Plane Attendant Bed (SSC 916)

DELIVERY BED



Delivery Bed (SSC 917)

- Frame made of strong rectangular CRCA pipe. .
- Uniformly perforated two sectional S.S. sheet top.
- Back-Rest Position by Hydraulic system
- ABS Moulded head and hydraulic side railing
- Provided all necessary accessories.
- Location provided for I.V. rod
- Overall Size : Size: 2140L X 1015W mm
- Pre-treated and epoxy powder coated.

- Three sectional S.S. top, Back-Rest adjustable on ratchet
- Middle section with U cut, Leg section can slide under main frame
- Provided with head & side safety rails, S.S. hand grips
- Trendelenberg position achieved with pneumatic pump system
- Sliding S.S. douche tray
- A pair of lithotomy crutches & one I.V. rod.
- Overall extendable size 1870L X 680W X 800H



S.S. Telescopic Labour/Gynae/Obst Table S-18 (SSC 918)

- Frame made of strong rectangular CRCA pipe. .
- Uniformly perforated three sectional CRCA sheet top.
- Back-Rest Position by Ratchet System
- Body section mounted on rubber stumps & leg section on two castors with break.
- Leg section can be completely recessed under the body Section
- Tubular head & foot bows of unequal height with vertical tub supports
- Size body Section 1000L X 770W X 760H mm



Telescopic Labour/Gynae/Obst Table S-19 (SSC 919)

- Frame Made of CRCA pipe/CRCA Sheet
- Overall Size : 192L X 62w X 46H cms.
- Pre-treated and epoxy powder coated



Examination-cum-Gynae Table (SSC 920)



Super Luxury Bedside Locker (SSC 921)

- CRCA sheet Construction .
- Having one box & one drawer S.S Top
- Size :41 X 41 cms.
- Hight 81 cms.
- Pre treated and epoxy powder coated.



Luxury Bedside Locker (SSC 923)

- Wholly made of Mild Steel, powder coated
- Top Size :41 X 41 cms .
- Hight 81 cms.
- Pre treated and epoxy powder coated.

Bedside Lockers

- CRCA sheet construction
- Having one box & one drawer
- S.S. Top (size: 41X41 cms)
- Hight : 81 cms
- Pre-treated and epoxy powder coated.



Eco Model Bedside Locker (SSC 922)

- Wholly made of stainless steel .
- Top size :41*41 cms.
- Height : 81 cms



Bedside Locker (SSC 924)

TROLLEY



P.C. Crash Cart (SSC 925)

- Strong tubular stainless steel frame
- Six smooth running drawers .
- Two S.S. Shelves, covered with three side rails
- Provided with six hand out bins , one S.S. I.V.Rod,
- Cylinder cage
- Mounted on four 125 mm castors , two with brakes .
- Size 71w X 40D X 152H cms



S.S. Instrument Trolley Stand (SSC 927)

- Wholly made of stainless steel .
- Two shelves covered with three side rails.
- Mounted on four 100 mm castors two with brakes .
- Shelf size: 75L X 60W X 90H cms.



S.S. Dressing Trolley (SSC 929)



S.S.. Crash Cart (SSC 926)

- Wholly made of stainless steel .
- Two shelves covered with three side rails.
- Mounted on four 100 mm castors two with brakes .
- Shelf size: 75L X 45 WX 90H cms.



S.S. Instrument Trolley Large (SSC 928)

- Wholly made of stainless steel .
- Two shelves covered with three side rails.
- Provided with S.S. Bowl& Basket
- Mounted on four 100 mm castors two with brakes .
- Shelf size: 75L X 45 W
- Overall size 101L X 45W X 90H cms.



S.S. Mayo's Trolley (SSC 930)

TABLES & CABINET

- Wholly made of stainless steel .
- Adjustable height by knob system .
- suitable to use over the operation table .
- Mounted on 50 mm castors . .
- Stray 49L X 3W cms . height 84/140 cms (adjustable)



S.S.. Instrument Cabinet (SSC 931)

- Instrument cabinet with four horizontal S.S Shelves .
- Lockable Door .
- Overall size : 120H X 30D X 60W cm
- Pre treated and Epoxy powder coated



S.S. Over Bed Table Delux (SSC 932)

- Frame made of Rectangular CRCA Pipe
- Mounted on 50 mm dia castors
- Hight adjustable by gear handle
- Laminated top
- Height 76/106 cms (adjustable)
- Pre-treated and Epoxy powder coated

- Frame made of Rectangular CRCA Pipe
- Laminated Top
- Mounted on 50 mm dia castors
- Hight adjustable by side knob
- Height 76/106 cms (adjustable)
- Pre-treated and Epoxy powder coated



S.S. Over Bed Table S. Delux (SSC 933)

- Tubular frame work.
- Laminated top.
- Mounted on 50 mm dia castors.
- Top size :30 X 18 inch
- Pre treated and epoxy powder coated.



S.S. Over Bed Table General (SSC 934)

STRETCHERS



Emergency Trolley Manual (SSC 935)

- Frame work Made of rectangular CRCA pipe.
- Hi-Low position by Crank mechanism at foot end
- Pneumatic mechanism for Trendelenburg / reverse Trendelenburg position .
- Two Sectional power coated Top with mattress.
- Head raise by ratchet system .
- Trolley mobile on four 150 mm castors two with brakes .
- Provided with powder coated swing away side Type side . Rails, One S.S.I.V. Rod Utility tray & Cylinder Cage
- Size: 210L X 67W X 65/85H cms . (adjustable)
- Stretcher size: 182L X 56W cms
- Pre treated and epoxy powder coated



Emergency Trolley Manual (SSC 936)

- Wholly made of stainless steel . mobile on four 150 mm castors two with brakes . Provided with one S.S I.V rod, and swing away side safety railing
- overall size : 210L*56W*82H cms

S.S. Patient Trolley (SSC 937)

- Frame made of CRCA tubes Mounted on 150 mm. castors , two with brakes.
- Removable stretcher top
- Size : 210L X 56W X 82H cms .
- Pre treated and epoxy powder coated



- Pre treated and epoxy powder coated.
- Overall size: 228 W*174H cm, castors dia . 5 cms.

Three Fold Screen (SSC 939)



S.S. Patient Trolley Standard (SSC 938)

STOOLS



S.S. Revolving Stool (SSC 940)

- Square Tubular Frame.
- Four legs , s.s top .
- Pre treated and epoxy powder coated.
- Size : top :30 X 30 cms. Ht : 45 cms



Rectangular Stool (SSC 941)



Cylinder Trolley (SSC 942)

- Aluminum top.
- Four legs , Aluminum top.
- Pre treated and epoxy powder coated.
- Size 50L X 25W X 20H cms

- Mobile on two 100 mm. .
- Pre treated and epoxy powder coated.



Foot Step (SSC 943)



Commode Stool Folding (SSC 944)

- Pre treated and epoxy powder coated Finish .
- Overall size: 66L X 45W X 60H cms.



BIO Waste Trolley (SSC 945)

- Wholly made of stainless steel.
- Provided with plastic bucket .
- Mounted on 100 mm dia castor.



I.V. Stand (SSC 947)

- S.S frame S.S Bowl.
- Size : 33 dia *33H cms .
- 50 mm dia castors



Basins Stand (SSC 949)

- Frame work made of S.S Tubes.
- Mounted on 100 mm dia castor
- Superior quality 15 Litre plastic buckets



S.S.. Liner (SSC 946)

- Frame made of Rectangular CRCA Pipe
- Mounted on 50 mm dia castors
- Height adjustable by gear handle
- Laminated top
- Height 76/106 cms (adjustable)
- Pre-treated and Epoxy powder coated



S.S KICK BUCKET (SSC 948)

Two S.S. basin having dia 30cm, 25 mm ms steel round tube, mounted on plastic base. Height 86 cm. Epoxy power coated finishing.



Electric Operating Table (SSC 950)

Technical Specifications SSC 950

Dimension	1975mm X 533mm \pm 0mm
Adjustable Height	815mm to 1065mm \pm 10mm
Trendelenburg	25° \pm 3°
Reverse Trendelenburg	30° \pm 3°
Lateral Tilting Position	25° bothside \pm 2°
Lifting Position	250 mm \pm 10mm
Flex Position	85°
Reflex Position	220°
Head Plate	20° up to 95° down
Top Slide Stroke*	250 mm

SSC 950 Model Available with Additional Accessories

SSC - 950-A :- Fully Remote Operated including Longitudinal Top Slide & Electric Floor Locking.

SSC - 950-B :- Fully Remote Operated with Hanging Ortho Attachment.

SSC - 950-B :- Fully Remote Operated with Longitudinal Top Slide.

SSC - 950-B :- Fully Remote Operated Surgical Table.



General Surgery Hydraulic Table (SSC 951)

Technical Specifications SSC 951

Dimension	1880mm X 500mm \pm 10mm
Adjustable Height	790mm to 1040mm \pm 10mm
Trendelenburg	30° \pm 3°
Reverse Trendelenburg	30° \pm 3°
Lateral Tilting Position	20° bothside \pm 2°
Lifting Position	250 mm \pm 10mm
Flex Position	90°
Reflex Position	220°
Head Plate	20° up to 95° down



Blood Donor Couch (Electric) (SSC 952)

Facility for blood collection from both sides. Provides a comfortable position for the donor. Variable positioning for either arm with comfortably wide arm-rest. Tilt adjustment can be done by using remote control. Two Geared Actuator. Based on homo dynamic principles. (Donor's head can be lowered immediately and legs can be lifted above heart level so that blood can flow back to the brain And other vital organs, in case of vasovagal attack) Ensuring safety and comfort to the donor. 4 Heavy Duty Lockable castor for easy mobility. Comfortable chair type with soft padding for cushioning and rexcin cover.



Hospital Pediatric Bed (SSC 953)

MS/SS Structure, Duly power coated finishing Downfall Safety side railing. Mounted on 75mm swivel castors, two with breaks. Size 900H X 450W mm.



Baby Cradle (SSC 955)

Constructed from CRCA steel sheet Manually Adjustable Head Section. Top is Upholstered and Covered with washable synthetic materials. Two individual cabinets with attached Drawers. Epoxy powder coated Size: 1830L X 60W X 810H cms.



Phototherapy Unit (SSC 957)

Strong and precise rectangular steel tube frame work Iniformly perforated CRCA sheet top bed with drop railing. Manually adjustable back rest. Tubular head & leg bows of equal height with vertical tube Supports
Overall Size 140L X 75W X 60H.



Baby Cot (SSC 954)

Strong Tubular steel stand on rubber stumps, with handing bars mesh crib powder coated finishing. Size: 76L X 42W X 103H cms.



Hospital Examination Couch (SSC 956)

The CFL 101 and PB 101 provide blue light for treatment of hyperbilirubinaemia in neonates. They may be used individually as stand-alone phototherapy units. Together, they provide radiation from both above in below the bassinet so that the infant's skin is used effectively and the treatment time is reduced.



Wheel Chair Folding (SSC 958)

- Lightweight aluminum transit wheelchair
- S seat frame system provides pressure relief and reduces sliding
- Fixed armrest and Swing away footrest
- Half folding back rest for easy transportation
- Available in 16 and 18 inch seat widths
- Remotely Controlled with Li. Battery.

- Steel Material Chrome Plated.
- Deat & Back Upholstery made of colored latherate
- 8" X 1" front wheel & 24" rear MEG wheel
- fixed arm rest & Aluminum foot rest.
- Seat width 46cm & overall width 65cm.



Electrical Wheel Chair Folding (SSC 959)



Folding Stretcher (SSC 960)

- Tube approx dia 30 x 1.5mm
- Carrying capacity app. 150 kg.
- Size 2000L X 550W X 150H
- Also available in MS pipe & Stainless Steel

- Manufactured with Aluminum tubes 30x1.5mm.
- Washable cloth, with safety strips.
- Carrying capacity app. 150 kg.
- Size 2000L X 550W
- Also available in MS pipe & Stainless Steel



Folding Stretcher (SSC 961)

- Manufactured with Aluminum tubes 30x1.5mm.
- Carrying capacity app. 150 kg.
- Washable cloth & carrying bag.
- Size 2000L X 550W X 150H
- Available in MS pipe & Stainless Steel



Folding Stretcher (SSC 962)



Cadavar Storage Tank (SSC 963)

Strong stainless steel tubular, top is covered with SS sheet with high board, attached with SS sink and water tap. Two separate shower are provided for supply of hot and cold water. Complete with four positional SS accessories, instrument tray holder. Eoxy SS finishing. Optional for Wheels size 2500L X 800W X 850H mm.

The complete tank is fabricated out of high grade S.S. 304 for durability and longer life. The complete tank is leak proof & is argon (TIG) welded for efficient support and torsion resistance.

The tray movers down and gets completely submerged in the tank. It is operated by an exclusively designed handle mechanism to put the tray down effortlessly. When the tray is in the extreme top position, the position can be locked for easy dissection

The table is mounted on castor wheels with brakes for easy movability.



Postmortem Table (Autopsy Table) (SSC 964)



Dissecting Table (SSC 965)

Strong stainless steel tubular structure in 304 Grade SS top with high board, Povision for waste drainage connected to water tube, mounted on 125 castors with breaks. Provision for Intrument Tray. Size : 210L X 80W X 85H cm.

Strong stainless steel tubular structure. SS top with high board, Povision for waste drainage connected to water tube, mounted on 125 castors with breaks. Provision for Intrument Tray. Size : 210L X 80W X 85H cm.



Scrub Sink Station (SSC 966)



Single Dome (SSC 967)

Brightness Control	Capacitive Touch Panel
Size of Light Field	12-30 cm
Number of LED	84
Color Temp.	4000-5000 K
Temp. Increase	4° to 5°
Colour Reduction Index	93 RA
Power	220 V AC/DC
Intensity (Lux)	1,30,000 Lux \pm 10%
Diameter of Light	600mm

Dome Dia	580mm
Sspot Dia	100-150mm
Color Temp.	3200-5200 K
CRI	91 RA
Depth Illumination	10-15cm
Temp. Increase	2° to 3°
No. of LED	76
LED Avg. Life	40,000Hrs.
Intensity (Lux)	1,25,000
Special Function	Memory



Luxury Single Dome (SSC 968)

Brightness Control	Capacitive Touch Panel
Size of Light Field	10-15 cm
Number of LED	54+54
Color Temp.	4000-5000 K
Temp. Increase	4° to 5°
Colour Reduction Index	91 RA
Power	220 V AC/DC
Intensity (Lux)	1,10,000 Lux X 2
Diameter of Light	650mm x2
Special Function	Remote Operated



Double Dome (SSC 969)

Brightness Control	Capacitive Touch Panel
Size of Light Field	12-30 cm
Number of LED	84+84
Color Temp.	4000-5000 K
Temp. Increase	4° to 5°
Colour Reduction Index	93 RA
Power	220 V AC/DC
Intensity (Lux)	1,30,000 Lux X 2
Diameter of Light	600mm x 2
Special Function	Remote Operated



Luxury Double Dome (SSC 970)

Quality Satisfaction is Our Moto

We are also giving all products as per specifications



FUMIGATOR



DRESSING DRUM



FOGGING MACHINE



AUTOCLAVE



SUCTION MACHINE



MULTIPARA MONITOR



DVT PUMP



VENTILATOR



CAUTERY MACHINE



MANNEQUIN



SURGICAL GOODS

SS SALES CORPORATION

Shop No. 209, Heera M. Market, G.T. Road, Ambala City (Hr.).

E-mail : sssalescorporation4@gmail.com

Mob. 70157-15349, 99965-99999