



# Certificate of Compliance

## CE

We hereby declare that the technical file of product complied with the requirement of Directive 2014/68/EU Pressure Equipment Directive & Construction products (CPD/CPR) 89/106/EEC as Amended Regulation (EU) 305/2011 and directives 93/68/EEC.

**Certificate No.: CE-16060**

### Manufacturer

Name : **NIKKON FLANGE & FITTINGS**

Address : **Plot No 252-255, Kolsa Bunder, Darukhana, Reay Road, Mumbai - 400 010, Maharashtra, India**

Products : **High Pressure Forged Fitting, Butt Weld Pipe Fitting & Flange in Carbon Steel, Alloysteel, M.S. & Stainless Steel, Industrial Raw Materials. ANNEXURE I & II**

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to Directive 2014/68/EU Pressure Equipment Directive & Construction products (CPD/CPR) 89/106/EEC as Amended Regulation (EU) 305/2011 and directives 93/68/EEC.


### This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.

The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

**Validity of this certificate can be verified at [www.ukcertifications.org.uk/verify](http://www.ukcertifications.org.uk/verify)**

Date of Certification	01 <sup>st</sup> May 2021
1 <sup>st</sup> Surveillance Audit Due	30 <sup>th</sup> April 2022
2 <sup>nd</sup> Surveillance Audit Due	30 <sup>th</sup> April 2023
Recertification Due (subject to the company maintaining its system to the required standard)	30 <sup>th</sup> April 2024

  
Authorized Signatory



CE

SR.NO	PRODUCT NAME	SPECIFICATION
<b>CARBON STEEL, STAINLESS STEEL AND MILD STEEL, FLANGE &amp; FITTING</b>		
1	Carbon Steel	<b>Size Range:</b> ASTM A105, A210, GR. A-1, 106R., A,B,C, A53, GR. A,B.A350 LF2.
2	Alloy Steel	<b>Size Range:</b> ASTM A335 GR. P1, P11, P12, P22, P5, P9, P91, P92.
3	Stainless steel	<b>Size Range:</b> ASTM A312, ASTM A182F,GR. 304, 304L, 310, 316, 316L, 321, 904 ETC.
4	Low Temperature Services	<b>Size Range:</b> ASTM A333 & A334 GR. 3,6,9 ETC.
5	Copper Nickle Services	<b>Size Range:</b> CU NI 90/10, 70/30 ETC
6	Mild Steel	<b>Size Range:</b> ASME, ANSI,B16.5,B16.36,B16.47,B16.11, B16.9,ASME B16.28, MSS-SP-43, BS1560, BS4504, BS10. IS 2062

SR.NO	PRODUCT NAME	SPECIFICATION
<b>FLANGES</b>		
1	Forged Flange	<b>Class:</b> 150, 300, 600, 900, 1500 & 2500. <b>Dimention:</b> ANSI B16.5
2	Slip-On Flange	<b>Material Of Construction:</b> Carbon steel: A105,SS400,SF440 RST37.2,S235JRG2,P250GH,C22.8
3	Blind Flange	Stainless Steel: F304 F304L F316 F316L 316Ti, Copper etc.
4	Weld Neck Flange	<b>Size:</b> 1/2-78 inch (DN15-DN2000)
5	Lap Joint Flange	<b>Pressure:</b> class 150,300,600,1500,2500, PN6,PN10,PN16,PN25,PN40,PN64,PN100,PN160
6	Threaded Flange	<b>Packing:</b> No Fumigate or Fumigate Plywood/Wood Pallet or Case
7	Socketweld Flange	<b>Surface Treatment:</b> Anti-rust Oil, Transparent/Yellow/Black Anti-rustPaint,Zinc,Hot dipped Galvanized.
8	Orifice Flange	<b>Usage:</b> Oil Field, Offshore, Water System, Shipbuilding,
9	Spectacle Blind Flange	Natural Gas, Electric Power, Pipe Projects etc.

Daniel..





SR.NO	PRODUCT NAME	SPECIFICATION
<b>Butt-weld Pipe Fittings</b>		
1	180° Elbow	<b>Material Of Construction:</b>
2	90° Elbow	Carbon steel,Stainlesssteel,Monel, Nickel
3	45° Elbow	MonelInconel,Hastealloy,Copper,Brass
4	Reducing Tee	Bronze,Titanium,Tantalum,Bismuth
5	Straight Tee	Aluminium, Zinc, Lead, etc.
6	Concentric Reducer	Copper Nickel Butt Weld Pipe Fittings:
7	Eccentric Reducer	CuNi10Fe1Mn,CuNi30Mn1Fe
8	Reducing Cross	Hot Dip Galvanizing
9	Long Pattern Stub Ends	Epoxy & FBE Coating
10	Short Pattern Stub Ends	Electro Polish

SR.NO	PRODUCT NAME	SPECIFICATION
<b>Forged Fittings</b>		
1	<b>Forged Socket Pipe Fittings</b>	<b>Material of Construction:</b> Carbon Steel,Stainless Steel <b>Size Range:</b> 1/8"~4" (DN6~DN100) <b>Pressure:</b> 3000LBS, 6000LBS, 9000LBS
2	<b>Forged Threaded Pipe Fittings</b>	<b>Material of Construction:</b> Carbon Steel,Stainless Steel <b>Pressure:</b> 2000LBS, 3000LBS, 6000LBS <b>Size Range:</b> 1/8"~4" (DN6~DN100)
3	<b>Forged Olet</b>	<b>Size Range:</b> 15 NB upto 100 NB 3000 LBS & 6000 (Sockolet / Thredolet / Nippolet / Elbolet / Insert Weldolet / Branzolet&Coupolet)
	(i)Socketed Outlet fittings - Sockolet (ii)Threaded Outlet fittings - Thredolet	6 NB upto 600 NB (Weldolet / Sweepolet) SCH 5S, 10S, 10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.
	(iii)Welded Outlet fittings - Weldolets (iv)Nippled Outlet fittings - Nippolet	<b>Pressure:</b> 2000 lbs, 3000 lbs, 6000 lbs, 9000 lbs

*Daniel..*

