

FEZZORA ELEVATOR



Certificate No. : 090205AY01FC

Email- fezzoraelevator@gmail.com
Website : www.fezzoraelevator.com

Workshop No. : 9716147339
Helpline : 9560717339


Passenger Lift

Machine Room Less

Dimension

CAPACITY		CAR INSIDE		LIFT WELL		ENTRANCE	SHAFT OPENING
PERSONS	Kgs.	WIDTH	DEPTH	WIDTH	DEPTH	WIDTH	DEPTH
4	272	900	800	1600	1300	700	1040
	340	1000	900	1700	1350		
5	408	1000	1100	1750	1500	800	1140
		1000	1000	1850	1450		
	476	1200	1050	1950	1550	800	1140
8	544	1100	1300	1850	1700	800	1140
		1200	1200	1950	1600		
	612	1200	1350	1950	1750	800	1140
		1250	1300	2000	1700		
10	680	1300	1350	2050	1750	900	1240
	884	1400	1750	2200	2150	1000	1340
15	1020	1420	1800	2200	2200	1000	1340
	1080	1500	2000	2400	2400		

LIFT SPEED METERS/SEC.	PIT DEPTH	OVER HEAD (MINIMUM)	CLEAR (DOOR) OPENING	SHAFT OPENING
0.65 to 1.0	1600	4300	2000	2260
1.25	1600	4500	2100	2360
1.5	1800	4800	2200	2460



(SECTION : A-A)
LIFT WELL

All dimensions are for clear final wells after plaster.

RCC machine room structural floor slab 200mm brick designed to sustain minimum 100kg./ M UDI

All walls minimum 150mm RCC or 230mm brick (hoist way front wall 230mm brick preferred.)

For specific requirements our local representative will be happy to work with you in a preparation of working drawings.

Power supply 440 volts, 3phase, 4 wires, 50Hz and 230 Volt I phase termination in a ELCB / MCCB switch to be provided by clients.


All dimensions are in millimeters.

Passenger Lift



with Machine Room

FEZZORA Elevator's We have with us a wide range of good lift and aerial work platforms that are available at highly competitive prices. These platforms help in carrying heavy loads from one place to another with any trouble. To suit the diverse requirements of our clients, we design them in various customized sizes.



Passenger with Machine Room

PERSONS	LOAD Kg	CAR-INSIDE		LIFT-WELL		ENTRANCE MACHINE ROOM			SPEED MPS	PIT DEPTH	OVER HEAD
		A	B	C	D	E	K	L			
4	272	810	920	1350	1350	700	1650	3500	0.65	1600	4300
5	340	1150	835	1600	1350	700	1600	3500	t0	1600	4300
6	408	1150	960	1600	1525	700	1600	3500	1.5		
8	544	1300	1100	1800	1800	800	2250	4100			
10	680	1350	1300	1800	2000	800	3300	4500			
13	884	2000	1350	2500	2100	900	4000	4400	Over 2.5	1600	5000
16	1088	2000	1300	2500	2100	1000	4000	4600			
20	1360	2000	1550	2500	2400	1000	4000	4900			

Machine Room Height 2800 Mm From The Top All Dimensions are in mm

Automatic Telescopic Doors-passenger Lifts

No. of Persons	Rated Capacity	Entrance Width	Car Size A x B	Hoistway Dimensions	Machine Room
	KG	MM	MM	X x Y MM	MA X MB
6	408	700	1000 X 1100	1400 X 1700	2400 X 3300
8	544	800	1100 X 1300	1500 X 1900	2500 X 3500
10	680	800	1200 X 1460	1600 X 2100	2500 X 3500
13	884	900	1200 X 1840	1850 X 2300	3000 X 3600
16	1088	1000	1300 X 2000	1950 X 2450	3000 X 3600
20	1360	1000	1500 X 2000	2150 X 2450	3000 X 4000

GOODS



ELEVATOR

Elevators provide complete range elevators with different load carrying capacities.

Elevators make handling of goods easy to enhance productivity in buildings.



Dimension

LOAD	CAR-INSIDE		LIFT-WELL		ENTRANCE	MACHINE ROOM		LOAD Kg.	SPEED MPS	PIT DEPTH	OVER HEAD
	A	B	C	D	E	K	L				
KG	A	B	C	D	E	K	L	500-3000	0.25-1.0	1600	4800
500	1100	1200	1900	1600	1100	2500	4100				
1000	1400	1800	2300	2200	1400	2500	4700				
2000	1700	2500	2800	2900	1700	2600	5400				
3000	2000	3000	2900	3520	2000	2900	5900				
4000	2500	3000	3400	3400	2500	3400	5900	4000-5000	0.25	2200	7400
5000	2500	2600	3500	4300	2500	3400	6800				

All Dimensions are in mm

CAPSULE



ELEVATOR

Capsule Lift

We provide all types of capsule lifts having ultramodern design to provide a cosmic zone experience to the passengers. The design provide extremely silent operation.

It is also reliable and economical with minimum maintenance.



Hoist Way Machine Room Size

CAPSULE LIFT WITH AUTO DORS													
LADO		CAR INSIDE		LIFT WELL				ENTRANCE	MACHINE ROOM		SPEED MPS	PIT DEPTH	OVER HEAD
PERSONS	WEIGHT	WIDTH	DEPTH	WIDTH		DEPTH		WIDTH	WIDTH	DEPTH	HEIGHT		
	In Kg.	A	B	C	C1	D	D1	E	F	G	H	K	M
6	408	1000	1225	1900	1340	1870	1400	800	3000	3500	2500	2100	4800
8	544	1200	1360	2150	1590	2120	1600	800	3200	3500	2500	2100	4800
10	680	1400	1460	2250	1790	2220	1600	800	3500	4000	2500	2100	4800
15	1020	1400	1850	2250	1790	2610	1600	900	3500	4000	2500	2100	4800

HOSPITAL ELEVATOR



Elevators manufacture stretcher lifts of various capacities & speeds to meet customer's requirement. The cabins are spacious & very comfortable of patient with proper exhaust system & jerk free stopping.

Elevators design to transport the bulky hospital equipments.

Elevators provide versatile automatic control system to Operations. Emergency control system makes the lift reliable & safe. As per relevant is code.



Dimension

LOAD		CAR INSIDE		LIFT WELL		ENTRANCE	MACHINE ROOM		SPEED MPS	PIT DEPTH	OVER HEAD
PERSONS	Kg.	WIDTH	DEPTH	WIDTH	DEPTH						
15	1020	950	2400	1700	3000	800	3700	5500	Up to 1.5	1600	4800
20	360	1300	2400	2200	3000	1200	4200	5500	Over	2500	6700
26	1768	1600	2400	2350	3000	1200	4350	5500	1.5		

Automatic Telescopic Doors-Hospital Lifts

No. of Persons	Rated Capacity	Entrance Width	Car Size A x B	Hoistway Dimensions	Machine Room
	KG	MM	MM	X X Y MM	MA X MB
10	680	800	900 X 1950	1550 X 2500	2500 X 3500
15	1020	900	1000 X 2400	1750 X 3000	3000 X 3600
20	1360	1000	1300 X 2400	1950 X 3000	3000 X 4000
26	1768	1200	1600 X 2400	2250 X 3000	3000 X 4000

Features & Specifications



Face Plates : hairine S.S, Mirror finish
S.S, Rose finish S.S, & Black S.S.

Various push buttons of your choice.

Position Indicator : 7 Segments & arrow

Scrolling Dot Matrix display and LCD display
Motive display, Monochrome LCD. Multi
Colour TFT Screen Disply.



TOUCH DISPLAY COP & LOP

SL - 1



Specifications of the Car

Ceiling panel	Lacquer nish steel panel : 77G
Side panel	Lacquer nish steel panel : 77G
Car door	Lacquer nish steel panel : 77G
Entrance column	Hairline nish stainless steel
Kich plae	Hairline nish stainless steel
Car operation anel	Hairline nish stainless steel : COP - U1S-1
Button	Tactile button : UB -1
Sill	Hardened aluminum
Floor	Vinyl tile : MID833



Specifications of the Car

Ceiling panel	Lacquer nish steel panel : 114PB
Side panel	Lacquer nish steel panel : 114PB
Car door	Lacquer nish steel panel : 114 PB
Entrance column	Hairline nish stainless steel
Kich plae	Hairline nish stainless steel
Car operation anel	Hairline nish stainless steel : COP - U1S-1
Button	Tactile button : UB -1
Sill	Hardened aluminum
Floor	Vinyl tile : MID833
Hand rail	Hairline nish stainless steel

SL - 3

Specifications of the Car

Ceiling panel	Lacquer nish steel panel : 37YR
Side panel	Lacquer nish steel panel : 62Y
Car door	Lacquer nish steel panel : 62Y
Entrance column	Hairline nish stainless steel
Kich plae	Hairline nish stainless steel
Car operation anel	Hairline nish stainless steel : COP - U1S-1
Button	Tactile button : UB -1
Sill	Hardened aluminum
Floor	Vinyl tile : MID809



SL - 2



Specifications of the Car

Ceiling panel	Lacquer nish steel panel : 114PB
Side panel	Lacquer nish steel panel : 52YR-62Y
Car door	Lacquer nish steel panel : 62Y
Entrance column	Hairline nish stainless steel
Kich plae	Hairline nish stainless steel
Car operation anel	Hairline nish stainless steel : COP - U1S-1
Button	Tactile button : UB -1
Sill	Hardened aluminum
Floor	Vinyl tile : MID809
Hand rail	Hairline nish stainless steel



Specifications of the Car

Ceiling panel	Lacquer nish steel panel : 3N
Side panel	Hairline +Mirror etching nish stainless steel
Car door	Mirror etching nish stainless steel
Entrance column	Hairline nish stainless steel
Kich plae	Hairline nish stainless steel
Car operation anel	Hairline nish stainless steel : COP - U1S-1
Button	Tactile button : KB -1
Sill	Hardened aluminum
Floor	Vinyl tile : MID833



SHARP MP 61 GEARD



SHARP GEARLESS



SHARP TRACTION



TRECHTONIC



MONTANARI



MONTANARI GEAR LESS



OSG OVER SPEED GOVERNER



SAFETY BLOCK



FERMATOR HEADER DOOR




MONARCH CONTROL PANEL



ARD



**DOOR OPERATOR
PHILBRICK MASTER**




BLOWER FAN LIFT



ELEVATOR T GUIDE RAIL



LIFT DOOR SENSOR



ROPE USHA MARTIN



**GEARLESS MONARCH
POWER CONTROL**

DUMBWAITER ELEVATOR



Dumbwaiter is the food elevator specially designed for the hospitality sector where it is used to transport food, crockery etc. from kitchen to different floors hygienically. This elevator also bears ECS Elevator stamp quality in the concept, design, production and performance.

Dimension

LOAD kg.	CAR INSIDE			Shaft Dim (MM)		ENTRANCE (MM)	MACHINE ROOM DIM (MM)			Over Head (MM)	Pit Depth (MM)
	WIDTH	DEPTH	Height	WIDTH	DEPTH						
100	700	700	800	1200	900	700	1200	1150	1200	4400	750
150	800	800	900	1300	1000	800	1300	1150	1200	4400	750
200	900	900	1000	1400	1100	900	1400	1150	1200	4400	750
250	1000	1000	1200	1500	1200	1000	1500	1150	1200	4400	750

Features

- Load capacity between 50 to 250 kgd in increment of 50 kgs
- Speed : Standard 0.25 MPS
- Drive Unit : Traction Drive, High quality reduction worm gear coupled with motor and magnetic disc brake and hand wheel
- Cabin : SS/MS centered suspension, gaided on both sides, fitted with removable shelf and without door
- Landing door : SS/MS, Centered suspension, guided on both sides, fitted with removalbe shelf and without door
- Landing door : S/MS, Bi-parting vertical opening
- Control
- 24Volt in all puch buttons
- Call Despatch on each landing
- Arrival buzzer and call signal
- Position indicator on each landing
- Over current protection
- Call and send function
- Half curtain infra red door safety in auto door

TYPES OF GLASS DOORS



Telescopic Manual Doors



Center Opening Doors



Perforated Door



Door With Glass Vision Panel



Chanal Gate




M.S. Powder Coating


DOOR HEADERS



Fermator



Philbrick



Wittur

TYPES OF CABINS DESIGNNES



HOSPITAL LIFT, BHATINDA (P.)




KRISHNA NAGAR, EAST DELHI



SEC. 23, SANJAY NAGAR (GZB.)



LANDING DOORS



Golden Finish Door (Optional)



Stainless Steel Center Opening Door




Stainless Steel Telescopic Door



Glass Door (Optional)




Rose Gold Door




Powder Coated Door


Flooring : Anti skid pvc flooring with choice of colour & Design.




BLACK




GRAY




YP-1002



YP-2003



YP-1007




YP-1028




OM - 01




OM - 02



OM - 03



OM - 04



OM - 05



OM - 06




OM - 07



OM - 08




OM - 09



OM - 10



OM - 11




OM - 12


All images and drawings displayed in catalogue are artistic impression and cannot be consider as final.

TYPES OF CABINS PANEL SHEETS


Stainless Steel Walls



Pre-Coated Steel Panels



Powder Coated Panels





Ceiling & LED Lights

Stainless steel finishes with choice of designs as shown in pictures

Starlight like ceiling which enhances the aesthetic appearance.

Uniform lighting ensured.

More reliable and long lasting as compared to conventional lighting systems.

Power saving to the order of 80% as compared to conventional lighting. So operating lighting costs reduce by 80 %

Car Hand rail



Hand rail

Stainless steel tubular hand rail (38mm dia.) on back wall as shown in picture



FEZZORA ELEVATOR

ANY ENQUIRY Mob.: 9716147339

Workshop :

Plot No. 37, Nathan Vihar, Nangloi, New Delhi - 110041

Resi Office :

**Plot No. 22 And 23, Sai Enclave Blk-G-2 Vikrant Vihar
Mohan Garden, Uttam Nagar New Delhi, West Delhi-110059**

**Email- fezzoraelevator@gmail.com
Website : www.fezzoraelevator.com**