FLEXO PACK

Packaging Solutions

Inspired by Nature...
Driven by
Cutting Edge Technologies



25 YEARS OF EXCELLENCE

FLEXO PACK MACHINES PVT. LTD.

www.flexopackmachine.com | www.flexopack.in



Model No. FP-501-B



Collar Type Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Fryums etc.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	15 gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	3.0 KW , Single Phase
Compressed Air Required	:	6CFM@6 Bar (5 H.P. Compressor)
Production Output	:	20-60 pouches per minute (Depend on nature & quantity of product)
Weight	:	550Kg (apprx.)
Machine Size (Bagger Size	:	L-1824mm, W -1220mm, H -2600 mm (Apprx.)

Model No. FP-250



Collar Type Single Servo Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Fryums etc.
Filling system	:	Adjustable Telescopic Disc, Single Servo
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	15 gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	3.5 KW , Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	20-70 pouches per minute (Depend on nature & quantity of product)
Weight	:	550Kg (apprx.)
Machine Size (Bagger Size	:	L-1824mm, W -900mm, H -2600 mm (Apprx.)



Model No. FP-350



Double Servo Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Detergents, Fryums etc.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	15gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	5.5 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	80-95 pouches per minute (Depend on nature & quantity of product)
Weight	:	950 Kg (apprx.)
Machine Size (Bagger Size	:	L-1830mm, W - 1300mm, H -3000 mm (Apprx.)

Model No. FP-PRO 400 A



High Speed Double Servo Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Detergents, Fryums etc.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	15gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	5.5 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	80-100 pouches per minute (Depend on nature & quantity of product)
Weight	:	950 Kg (apprx.)
Machine Size (Bagger Size	:	L-1830mm, W - 1300mm, H -3000 mm (Apprx.)

Model No. FP- PRO 400



High Speed 14 Head Weigher with Double Servo Bagger

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Chips, Fryums etc.
Filling system	:	14 Head and 20 Head
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	15gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	5.5 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	90-110 pouches per minute (Depend on nature & quantity of product)
Weight	:	950 Kg (apprx.)
Machine Size (Bagger Size	:	L-1830mm, W - 1300mm, H -3000mm (Apprx.)

Model No. FP- 504



14 Head Weigher with Double Servo Bagger

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Chips, Fryums etc.
Filling system	:	14 Head
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	15gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	5.5 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	80-90 pouches per minute (Depend on nature & quantity of product)
Weight	:	950 Kg (apprx.)
Machine Size (Bagger Size	:	L-1830mm, W - 1300mm, H -3000mm (Apprx.)

Model No. FP-503



10 Head Weigher With Pneumatic Bagger

Specifications

Products	:	Granules, Potato Chips, Dry Fruit, Namkeen, Fryums, Kurkura etc.
Weigh Head No.	:	10 Heads
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	15gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length - 50-300mm
Power Consumption	:	5.0 KW, Single Phase
Compressed Air Required	:	11CFM@6 Bar (5 H.P. Compressor)
Touch Screen	:	10.4" Colour Display with touch screen
Production Output	:	50-60 pouches per minute (Depend on nature & quantity of product)
Weight	:	900 Kg (apprx.)
Material of Chasis	:	304 Stainless Steel
Thickness of Bucket	:	1.2mm Plain S.S. 304
Machine Size (Bagger Size	:	L-2432mm, W -3952mm, H -4560 mm (Apprx.)

Model No. FP-502



4 Head Linear Weigher with Pneumatic Bagger

Specifications

Products	:	Granules, Potato chips, Dry Fruit, Namkeen
Weigh Head Nos.	:	4 Heads
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	15 gm upto 1000 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm, Length 50-300mm
Power Consumption	:	5.0 KW, Single Phase
Compressed Air Required	:	11 CFM@6 Bar (5 H.P. Compressor)
Production Output	:	25-35 pouches per minute (Depend on nature & quantity of product)
Weight	:	700 Kg (apprx.)
Bucket Material	:	1.2mm Plain S.S. 304
Machine Size (Bagger Size	:	L-1160 mm, W - 950 mm, H -1478 mm (Apprx.)

Model No. FP- 501-C











Collar Type Servo Auger Filler Packaging Machine

Specifications

Products	:	Besan, Maida, Milk Powder, Spices powder & free flowing powder
Filling system	:	Screw Feeder, manual
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	250gm upto 1000 gm & 5KG-10KG (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 60-200mm Length 50-300mm
Power Consumption	:	5.5 KW, 3 Phase
Compressed Air Required	:	6CFM@6 Bar (5 H.P Compressor)
Production Output	:	20-60 pouches per min. (Depend on nature & quantity of product)
Weight	:	650 Kg (apprx.)
Machine Size (Bagger Size	:	L-1824mm, W - 1220mm, H -2600 mm (Apprx.)

Model No. FP-1002











High Speed Mini Auger Filler Packaging Machine

Specifications

Products	:	Besan, Maida, Milk Powder, Spices powder & free flowing powder
Filling system	:	Screw Feeder, manual
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Center Seal, Back & Side Seal
Filling Range	:	5 gm upto 100 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 50-130mm Length 50-150mm
Power Consumption	:	3.5 KW, 3 Phase
Compressed Air Required	:	6 CFM@6 Bar (3 H.P. Compressor)
Production Output	:	20-100 pouches per minute (Depend on nature & quantity of product)
Weight	:	400 Kg (apprx.)
Machine Size (Bagger Size	:	L-900mm, W - 600mm, H -2100 mm (Apprx.)






Model No. FP-1001



High Speed Mini Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Granules, Tea, Pharmaceuticals, Kurkure, Fryums etc.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	15 gm upto 100 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 50-130mm Length 50-150mm
Power Consumption	:	2.5 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (3 H.P. Compressor)
Production Output	:	20-100 pouches per mintute (Depend on nature & quantity of product)
Weight	:	350 Kg (apprx.)
Machine Size (Bagger Size	:	L-900mm, W - 600mm, H -2100 mm (Apprx.)

Model No. FP-301-A



Semi Pneumatic Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Namkeen, Pulses, Granules, Tea, Spices, Fryms etc.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	20 gm upto 100 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 50-130mm Length 50-200mm
Power Consumption	:	3.0 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	20-60 pouches per minute (Depend on nature & quantity of product)
Weight	:	300 Kg (apprx.)
Machine Size (Bagger Size	:	L-900mm, W - 900mm, H -2100 mm (Apprx.)



















FFS Packaging Machine
Volumetric Cup Filler
Model No. FP - 401

FFS Three /Four Side Packaging Machine
Volumetric Cup Filler
Model No. FP - 101

FFS Four Side Packaging Machine (Paste & Liquids)
Model No. FP - 201

Specifications - FP 401, FP 101

Products	:	Pan Masala, Gutkha, Tea, Pulses, Granules, Spices
Filling Accuracy	:	±1-1.5 %
Type of Seal	:	Center Seal and Back Seal
Filling Range	:	1- 5 gm,10-25 gm, 50-100 gm(depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 30-100mm Length - 30-150mm
Power Consumption	:	2.0 KW, Motor ½HP/220V Single Phase
Production Output	:	30-300 pouches per minute (Depend on nature of product)
Weight	:	300 Kg (apprx.)
Machine Size (Bagger Size	:	L-750mm, W - 550mm, H -1800 mm (apprx.)

Specifications - FP 201

Products	:	Shampoo, Lubricant, Oil, Paste etc.
Filling system	:	Volumetric Piston Filling
Filling Accuracy	:	±1-1.5%
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	1ml to 10ml, 20ml-100ml
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 40-180mm Length - 50-200mm
Power Consumption	:	2.0 KW, Motor ½HP/220V Single Phase
Production Output	:	20-60 pouches per minute (Depend on nature of product)
Weight	:	380 Kg (apprx.)
Machine Size (Bagger Size	:	L-750mm, W - 550mm, H -1500 mm (apprx.)



Model No. FP-150



D-Motion Type Packaging Machine

Volumetric Cup Filler

Specifications

Products	:	Paan Masala, Jeera, Mouth Freshener, Fruit Balls and Gems.
Filling system	:	Adjustable Telescopic Disc
Filling Accuracy	:	±1-1.5% (Depend on nature of product)
Type of Seal	:	Centre Seal and Back Seal
Filling Range	:	20 gm upto 100 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films and small pouches
Pouch Dimensions	:	Width 50-130mm Length 50-200mm
Power Consumption	:	3.0 KW, Single Phase
Compressed Air Required	:	6CFM@6 Bar (2 H.P. Compressor)
Production Output	:	60-350 pouches per minute (Depend on nature & quantity of product)
Weight	:	300 Kg (apprx.)
Machine Size (Bagger Size	:	L-900mm, W - 900mm, H -2100 mm (Apprx.)

Model No. FP-701





Horizontal Flow Wrap Packaging Machine

Specifications

Products	:	Cake, Biscuit, Automobile Parts, any type of single product
Feeding Style	:	Automatic / Manual
Packing Style	:	Centre Seal
Filling Range	:	5gm upto 100 gm (depend on nature of product)
Packing material	:	Heat Sealable Laminated Films
Pouch Dimensions	:	Width 50-100mm Length - 50-150mm
Power Consumption	:	3.0 KW, Single Phase
Production Output	:	40-120 pouches per minute (Depend on packing size)
Weight	:	700 Kg (apprx.)
Machine Size (Bagger Size	:	L-1800mm, W - 1700mm, H -1100 mm (Apprx.)

Additional Assemblies with Machines



Screw Conveyor



Blender Screw Conveyor



Bucket Elevator



Toy conveyor

Some of our Esteemed Clients









Scan to Download Catalogue

Scan to Visit Website

Visit our Youtube Channel

Flexo Pack Machines Pvt. Ltd.

Corporate Office :
Plot No. 48, 16/6, Mathura Road,
Behind Jaipur Golden Transport
Faridabad, Haryana - 121002

Works :
Plot No. 84, Jeevan Nagar, Wazirpur HUDA Road, Greater Faridabad, Haryana - 121002
Phone : 9350577429, 9350231555, 9312047770
E-mail : flexopacknew@yahoo.com, info@flexopack.in
Website : www.flexopackmachine.com, www.flexopack.in

OFFICES : HYDERABAD | AHMEDABAD | MUMBAI | PATNA