





"SANKING" & DUTRON U-UPVC PIPES & FITTINGS: ANSI/DIN STANDARDS:

Sr.	Size	Description
1.	1/2" (20mm)	UPVC New Compact Ball Valve, dark gray body, red handle, EPDM O-ring, TPV seat, Socket ends
2.	3/4" (25mm)	
3.	1" (32mm)	
4.	1 1/4" (40mm)	
5.	1 1/2" (50mm)	
6.	2" (63mm)	
7.	2 1/2" (75mm)	
8.	3" (90mm)	
9.	4" (110mm)	
10.	1/2" (20mm)	
11.	3/4" (25mm)	
12.	1" (32mm)	
13.	1 1/4" (40mm)	
14.	1 1/2" (50mm)	
15.	2" (63mm)	
16.	2 1/2" (75mm)	
17.	3" (90mm)	
18.	4" (110mm)	
19.	1/2" (20mm)	UPVC New Check Valve EPDM washer, dark gray body Socket ends
20.	3/4" (25mm)	
21.	1" (32mm)	
22.	1 1/4" (40mm)	
23.	1 1/2" (50mm)	
24.	2" (63mm)	
25.	2 1/2" (75mm)	
26.	3" (90mm)	
27.	1/2" (20mm)	
28.	3/4" (25mm)	
29.	1" (32mm)	
30.	1 1/4" (40mm)	
31.	1 1/2" (50mm)	
32.	2" (63mm)	
33.	2 1/2" (75mm)	UPVC Swing Check Valve, EPDM washer, dark gray body Socket ends


34.	3" (90mm)	
35.	4" (110mm)	
36.	6" (160mm)	
37.	8" (200mm)	
38.	1/2" (20mm)	UPVC New Check Valve EPDM washer, dark gray body
39.	3/4" (25mm)	
40.	1" (32mm)	
41.	1 1/4" (40mm)	
42.	1 1/2" (50mm)	
43.	2" (63mm)	
44.	2 1/2" (75mm)	
45.	3" (90mm)	
46.	4" (110mm)	
47.	6" (160mm)	
48.	8" (200mm)	
49.	1 1/2" (50mm)	UPVC Handle Level Butterfly Valve Red handle, dark gray
50.	2" (63mm)	
51.	2 1/2" (75mm)	
52.	3" (90mm)	
53.	4" (110mm)	
54.	5" (140mm)	
55.	6" (160mm)	
56.	8" (200mm)	
57.	8" (Worm Gear)	
58.	10" (Worm Gear)	
59.	12" (Worm Gear)	
60.	1/2" (20mm)	UPVC Diaphragm Valve Socket Type EPDM diaphragm, dark gray body Socket ends
61.	3/4" (25mm)	
62.	1" (32mm)	
63.	1 1/2" (50mm)	
64.	2" (63mm)	
65.	2 1/2" (75mm)	
66.	3" (90mm)	
67.	4" (110mm)	
68.	1/2" (20mm)	UPVC Flanged Diaphragm Valve EPDM diaphragm, dark gray body Flanged ends




69.	3/4" (25mm)	
70.	1" (32mm)	
71.	1½" (50mm)	
72.	2" (63mm)	
73.	2½" (75mm)	
74.	3" (90mm)	
75.	4" (110mm)	
76.	1/2" (20mm)	UPVC True Union Diaphragm Valve EPDM diaphragm, dark gray body Socket ends
77.	3/4" (25mm)	
78.	1" (32mm)	
79.	1½" (50mm)	
80.	2" (63mm)	
81.	2½" (75mm)	
82.	3" (90mm)	
83.	4" (110mm)	
84.	1/2" (20mm)	UPVC 90 Degree Elbow (SxS) ASTM SCH80/PN16
85.	3/4" (25mm)	
86.	1" (32mm)	
87.	1¼" (40mm)	
88.	1½" (50mm)	
89.	2" (63mm)	
90.	2½" (75mm)	
91.	3" (90mm)	
92.	4" (110mm)	
93.	5" (140mm)	
94.	6" (160mm)	
95.	8" (200mm)	
96.	10" (250mm)	
97.	12" (315mm)	
98.	1/2" (20mm)	UPVC 45 Degree Elbow (SxS) ASTM SCH80/PN16
99.	3/4" (25mm)	
100.	1" (32mm)	
101.	1¼" (40mm)	
102.	1½" (50mm)	
103.	2" (63mm)	
104.	2½" (75mm)	
105.	3" (90mm)	
106.	4" (110mm)	
107.	5" (140mm)	



108.	6" (160mm)	
109.	8" (200mm)	
110.	1/2" (20mm)	UPVC Coupling (SxS) ASTM SCH80/PN16
111.	3/4" (25mm)	
112.	1" (32mm)	
113.	1¼" (40mm)	
114.	1½" (50mm)	
115.	2" (63mm)	
116.	2½" (75mm)	
117.	3" (90mm)	
118.	4" (110mm)	
119.	5" (140mm)	
120.	6" (160mm)	
121.	8" (200mm)	
122.	10" (250mm)	
123.	12" (315mm)	
124.	1/2" (20mm)	UPVC Tee (SxSxS) ASTM SCH80/PN16
125.	3/4" (25mm)	
126.	1" (32mm)	
127.	1¼" (40mm)	
128.	1½" (50mm)	
129.	2" (63mm)	
130.	2½" (75mm)	
131.	3" (90mm)	
132.	4" (110mm)	
133.	5" (140mm)	
134.	6" (160mm)	
135.	8" (200mm)	
136.	10" (250mm)	
137.	12" (315mm)	
138.	0.75"x0.5"	UPVC Reducer Tee (SxSxS) ASTM SCH80/PN16
139.	1"x0.5"	
140.	1"x0.75"	
141.	1.25"x0.5"	
142.	1.25"x0.75"	
143.	1.25"x1"	
144.	1.5"x0.5"	
145.	1.5"x0.75"	
146.	1.5"x1"	

147.	1.5"x 1.25"	
148.	2"x0.5"	
149.	2"x0.75"	
150.	2"x1"	
151.	2"x1.25"	
152.	2"x1.5"	
153.	2.5"x1"	
154.	2.5"x1.25"	
155.	2.5"x1.5"	
156.	2.5"x2"	
157.	3"x1"	
158.	3"x1.25"	
159.	3"x1.5"	
160.	3"x2"	
161.	3"x2.5"	
162.	4"x1"	
163.	4"x1.25"	
164.	4"x1.5"	
165.	4"x2"	
166.	4"x2.5"	
167.	4"x3"	
168.	6"x1"	
169.	6"x2"	
170.	6"x3"	
171.	6"x4"	
172.	1/2" (20mm)	UPVC Van Stone Flange, ASTM SCH80/PN16
173.	3/4" (25mm)	
174.	1" (32mm)	
175.	1¼" (40mm)	
176.	1½" (50mm)	
177.	2" (63mm)	
178.	2½" (75mm)	
179.	3" (90mm)	
180.	4" (110mm)	
181.	5" (140mm)	
182.	6" (160mm)	
183.	8" (200mm)	
184.	10" (250mm)	
185.	12" (315mm)	


186.	1/2" (20mm)	UPVC Female Adapter (SxT) ASTM SCH80/PN16
187.	3/4" (25mm)	
188.	1" (32mm)	
189.	1¼" (40mm)	
190.	1½" (50mm)	
191.	2" (63mm)	
	2½" (75mm)	
	3" (90mm)	
	4" (110mm)	
192.	1/2" (20mm)	UPVC Male Adapter (SxT) ASTM SCH80/PN16
193.	3/4" (25mm)	
194.	1" (32mm)	
195.	1¼" (40mm)	
196.	1½" (50mm)	
197.	2" (63mm)	
	2½" (75mm)	
	3" (90mm)	
	4" (110mm)	
198.	1/2" (20mm)	UPVC Union, EPDM O-ring socket end, ASTM SCH80/PN16, grey
199.	3/4" (25mm)	
200.	1" (32mm)	
201.	1¼" (40mm)	
202.	1½" (50mm)	
203.	2" (63mm)	
204.	2½" (75mm)	
205.	3" (90mm)	
206.	4" (110mm)	
207.	1/2">1/4" (A+T)	UPVC Reducer Bushing (SxS) ASTM SCH80/PN16
208.	3/4">1/2" (A+T)	
209.	3/4"*1/2"	
210.	1"*1/2"	
211.	1"*3/4"	
212.	1-1/4"*1/2"	
213.	1-1/4"*3/4"	
214.	1-1/4"*1"	
215.	1-1/2"*1/2"	
216.	1-1/2"*3/4"	
217.	1-1/2"*1"	
218.	1-1/2"*1-1/4"	

219.	2"*1/2"	
220.	2"*3/4"	
221.	2"*1"	
222.	2"*1-1/4"	
223.	2"*1-1/2"	
224.	2-1/2"*2"	
225.	3"*2"	
226.	3"*2-1/2"	
227.	4"*2"	
228.	4"*2-1/2"	
229.	4"*3"	
230.	5"*2"	
231.	5"*3"	
232.	5"*4"	
233.	6"*1"	
234.	6"*3"	
235.	6"*4"	
236.	6"*5"	
237.	8"*4"	
238.	8"*5"	
239.	8"*6"	
240.	10"*4"	
241.	10"*6"	
242.	10"*8"	
243.	12"*6"	
244.	12"*8"	
245.	12"*10"	
246.	1/2" (20mm)	UPVC Cap ASTM SCH80/PN16
247.	3/4" (25mm)	
248.	1" (32mm)	
249.	1 1/4" (40mm)	
250.	1 1/2" (50mm)	
251.	2" (63mm)	
252.	2 1/2" (75mm)	
253.	3" (90mm)	
254.	4" (110mm)	
	5" (140mm)	
	6" (160mm)	

255.	1/2" (20mm)	UPVC Pipe x 5 meters per piece ASTM SCH80/PN16 (Price/Meter)
256.	3/4" (25mm)	
257.	1" (32mm)	
258.	1 1/4" (40mm)	
259.	1 1/2" (50mm)	
260.	2" (63mm)	
261.	2 1/2" (75mm)	
262.	3" (90mm)	
263.	4" (110mm)	
264.	5" (140mm)	
265.	6" (160mm)	
266.	8" (200mm)	
267.	10" (250mm)	
268.	12" (315mm)	
269.	1/2" (20mm)	UPVC Pipe x 5 meters per piece ASTM SCH40/PN10 (Price/Meter)
270.	3/4" (25mm)	
271.	1" (32mm)	
272.	1 1/4" (40mm)	
273.	1 1/2" (50mm)	
274.	2" (63mm)	
275.	2 1/2" (75mm)	
276.	3" (90mm)	
277.	4" (110mm)	
278.	5" (140mm)	
279.	6" (160mm)	
280.	8" (200mm)	
281.	10" (250mm)	
282.	12" (315mm)	
283.	3/4"*1/2"	Reducer Coupling (SxS), dark gray body, ASTM SCH80/PN16
284.	1"*1/2"	
285.	1"*3/4"	
286.	1 1/4"*1/2"	
287.	1 1/4"*3/4"	
288.	1 1/4"*1"	
289.	1 1/2"*1/2"	
290.	1 1/2"*3/4"	
291.	1 1/2"*1"	

292.	1½"×1¼"	
293.	2"×1/2"	
294.	2"×3/4"	
295.	2"×1"	
296.	2"×1¼"	
297.	2"×1½"	
298.	2½"×1½"	
299.	2½"×2"	
300.	3"×1½"	
301.	3"×2"	
302.	3"×2½"	
303.	4"×2"	
304.	4"×2½"	
305.	4"×3"	
306.	1/2" (20mm)	
307.	3/4" (25mm)	
308.	1" (32mm)	
309.	1¼" (40mm)	
310.	1½" (50mm)	
311.	2" (63mm)	
312.	2½" (75mm)	
313.	3" (90mm)	
314.	4" (110mm)	
315.	6" (160mm)	
316.	8" (225mm)	
317.	63*25*20	Saddle Sampling UPVC Pipe Connector, Pipe Joint, DIN, PN10
318.	63*40*32 SxS	
319.	75*25*20 SxS	
320.	75*40*32 SxS	
321.	90*40*32 SxS	
322.	90*63*50 SxS	
323.	90*75*63 SxS	
324.	110*40*32 SxS	
325.	110*75*63 SxS	
326.	dn50*1/2"bspt	
327.	dn63*1/2"bspt	
328.	dn75*1/2"bspt	
329.	dn90*1/2"bspt	
330.	dn110*1/2"bspt	

331.	1/2" (20mm)	Swing Check Valve, EPDM washer, Dark Gray Body, socket ends, ANSI, UPVC
332.	3/4" (25mm)	
333.	1" (32mm)	
334.	1 1/4" (40mm)	
335.	1 1/2" (50mm)	
336.	2" (63mm)	
337.	1/2" (20mm)	True Union Swing Check Valve, EPDM washer, dark gray body, socket ends, ANSI, UPVC
338.	3/4" (25mm)	
339.	1" (32mm)	
340.	1 1/4" (40mm)	
341.	1 1/2" (50mm)	
342.	2" (63mm)	
343.	1" (32mm)	SH True union pneumatic valve, UPVC ball valve with pneumatic Actuator(double-acting) & Limit Switch, Schedule 80, ANSI/DIN PN16
344.	1 1/2" (50mm)	
345.	2" (63mm)	
346.	2" (63mm)	"SH pneumatic butterfly valve, UPVC body, PP-H disc, SS304 stem,with pneumatic Actuator(double-acting) & Limit Switch, Schedule 80, ANSI"
347.	2 1/2" (75mm)	
348.	3" (90mm)	
349.	4" (110mm)	
350.	6" (160mm)	
351.	8" (200mm)	
352.	473ml	ADHESIVE SOLUTION UPVC 717
353.	946ml	
354.	473ml	ADHESIVE SOLUTION UPVC 705
355.	946ml	

356.	473ml	IPS WELD-ON PRIMER P 70
357.	946ml	

"SANKING" & DUTRON U-UPVC PIPES & FITTINGS: ANSI/DIN STANDARDS:

Official Partner of: Sanking, Dutron UPVC Products.

Terms and Conditions

- ✓ GST: 18% Extra
- ✓ Octroi: Extra if applicable.
- ✓ P & F: Inclusive.
- ✓ Freight: FOR Vatva
- ✓ Delivery: Within 1 to 6 Weeks
- ✓ Payment: 100% Advance Against Proforma Invoice
- ✓ Validity: 15 Days.

Respectfully,

Anand Solanki

ADM Enterprise. - "Proper Place For Water Treatment Products"

WORKS: Shed No. 83, Neelkanth Industrial Park, Ambica Tube Mill Compound,
Near Vatva Over Bridge - Ahmedabad – 382445, Gujarat State, India.

E-MAIL: anand@admwater.com

WEB: www.admwater.com

CELL: 7043712183 / 7698744155