

# **DIGITAL POSITION INDICATOR**

---



**GENESIS<sup>TM</sup>**

**TECHNOMATION INDIA PVT. LTD.**

**[www.genesisindsol.in](http://www.genesisindsol.in)**

# 04 - Series




04 Line Axial Pitch

Axialpitch	Display after one revolution			Max speed(r/min)	Bore
1.0mm	Standar 001.0	or 00.10	or 0010	1500	8.10.12.14
1.25mm	001.2/5	00.12/5	0012/5	1200	
1.5mm	001.5≡	00.15≡	0015≡	1000	
1.75mm	001.7/5	00.17/5	0017/5	850	
2.0mm	002.0≡	00.20≡	0020≡	750	
3.0mm	003.0≡	00.30≡	0030≡	500	
4.0mm	004.0≡	00.40≡	0040≡	375	
5.0mm	005.0≡	00.50≡	0050≡	300	
6.0mm	006.0≡	00.60≡	0060≡	250	
8.0mm	008.0≡	00.80≡	0080≡	180	
10.0mm	010.0≡	01.00≡	0100≡	150	

## POSITION INDICATOR

Order Instruction 0412-1.0-I-20-O-A





# 09- Series

## 09 Line Axial Pitch


Axialpitch	Display after one revolution			Max speed(r/min)	Bore
1.0mm	Standar 001.0	or 00.10	or 0010	1500	14.15.16. 17.18.20
1.25mm	001.2/5	00.12/5	0012/5	1200	
1.5mm	001.5≡	00.15≡	0015≡	1000	
1.75mm	001.7/5	00.17/5	0017/5	850	
2.0mm	002.0≡	00.20≡	0020≡	750	
3.0mm	003.0≡	00.30≡	0030≡	500	
4.0mm	004.0≡	00.40≡	0040≡	375	
5.0mm	005.0≡	00.50≡	0050≡	300	
6.0mm	006.0≡	00.60≡	0060≡	250	
8.0mm	008.0≡	00.80≡	0080≡	180	
10.0mm	010.0≡	01.00≡	0100≡	150	

## POSITION INDICATOR


Order Instruction 0912-1.0-I-20-O-A

09 12 - 1.0 - I - 20 - O - A




Standar A ,Thickness B  
 Color: O=Orange, S=Black  
 Bore diameter:14.15.16.17.18.20  
 I=Numbers increasing by clockwise.E=by  
 Axial Pitch Anti-colockwise  
 Install model  
 09 Line



**Standar version**



**Thickness version**



Display	Mounting position				Counting direction
	 <b>02</b>	 <b>04</b>	 <b>06</b>	 <b>07</b>	



**Materials :** High – resistance polyamide based (PA) techno polymer.

**Color :** Black base. Case in following color : Orange Glossy finished

The ultrasonically welding the base and the case prevents separation and avoids dust penetration.

Multi sizes of bore diameter for choosing , face the different need of the shaft sizes

**Window :** Transparent polyamide based (PA-T) techno polymer, molded over the case and with a perfect seal.

- Resistant to solvents, oils, greases and other chemical agents ( avoid contact with alcohol during cleaning operations ).



## CONTACT US

**Corporate Office:** A-723, 7th Floor, Money Plant High Street, Jagatpur Road, S.G. Highway, Ahmedabad, -382470

**Warehouse Address:** Shed No C2, Sahjanand Business Park, Near Keshavam Estate, Nikol Ring Road, Ahmedabad, Gujarat, 382350  
Contact No.: 91730 36163, 87587 36163

**Call us on :** 97248 79199 / 87587 36163

**Mail us :** [support@genesisindsol.in](mailto:support@genesisindsol.in)