



Reliance Industries Limited

Jamnagar-DTA Manufacturing Division (C2 Complex)
PO Motikhavdi Meghpar Padana Gagva, Jamnagar-361140



TC-9404

Registered Office: 3rd Floor, Maker Chambers IV, 222, Nariman Point,
Mumbai - 400021, Maharashtra, India.

C2 Central Laboratory

ULR-TC940424000001048F

Test Certificate For DI ETHYLENE GLYCOL

Inspection Lot No.	: 890001228191	Date of Testing/Report	: May 27, 2024
LIMS ID	: 24210820	Date of Sampling	: May 27, 2024
Product	: DEGB	Batch Number	: F36HK
Product Description	: DI ETHYLENE GLYCOL	Tank/Location	: JMD-C2-T631002
DCPI Number	: 626147110	DCPI Date	: May 28, 2024
Customer Name	: SGS CHEMICALS, MORBI	Tanker/Truck No.	: GJ39T9711

Sr. No.	Parameters	Test Method	UOM	Specification	Test Result
01	Appearance	ASTM D4176	--	Clear, Colourless / Liquid	Clear, colourless liquid
02	Suspended matter	ASTM D4176	--	Nil	NIL
03	Water	ASTM E1064	wt%	0.100 Max	0.021
04	Diethylene glycol	ASTM E2409	wt%	99.500 Min	99.695
05	MEG + TEG	ASTM E2409	wt%	0.500 Max	0.284
06	Specific gravity at 20/20°C	ASTM D4052	--	1.1170 - 1.1200	1.1185
07	Distillation Range - 5%Vol	ASTM D1078	°C	242.0 Min	244.6
08	Distillation Range - 95%Vol	ASTM D1078	°C	250.0 Max	245.4
09	Acidity as Acetic acid (CH ₃ COOH)	ASTM D1613	mg/kg	30.0 Max	8.0

Remarks:-

- * Product conforms to the specification on tested parameters.
 - * Results relate to the item tested only.
 - * Test report shall not be reproduced except in full without written permission.
 - * Analysis done on received sample.
 - * Test item is analyzed with latest available test methods.
-
- * 1) Product conforms to the specification on tested parameters.
 - * 2) Results relate to the item tested only.
 - * 3) Test report shall not be reproduced except in full without written permission.
 - * 4) Analysis done on received sample.
 - * 5) Test item is analyzed with latest available test methods.
 - * 6) Consider the test Results as pass(As per latest test method)with respect to Sr.No.1&2.

Anup Singh



Reliance Industries Limited

Jamnagar-DTA Manufacturing Division (C2 Complex)
PO Motikhavdi Meghpar Padana Gagva, Jamnagar-361140



TC-9404

Registered Office: 3rd Floor, Maker Chambers IV , 222, Nariman Point,
Mumbai - 400021, Maharashtra, India.

C2 Central Laboratory

ULR-TC940424000001048F

Test Certificate For DI ETHYLENE GLYCOL

Inspection Lot No.	: 890001228191	Date of Testing/Report	: May 27, 2024
LIMS ID	: 24210820	Date of Sampling	: May 27, 2024
Product	: DEGB	Batch Number	: F36HK
Product Description	: DI ETHYLENE GLYCOL	Tank/Location	: JMD-C2-T631002
DCPI Number	: 626147110	DCPI Date	: May 28, 2024
Customer Name	: SGS CHEMICALS, MORBI	Tanker/Truck No.	: GJ39T9711

Authorized Signatory
For and on Behalf of
Reliance Industries Limited

This is electronically generated document,hence no signature required.