FIX O FAST

RADHE KRISHNA NON WOVEN ENTERPRISES

ADHESIVES -:

We have a wide range of adhesives, solvent based and hot-melt based for diverse Industrial Applicaons for bonding various substrates. Our industry experse, along with our innovave research helps develop custom formulaons to meet specific industry needs.



FOOTWEAR & LEATHER

A good quality footwear ensures strength, durability and longevity to the consumers. Adhesives is key product for making shoes and footware items. We ensure quality consistency for Polyurethane and rubber adhesives also. we have large product portfolio for this segments as rubber adhesives, P U adhesives, HMPSA, release agent, primers, hardners, cleaners etc.

Application: Bonding of Sole to Uppers, Manufacture of Uppers (Leather to leather, PVC, PU, Cloth, Rubber etc.), Manufacture of Soles (Rubber to Rubber, PU, PVC, Wood etc.)

Substrates: Natural & synthetic leather, different types of soles: PVC, PU, Cloth, Rubber, EVA, Airmix, Wood, Synthetic Fabric, Knitted Fabric etc.



FOAM FURNISHING & FLOORING

We having wide experience in this industy as we started our operations from this only. we are very commited in quality and coverage for spray and brush application being used in foam and furnishing. very quick and extra strong bonding is key features which improves time and quality efficiency of customers.

Application: interiors, carpet & flooring, Foam and Mattress.

Substrates: Foam to Foam, Foam to Fabric, Foam to Felt, Foam to Metal, Fabric to Wood, PVC to Wood, PVC to Concrete Floor, Foam to Wood .



HVAC DUCTING AND INSULATION

We provides heat resistence and high coverage Solvent based rubber adhesives in a range of improved viscosty to cater HVAC and insulation industries. Our ecogreen Adhesives also impart strong bond with very economical solution in terms of cost and coverage.

Application: Ducting & Insulation applications **Substrates:** Nitrite Foam, Metal, EPDM Foam.









We provides perfect solutions for automotive assembly to improve interior design and enable substrate bonding with reduced carbon footprint and decreased energy usage. adhesives addresses, the stringent application needs such as high-temperature resistance and allows reduced production steps and shortened cycle times.

Application: Mostly our adhesives used in the interior trim (Car, Truck and Bus), Headliner Systems, Door and Side Panel, Carpet Bonding, Seat upholstery System, Sound Deadeners and Dash Boards

Substrates: Foam to Foam, Foam to Felt, Felt to Hard board, Foam to Synthetic Fabric, Foam to Painted Metal Panels.

PLB FURNITURE INDUSTRIES

We serves Hot melt adhesives in PLB indutry where we have manual as well as throughfeed hot melt adhesives. Our Adhesives is having low melting point and extra strength to bond pvc to PLB edge with perfect finishing works. We have various range of edgebanding hot melt glue to serve diff. PVC substrate

Application : To bond PLB edge to PVC Substrate : wood to PVC

TEXTILE APPLICATION

HMPSA adhesives which is used in fabric design and design impression. Hot melt pressure senstavi adhesive is very soft glue to applicate in design works in fabrics for manual ad well as

gravier design applications. Now a days HMPSA is widely used in various design related works. we provides best customized solution for textile industris for its various differnt applications.

Application: All kind of textile design works, zari works, special design impression **Substrates:** all fabrics to various design substances

SPECIAL APPLICATION

Cold Vulcanizing Conveyor Belt Applications

Application: Conveyor belt jointing, pulley lagging & belt repair. Substrates: Metal belt, Rubber Belt, PU Rubber Belt, Fabric, Steel, PVC, Fiber Glass, Concrete.

• Hot melt adhesives

Application: Wood working application, Edgebanding, Book Binding, Packaging, Textiles, HMPSA etc substrates : wood to PVC, Paper to Paper, Fabric etc

Mould release for PU Sole & Foam applications.

Applicatioan: Provides extra release for mould application for polyurathane Footware sole to foam. Substrate : polyurathane sole and foam







Fix o Fast SRA 400

Economical Grade

Packaging 200 ml, 500 ml 1, 5, 25, 30 Ltrs

- Benzene free
- Economical Grade
- For Primary bonding Application
- For Furnishing and Footware application



Fix o Fast SRA 500

Multipurpose Application

Packaging 200 ml, 500 ml 1, 5, 25, 30 Ltrs

- Benzene Free
- Best in terms of strength and price
- Superior Coverage and easy to apply
- Perfect for Foam, furnishing, HVAC, insulation, Footware etc.



Fix o Fast SRA 700

Middle to Highest Range Extra Strength Adhesive

Packaging

200 ml, 500 ml 1, 5, 25, 30 Ltrs

- For Specialy medium to high Strength Application
- long Open Time
- Benzene Free
- Perfect for Foam & Furnishing, HAVC, Handicraft, Footwear and Misc.



Fix o Fast SRA 909

Premium Extra high Solid Adhesive

Packaging

200 ml, 500 ml 1, 5, 25, 30 Ltrs

- For Extra High Strength application
- Benzene Free
- Long Open Tack Time
- Perfect for Hanidcraft, special Footwear, Automatives, insulation and Misc.



Fix o Fast Hitex

Specially Designed For Heat Application

Packaging 200 ml, 500 ml 1, 5, 25, 30 Ltrs

- To Withstond Temprature Above 80°C
- Water & Heat Resistent
- Benzene Free
- High & Application

SYNTHETIC RUBBER SPRAY ADHESIVE



Fix o Fast SPN 107

Designed for Spray Application

Packaging 25 & 30 Ltr

- Superior Coverage with low viscosity
- Benzene Free
- Ideal for Handicraft, Furnishing, Atomative, Industries etc.
- Super Spray Performance



Fix o Fast SPN 109

Designed for high end Spray Application

Packaging 25 & 30 Ltr

- Superior Coverage and Heat Resistance
- Benzene Free
- low viscosity
- Ideal For Handicraft, Automative Industries.

SYNTHETIC SPRAY ADHESIVE



Fix o Fast Strong 5

Designed for Spray Application

Packaging 25 & 30 Ltr

- Benzene Free
- Non offensive odour and low VOC content
- instant and Long lasting Tack
- very low viscosity
- Better Penetration and moisture resistance
- Ideal For Handicraft, foam & furnishing, Automative, bus body and Misc.



Fix o Fast Strong 7

Designed for high end Spray Application

Packaging 25 & 30 Ltr

- Benzene Free
- High Solid content product for high strength
- very low viscosity
- Non Offensive Odour and low VOC Content
- Ideal For Handicraft, Automative, Foam & Furnishing, interiors etc.





Fix o Fast P U 709 Economical P U Adhesives

Packaging 1, 5, 25 & 30 Ltrs

- Non Hazardous to Health and environment
- Free From Benzene
- High Tack and Strong Bond Temperature Curing Material
- Ideal for Footware, Leather, Membrane Doors and Engineering Items



Fix o Fast P U 888

Moderate P U Adhesives

Packaging 1, 5, 25 & 30 Ltrs

- Non Hazardous to Health and environment
- Free From Benzene
- Specially Designed for High end application
- High Tack and Strong Bond
- Temperature Curing Material
- Ideal for Footware, Leather, Membrane Doors and Engineering Items



Fix o Fast P U 1000

High Solid P U Adhesives

Packaging 1, 5, 25 & 30 Ltrs

- Non Hazardous to Health and environment
- Free From Benzene
- High Tack and Strong Bond
- High Solid Content for Extra high Strength
- Temperature Curing Material Ideal for high end Footware and Engineering Items

HOT MELT ADHESIVES



Fix o Fast TRANS 300WW

For Edgebanding Application

Packaging 25 & 30 kgs

- . 120 to 150 deg Melting Point
- Water White granules for better finishing
- Fast working easy to use
- Strong and Fast Bond
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Edgebanding and Wood Working Application



Fix o Fast TRANS 350

For Manual Edgebanding Application

Packaging 25 & 30 Kgs

- 120 to 150 deg Melting Point
- Yellow Transperant granules
- Fast working easy to use
- Strong and Fast Bond
- extra coverage
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Edgebanding and Wood Working Application



Fix o Fast TRANS 750 For AUTOMATIC Edgebanding Application

Packaging 25 & 30 kgs

Fix o Fast TRANS B-180

For Book Binding Application

Packaging 25 & 30 Kgs

Fix o Fast HM B 150 For Book Binding Application

Packaging 25 & 30 Kgs

- 150 to 180 deg Melting Point
- Pale Yellow transperant granules
- for better finishing
- Fast working easy to use
- For Through Feed Automatic Machine
- Strong and Fast Bond
- Non offensive odour and Eco Friendly Moisture and Water Resistance Properties For Through feed Edgebanding and Wood Working Application
- 100 to 150 deg Melting Point
- Pale Yellow Transperant granules
- Fast working easy to use
- Strong and Fast Bond
- extra coverage
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Book binding, Paper to Paper Bonding, paper bags etc.
- 100 to 150 deg Melting Point
- Milky white granules
- Fast working easy to use
- Strong and Fast Bond
- extra coverage
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Book binding, Paper to Paper Bonding, paper bags etc.

HMPSA (HOT MELT PRESSURE SENSATIVE ADHESIVES)



Fix o Fast HMPSA 2200

For Permanent Tack

Packaging 25 kg box

- . 100 to 150 deg Melting Point
- Yellow Transperant Brick Foam
- Fast working easy to use
- High and Permanent Tack
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Water Proof Sickers, Labbeling, Pet bottlig labbels, Engineering Items, Automotives, Paper to paper etc.



Fix o Fast HMPSA 3300WW

For Permanent Tack and High Strength

Packaging 25 Kg Box

- 120 to 150 deg Melting Point
- Water White Transperant Bricks
- Fast working easy to use
- very soft to substrates
- High and Permanent Tack
- Non offensive odour and Eco Friendly
- Moisture and Water Resistance Properties
- For Water resistance stickers, high strength labbels, Engineering items, automotives etc.