

ICE CANDY PRODUCTION MACHINE



We manufacture wide range of Ice Candy Production Machine using high quality material & advanced technology which is to be used for the production of Ice Candies.

ICCP-9



ICCP-15




ICCP-20



ICCP-40



Process Diagram



Conventional Type

Specifications

Model	ICCP-4	ICCP-6	ICCP-9	ICCP-15
Capacity / Hr	192 Candy	288 Candy	432 Candy	720 Candy
Outer Size (LxWxH)	54"x26"x26"	67"x33"x26"	78"x33"x26"	115"x33"x26"
Inner Tank Size (LxWxH)	47"x19"x23"	60"x26"x23"	71"x26"x23"	108"x26"x23"
Functional Area in Inch(LxWxH)	33"x19"x8"	46"x26"x8"	57"x26"x8"	94"x26"x8"
Power Consump. (Kw)	3.0	4.1	5.4	8.6
Brine Storage Capacity (Approx)	340 Ltrs	650 Ltrs	700 Ltrs	1080 Ltrs

Model	ICCP-20	ICCP-32	ICCP-40
Capacity / Hr	960 Candy	1536 Candy	1920 Candy
Outer Size in Inch (LxWxH)	115"x39"x26"	169"x39"x26"	203"x39"x26"
Inner Tank Size in Inch (LxWxH)	108"x32"x23"	162"x32"x23"	196"x32"x23"
Using Area in Inch (LxWxH)	94"x32"x8"	148"x32"x8"	182"x32"x8"
Power Consump. (Kw)	10.6	16.9	20.2
Brine Storage Capacity (Approx)	1330 Ltrs	1990 Ltrs	2400 Ltrs


- **SOLID WASTE FREE CLEAN BRINE DUE TO BRINE FILTER**
- **BELTLESS AGITATOR**
- **WELL DESIGNED FOR BRINE CIRCULATION TO MAINTAIN UNIFORM TEMPERATURE**

Application : Ice Candy, Roll Cut Ice cream Production
Temp : -26°C to -30°C
Body : Outer - S.S. Grade 304 Thick 1mm, Inner - S.S. Grade 316 Thick 1.2mm
Pull Down Time : Ice cream base freezing time 20 to 30 minute approx. (Mix Inlet temp -4°C to -6°C)
 Water base flavor freezing time 30 to 35 minute approx. (Mix Inlet temp +10°C to +14°C)
Conditions : Water flow rate as per required capacity in case of water cooled system.


ICE CANDY PRODUCTION MACHINE




Refrigeration System To Be Installed As Per Requirement




Option A : Left / Right Side




Option B : Top Side



Option C : Split Side



Option D : Water Cooled Type



Stick Holder

Candy Mould

Mould Design We Consider


Mould Size : 17.5" x 7.25" x 9" (L x W x H)

Stick Holder : 16" x 6.75" x 8.5"

Contains : 24 Cavity/Mould

Tray For Roll Cut Type Candy Mould

S.S Tray is provided for those who make Roll Cut Type Candy. It makes operating easy while working as the Mould is held by S.S Pipe & angle of Tray.



Defrosting Cum Choco Coating Tank



IDM-I



IDM-II

	DEFROSTING CUM CHOCO COATING TANK
Body	Outer - S.S Grade 304, Inner - S.S Grade 304
Size (L x W x H)	• Single : 27" x 14" x 34.5" • Double : 27" x 23.25" x 34.5"
Temperature	+30°C to +50°C
Insulation	38 mm PUF Insulation
Mounted	Mounted with S.S Stand - Grade 304
Application	<ul style="list-style-type: none"> • For uniform Demoulding of Candy from Mould • Making Uniform Layer of Choco on each Candy Of Mould
Heater	1.5 Kw
Capacity	1 Mould and 2 Mould

Special Features :

- Life of Heater is long lasting as it is not in touch with Brine.
- IDM-I stands for Single Mould and IDM-II stands for Double Mould