Quotation of Standard CNC Router Machine SD-1325

Introduction

- 1.Industrial Control System can support the continuous craving from the break point. Also it can be compatible with Artcam, Type3, Ucancam, Artcut, Alphacam, JD Paint.
- 2.High quality PVC vacuum table can work for long lifetime,With big power vacuum pump let the board fixed very well,Reduce the time waste in change board.
- 3.We use World top brand electric components Like Schneider, ABB, Omron, SMC, DELIXI.

Application Field

- 1. Furniture: plate-type furniture, wood furniture, office furniture, cabinet, wood doors and windows.
- 2. Wood: Musical instruments, speakers, game cabinets, computer tesk, electrical counter top.
- 3. Panel processing: Insulation, plastic parts, PCB, balling track, inner body of car, Resistance special plate, epoxyresin, ABS, PP, PE and other carbide mixed compounds.
- 4. Decoration industry: Acrylic, PVC, MDF, organic glass, plastic, soft metal such as copper and aluminium plate engraving processing.

Machine Specifications				
Effective working area	X=1300mm	Y=2500mm	Z=200mm	
Table structure	Vacuum Suction T	Vacuum Suction Table		
Guide Rail	Taiwan HIWIN Squ	Taiwan HIWIN Square orbit		
Driving Method	Helical gear rack t	Helical gear rack transmission		
Transmission type	X,Y Rack and opin	X,Y Rack and opinion, Z Ball Screw		
Cleaning system	3.0kw Double Bag	3.0kw Double Bags dust collector		
Motors and Drivers	750W Japan Yaska	750W Japan Yaskawa Servo Motor and Driver		
Position cylinder	4 Sets Air Position	4 Sets Air Positioning Cylinder		
Spindle power	6.0kw Italy HSD Ai	6.0kw Italy HSD Air Cooling Cpindle		
Spindle speed	0-18000RPM			
Vacuum Pump	5.5KW Water Vacu	um Pump		
Max air move speed	60000mm/min			
Max working speed	35000mm/min			
Machining accuracy	<0.1mm	<0.1mm		
Inverter	5.5kw Delta Inverte	er		
Control system	Richauto A11 DSP	Handle		

Compatible Software	Type3/Artcam/Castmate/Coreldraw/Auto CAD and other CAM/CAD softwares	
Command code	G code	
Voltage	380V 50/60Hz, 3 phase	
Oiling system	Automatic	
Air Positioning Cylinder	Yes	







Incoterms	Unit Price	Payment Terms	
Vat Tax & Freight Extra as applicable.	Rs. 10,50,000.00	50% Advance Balance during Installation	
Delivery	Package	Offer Validity Period	
60 working days	In one plywood case 2.1*3.3*1.9m 1800KGS	15 days	
Machine Parts			



5.5kw Air pump

3.0kw double bags dust collector

Vacuum table with T-slot






Leadshine Stepper Driver

Automatic Oiling system

Woodworking Tools







Air positioning cylinder

Richauto A11 DSP Handle

Artcam Software

Company pictures



