




THE TRUST OF EVERY INDIAN HOMES


Har Ghar ki
Larurat...



4K UHD SMART TVs powered by WebOS TV













Available in Sizes: 43 (109cm), 50 (126cm) 55 (140cm) & 65 (145cm)

powered by **webOS**TV



FEATURES

- Bezel-Less Design with Metallic Build
- 4K UHD
- 400 Nits Brightness
- ThinQ AI
- Magic Remote
- Universal Control
- Dolby Audio
- Quantum Luminis +
- D6500 Calibration on Cinema Mode
- MEMC
- Personalised Picture & Sound Settings on OTT
- HDR 10
- HLG
- ALLM
- Dual Band Wi-Fi
- 2 Way Bluetooth 5.0
- Miracast
- AI Quad core Processor

24 Inch Basic LED TV



Model No: VSP24HRN01

24 Inches (60 cm) LED TV

A+ Grade Panel

High Sound Quality

USB

HDMI

32 Inch Basic LED TV



Model No: VSP32HRN02

32 Inches (80 cm) LED TV

A+ Grade Panel

High Sound Quality

USB

HDMI

androidtv

Design for Dynamic edge-to-edge display



Model No: VSP32HSS01

32 Inches (80 cm) LED TV

Display Resolution - 1366×768

Aspect Ratio - 16:9

Audio Output - 10W + 10W

Power Consumption - <50W

Connectivity - HDMI, USB,

VGA, AV-IN-1



Model No: VSP40FSS01

40 Inches (102 cm) LED TV

Display Resolution - 1920×1080

Aspect Ratio - 16:9

Audio Output - 10W + 10W

Viewing Angle 178×178 (H/V)

Connectivity - HDMI, USB,

VGA, AV-IN-1



Model No: VSP43FSS02

43 Inches (109 cm) LED TV

Display Resolution - 1366×768

Aspect Ratio - 16:9

Audio Output - 10W + 10W

Power Consumption - <50W

Connectivity - HDMI-1, USB-1,

VGA-1, AV-IN-1



androidtv

75 inch



Classic never goes
out of style!



Resolution
3840 × 2160

RAM : 2GB
ROM : 16GB

Google Assistant/
Google Play Store

Google Certified
Chipset



65 inch

55 inch

50 inch



Slim & Amazing



Gives you *more Joy*

CLOUD TV

Resolution
3840 × 2160

RAM : 1GB
ROM : 8GB

Google Assistant/
Google Play Store

Google Certified
Chipset



Model No: VSP32FVC03

32 Inches (80 cm) LED TV

Smart LED TV & Frameless
Display Resolution - 1920×1080
Aspect Ratio - 16:9
Audio Output - 15W + 15W
Viewing Angle - 178×178 (H/V)
Connectivity - HDMI, USB, VGA
AV-IN-1



Model No: VSP40FSC03

40 Inches (102 cm) LED TV

Smart LED TV & Frameless
Display Resolution - 3840×2160
Aspect Ratio - 16:9
Audio Output - 20W + 20W
Viewing Angle - 178×178 (H/V)
Connectivity - HDMI, USB, VGA
AV-IN-1



Model No: VSP43FBC03

43 Inches (109 cm) LED TV

Smart LED TV & Frameless
Display Resolution - 3840×2160
Aspect Ratio - 16:9
Audio Output - 20W + 20W
Viewing Angle - 178×178 (H/V)
Connectivity - HDMI, USB, VGA
AV-IN-1



SOUND SPEAKER



Tower Speaker T-88
Output Power - 190W



Speaker Rock - 600
Output Power - 600W



Tower Speaker T-80
Output Power - 180W



Tower Speaker ROCK-500
Output Power - 80W



Portable Speaker
Output Power - 25W



Wireless



Remote



Speaker



Heavy Bass

ELECTRIC GEYSER



◀ HOT LINE

- Body Type - ABS Body
- Element - Heavy Duty Copper Tube ISI marked
- Safety - Capillary Imported Thermostat/ Thermal cutout/Multifunction valve
- Available in 10L, 15L, 25L, 35L, 50L, 65L
- Anode rod for Hard Water
- Low Carbon - 304 SS High Grade
- Rated Power Input - 2000W
- Insulation - Puff
- Variable Temperature Controller with Knob
- Suitable for Hard Water & High Rise Building
- Available : Glass Line Tank/SS Tank

AMAZON ▶

- Body Type - Powder Coated Metal Body
- Element - Heavy Duty Copper Tube ISI marked
- Safety - Capillary Imported Thermostat/ Thermal cutout/Multifunction valve
- Available in 6L, 10L, 15L, 25L, 35L, 50L
- Insulation - Glasswool
- Tank - Stainless Steel
- Rated Power Input - 2000W
- Low Carbon - 304 SS High Grade
- Variable Temperature Controller with Knob



◀ SLIM HORIZONTAL

- Body Type - Powder Coated + ABS
- Element - Heavy Duty Copper Tube ISI marked
- Safety - Capillary Imported Thermostat/ Thermal cutout/Multifunction valve
- Available in 50L, 60L, 70L
- Insulation - Puff
- Tank - Stainless Steel / Glass Line
- Rated Power Input - 2000W
- Anode rod for Hard Water
- Low Carbon - 304 SS High Grade
- Center Fitted Pipe
- Variable Temperature Controller with Knob



PEDESTAL FAN



◀ Raftaar

Oscillating / Non Oscillating

Specification:

20" (3 Leaf Aluminium Blades)

Excellent & long lasting pain finish

Performance

Ball bearing / Bush features makes fan maintenance free & durable

Style & Finish

Optimum performance even at low voltage

Colours:

Grey & Black

Toofan ▶

Oscillating / Non Oscillating

Specification:

18" (3 Leaf)

Excellent & long lasting pain finish

Performance

Ball bearing / Bush features makes fan maintenance free & durable

Style & Finish

Optimum performance even at low voltage

Colours:

Grey & Black



◀ Vikrant

Oscillating / Non Oscillating

Specification:

16" (3 Leaf)

Excellent & long lasting pain finish

Performance

Ball bearing / Bush features makes fan maintenance free & durable

Style & Finish

Optimum performance even at low voltage

Colours:

Grey & Black



CEILING FAN



- Golden
- Ivory

Model : ANT
Size : 1200mm 48"
Speed : 400 RPM
Watts/Volts : 60/230V



- White
- Golden

Model : ROYAL DELUX
Size : 1200mm 48"
Speed : 400 RPM
Watts/Volts : 60/230V



- Golden
- White

Model : ROYAL
Size : 1200mm 48"
Speed : 400 RPM
Watts/Volts : 60/230V



- Golden
- Black

Model : WINGS
Size : 1200mm 48"
Speed : 400 RPM
Watts/Volts : 60/230V

TABLE FAN



Maxx

Specification:
400 mm sweep (16")



Stormy

Specification:
400 mm sweep (16")



◀ Fresco

Ventilation Fan

Specification:
Sweep 6" (150 mm)
Sweep 8" (200 mm)
Sweep 10" (250 mm)

Axial Air Fan ▶

Specification:
Sweep 4" (125 mm)
Sweep 6" (150 mm)



◀ Fresh Air Fan

Specification:
Sweep 6" (150 mm)
Sweep 9" (225 mm)
Sweep 12" (300 mm)

MIXER GRINDER



◀ Elexa

3 Jar Mixer Grinder 750W

36
MONTHS
WARRANTY

- Hardened blades for multipurpose grinding.
- Compact and easy to clean design.
- Shock Proof ABS body and Over load protector.
- Full copper motor for longer motor life.
- Three speed options with an inbuilt pulse function



Super Sharp
Blades



30 Minutes
Grinding



Heavy-Duty
Steel Jar

Rivera

2 Jar Mixer Grinder 500W

36
MONTHS
WARRANTY

- Hardened blades for multipurpose grinding.
- Compact and easy to clean design.
- Shock Proof ABS body and Over load protector.
- Full copper motor for longer motor life.
- Three speed options with an inbuilt pulse function



Super Sharp
Blades



30 Minutes
Grinding



Heavy-Duty
Steel Jar



◀ Sigma

2 Jar Mixer Grinder 500W

36
MONTHS
WARRANTY

- Hardened blades for multipurpose grinding.
- Compact and easy to clean design.
- Shock Proof ABS body and Over load protector.
- Full copper motor for longer motor life.
- Three speed options with an inbuilt pulse function



Super Sharp
Blades



30 Minutes
Grinding



Heavy-Duty
Steel Jar

WASHING MACHINE



◀ VSPW 7800 (FG)

- Wash Capacity (Kg) - 7.8 kg
- Spin Capacity - 5.0 kg
- Wash Power - 350W
- Spin Power - 160W
- Top Lids - Trans/Opaque
- Wash Program - 2
- Soak - Yes
- Pulsator - Normal



5 YEARS
WARRANTY



VSPW 10000 (FG) ▶

- Wash Capacity (Kg) - 10 kg
- Spin Capacity - 5.0 kg
- Wash Power - 350W
- Spin Power - 160W
- Top Lids - Trans/Opaque
- Wash Program - 2
- Soak - Yes
- Pulsator - Normal



5 YEARS
WARRANTY



◀ VSPW 8200 (HG)

- Wash Capacity (Kg) - 8.2 kg
- Spin Capacity - 5.0 kg
- Wash Power - 350W
- Spin Power - 160W
- Top Lids - Trans/Opaque
- Wash Program - 2
- Soak - Yes
- Pulsator - Normal



5 YEARS
WARRANTY



VSPW 8800 (FG) ▶

- Wash Capacity (Kg) - 8.8 kg
- Spin Capacity - 5.0 kg
- Wash Power - 350W
- Spin Power - 160W
- Top Lids - Trans/Opaque
- Wash Program - 2
- Soak - Yes
- Pulsator - Normal



5 YEARS
WARRANTY



◀ VSPW 7200 (HG)

- Wash Capacity (Kg) - 7.2 kg
- Spin Capacity - 5.0 kg
- Wash Power - 350W
- Spin Power - 160W
- Top Lids - Trans/Opaque
- Wash Program - 2
- Soak - Yes
- Pulsator - Normal



5 YEARS
WARRANTY



Altanits



- Large 55/75 L Tank
- Powerful Fan
- Prolonged Cooling
- Plastic Series
- Air throw Distance 45 FT
- 28MM, 110 Dia High Speed Motor CRC Stamping
- 16 x 4 PP Glass Field
- 3 Side Honey Comb Cooling Pad
- Ice Chamber System
- Castors Wheel
- Inverter Compatible
- Auto Water Drain System

424 MM x 412 MM x 1050 MM

Hercules

- Large 55/75 L Tank
- Powerful Fan
- Prolonged Cooling
- Plastic Series
- Air throw Distance 45 FT
- 28MM, 110 Dia High Speed Motor CRC Stamping
- 16 x 4 PP Glass Field
- 3 Side Honey Comb Cooling Pad
- Ice Chamber System
- Castors Wheel
- Inverter Compatible
- Auto Water Drain System

428 MM x 408 MM x 1030 MM



Elegant



- Large 35 L Tank
- Powerful Fan
- Prolonged Cooling
- Plastic Series
- Air throw Distance 20 FT
- 25MM High Speed Motor CRC Stamping
- 12 x 3 ABS Clockwise Blade
- 3 Side Honey Comb Cooling Pad
- Ice Chamber System
- Castors Wheel
- Inverter Compatible
- Auto Water Drain System

460 MM x 330 MM x 710 MM

ELECTRIC KETTLE



VSSK - 0110
1.8 L capacity



VSPK - 2611
2 L capacity



VGPK - 1111
2 L capacity

FAN HEATERS



VSPFH-01
(1000/2000W)

VSPFH-02
(1000/2000W)



VSPFH-03
(1000/2000W)

VSPFH-04
(1000/2000W)



Two Heat Setting



Adjustable Thermostat



Mica Element



High Speed Motor



Superme Air Flow



Cool Body Touch

ELECTRIC IRON



▲ Perfect

- 750/1000W, ISI Certified
- Adjustable Temperature Control
- Non-stick Coated Soleplate
- Over Head Safety Protection
- Pilot Light, Light Weight
- Cool Touch Handle with Comfort Grip



▲ Prima Gold

- 750/1000W, ISI Certified
- Adjustable Temperature Control
- Non-stick Coated Soleplate
- Over Head Safety Protection
- Pilot Light, Light Weight
- Cool Touch Handle with Comfort Grip



▲ Black Beauty

- 750/1000W, ISI Certified
- Adjustable Temperature Control
- Non-stick Coated Soleplate
- Over Head Safety Protection
- Pilot Light, Light Weight
- Cool Touch Handle with Comfort Grip



◀ Rice Cooker

- Capacity : 1.8 & 1.2 Liter
- Power : 220-240 V AC 50Hz
- Wattage : 700 Watt
- Outer Wall : 0.35 mm
- Inner Pot : 320 Gram
- Heating Plate : 375 Gram
- Keep Warm Function : Yes
- Power Cable : 3 Pin 3 Core 1000 mm

Electric Infrared ▼

INF-2504 (2200 Watt)



Mini Griller ▶

- Non-Slip Rubber Feet
- 750 Watts
- Shock Proof & Heat resistant
- Power On/Off Indicator





Toll Free Services



CRM Enabled



Consumer Finance Facility



Channel Finance Facility



Pan India Service Centre



Doorstep Service



QUALITY AT ITS BEST

visunplus



TOSH ELECTRONICS PRIVATE LIMITED

279A, Udyog Kendra 1st, Khera Chauganpur,
Greater Noida, GB Nagar, UP (201306)
+91-7838820110
info@vsunelectronicsindia.com

