



UNIVERSAL ENGINEERING



The Excellent Operation Room Total Solutions



702
ELECTRIC ICU BED (ABS PANELS & RAILING)

- Frame work made of Rectangular M.S Tube.
- Back Rest, Knee Rest and Hi-Lo TB/RTB Positions obtained by electric actuator operator by hand remote system.
- ABS molded head and foot bows.
- ABS track away safety side Railing.
- Bed Mounted on 125 mm Dia Castor with two braking wheels.
- Telescopic IV Rod with Four Locations.
- Overall Size: 210 L x 90W x 50 - 70Hcms
- Finish: Epoxy Powder Coated
- Perforated CRC Sheet Top in four section.
- Provided 100 mm matt



704
RECOVERY BED ELECTRIC

- Advance Linear actuator system (02 Pcs Motor, 01 Pcs Control Box, 01 Pcs Handset).
- Two Pieces individual detachable SS side railing
- Abs Moulded Head & Foot Panel with locking.
- Framework made from M.S. Tubes.
- 4 Sectional Top Made -up of CRCA M.S Sheet.
- Bed mounted on 100mm castors, 2 with break.
- Finish Pretreated & Epoxy Powder Coated.
- Overall Approx Size: 2090L x 910W x 600H MM.
- 4 Sectional Mattress, 100mm.
- ss telescopic I.V Rod.
- Position Obtained by Hand Remote
(a) Backrest Elevation. (b) Kneerest Elevation

701
ELECTRIC ICU BED MULTIFUNCTION

- Frame work made of Rectangular M.S Tube
- Back Rest, Knee Rest, TB/RTB and Hi-Lo Positions obtained by electric actuator operator by hand remote system.
- ABS moulded head and foot bows.
- ABS track away safety side Railing.
- Telescopic IV Rod with Four Locations.
- Bed Mounted on 125 mm dia Center Locking Castor.
- Nurse control panel
- CPR system
- Overall Size: 210 L x 90W x 50 - 70Hcms
- Finish: Epoxy Powder Coated
- Perforated CRCA Sheet Top in four section.
- Provided 100 mm matt



703
ELECTRIC ICU BED (ABS PANELS)

- Frame work made of rectangular M.S. tube perforated CRC sheet top in four sections.
- Back rest, knee rest and hi-lo positions TB/RTB obtained by electric actuator operate by hand remote system.
- ABS molded head and foot bows.
- Aluminum collapsible safety side railings.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor-two with brakes.
- Provided with 100 mm. mattress in 40 density.
- Overall size: 210 (L) x 90 (W) x 50-70 (H) cm.
- Finish: Epoxy powder coated.





705

HOSPITAL FOWLER BED ELECTRIC

- Advance linear actuator system [02 Pcs Motor, 01 Pc Control box, 01 Pcs Handset].
- Two Pieces individual detachable Side-rails, Stainless steel.
- ABS Moulded Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx, Size : 2090L x 910W x 600H MM.

706

HOSPITAL SEMI-FOWLER BED ELECTRIC

- Foot Panel & ABS Head with locking.
- Advance linear actuator system (01 Pc Motor, 01 Pc Control box, 01 Pc Handset).
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Frame work Made-up of M.S Tubes.
- 2 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest Elevation is Position Obtained by Hand Remote.
- Overall Approx. Size 2090L x 910W x 600 HMM.



707

ICU BED MECHANICAL

- Four Pieces individual Side-rails, ABS Moulded.
- Heavy ABS Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 5" Castors, 2 with brakes.
- S.S. Telescopic I.V. Rod with 4 Locations.
- Holder for Urine Bag.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 625-820H MM.
- Back Rest, Knee Rest, TB/RTB and HI-Low Postions maneuvered by sepret etc.



708

MECHANICAL ICU BED (ABS PANEL)

- Frame work made of rectangular M.S. tube 4 section top made of perforated M.S. sheet.
- Backrest, knee rest, TB/RTB and hi-lo positions maneuvered by separate.
- ABS molded Head & foot bows.
- Collapsible safety side railing.
- Telescopic IV rod with four locations.
- Bed mounted on 125 mm diameter castor two with brakes.
- Overall Size: 2100 (L) x 900 (W) x 600-800 (H) mm
- Finish: Epoxy powder coated





709

ICU Bed Mechanical Fixed Height 3 KEY (ABS Panels)

- Made of rectangular M.S. Tube.
- 4 Section top made of perforated MS sheet.
- Backrest, Knee Rest, TB / RTB Positions manoeured by separate head & foot panels.
- ABS moulded head & foot panels.
- Collapsible safety side railing.
- Telescopic IV Rod with four locations.
- Bed mounted on 125 mm dia castor two with brakes.
- Overall Size : 210 Lx 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.

711

HOSPITAL FOWLER BED

- Heavy ABS Head and Foot Panel with locking & corner .
- Bed Mounted on 4" Castor with brakes on two castors
- Framework Made of M.S.Tubes.
- 4 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest & Kneerest Elevation is Position Obtained by Foldable Handle.
- Overall Approx. Size 2090L x 910W x 600 HMM.



712

HOSPITAL FOWLER BED

- Laminated Board with Stainless Steel Head & Foot Panel.
- Bed Mounted on 4" Castor with brakes on two castors
- 4 Location for I.V Rod
- Framework Made of M.S.Tubes.
- 4 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest & Kneerest Elevation is Position Obtained by Smooth crank system with foldable Handle.
- Overall Approx. Size 2090L x 910W x 600 H MM.



713

SEMI FOWLER BED (ABS PANEL)

- Frame work made of Rectangular M.S. Tube.
- 2 Section Top made of Perforated M.S. Sheet.
- Back rest Position manoeuvred by Separate screw from foot end.
- ABS Moulded Head & Foot Panels.
- Four Location for I.V Rod.
- Overall Size : 206L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.





714

SEMI-FOWLER BED (DLX)

- Size: 206 L x 91 W x 61 H Cms.
- Frame Work of specially designed CRC Rectangular heavy Tubes.
- Two Section Top of Uniformly Perforated CRC Sheets.
- Backrest maneuvered by screw, at Legend. , S.S. Bows are of equal height fitted with Laminated Panel.
- Four Location Saline Hole.
- Pretreated and Epoxy Powder Coated.

715

HOSPITAL SEMI - FOWLER BED

- Foot Bows & Tubular Head of unequal height with vertical tube support with Powder Coated.
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Framework Made of M.S Tubes.
- 2 Section top made of perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Backrest Elevation is Position Obtained by Smooth crank system with foldable handle.
- Overall Approx. Size 2090L x 910W x 600 HMM.



716

HOSPITAL BED PLAIN (DX)

- Frame work made of Rectangular square M.S. Tube.
- Top made of Perforated CRCA MS sheet.
- Tubular Head & Foot Bows of Unequal Height.
- Four Location for I.V Rod.
- Overall Size : 206 L x 90 W x 60 H cms.
- Finish : Epoxy Powder Coated.
- S.S. Bows are of equal Hight.

717

HOSPITAL PLAIN GERNAL BED

- Foot Bows & Tubular Head of unequal height with vertical tube support.
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Framework Made of M.S Tubes.
- Top made up of oval perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Overall Approx. Size 2090L x 910W x 600 HMM.



718
DELUX ATTENDANT BED WITH LAMINATED BOARD & 2 WHEELS

- Overall Size 721 x 24W x 18H inch
- Leg fitted two no. of wheels
- Framework mad-up of rectangular M.S Tubes.
- Tubular Head & Foot Bowl Fitted with laminated board.
- Finish Pretreated & Epoxy Powder Coated.
- Optional:- Mattress



719
ATTENDANT BED SS PANEL

- Frame work made of strong and precise steel t u b e s mounted on "H" type legs mounted on rubber stumps.
- Top made of perforated CRCA sheet machine pressed and bent with mattress guard.
- Stainless Steel Head & Foot Bows.
- Size: 72" Lx 24" W x 18" H.
- Finish: Pre-treated and Epoxy Powder Coated.

720
ATTENDANT BED

- Overall Size : 180 LX 60 W x 46 H Cms.
- Frame work made of rectangular / square MS Tube.
- 5 cm Foam Padded with fixed mattress Covered with rexine.
- Legs fitted with PVC stumps.
- Finish : Epoxy Powder Coated.



721
PEDIATRIC BED

- Foot Bows & Tubular Head of unequal height with vertical tube support.
- 4 Location for I.V Rod.
- Legs fitted with PVC Stumps.
- Full length drop side rails on both sides.
- Framework Made of M.S Tubes.
- Top made up of oval perforated CRCA M.S Sheet.
- Pre-treated & Epoxy Powder Coated.
- Overall Approx. Size 1480Lx 840W x 600 H MM.
- Bed frame Size : 1370 Lx 760 W MM.



722

S.S. OBST/GYNE TABLE

- Overall Approx. max. Size : 72" x 27" x 30".
- Frame work made from SS Tubes.
- 3 Section top made of SS Sheet.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section.
- The entire table top gives trendelburg Positions by Screw Mechanism.
- Removable safety side railing are provided on 3 sides of the table.
- Height adjustable by Hydraulic pump.
- A Pair of foam padded knee crutches.
- Patient bearing down hand grips made of SS Tubes.
- Supplied with collecting SS Bowl on SS Bracket and one S.S. I.V. Rod.
- Provided 3 Sectional Mattress.

723

OBSTETRIC LABOUR TABLE TELESCOPIC (FIXED HEIGHT)

- Overall Approx. max. Size : 72" x 27" x 30".
- Frame work made of MS Tube.
- Legs fitted with PVC Stumps.
- 3 Section Top made of S.S. Sheet.
- Back rest section adjustable on ratchet.
- Leg end section can slide under the main section.
- The entire table top gives trendlenberg positions by Screw Mechanism
- Removable safety side railing are provided on 3 sides of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient bearing down hand grips made of S.S. Tubes.
- Supplied with waste collecting S.S. Bowl on S.S. bracket and one S.S. I.V. Red.
- Also available in Powder Coated Frame work and S.S. Top.
- Provided 3 Section Matt





724

LABOUR DELIVERY ROOM BED HYDRAULIC (LDR BED)

- Overall size : 1900 Lx 900 W x 600-800 H mm
- Tubular frame work mounted on 5" dia castor two with brakes
- Three section top made of M.S. Pipe fitted with CRC Sheet covered with cushioned mattress.
- Trendlenburg / Reverse Trendlenburg positions adjustable through gear mechanism
- ABS tuck away safety side railing are provided on 2 side of the table with detachable head side ABS panel .
- Height adjustment through hydraulic pump
- Back section adjustment through ratchet system
- Leg end section can slide under the main section
- Provided with pair of upholstery Lithotomy positions
- SS telescopic IV Rod
- Detachable S.S. Tray
- Finish : Pretreated Epoxy Powder Coated
- Provided Three Section Mattress

725

DELIVERY BED MOTORIZED

- Overall Size : 1880Lx 900W x 600-800H mm.
- Tubular Frame work mounted on 125 mm dia castor two with brakes.
- Three Section top made of MS pipe with fixed Cushioned mattress.
- Height Adjustment, Back section & Trendlenburg / Reverse Trendlenburg Positions adjustment through electric actuator system.
- Leg end section can slide under the main section.
- Provided with a pair of upholstery lithotomic position.
- SS telescopic IV Rod.
- Detachable SS Tray.
- Provided Three Section Mattress.





726

EXAMINATION TABLE WITH 2 SECTION (PLAIN)

- Approx. Dimensions : 72":Lx 24" W x 32" H.
- Frame work Rectangular & Square Steel Tubes.
- Adjustable Back Rest by hand lever.
- Two section cushioned top / Two Section M.S. Powder Coated Top with Mattress.
- Legs fitted on PVC stumps.
- Pre - treated & Epoxy Powder Coated. Optional

727

EXAMINATION CUM GYNAE TABLE (U-CUT) & BACK REST

- Approx. Dimensions : 72"Lx 24" W x 32" H.
- Frame work made of MS CRC tubes.
- Two section cushioned top / two section M.S. powder coated top with perineal cut and mattress.
- Complete with the pair of S.S. lithotomy rod made of 12 mm S.S. rod.
- Back rest adjustable by hand lever.
- Epoxy powder coated finish.



728

EXMINATION TABLE WITH CABINET AND DRAWER

- Approx. Dimensions : 72"Lx 24" W x 32" H.
- Frame work of CRC tubes.
- 5 cms foam cushioned top covered with rexine.
- 1Pc. cabinet with drawer.
- Legs fitted with PVC stumps.
- Finish :Pre-treated and epoxy powder coated.

Optional

- Single foot step in powder coted /S.S.

729

EXAMINATION COUCH

- Approx. Dimensions : 72"Lx 24" W x 32" H.
- Body frame work made of 18/20 G. CRC sheet backrest adjustable on gas spring .

Optional

- S.S. /M.S. foot step.





730
BED SIDE LOCKER ABS

- 480x480x760/800mm (LXWXH)
- Made of ABS Plastic, Light, steadiness, no aging.
- Built in towel shelf and one oddment rack.



731
BAD SIDE LOCKER DELUXE

Description :

- Overall Size 16"Lx 16"W x 30"H
- CRCA sheet constructions. Having one Box and one drawer
- S. S. Top with three sides raise edges
- Epoxy Powder Coated



732
BED SIDE LOCKER (STD)

- Four MS legs fitted with PVC Stumps.
- Box and door made of MS sheet.
- Top made by machine pressed SS Sheet.
- Finish : Epoxy Powder coated.
- 16" Lx 16" W x 32" H



733
**BED SIDE LOCKER OPENGENERAL
THREE SHELVES**

- Bed side Locker S.S. Three shelves
- Three shelves Provided.
- Side Ralling for three side.
- Four legs fitted with P.V.C. stumps.
- 16" Lx 16" W x 32" H



734
BED SIDE LOCKER Z TYPE

- Overall Size: 16Lx 16W x 32H inch.
- Frame work made from powder coated.
- Shelves made from stainless steel.



735

OVER BED TABLE WITH ABS TOP

- ABS Moulded Top 33" x 18" fitted on MS square tubular telescopic steam
- Height adjustable from Approx 750 x 1100 mm by gear handle
- Base frame made of rectangular MS tube mounted on 50mm dia castors
- Finish Epoxy Powder Coated.
- Note : Also Available in stainless steel model



736

Over Bed Table Mayo's Type (Adjustable height with gear handle)

Description :

- Size: 72"x 20"x 30" (LXWXH)
- M. S. Rectangular frame work mounted on 5 cms castors
- 30" x 16" laminated top adjustable by gear handle.
- Epoxy Powder Coated.



737

OVER BED TABLE (Manually Adjustable)

- Rectangular frame work mounted on 5 cms castors.
- Membrane pressed wooden top adjustable by side Knob.
- Top size 32" X 16".
- Finish : Pre-treated and epoxy powder coated frame. Optional
- Also available in ABS molded top.
- Also Available in stainless steel frame model.



738

Over Bed Table Fixed Height

Description :

- Overall Size: 42"L x 20"W x 39"H
- Tubular frame work mounted on 5 cms castors.
- Fixd laminated top 30" x 16".
- Epoxy Powder coated.



739

Baby Cradle

Specification:

- M.S. tubular pipe. Stand fitted with PVC stumps.
- Wire mesh hanging cradle.
- Pre-treated and Epoxy Powder coated.
- Size - 36"x15"x 39" (LxW x H)

Hospital Bed Side Furniture



740
Instrument Trolley
(Two Shelves)

- Frame work made of 1" x 18 G vertical S.S. Tubes.
- Two 18G S.S. Shelves with three sides railing.
- The trolley mounted on 75mm dia castors.
- Finish : SS frame and SS shelves.

Sizes : L30" x W18" x H32"



741
Instrument Trolley
(Two Shelves)

- Frame work made of 1" x 18 G vertical S.S. Tubes.
- Two 18G S.S. Shelves with three sides railing.
- The trolley mounted on 75mm dia castors.
- Finish : SS frame and SS shelves.

Sizes : L35" x W20" x H32"



742
Dressing Trolley

- Frame work made of S.S. tubes.
- Two S.S. Shelves over with S.S. railings on all Three sides.
- The trolley fitted S.S. bucket and S.S. bowl.
- Finish : SS frame work and SS shelves.

Sizes : B-18"L x 30"W x 32"H



743
Soiled Linen Trolley With
Canvas Bag

- Frame work of CRC tube mounted on 10 cms castors.
- Superior quality canvas bag.
- Also Available in M.S. frame



744
Solid Linen Trolley With
Plastic Bucket

- Push handle at one hand
- Frame work of S.S. tube on 10 cms castors.
- Superior quality plastic bucket of 50 Itr. capacity.
- Also available in M.S. Frame



745
MAYO'S INSTRUMENT TROLLEY
WITH S.S. TRAY

- S.S. Tray size : 22"L x 16" W (Approx).
- Rectangular S.S. tube mounted on 5 cms castors, height adjustable by side Knob.
- Also available in M.S. frame & S.S. Tray.



746
S.S. Mayo's Trolley

Wholly made of stainless steel, Mayo trolley, Adjustable height suitable to use over the operation table, Mounted on four 5 cm castors.



747
Instrument Mayo's Trolley Over The O.T Table (mechanically)

- Approx Tray S.S. Size : 82 L x 50 W cms
- Frame Work Of S.S. Tubes Mounted on 10cms Castors.
- Height adjustable By Gear Handle.
- S.S. frame with S.S. Top.



A

748
PATIENT'S / VISITOR STOOL FULL SS

- Approx. Size : 12" x 12" x 20" H
- Top made of S.S. Sheet double bent
- Legs made of 25 mm x 18 G and Horizontal Support of 19 mm X 18 G S.S. Tube fitted with PVC stumps



B

749
PATIENT'S / VISITOR STOOL PC WITH SS TOP

- Approx. Size : 12" x 12" x 20" H
- Legs made of 25 mm x 18 G and Horizontal Support of 19 mm X 18 G CRCA Tube fitted with PVC stumps
- Finish : Epoxy Powder Coated



750
Revolving Stool (SS Top)

- Four leg base with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- SS top supported with MS sheet top.



751
Revolving Stool (Cushioned Top)

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of MS Tube.
- Cushioned top support with MS Circle.

Hospital Bed Side Furniture



752 REVOLVING STOOL (SS TOP)

Specification:

- Four leg base with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of S.S. Tube.
- SS top supported with S.S. sheet top.



753 REVOLVING STOOL (CUSHIONED TOP)

Specification:

- Four Leg base fitted with PVC Stumps.
- Height adjustment by machine Screw from 18" x 27".
- A foot rest ring support made of S.S. Tube.
- Cushioned top support with S.S. Circle.



754 FOLDING COMMODE (P.C.)



755 Trolley For Oxygen Cylinder

- Frame work made of CRC tube mounted on 10 cms/ 15cms castors
- Epoxy powder coated finish.
- A - for B type cylinder.

756 TROLLEY FOR OXYGEN CYLINDER

- Frame work made of CRC tube mounted on 10 cms/ 15cms castors
- Epoxy powder coated finish.
- A- for D type cylinder





757
Wash Basin Stand (single)

Specification:

- Five Legs base mounted on 5 cms dia castor.
- With one approx. 30cm S.S Basin
- Finish S.S. Frame with S.S. Basin



758
Wash Basin Stand (Double)


Specification:

- Five Legs base mounted on 5cms dia castors.
- With two approx. 35cms dia S.S. basins.
- Vertical S.S. tube made of 25mm X 15G.
- Basin holder S.S. tube made of 16mm X 18G.
- Finish S.S. Frame with S.S. Basin



759
Kick Bowl / Bucket

- Approx. S.S. Bowl of 350 mm dia/SS Bucket.
- Frame work made of S.S. tubes.
- Mounted on 75 mm castors.
- Finish S.S. Frame with S.S. Basin



Saline Stands

- (A) Plastic base with powder coated pipe and chrome plated rod.
- (B) Plastic base with SS pipe and rod (202/304 G.S.S.)
- (C) S.S. base with S.S. pipe & rod.
- 5Pronged base fitted with 5cm dia castors.
- 8/10mm S.S./ C.P. Adjustable double hook I.V. Rod to hold I.V. rod at one fixed height by knob.



763
BED SIDE SCREEN (3 PANELS)

- Screen panel Size: (160cm H x 60cm L)
- Curtain Size: (140cm H X 60cm L)
- M.S steel Tubular frame work mounted on 50mm castors with curtains.
- Curtains available in different colors. (Green, Blue)
- Easy assemble & disassemble or storage.
- Pre-treated & epoxy coated



764
BED SIDE SCREEN (4 PANELS)

- Overall Approx. Size : 1680 H x 2450 mm.
- MS tubular construction made of 19 mm x 18G in four section.
- Legs made of 25 mm x 18G fitted with 50 mm dia castors.
- Each span 610 mm wide.
- Supplied with hooks and spring with curtain cloth.
- Finish : pre treated and Epoxy Powder Coated.



765

FOOT STEP DOUBLE S.S.

Description :

- M.S. Tubular construction
- M.S. top superimposed rubber matting
- Legs with rubbed stumps
- Epoxy Powder Coated



766

Foot Step Double

- Overall Approx. Size : 18"L x 11"W x 18"H
- S.S. Tubular Frame fitted with PVC stump.
- S.S. sheet duly double press bent
- Complete in S.S.



767

Foot Step Single

Description :

- M.S. Tubular construction
- Ms top superimposed rubber matting
- Legs with rubbed stumps
- Epoxy Powder Coated



768

FOOT STEP SINGLE S.S.

- Overall Approx. Size : 20"L x 11"W x 10"H
- S.S. Tubular legs fitted with. PVC stump.
- Complete in S.S. Model.

Patient Transfer Trolley

769

Emergency & Recovery Trolley Hydroaualic

- Approx. Size : 210L x 65W x 65-95H cms.
- Safety side railing, I.V. Rod, storage tray & Cylinder cage. Removable X-Ray translucent top with tray for holding X-ray translucent top with tray of holding X-Ray Cassettes.
- Adjustable height by hydraulic pump through foot pedal. Trendlenburg / Rev. Trendlenburg by gas spring. 15 cms dia casters. Corner buffers.
- Pre-treated & Epoxy Powder Coated.



770

Emergency & Recovery Trolley Manual

- 4 Removable Swivel castors. 5" dia, two with brake.
- Pre – treated & Epoxy Powder Coated finish.
- SS I.V Rod along with provision at two locations.
- Backrest raised on ratchet.
- Overall approx dimensions 210 Lx 65 W cms.
- Two section top with removable X- ray permeable stretcher.
- Supplied with Mattress.

771

Patient Trolley (Semi Deluxe) S.S.

- Approx. size : 195L x 65W x 68-90H cms.
- Frame Work made of S.S. Tubes.
- Safety side railing I.V. Rod.
- Backrest Adjustable.
- 15 cms dia castors.
- Finish S.S. Base S.S. Top
- Supplied with Mattress



772

Stretcher Trolley

- Overall Approx. Size : 213 L x 56 W x 81 H cms.
- Frame work made of 1.25" 16 G vertical & 1" x 18 G horizontal CRC tube.
- Trolley mounted on 15 cm dia castors 2 with brake.
- Removable stretcher top made of MS sheet.
- Pushing handle at both end of the stretcher top.
- Finish : Pre treated and Epoxy Powder Coated.

Also Available in SS Code No. 773



774

CRASH CART IN S.S. FRAME

- Overall Approx. Size : 960 Lx 500 W x 1545 H mm.
- Frame work made of S.S. Tubes.
- Two light weight polystyrene boxes each with three drawers.
- Upper drawer with medicine container of different sizes.
- Provision to hold oxygen cylinder made of S.S.
- Massage board for cardiac patient are provided.
- Six Number colour hand out small bins at eye level.
- Total three S.S. shelves with railing to carry medical equipments.
- Provided with S.S. I.V. Rod, corner Buffers
- The cart mounted on 5" dia casters 2 with brakes



775

Crash Cart Trolley

- Overall approx size: 940mm Lx490mm Wx1535mm H.
- M. S. tubular frame.
- Six removable plastic bins and two polystyrene lockable storage units with three drawers each.
- Four swivel castors, 150 mm dia. (Two with brakes.)
- Complete with corner buffers, oxygen cylinder holder, S.S. IV rod, S.S. Powder Coated Top & shelves. cardiac massage board and electric lamp
- Epoxy powder coated



776

MONITOR TROLLEY SS

- Overall Approx. Size : 800 mm L x 600 mm W x 1400 mm H.
- Four shelves and one drawers.
- Trolley having two handle.
- The trolley mounted on 125 mm dia castors -2 with breaks.
- Switch and Socket for medical equipment.
- Supplied with S.S. IV Rod and S.S. Oxygen Gas Cylinder Cage.
- Fully S.S.

Also Available in Powder Coated Code No. 777

778

Wheel Chair Folding

- 16" Seat with Fixed Armrest Front with 4" Solid Castors & Rear 26" Solid Wheels with brakes.
- Size 39.5" Lx 28" W x 34.5H.



779

Wheel Chair Non Folding

- 17" cushioned seat & back fixed armrests front with 5" solid castors & rear 26" solid wheels with brakes.
- Size - 41" x 28" x 33" (LxW x H).



780

Commode Chair without wheel

781

Scrab Station

- Scrab station made of heavy duty S.S. sheet 304 grade.
- Double foot operated with sences also available in sing foot operated with sencer.
- Size :- L-60" , W-20" - H-50"
L-36" , W-20" - H-45"



782

Chair Cum Bed (Requiline Chair)

- From work mode of M.S. Tubes.
- Back section Leg section T.X.R.T psition and Up & Down operated by Electric activater systems.
- 125 M.M. Dia caster with two brakes
- Three suction top made of bakelite sheet coverd with matt.
- S.S. Telesocpic I.V. Pol.
- Size :- L-1820, W-600, H-600-800



783

Surgeon Chair Full Electric (Dx)

- Overall approx size cushioned Seat & Back
- Electrically hight adjustable.
- 100M.M. Dia caster with two break.



784

Surgeon Chair (S.Dx)

- Overall approx size cushioned seat
- Pneumatic Hight Adjustable.
- Legs Chrome Plated Base with Foot Ring
- Base fitted with 50 M.M. Dia castors.



785

Blood Doner Chair

- Frame work made of S.S. Tubes.
- The fabric is pressed PVC artificial leather.
- Head & foot section will be up & down.
- Aram rest will be adujstable.



786

Swab Rack S.S.

- Size :- L-580M.M. X W-330M.M. X H-1500M.M.



UNIVERSAL ENGINEERING

PLOT NO F-53 INDUSTRIAL AREA PHASE -7 MOHALI 160055

**INDUSTRIAL AREA, BEHIND IND SWIFT FACTORY, JAWAHERPUR, DERABASI
PUNJAB, 140507**

FOR SALES ENQUIRY

PARVEEN PATIAL

MOBILE - +91 8219567564

EMAIL ID:- sales.indofireuniversal@gmail.com

