




Wiring Simplified



SHREE GOPAL INDUSTRIES

(An ISO 9001 & CE Certified Company)

Manufacturers of Wires & Wiring Accessories

20 YEARS OF
EXCELLENCE

SURAKSHA BHI
quality bhi

WIRES & CABLES

LF-FR/HR-FR-LSH/ZHFR SINGLE CORE INDUSTRIAL CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Copper having more than 100% conductivity to ensure minimum power losses and maximum safety.
- Double Insulation with virgin PVC Compound coated with ultra thick color layer having Lead Free Flame Retardant Low Smoke & Zero Helogen and Heat Resistant Properties.
- Bunching of Copper in Uniform lay and diameter makes it energy efficient cables.
- ISI marked wires meet the latest requirements of IS: 694/2010 of Flame Retardant properties ensuring extra protection against electric shocks, short circuits & fires.
- Available in size from 0.5 Sq.mm. to 120 Sq.mm. for Single Core.

Note :

Standard Color : Red, Yellow, Blue, Green, Black, Gray and White.
Standard Packing: 90 Meters Coil in Box / 270 Meters in Polybag.
Other colors and length are available on requests.




RoHS-FR MULTI CORE ROUND CABLES / 3 CORE FLAT SUBMERSIBLE CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Copper having more than 100% conductivity to ensure minimum power losses and maximum safety.
- Higher current Carrying capacity and higher overload capacity.
- Insulated & Sheathing by RoHS FR PVC Compound.
- Available in size from 0.5 Sq.mm. to 16 Sq.mm. in 2/3/4 Cores.
- Available in size from 1.5 Sq.mm. to 16 Sq.mm. in 3 Cores Flat for Submersible.

Note :

Standard Color : Black.
Standard Packing: 100 Meters, 500 Meters and 1000 Meters.
Other colors, no. of cores, sizes and lengths are available on requests.



BRAIDED (SCREENED) MULTICORE CABLES

- Manufactured using Flexible ATC Copper Conductor.
- Insulation and sheathing by specially formulated RoHS FR PVC Compound.
- Polyester and Aluminium Foil Sheiled (Screened) and Braided with ATC Copper Conductor.
- Available in sizes from 0.5 to 2.5 Sq.mm. in 2,3,4,6,8,10,12 Cores.

Note :

Standard Color of Outer Sheath : Black.
Standard Packing: 100 Meters.
Other colors, no. of cores, sizes and lengths are available on requests.



CO-AXIAL TV CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Solid Annealed Bare Copper Conductor & CCS Conductor.
- Available in RG-59, RG-6 and RG-11 sizes.
- Gas Injected Polyethylene Foam Insulation.
- Aluminium Tape & Wire Braid with high tensile strength.
- Seathing by specially formulated PVC with sequential meter marking.



Note :


Standard Color : Black.

Standard Packing: 100 Meters and 305 Meters.

Other colors and length are available on requests.

CCTV CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Solid Annealed Bare Copper Conductor (V. Cable) and Multistrand Annealed Bare Copper Conductor (P. Cable).
- Available in 3+1 CCTV & 4+1 CCTV Cables Sizes.
- LD Insulation, PVC Sheathing, braided with Aluminum alloy.
- Sheathing with PVC Compound.
- Minimum distortion for better picture quality.



Note :

Standard Color of Outer Sheath : White.

Standard Packing: 90 Meters.

Other colors and length are available on requests.

TELEPHONE CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Solid Annealed Bare Copper Conductor in two sizes 0.40mm & 0.50mm.
- Widely used for Telephone Wiring for indoor use, EPABX Systems, Telephone Exchanges etc.
- Insulated with Poly Ethylene Materials.
- Sheathed with Specially formulated PVC for long life.
- Available in 1, 2, 3, 4, 5, 10 & 20 pairs.



Note :


Standard Color : Outer Jacket - Grey.

Standard Packing: 90 Meters.

Other colors and length are available on requests.

LAN CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Copper Conductor.
- Available in CAT 6 E variety with separator.
- Insulation with High Density Polyethylene Material.
- Sheathing with FR-PVC Compound.
- Used for high speed data, digital and analog video and voice signal on LANs.



Note :

Standard Color : Grey | Standard Packing: 305 Meters | Other colors and length are available on requests.

SPEAKER CABLES

- Manufactured using 99.9% Pure Electrolytic Grade Flexible Annealed Bare Copper Conductor.
- Insulation with specially formulated Transparent PVC Compound in Parallel.
- Performance is high and boost the sound quality of speaker system.
- Super Flexible, analog audio and transparency in addition to giving excellent protection from electro-magnetic noise.
- Available in Sizes from 0.5 to 2.5 Sq. mm.

Note :

Standard Color : Natural.

Standard Packing : 100 Meters.

Other colors and length are available on requests.



DC SOLAR ATC CABLES

- Manufactured from Electrolytic Annealed Tinned Copper Conductor of Class-5
- Insulated with XLPE Compound and Sheathed with UV Stabilized PVC ST-2 Compound.
- These Cables sustain the direct/defused and indirect sun light in case of exposure.
- Flexible for easy installations in Mobile & Fixed Connection between photovoltaic panels to junction Box/Inverter.
- Suitable for Indoor and Outdoor in Dry, Damp and Wet situations.
- Available in Sizes from 1.5 Sqmm to 10 Sqmm.

Note :

Standard Color : Black & Red

Standard Packing: 100 Meters.

Other colors and lengths are available on requests.



ARMoured CABLES

- Manufactured using 99.9% Pure Electrolytic ABC Copper Conductor.
- Insulated with XLPE compound & inner sheathed with special PVC ST(1).
- Armoring with Galvanized wires.
- Outer Sheathing with special FR-LSH - PVC ST(1)
- Sizes from 0.50 to 1.5 sq mm with 2, 3, 4 cores

Note :

Standard Color : Black

Standard Packing: 500 Meters / 1000 Meters Drums Length



HOOK-UP ATC WIRES/SINGLE CORE ATC CABLES

- Manufactured using Multi-Strand ATC Copper Conductor.
- Insulation by specially formulated RoHS FR PVC compound.
- Easy circuit identification based on Colour coded insulation.
- Commonly used in Low Current/ Voltage (under 600 V) applications.
- Used in Control Panels, Meters, Computers, Machines and other appliances.
- Convenient put-ups as short as 92 meters for easy handling, stripping and termination.
- Available from sizes as small as 0.05 Sqmm to 0.40 Sqmm.



Note :

Standard Color : Available in Red, Yellow, Blue, Green, Black, White, Grey, Violet, Purple, Pink, Brown & Orange.

Standard Packing: 92 Mtrs. per coil.

Other colors, sizes and lengths are available on requests for bulk quantity.

MULTI CORE ATC ROUND-DATA CONTROL CABLES

- Manufactured from ATC Copper Conductor, Insulated & Sheathed with RoHS-FR PVC Compound.
- Cores twisted & laid up in layers.
- High flexible data cable for low frequency transmission application.
- Protection from external electromagnetic field to ensure excellent data transmission.
- Overall polyester film wrapping over cores improves Dielectric strength of the cable.
- Cores are coded with different colours, without colour repetition ensures easy identification.
- These cables used in special purpose machines and measurement equipments, Electronics and computer systems.
- Available in sizes from 0.05 sqmm to 0.40 sqmm and with 2 to 20 Cores.



Note :

Standard Color of Outer Jacket : Grey

Standard Packing : 90 Mtrs. per coil.

Other sizes and lengths are available on requests.

MULTI CORE ATC BRAIDED CABLES

- Manufactured from ATC Copper Conductor & RoHS-FR PVC Insulated & Sheathed.
- Core Twisted in layers, overall Polyester Tape & wrapping, then braided of annealed tinned copper wire.
- High flexible data cable for low frequency transmission application.
- Protection from external electromagnetic field ensuring excellent data transmission.
- Coverage of copper screen braiding is more than 55% to 80%.
- Significant reduction in crosstalk and interference between the cores within the pair cable due to twisted pair in the instrumentation cable.
- Available in sizes 0.05 sqmm to 0.40 sqmm and Cores 2 to 20 Cores.



Note :

Standard Color of outer Jacket : Grey

Standard Packing : 90 Mtrs. per coil.

Other lengths & sizes are available on requests.



WIRING ACCESSORIES RANGE



ABOUT US

Shree Gopal Industries is one of the leading manufacturers of Wiring Products under the brand name "SGI" since 1998. We manufacture Wiring Accessories like Electrical Conduit Pipes & Fittings, PVC Trunking/Casing-Caping, PVC Wiring Ducts/PVC Cable Management Systems, PVC Sleeves, PVC Marking Sleeve and Spiral Wrapping Sleeves etc.

We manufacture a wide range of wires & cables like Flexible Single & Multi Core Cables, Communication cables (i.e. Telephone, LAN, Co-axial, CCTV Camera Cables), Control cables, Solar cables, Submersible Flat cables, Braided/Shielded Cables, ATC Hook-up Wires and ATC Multi Core Cables.

Our manufacturing unit is located in Bhiwadi, Rajasthan. Our manufacturing facilities are accredited with quality management system & comply with ISO 9001. Our products are certified with various national and international Quality Standards including Bureau of Indian Standards ("BIS"), CE (a euro standard) and RoHS.

Our Brand "SGI" today is well accepted by big reputed corporate customers like L&T, ABB, GE, BHEL, DELTA, Rockwell, and Govt. departments like Indian Railways, PWD, CPWD etc. Most of our customers are from the field of Electrical & Electronics, Real Estate, Telecom, Defense, and Automobile sectors.

Our products reaches to more than 1000 Retailers through more than 150 Dealers network spread across India and in various countries like UAE, UK, Egypt, Kuwait etc.

The Company has pursued the strategy of product differentiation by delivering quality products on time and at competitive prices.



Shree Gopal Industries

G-477, 478 & 479A, Chopanki Industrial Area, Near Bhiwadi,
PO- Tapukara-301707, Distt. Alwar, Rajasthan (India)

Phone No. +91 93119 94122 | Toll Free No. 1800 212 080808

E: info@sgiwiring.com

f /sgiwires | /sgiwiring.com