





MOTOMOL LUBE is synonymous with innovation and quality. We manufactured MOTOMOL LUBE brand in our own plant in India. All MOTOMOL LUBE products are manufactured by well qualifed and experienced technocrats. Our plant is well equipped and uses the latest world class technology keeping pace with the needs of the next generation engine technology.

We believe in balance between top line growth and bottom - line cost management between large and small market opportunities and finally between the development and Commercialization of MOTOMOL LUBE own carefully selected products.

At MOTOMOL LUBE we are committed to our mission, to lead the lubricant industry. The corporate environment we have created and continue to nurture, combined with expertise of our specialized and devoted team is accelerating our company towards this ultimate goal.

ZOOM 4T20W-40 API SN JASO MA2

MOTOMOL X 4T are superior quality 4-stroke gasoline engine oils developed for latest high performance 4-stroke bike engine. Blended using superior quality oils and special additives these provide faster pick-up, sustained acceleration and improved wear protection thus ensuring consistent performance throughout oil life. MOTOMOL ZOOMX 4T meets the performance requirements of API SN & JASO Ma2.

PACK SIZE: 900ml., 1Ltr., 10Ltr., 20Ltr., 26Ltr., 50Ltr.







4T20W-40

API SL JASO MA2

MOTOMOL 4T PLUS are superior quality 4-stroke gasoline engine oils developed for latest high performance 4-stroke bike engine. Blended using superior quality oils and special additives these provide faster pick-up, sustained acceleration and improved wear protection thus ensuring consistent performance throughout oil life. MOTOMOL 4T PLUSmeets the performance requirements of API SL & JASO Ma2.

PACK SIZE: 900ml., 1Ltr., 10Ltr., 20Ltr., 26Ltr., 50Ltr.





SPEED 4T20W-40 API SM JASO MA2

MOTOMOL SPEEDX 4T are superior quality 4-stroke gasoline engine oils developed for latest high performance 4-stroke bike engine. Blended using superior quality oils and special additives these provide faster pick-up, sustained acceleration and improved wear protection thus ensuring consistent performance throughout oil life. **MOTOMOL SPEEDX** 4T meets the performance requirements of API SM & JASO Ma2.

PACK SIZE: 900ml., 1Ltr., 10Ltr., 20Ltr., 26Ltr., 50Ltr.





MULTIGRADE ENGINE OIL 20W-40

API SF/CD

MOTOMOL 20W40 are heavy duty engine oils blended form high quality base stocks o international standard and balanced additive package with antioxidants, antiwar, anti corrosion detergent and anti foam agent.

Product features & application benefit.

- · Optimum viscosity with effective lubrication.
- Provide longer engine life & oil drain period.
- Protection against corrosion and wear.
- Easy in cold starting due to very high viscosity index.

PACK SIZE: 1Ltr., 3Ltr., 5Ltr., 7.5Ltr., 10Ltr., 20Ltr., 50Ltr., 210Ltr.





DIESEL ENGINE OIL 15W-40

API CI-4

MOTOMOL 15W40 is a high performance, semi-synthetic blend technology car engine oil developed to provide boosted engine cleanliness and protection for all types of Vehicles.

Product features & application benefit.

- Outstanding overall engine cleanliness.
- Give better mileages thus increased fuel efficiency.
- Excellent oxidation stability & detergency level.
- Extra wear protection at high temperature.
- Excellent sludge control, thus lower oil consumption.

PACK SIZE: 1Ltr., 3Ltr., 5Ltr., 7.5Ltr., 10Ltr., 20Ltr., 50Ltr., 210Ltr.





API GL-5

MOTOMOL Gear EP is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drives where API GL-5 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection to gear components against wear and scoring. It offers protection against oxidation degradation and rust & corrosion.

PACK SIZE: 500ml., 1Ltr., 5Ltr, 10Ltr., 20Ltr., 50Ltr., 210Ltr.





GEAR OIL EP-90

API GL-5

MOTOMOL Gear EP is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drives where API GL-5 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection to gear components against wear and scoring. It offers protection against oxidation degradation and rust & corrosion.

PACK SIZE: 500ml., 1Ltr., 5Ltr., 10Ltr., 20Ltr., 26Ltr., 50Ltr., 210Ltr.





UTTO WET BRAKE OIL

Universal Tractor Transmission Oil (UTTO) is agricultural oil. UTTO oils are generally formulated to meet the requirements of off-highway moving equipment. They are designed to keep sludge and varnish from depositing on the equipment's' interior and to keep filters and screens from plugging and restricting oil flow. The improved EP Protection supplies better wear control with copper based alloys used in piston pumps and synchronizers. It also allows for stable frictional performance.

PACK SIZE: 1Ltr., 5Ltr, 10Ltr., 20Ltr., 26Ltr., 50Ltr., 210Ltr.





HYDRAULIC OIL

AW-68/46/32

MOTOMOL HYDRAULIC OIL are high quality oils blended with highly refined base oils and carefully selected antioxidants, anti-corrosion and anti-foam additive.

Product features & application benefit.

- High viscosity index to restrict viscosity changes under pirating condition.
- Good film & anti-war properties to minimize good demulsibility for quick separating of water.
- Suitable for circulation oil systems of machine tools
- · High resistance capacity to corrosion & foaming.

PACK SIZE: 1Ltr., 5Ltr, 10Ltr., 20Ltr., 26Ltr., 50Ltr., 210Ltr.





CNG OIL 20W-50

API SF/CD

MOTOMOL CNG OIL are gas engine oils intended for use in light-duty vehicles running on Compressed Natural Gas (CNG), Liquefied Petroleum Gas (LPG) or propane. It is formulated from selected additives to provide superior detergncy and dispersancy, oxidation and nitration resistance and protection against engine wear and corrosion.

PACK SIZE: 500ml., 1Ltr., 3.5Ltr., 10Ltr., 20Ltr., 50Ltr., 210Ltr.





RADIATOR COOLANT

ANTIFREEZE

MOTOMOL Heavy Duty Coolant is a new generation Radiator Coolant and Corrosion Inhibitor, specifically developed for IC Engines running in warm climate, thus not requiring Anti-freeze properties. Unlike the conventional anti-freeze radiator coolants, German Racer Heavy Duty Coolant is based on Organic Acid Technology and hence, it has the potency of a prolonged service life.

PACK SIZE: 500ml., 1Ltr., 3.5Ltr., 10Ltr., 20Ltr., 50Ltr., 210Ltr.

STEERING OIL ATF-TQ

MOTOMOL ATF Type A is an automatic transmission fluid developed for the automatic transmissions and power steering systems of vehicles specifying use of General Motors TYPE A SUFFIX A quality fluids. The highly refined base oils and proven performance additives used in this oil provide enhanced thermal stability, frictional characteristics and rust & corrosion protection. It exceeds the performance requirements of General Motors.

PACK SIZE: 500ml., 1Ltr., 5Ltr., 10Ltr., 20Ltr., 50Ltr., 210Ltr.





AN ISO 9001: 2015 CERTIFIED COMPANY



FOR MORE INFORMATION SCAN QR CODE





Manufactured & Marketed By:

TRILOCHANA OIL & CHEMICAL

Delhi (India)

E-mail: trilochanaoilandchem@gmail.com Web: www.motomollube.com