

A-SERIES ELECTRIC LAWN MOWERS

- › Motor: 230 V, 1.200 W, 3.300/min
- › Wheels (f/r): 140 mm / 160 mm
- › Central cutting height adjustment, 3-fold: 2–6 cm
- › Grass catcher: 26 l



Article	A 320 E
EAN code	4 005269 306614
Article number	188CLH450
Lawn area	up to 250 m²
Cutting width	32 cm
Weight	10 kg
SU	1
Price	-

- › Motor: WOLF-Garten E-Power, 1.600 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 40 l
- › »Flick Flack« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system




Article	A 370 E
EAN code	4 0058423 861167
Article number	188KH2650
Lawn area	up to 350 m²
Cutting width	37 cm
Weight	15 kg
SU	1
Price	-

- › Motor: WOLF-Garten E-Power, 1.400 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 35 l
- › »Flick Flack« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system



Article	A 340 E
EAN code	4 0058423 861150
Article number	188KE32650
Lawn area	up to 250 m²
Cutting width	34 cm
Weight	14 kg
SU	1
Price	-


- › Motor: WOLF-Garten E-Power, 1.800 W, 3.500/min
- › Wheels (f/r): 150 mm / 200 mm
- › Central cutting height adjustment, 6-fold: 2,5–7,5 cm
- › Grass catcher: 45 l
- › »Flick Flack« cable guide
- › Filling level indicator
- › Height-adjustable handle with Soft-Grip, foldable
- › CCM system
- › ACC system



Article	A 400 E
EAN code	4 0058423 861174
Article number	188KMH2650
Lawn area	up to 450 m²
Cutting width	40 cm
Weight	16 kg
SU	1
Price	-

ELECTRIC SCARIFIERS

- › High-performance 1200 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 35 l
- › Housing: plastic
- › 2-in-1: Scarifying and collecting
- › Folding handle
- › Replacement blade WBS3001, AN: 196-101-650




Article	VS 302 E
EAN code	4 009269 306201
Article number	168FDEKA650
Working width	30 cm
Weight	11 kg
SU	1
Price	-

- › High-performance 1600 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 45 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Height-adjustable handle with Soft-Grip, foldable
- › Replacement blade WBS3401, AN: 196-102-650
- › Replacement springs WAS3701, AN: 196-108-650



Article	VA 346 E
EAN code	4 009269 306225
Article number	168FEHOA650
Working width	34 cm
Weight	15 kg
SU	1
Price	-

- › High-performance 1300 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 35 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Soft-Grip handle, foldable
- › Replacement blades WBS3001, AN: 196-101-650
- › Replacement springs WAS3001, AN: 196-107-650



Article	VA 303 E
EAN code	4 009269 306218
Article number	168FDLA650
Working width	30 cm
Weight	12 kg
SU	1
Price	-

- › High-performance 1800 W Motor
- › Central working depth adjustment, 5 positions
- › Grass catcher: 50 l
- › Housing: plastic
- › 3-in-1: Moss rake, scarifier and grass catcher
- › Easy, tool-free changeover between aerator and scarifier
- › Height-adjustable handle with Soft-Grip, foldable
- › Replacement blade WBS3701, AN: 196-103-650
- › Replacement springs WAS3701, AN: 196-108-650



Article	VA 378 E
EAN code	4 009269 306232
Article number	168FFHPA650
Working width	37 cm
Weight	15 kg
SU	1
Price	-

ADVANTAGES AT A GLANCE

- › Easy, tool-free changeover between aerator and scarifier
- › Collector bag as practical accessory: Directly collect and remove felt and moss into the collector bag
- › Central working depth adjustment: 5- or 6-fold adjustment of working depth
- › Powerful motors/engines: For electric as well as petrol scarifiers
- › Ease of use: Very easy to use due to full bale switch, pull handle for ergonomic working position



The innovative 3-in-1 function: Moss raking, scarifying, collecting. All A-series scarifiers feature the 3-in-1 system. Combining a moss rake for ventilation plus a scarifying and catching function ensures matchless comfort when gardening.

ACCESSORIES FOR ELECTRIC SCARIFIERS

EAN code	Article	Article number	Can be used for	SU	Price
4 009269 565318	WBS3001 replacement blade shaft KPL	196-101-650	30 cm scarifier	1	-
4 009269 565363	WAS3001 aerating roller KPL	196-107-650	30 cm scarifier	1	-
4 009269 565325	WBS3401 replacement blade shaft KPL	196-102-650	34 cm scarifier	1	-
4 009269 565370	WAS3701 aerating roller KPL	196-108-650	34/37 cm scarifier	1	-
4 009269 565332	WBS3701 replacement blade shaft KPL	196-103-650	37 cm scarifier	1	-
4 009269 565349	WBS3803 replacement blade shaft KPL	196-104-650	35 cm scarifier	1	-
4 009269 565387	WAS3803 aerating roller KPL	196-109-650	35/38 cm scarifier	1	-
4 009269 565356	WBS3803 replacement blade shaft KPL	196-105-650	38 cm scarifier	1	-

Low weight. A lot of power.



WOLF-Garten has completely restructured its range of corded tools. All devices are now characterised by significantly improved ergonomics and a modern design. With the lawn trimmers and hedge trimmers, you have the choice between simple basic equipment for smaller jobs and more powerful equipment for larger requirements. So you'll find the right tool for every need in our range. But not only on the outside, a lot has happened with the "inner values" as well. All devices offer a high performance, while the weight is pleasantly low. This allows you to do your gardening work quickly and gently with immediate effect.

- Motor: 280 W
- 2-line technology, automatic tip-on line feed
- Trim- & Edge function
- 2 handles
- Trimmer line: 1.2 mm Ø (GT-RT, Art. 6070095)




Article	LYCOS E/280 T
EAN code	4 008423 91348 6
Article number	41AE2TD-650
Cutting diameter	23 cm
Weight	1,4 kg
SU	1
Price	-

- Motor: 350 W
- 2-line technology, automatic tip-on line feed
- Telescopic handle
- Trim- & Edge function
- Adjustable cutting head
- Trimmer line: 1.2 mm Ø (GT-RT, Art. 6070095)




Article	LYCOS E/350 T
EAN code	4 008423 91349 1
Article number	41AE3TD1650
Cutting diameter	25 cm
Weight	2,1 kg
SU	1
Price	-

- Motor: 400 W
- 2-line technology, automatic line feed
- Telescopic handle
- Trim- & Edge function
- Adjustable cutting head
- Trimmer line: 1.6 mm Ø (GT-F10, Art. 49AT50-650)



Article	LYCOS E/400 T
EAN code	4 008423 91351 6
Article number	41AE4TD1650
Cutting diameter	25 cm
Weight	2,5 kg
SU	1
Price	-

- Motor: 500 W
- 2-line technology, automatic line feed
- Replacement trimmer line
- Telescopic handle
- Trim- & Edge function with adjustable wheel support
- Adjustable cutting head
- Trimmer line: 1.6 mm Ø (GT-F10, Art. 49AT50-650)



Article	LYCOS E/500 T
EAN code	4 008423 91353 8
Article number	41AE5TE1650
Cutting diameter	27 cm
Weight	2,5 kg
SU	1
Price	-

FLEXIBLE EDGE CARE

If you tilt the trimmer by 90° using the edge function, the grass trimmer becomes a precise lawn edge cutter.



ERGONOMIC TELESCOPIC HANDLES

In three out of four models, the handle is variable in height. That means you adopt the ergonomically correct, fatigue-free posture whether you are right- or left-handed.



ADJUSTABLE WORKING HEAD

One handle position is always right so you can reach every square centimetre even in wild growth and awkward corners.



EDGING WHEEL

A supporting edging wheel at the line trimmer LYCOS E/500 T is placed on the protection shield so the user can "drive" with the trimmer along the lawn edge.

ACCESSORIES FOR ELECTRIC AND BATTERY TRIMMERS

LINE REEL

- Can be used for GT 830, GTB 815
- Quiet Line



Article	GT-F 5
EAN code	4 009269 713702
Article number	713095
Line length	1 x 5 m
Line diameter	1,4 mm
SU	10
Price	-

LINE REEL

- Suitable for GT 840, GTB 850 (until 2012)



Article	GT-F 7
EAN code	4 009269 713085
Article number	49ATS3-650
Line length	15 m
Line diameter	1,6 mm
SU	10
Price	-

LINE REEL

- Suitable for GT 845, GTB 850 (to 2012)



Article	GT-F 8
EAN code	4 009269 713689
Article number	49ATS2-650
Line length	2 x 6 m
Line diameter	1,6 mm
SU	10
Price	-

LINE REEL

- Suitable for GT 815, GT 815 AC, GT 830



LINE REEL

- Suitable for GT 840/845/850 (manufacturing date 2013), GTE 840, TE 845, GTE 850, GTB 36, 72V L-I-ON POWER 30 T, LYCOS 40/300 T, LYCOS E/400 T, LYCOS E/500 T
- Quiet Line



LINE REEL

- Suitable for Campus 250 RT, Campus 350 RT, LYCOS E/280 T, LYCOS E/350 T



Article	RQ-FA
EAN code	4 009269 791311
Article number	49ATS1-650
Line length	5 m
Line diameter	1,4 mm
SU	10
Price	-

Article	GT-F 10
EAN code	4 009269 713665
Article number	49ATS0-650
Line length	2 x 5 m
Line diameter	1,6 mm
SU	10
Price	-

LINE REEL

- Suitable for Campus 250 RT, Campus 350 RT, LYCOS E/280 T, LYCOS E/350 T



REPLACEMENT LINE

- Suitable for petrol and electric trimmers



WHEEL SUPPORT FOR TRIMMER

- Suitable for GTE 830, GTE 840, GTE 845, GTE 850, GTB 815, GTB 36, 72V L-I-ON POWER 30 T, LYCOS E/350 T, LYCOS E/400 T and LYCOS E/500 T



LINE REEL

- Suitable for GT 840, GTB 850 (until 2012)




Article	GT-F 24
EAN code	4 009269 715281
Article number	7152090
Line length	15 m
Line diameter	2,4 mm
SU	10
Price	-


LYCOS

ELECTRICAL HEDGE TRIMMERS

NEW
AVAILABLE FROM
AUTUMN 2020




- Hedge Trimmer, motor: 230 V, 400 W
- Blade spacing: 18 mm
- Two-hand-grip for better handling
- Cable strain relief to prevent the cable from unplugging during work




- Hedge Trimmer, motor: 230 V, 500 W
- Blade spacing: 18 mm
- Two-hand-grip for better handling
- Cable strain relief to prevent the cable from unplugging during work

Article	LYCOS E/420 H
EAN code	4 008423 913507
Article number	41AE4HH-650
Engine	420 W
Blade length	45 cm
Teeth distance	18 mm
Weight	2,6 kg
SU	1
Price	-

Article	LYCOS E/500 H
EAN code	4 008423 913521
Article number	41AE5HH-650
Engine	500 W
Blade length	55 cm
Teeth distance	18 mm
Weight	2,8 kg
SU	1
Price	-



- High quality Dual action, laser cut blades for a fast cutting performance
- Anti-Vibration Rubber pads for comfortable use – even for long-term tasks
- Anti-Collision head for safe work near walls and corners
- Round assistant handle for better steering even when cutting the hedge vertically



- High quality Dual action, laser cut blades for a fast cutting performance
- Anti-Vibration Rubber pads for comfortable use – even for long-term tasks
- Anti-Collision head for safe work near walls and corners
- Round assistant handle for better steering even when cutting the hedge vertically

Article	LYCOS E/600 H
EAN code	4 008423 913545
Article number	41AE6HH-650
Engine	600 W
Blade length	55 cm
Teeth distance	26 mm
Weight	3,1 kg
SU	1
Price	-

Article	LYCOS E/700 H
EAN code	4 008423 913552
Article number	41AE7HH-650
Engine	700 W
Blade length	65 cm
Teeth distance	26 mm
Weight	3,3 kg
SU	1
Price	-