




# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

## PRICELIST

### Laboratory Plasticware for Biotechnology, Microbiology & Lab. Centrifuges



### Lab. Equipment Biotechnology & Micrology

Sr.	Name of Item	Model	Each .Rs.
1.	<b>Gel Electrophoresis Unit:</b> Mini horizontal, Submarine with combs. Unit is moulded in single piece to ensure leak proof operation. Made of transparent Polycarbonate. 99.9% pure platinum wire is used in electrode.	<b>GE-1/MTI-68</b>	<b>12075.00</b>
2.	<b>Gel Electrophoresis System:</b> Vertical Mini with glass plates, combs. Unit is moulded in single piece to ensure leak proof operation. Made of transparent Polycarbonate.	<b>GE-2/MTI-68</b>	<b>12075.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	99.9% pure platinum wire is used in electrode.		
3.	<b>Dual Vertical Gel Electrophoresis Apparatus:</b> 99.9% pure platinum wire is used in electrode. Unit is moulded in single piece to ensure leak proof operation. Made of transparent Polycarbonate.	<b>DVG-2 / MTI-68</b>	<b>30150.00</b>
4.	<b>Gel Caster</b> for electrophoresis per piece	<b>GC-1 / MTI-68</b>	<b>3225.00</b>
5.	<b>Western Blotting System:</b> Rapid mini dual Wet Blot Apparatus, Gel Size 8 x 7 cm (2 Gels)	<b>WB-02</b>	<b>22425.00</b>
6.	<b>Paper Electrophoresis Apparatus Horizontal:</b> Unit to accommodate 3 Paper Strips. Unit is moulded in single piece to ensure leak proof operation. Made of transparent Polycarbonate. 99.9% pure platinum wire is used in electrode.	<b>PEH-1 / MTI-69</b>	<b>12650.00</b>
7.	<b>Paper Electrophoresis Apparatus Vertical:</b> Unit to accommodate 3 Paper Strips. Unit is moulded in single piece to ensure leak proof operation. Made of transparent Polycarbonate. 99.9% pure platinum wire is used in electrode.	<b>PEV-2 / MTI-69</b>	<b>12650.00</b>
8.	<b>Electrophoresis Power Supply:</b> Analog, Fixed 100mA. and Voltage 50, 100, 150, 200, 250V.	<b>EP-1 / MTI-70</b>	<b>5650.00</b>
9.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-300V and 0-500mA with timer 1 minute to 09 hrs. 59 minutes. LCD display 4 line 16 characters. 1 unit can be run.	<b>EP-2 / MTI-70</b>	<b>24150.00</b>
10.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-300V and 0-500mA with timer 1 minute to 09 hrs. 59 minutes. LCD display 4 line 16 characters. 4 unit can be run simultaneously.	<b>EP-3 / MTI-70</b>	<b>33825.00</b>
11.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-300V and 0-900mA with timer 1 minute to 09 hrs. 59 minutes. Coloured graphic LCD display. 1 units can be run.	<b>EP-4 / MTI-70</b>	<b>34975.00</b>
12.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-300V and 0-999mA with timer 1 minute to 09 hrs. 59 minutes. Coloured graphic LCD display. 4 units can be run simultaneously.	<b>EP-5 / MTI-70</b>	<b>44625.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

13.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-500V and 0-999mA with timer 1 minute to 09 hrs. 59 minutes. LCD graphic display coloured, 1 unit can be run.	<b>EP-6 / MTI-70</b>	<b>45900.00</b>
14.	<b>Electrophoresis Power Supply:</b> Digital Microprocessor based, programmable 0-500V and 0-999mA with timer 1 minute to 09 hrs. 59 minutes. LCD graphic display coloured, 4 units can be run.	<b>EP-7 / MTI-70</b>	<b>55550.00</b>
15.	<b>Hand Held U.V. Lamp</b> (365nm).	<b>UV-1</b>	<b>10250.00</b>
16.	<b>Hand Held U.V. Lamp</b> (302nm).	<b>UV-2</b>	<b>18125.00</b>
17.	<b>Hand Held U.V. Lamp</b> (254nm).	<b>UV-3</b>	<b>10250.00</b>
18.	<b>Hand Held U.V. Lamp</b> (254/365nm), Dual Wave	<b>UV-4</b>	<b>10925.00</b>
19.	<b>U. V. Transilluminator</b> (365nm), (College model), View size 210 x 210mm 8 U.V. Tubes are fitted. Accuracy is 50ng.	<b>TI-20 / MTI-71</b>	<b>21750.00</b>
20.	<b>U. V. Transilluminator</b> (365nm), Large view size 210 x 260mm, 8 U.V. Tubes are fitted.(College model), Accuracy is 50ng.	<b>TI-21 / MTI-71</b>	<b>26575.00</b>
21.	<b>U. V. Transilluminator</b> (254nm), view size 210 x 210mm, 8 U.V. Tubes are fitted.(College model), Accuracy is 50ng	<b>TI-22 / MTI-71</b>	<b>21750.00</b>
22.	<b>U. V. Transilluminator:</b> (254nm), Large view size 210 x 260mm, 8 U.V. Tubes are fitted. (College Model), Accuracy is 50ng.	<b>TI-23 / MTI-71</b>	<b>26575.00</b>
23.	<b>U. V. Transilluminator:</b> Dual range 254 & 365nm 8 U.V. Tubes are fitted. (College model), Accuracy is 50ng. View size 210 x 210 mm.	<b>TI-24 / MTI-71</b>	<b>24150.00</b>
24.	<b>U. V. Transilluminator:</b> Dual range 254 & 365nm, 8 U.V. Tubes are fitted. (College model), Accuracy is 50ng. Large View size 210 x 260 mm.	<b>TI-25 / MTI-71</b>	<b>28980.00</b>
25.	<b>U. V. Transilluminator:</b> Ultra thin, LED base 302nm, View size 150x80mm Research Model. Accuracy is 1 ng. World class performance.	<b>TI-40 / MTI-71</b>	<b>54280.00</b>
26.	<b>U.V. Transilluminator:</b> (302nm) Research Model with filters size 210 x 260mm Accuracy is 1ng. World class performance.	<b>TI-50 / MTI-71</b>	<b>67000.00</b>
27.	<b>U.V. Transilluminator:</b> (302nm) and 365nm (Dual Range) Research Model with large view filters size 210 x 260mm. Accuracy is 1ng. World class performance.	<b>TI-60 / MTI-71</b>	<b>102650.00</b>
28.	<b>Gel Documentation System Research Model</b> It consists of U. V. Transilluminator, dual range 302nm	<b>GD-1 / MTI-72</b>	<b>301875.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	and 365nm, Accuracy is 1 ng. Filter area 210 x 260 mm. Complete with big hood having in-built light and removable U.V. transilluminator to set gel. Advance digital SLR Camera and Gel Analysis Software but (without licence). It has world class performance and can be compare with any branded company of globe.		
29.	<b>Gel Documentation System Research Model</b> It consists of U. V. Transilluminator, Dual Range 302nm, Accuracy is 1 ng. Filter Area 210 x 260mm. Complete with smaller hood, suitable digital SLR Camera and Gel Analysis Software (W/o licence). It has world class performance and can be compare with any company across globe.	<b>GD-2 / MTI-72</b>	<b>199250.00</b>
30.	<b>Gel Documentation System College Model</b> It consists of U. V. Transilluminator, Single U.V. range either 302nm, Accuracy is 10 ng. Filter area 210 x 260mm. Complete with small hood, suitable CCD Camera and Gel Analysis software. (without licence). the U.V. transilluminator has world class performance and can be compare with any company across globe.	<b>GD-105 / MTI-72</b>	<b>132825.00</b>
31.	<b>Float Racks:</b> Square cap. 16 peace 1.5ml, pkt. of 6 pcs, Price Per Packet.		<b>1100.00</b>
32.	<b>Round Racks:</b> 8 peace round cap. 1.5ml pkt. of 6 pkts, Price Per Packet.		<b>550.00</b>
33.	<b>Gel Scoop:</b> Small size 75 x 10 cm, Price per piece.		<b>1210.00</b>
34.	<b>Gel Scoop:</b> Medium size 14 x 20 cm, Price per piece.		<b>1210.00</b>
35.	<b>Gel Scoop:</b> Large size 20 x 20cm, Price per piece.		<b>1450.00</b>
36.	<b>Gel Developing Tray:</b> Per piece.		<b>675.00</b>

## Lab. Equipment Microbiology- biochemistry

Sr.	Name Of Item	Model	Each.Rs
1.	<b>Anaerobic Culture Jar</b> (with Lid having Vacuum Cum Pressure Gauge etc.)+ Plain Lid + Accessories Like: Test Tube Stand, Petri Dish Stand but W/O gas pack & Tablet	<b>Anar -1 / MTI-65</b>	<b>12650.00</b>
2.	<b>Chloroscope</b> (Chlorine Test Kit): To test residual chlorine in drinking water Chlorine range is 0.5, 1, 1.5, 2, 2.5 ppm.	<b>Chlorine-5</b>	<b>900.00</b>
3.	Magnetic Stirrers, with S.S. top, 2ltr. Capacity	<b>MS-2</b>	<b>4850.00</b>
4.	Paper Chromatography Kit Portable	<b>PC-10</b>	<b>4375.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

5.	PH Meter, digital, benchtop with fine quality pH electrode, Microprocessor Based	<b>PH-10 / MTI-67</b>	<b>6275.00</b>
6.	Vortex Shaker, Max. Speed 3000rpm. approx. with push switch and 4 attachments	<b>VM-20 / MTI-66</b>	<b>6625.00</b>



**Wear Your Mask Properly Always Save Yourself & Society**

## LAB.CENTRIFUGES

Sr.	Name Of Item	Model	Each.R S
1.	<b>Mini Centrifuge Digital, Multi Speed</b> Maximum Speed 10000 rpm, Spin-Top with 2 rotor heads 6 x2ml/1.5ml and 12x0.5ml micro tube. Microprocessor based digital timer, digital rpm and speed control from 1000 rpm to 10000 rpm in 10 steps.	<b>MTI-46</b>	<b>19325.00</b>
2.	<b>Mini Centrifuge Non Digital, Fixed Speed</b> Maximum Speed 7000 rpm. Supply complete with 2 rotor heads 6 x2ml/1.5ml and 12 x 0.5ml micro tube. Machine runs on fixed speed of 7000 rpm.	<b>MTI-47</b>	<b>7850.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

3.	<p><b>Compact Laboratory Centrifuge Digital, General Purpose</b> Maximum Speed 4400 rpm: Fitted with microprocessor based 2 lines 16 characters LCD panel for 0-99 minutes countdown timer, digital rpm meter and programmable speed controller. The body is made of full plastic injection moulding with metallic protection bowl.</p> <p><b>Prices are without Rotor Head. The cost of rotor is mentioned below</b></p>	<b>MTI-48-(A)</b>	<b>18125.00</b>
	▶ 8 x 15ml, Swing Out Head		<b>3250.00</b>
	▶ 4 x 50ml Swing Out Head		<b>3850.00</b>
	▶ 8 x 15ml, Angle Head		<b>3000.00</b>
	▶ 12 x 15ml, Angle Head		<b>4200.00</b>
4.	<p><b>96 Wells Plates Centrifuge Cell Wash</b> Fitted with maintenance free A.C. Brushless Motor without carbon. Maximum speed 2850 rpm. Digital timer 1-99 minutes, digital rpm meter, LCD display. Speed is controlled through microprocessor based speed controller from 500 rpm. upto 2850 rpm in seven steps. The body is made of rust free, full plastic moulding with stainless steel protection centrifuge bowl.</p> <p><b>Prices are complete with one Swing out Rotor Head to hold 2 plates of 96 wells each.</b></p>	<b>MTI-49</b>	<b>36225.00</b>
5.	<p><b>Revolutionary General Purpose Lab. Centrifuge Digital, Maximum Speed 5200 rpm.</b> Square MS body duly powder coated. Lid is double walled light weight made of ABS plastic injection moulding. Fitted with microprocessor based 2 lines 16 characters LCD panel for 0- 99 minutes countdown timer, digital rpm meter and programmable speed. controller.</p> <p><b>Prices are without Rotor Head. Rotor can be selected from A to K as under</b></p>	<b>MTI-48-M</b>	<b>22950.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

6.	<p><b>Revolutionary Microprocessor based Delux Centrifuge</b> All the specifications are same as above, but it has 4 lines (in place of 2 line 16 character). It is also featured with dynamic brake, Electronic lid lock, imbalance detector. 3 accelerations and 3 decelerations.</p> <p>ROTORS AND THEIR PRICES MENTIONED BELOW.</p>	<b>MTI-48- DX</b>	<b>27775.00</b>	
<p><b>Rotor Head for Models MTI-8M and MTI-8 Deluxe can be selected from below mentioned types as per customers requirement at extra cost.</b></p>		<p>Note Speed of machine depends upon the rotor selected by the user with machine and is as per literature attached.</p>		
▶	A. 16x15ml, Swing Out Head ` 5400.00			G. 12 x15ml, Angle Head ` 4200.00
▶	B. 12x15ml, Swing Out Head ` 4830.00			H. 8 x15ml, Angle Head ` 3000.00
▶	C. 8x15ml, Swing Out Head ` 3250.00			I. 6 x50ml Angle Head ` 3850.00
▶	D. 4x50ml, Swing Out Head ` 3850.00			J. 4x100ml Angle Head ` 7250.00
▶	E. 24 x 15ml Angle Head ` 7825.00			K 6 x 50ml Swing Out Head ` 6050.00
▶	F. 16 x 15ml Angle Head ` 4830.00			



# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

7.	<p><b>Revolutionary Microprocessor Laboratory Centrifuge Brushless Maximum Speed 6000 rpm Premium Model</b></p> <p>Fitted with maintenance free BLDC motor (without carbons). Square M S body duly powder coated. Hydraulic lid. Microprocessor based 4 lines 32 characters LCD display with 0-99 minutes countdown timer, digital r.p.m., r.c.f. meter and preset programmable speed regulator. Also featured with dynamic brake, Electronic lid lock imbalance detector 10 programme memory. 3 accelerations and 3 decelerations</p> <p><b>Price are without Rotor Head. Rotor can be selected at extra cost as under from A to H.</b></p>		<b>MTI-48-BL</b>	<b>51875.00</b>
▶	A. Swing Rotor 16 x 15ml.	<b>5400.00</b>	E. Angle Head 16 x 15ml	<b>4830.00</b>
▶	B. Swing Out Head 6 x 50ml,	<b>6050.00</b>	F. Angle Head 8 x 15ml,	<b>3000.00</b>
▶	C. Swing Rotor 24 x 7ml.	<b>6050.00</b>	G. Angle Head 6 x 50ml,	<b>3850.00</b>
▶	D. Angle Rotor 24 x 15ml.	<b>7825.00</b>	H. Angle Head 4 x 100ml	<b>7250.00</b>
	<p><b>Speed of machine depends upon the rotor selected by the user for machine and is as per literature attached.</b></p>			
8.	<p><b>Laboratory Centrifuge Brushless Premium Model, Max. Speed 6000 R.P.M</b></p> <p>High capacity with brushless induction motor. Premium model Square M S body duly powder coated. Hydrolic lid. Microprocessor based 0-99 minutes countdown timer, digital rpm meter and preset programmable speed regulator. Also featured with dynamic brake, Electronic lid lock, imbalance detector 10 programme memory. 3 accelerations and 3 decelerations.</p> <p><b>But Price without rotor head. Rotor can be selected at extra cost as under</b></p>		<b>MTI-48-(B)-BL</b>	<b>74750.00</b>
	A. Swing Rotor 32x15ml.	<b>Max. Speed on this head 5000 rpm</b>	<b>12650</b>	
	B. Angle Rotor 36x15ml.	<b>Max. Speed on this head 6000 rpm</b>	<b>12650</b>	
	C. Swing Rotor 48x7ml.	<b>Max. Speed on this head 5000 rpm</b>	<b>12650</b>	
	D. Swing Rotor,			



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com







# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	32 vacutainers	Max. Speed on this head 6000 rpm	12650	
9.	<p><b>Laboratory Centrifuge Medium-High Speed-Maximum speed 10000 rpm</b> Square M S body duly powder coated. Double walled light weight ABS Plastic Injection Moulding lid. Fitted with microprocessor based 2 lines 16 characters LCD Panel for countdown timer 1-59 min-digital rpm-rcf meter and programmable speed controller from 2000-10000 rpm. on interval of 100 rpm.</p> <p>Prices are with one Rotor Head 8 x 15ml or 4 x 50ml (Angle Head)</p> <p>Price of spare Rotor Head 8 x 15ml or 4 x 50 (Angle Head)</p>			<p><b>MTI-50-(A)</b></p> <p>36225.00</p> <p>8450.00</p>
10.	<p><b>Micro Centrifuge Machine Digital, High Cap., Max. Speed 13000 rpm.</b> Fitted with microprocessor based 2 lines 16 characters LCD panel for 0-99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller from 2000-13000 rpm. in interval of 100 rpm.</p> <p>Prices are without Rotor Head to be selected As per Customer's choice at extra cost as under</p>			<p><b>MTI-50-(B)</b></p> <p>24150.00</p>
	▶	A. Angle Head 24 x 2ml, Maximum Speed 13000rpm. with adapters for 0.5/0.2ml		7250.00
	▶	B. Angle Head 8 x 5ml, Speed Range 2000-13000rpm.		6050.00
	▶	C. Angle Rotor suitable for PCR Strip tubes - capacity 4 strips of 8 x 0.2ml speed range 2000-13000rpm.		10875.00
11.	<p><b>Micro Centrifuge Machine Digital, Max. Speed 16000 rpm</b> Fitted with microprocessor based 2 lines 16 characters LCD panel for 0-99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller from 2000-16000 rpm. with interval of 100rpm Prices are with rotor head capacity 12 micro tubes of 2ml/1.5ml also supplied with adapters for 0.2/0.5ml micro tubes.</p>			<p><b>MTI-50-(C)</b></p> <p>23575.00</p>
12.	<p><b>Micro Centrifuge Brushless (without carbons) 16000 rpm</b> Microprocessor Based premium model with maintenance free brushless induction motor. Modular design as per International standards, stainless steel protection bowl. Fitted with Microprocessor based LCD panel for 0-99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller from 500-16000 rpm. in interval of 100rpm. Also featured with dynamic brake, Electronic lid lock, imbalance detector.</p>			<p><b>MTI-50-(C)-BL</b></p> <p>32550.00</p>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	<b>Prices are without Rotor Head.</b>		
	<b>Rotor Head for MTI-16BL can be selected from below mentioned Types as per customers requirement at extra cost.</b>		
	▶ Angle Rotor 12 x 1.5/2ml. with adopters for 0.5/0.2ml. (Max. Speed 16000 rpm)		<b>7825.00</b>
	▶ Angle Rotor 24 x 1.5/2ml. with adopters for 0.5/0.2ml. (Max Speed 13000 rpm)		<b>10875.00</b>
	▶ Angle Rotor 8 x 5ml. (Max. Speed 13000 rpm)		<b>7825.00</b>
	▶ Angle Rotor suitable for PCR strip tubes - capacity 4 strips of 8 x 0.2ml Max. speed 13000rpm.		<b>10875.00</b>
13.	<b>Micro Centrifuge Brushless (without carbons) 20000 rpm</b> Microprocessor Based premium model with maintenance free brushless induction motor. Modular design as per International standards, stainless steel protection bowl. Fitted with Microprocessor based LCD pannel for 0-99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller from 500-20000 rpm. with interval of 100rpm. Also featured with dynamic brake, Electronic lid lock, imbalance detector, 10 program memory, 3 accelerations and 3 decelerations.	<b>MTI-50-(D)-BL</b>	<b>48300.00</b>
	<b>Prices are without Rotor Head.</b>		
	<b>Rotor Head for MTI-20BL can be selected from below mentioned types as per customers requirement at extra cost.</b>		
	▶ Angle Rotor 12 x 1.5/2ml. with adopters for 0.5/0.2ml. (Max. Speed 20000 rpm)		<b>7825.00</b>
	▶ Angle Rotor 24 x 1.5/2ml. with adopters for 0.5/0.2ml. (Max Speed 16000 rpm)		<b>10875.00</b>
	▶ Angle Rotor 8 x 5ml. (Max. Speed 16000 rpm)		<b>7825.00</b>
	▶ Angle Rotor suitable for PCR strip tubes - capacity 4 strips of 8 x 0.2ml Max. Speed 13000rpm.		<b>10875.00</b>



# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

14	<p><b>Universal Laboratory Centrifuge Brushless 20000 rpm</b></p> <p>It is a high capacity, high speed bench top Laboratory Centrifuge Machine. Premium Model with brushless induction motor maintenance free, microprocessor based. Maximum speed 20000 rpm. with 12 x 2ml rotor head. Square M S body duly powder coated. Hydraulic lid with electronic lid lock. Fitted with 1-99 minutes countdown timer, digital rpm meter. Prices are without rotor head.</p>	<b>MTI-51-BL</b>	<b>93950.00</b>
	Angle Head 12x1.5ml. (Max. Speed on the head 20000 rpm.)	<b>MTI-51-BL-1</b>	<b>7828.00</b>
▶	Angle Head 24x1.5ml. (Max. Speed on the head 16000 rpm.)	<b>MTI-51-BL-2</b>	<b>10875.00</b>
▶	Angle Head 6x50ml. (Max. Speed 13000 rpm.)	<b>MTI-51-BL-3</b>	<b>12650.00</b>
▶	Angle Head 4x100ml. (Max. Speed 13000 rpm.)	<b>MTI-51-BL-4</b>	<b>12650.00</b>
▶	Angle Head 8x15ml. (Max Speed 13000 rpm.)	<b>MTI-51-BL-5</b>	<b>12650.00</b>
▶	Angle Head 8x50ml. (Max. Speed 12000 rpm.)	<b>MTI-51-BL-6</b>	<b>14502.00</b>
▶	Angle Head 12x15ml. (Max. Speed 12000 rpm.)	<b>MTI-51-BL-7</b>	<b>14502.00</b>
14.	<p><b>Cytology Centrifuge (Cyto Centrifuge Indian)</b></p> <p>Digital rpm., ref meter, digital timer, microprocessor based pre programmable speed controller from 500 rpm to 3000 rpm with high accuracy. as per international standards Display through coloured graphic LCD screen Brushless Motor with its electronic drive and SMPS based power supply inbuilt to maintain a very high accuracy of speed. Complete with rotor to accommodate 8 cyto funnels. The funnels are single with filter and clip. (Shandon Type). Standard features like 3 accelerations and decelerations, dynamic brakes etc. is the part of configuration. To work on 220 volt 50 Hz AC.</p> <p><b>Standard accessories supplied with each machine</b></p> <p>▶ Cyto Funnel Single (Shandon Type) <b>100 Pcs.</b></p> <p>▶ Clip S.S. for above <b>16 Pcs.</b></p> <p>▶ Cyto Slides Charged <b>100 Pcs.</b></p> <p>▶ Filter Pads for Funnels <b>100 Pcs.</b></p> <p>This machine is being used by Dept. of Stem Cell, PGI Chandigarh since last 3 years without problem.</p>	<b>MTI-CYTY – 52/53</b>	<b>230000.00</b>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





## Refrigerated Centrifuge

Sr.	Name of Item	Model	Each.Rs
1.	<b>Refrigerated Micro Centrifuge Machine 16000 rpm.</b> Bench top fitted with universal motor with carbon brushes. Digital, microprocessor based. Maximum speed 16000 rpm. when we fix 12 x 2ml Angle Rotor Head. It is fitted with microprocessor based 2 lines 16 characters LCD el for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller Stand by temperature from -20°C to +40°C. temperature is controlled by microprocessor based digital temperature controller cum indicator. Capacity 12 micro tubes of 2ml/1.5ml also supplied with adopters for 0.2/0.5ml micro tubes. <b>Prices are complete with Rotor Head.</b>	<b>MTI-54</b>	<b>108675.00</b>
2.	<b>Refrigerated Micro Centrifuge Machine 20000 rpm. Brushless</b> Bench top fitted with maintenance free brushless motor without carbon brushes. Maximum speed 20000 rpm. It is fitted with microprocessor based 4 lines 20 characters each LCD panel for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller Stand by temperature from -20°C to +40°C is controlled by microprocessor based digital temperature controller cum indicator. Capacity 12 micro tubes of 2ml/1.5ml also supplied with adopters for 0.2/0.5ml micro tubes. <b>(A) Prices are complete with Rotor Head 12 x 2 ml. max. speed 20000 rpm.</b>	<b>MTI-54-BL</b>	<b>144900.00</b>
	<b>(B) Prices are complete with Angle Head 24 x 2 ml, Max. speed 16000 rpm.</b>		<b>155000.00</b>
3.	<b>Refrigerated Universal Centrifuge, Max. Speed 16000 rpm.</b> Bench top fitted with universal motor with carbon brushes. Digital, microprocessor based. Maximum speed 16000 rpm. when we fix 12 x 2ml Angle Rotor Head. Further, speed depends upon rotor being used. Fitted with microprocessor based 2 lines 16 characters LCD pannel for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller. Stand by temperature from -20°C +40°C which is controlled by microprocessor based digital temperature controller cum indicator.	<b>MTI-55-(A)</b>	<b>116500.00</b>





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	Prices are without Rotor Head.		
	<b>Rotor Head for MTI-60 can be selected from below mentioned types as per customer's requirement at extra cost.</b>		
	▶ Angle Rotor 12 x 1.5/2.2ml. with adopters 0.5/0.2ml. Max. speed 16000 r.p.m.		5750.00
	▶ Angle Rotor 24 x 1.5/2.2ml. with adopters 0.5/0.2ml. Max. speed 13000 r.p.m.		7250.00
	▶ Angle Rotor 8 x 15ml. Max. Speed 7000 r.p.m.		8450.00
	▶ Angle Rotor 4 x 50ml. Max. Speed 7000 r.p.m.		8450.00
4.	<b>Refrigerated Micro Plate Centrifuge Max. Speed 2850 rpm.</b> Bench top fitted with maintenance free brushless motor without carbon brushes. Digital, microprocessor based. Max. speed 2850 rpm. further speed depends upon rotor being used. Fitted with microprocessor based 2 lines 16 characters LCD Panel for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller. Stand by temperature from -20°C to room temperature is controlled by microprocessor based digital temperature controller cum indicator. working temperature range from room temperature upto -20°C.	<b>MTI-55-(B)</b>	116500.00
	<b>Prices are without Rotor Head.</b>		
	<b>Prices of rotors at extra cost as under</b>		
	▶ Swing Out Rotor Head for 2 Plates of 96 Wells Max. Speed 2850 r.p.m.		14500.00
	▶ Swing Out Rotor Head for 4 Plates of 96 Wells Max. Speed 2850 r.p.m.		19325.00
5.	Refrigerated Universal Centrifuge Brushless, 20000 rpm Premium Model Bench top fitted with maintenance free brushless motor without carbon brushes. Digital, premium brushless model microprocessor based. Max. Speed 20000 rpm. when we fix 12 x 2ml angle rotor head. Further speed depends upon rotor being used. Fitted with microprocessor based 4 lines 20 characters each	<b>MTI-55-(C)-BL</b>	175050.00



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

	LCD Pannel for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller. Stand by temperature from -20°C to +40°C is controlled by microprocessor based digital temperature controller cum indicator.		
	Prices are without Rotor Head. Rotor head for MTI-70BL can be selected from below mentioned types as per customers requirement at extra cost.		
▶	Angle Rotor 12x1.5/2.2ml. with adopters 0.5/0.2ml. Max. speed 20000 r.p.m		7825.00
▶	Angle Rotor 24x1.5/2.2ml, Max. Speed 16000 r.p.m		10875.00
▶	Angle Rotor 8x15ml, Max. Speed 13000 r.p.m.		13225.00
▶	Angle Rotor 6x50ml, Max. Speed 13000 r.p.m.		13225.00
▶	Angle Rotor 4x100ml, Max. Speed 13000 r.p.m.		13225.00
▶	Angle Rotor Suitable for PCR strip tubes - Capacity 4 Strips of 8 x 0.2ml Max. Speed 13000 r.p.m		10875.00
6.	<b>Refrigerated Universal Centrifuge Brushless, 20000 rpm</b> Premium Model Bench top fitted with maintenance free brushless motor without carbon brushes. Digital, premium brushless model microprocessor based. Max. speed 20000 rpm when we fix 12 x 2 ml rotor. Further speed depends upon rotor being used. Fitted with microprocessor based 4 lines 20 characters each LCD Pannel for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller. Stand by temperature from -20°C to +40°C is controlled by microprocessor based digital temperature controller cum indicator. working temperature range from room temperature upto -20°C.	<b>MTI-55-(D)-BL</b>	193200.00
	Prices are without Rotor Head.		
	Rotor Head for MTI-90BL can be selected from below mentioned types as per customer's requirement at extra cost.		
▶	Angle Rotor 12x1.5/2.2ml. with adopters 0.5/0.2ml. Max. Speed 20000 r.p.m		7825.00
▶	Angle Rotor 24x1.5/2.2ml, Max. Speed 16000 r.p.m		10875.00
▶	Angle Rotor 8x15ml, Max. Speed 13000 r.p.m.		13225.00
▶	Angle Rotor 6x50ml, Max. Speed 13000 r.p.m.		13225.00
▶	Angle Rotor 4x100ml, Max. Speed 13000 r.p.m.		13225.00



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

▶	Angle Rotor Suitable for PCR strip tubes - Capacity 4 Strips of 8 x 0.2ml Max. Speed 13000 r.p.m.		10875.00
▶	Swing Out Rotor Head 8x15ml, Max. Speed 5000 r.p.m.		6050.00
▶	Swing Out Rotor Head for 2 Plates of 96 wells Max. Speed 3000 r.p.m.		14500.00
▶	Swing Out Rotor Head for 6 Plates of 96 wells Max. Speed 3000 r.p.m.		19325.00

Sr.	Name Of Item	Model	Each.Rs																																																
7.	<p><b>Refrigerated Universal Centrifuge Brushless, 20000 rpm. Floor Model</b> Digital, premium brushless model microprocessor based. Max. speed 20000 rpm when we fix 24 x 1.5ml rotor. Further speed depends upon rotor being used. Fitted with microprocessor based LCD Panel 4 lines 20 characters each for 30 seconds to 99 minutes countdown timer, digital rpm-rcf meter and programmable speed controller. Stand by temperature from - 20°C to +40°C is controlled by microprocessor based digital temperature controller cum indicator.</p> <p><b>Prices are without Rotor Heads</b></p> <p><b>Rotor Head for MTI-56-BL can be selected from below mentioned types as per customer's requirement at extra cost.</b></p> <p style="text-align: center;"><b>Angle Heads (with Polypropylene Conical Tubes)</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Rotor Capacity</th> <th>Type of Container</th> <th>Speed (R.P.M.)</th> <th>R.C.F. 'g'</th> </tr> </thead> <tbody> <tr> <td>▶ 6 x 200ml</td> <td>Plastic</td> <td>7000</td> <td>7400</td> </tr> <tr> <td>▶ 4 x 500ml</td> <td>Plastic</td> <td>7000</td> <td>7400</td> </tr> <tr> <td>▶ 8 x 100ml</td> <td>Plastic</td> <td>7000</td> <td>7400</td> </tr> <tr> <td>▶ 12 x 50ml</td> <td>Plastic</td> <td>7000</td> <td>7400</td> </tr> <tr> <td>▶ 36 x 15ml</td> <td>Plastic</td> <td>7000</td> <td>7400</td> </tr> <tr> <td>▶ 4 x 100ml</td> <td>Plastic</td> <td>14500</td> <td>23980</td> </tr> <tr> <td>▶ 8 x 25ml</td> <td>Plastic</td> <td>18000</td> <td>31150</td> </tr> <tr> <td>▶ 12 x 15ml</td> <td>Plastic</td> <td>18000</td> <td>31150</td> </tr> <tr> <td>▶ 8 x 50ml</td> <td>Plastic</td> <td>16000</td> <td>30020</td> </tr> <tr> <td>▶ 24 x 1.5ml</td> <td>Plastic</td> <td>20000</td> <td>37570</td> </tr> <tr> <td>▶ 8 Strips of 8 x 0.2ml</td> <td>Plastic</td> <td>11000</td> <td>12180</td> </tr> </tbody> </table>	Rotor Capacity	Type of Container	Speed (R.P.M.)	R.C.F. 'g'	▶ 6 x 200ml	Plastic	7000	7400	▶ 4 x 500ml	Plastic	7000	7400	▶ 8 x 100ml	Plastic	7000	7400	▶ 12 x 50ml	Plastic	7000	7400	▶ 36 x 15ml	Plastic	7000	7400	▶ 4 x 100ml	Plastic	14500	23980	▶ 8 x 25ml	Plastic	18000	31150	▶ 12 x 15ml	Plastic	18000	31150	▶ 8 x 50ml	Plastic	16000	30020	▶ 24 x 1.5ml	Plastic	20000	37570	▶ 8 Strips of 8 x 0.2ml	Plastic	11000	12180	MTI-56-BL	259550.00
Rotor Capacity	Type of Container	Speed (R.P.M.)	R.C.F. 'g'																																																
▶ 6 x 200ml	Plastic	7000	7400																																																
▶ 4 x 500ml	Plastic	7000	7400																																																
▶ 8 x 100ml	Plastic	7000	7400																																																
▶ 12 x 50ml	Plastic	7000	7400																																																
▶ 36 x 15ml	Plastic	7000	7400																																																
▶ 4 x 100ml	Plastic	14500	23980																																																
▶ 8 x 25ml	Plastic	18000	31150																																																
▶ 12 x 15ml	Plastic	18000	31150																																																
▶ 8 x 50ml	Plastic	16000	30020																																																
▶ 24 x 1.5ml	Plastic	20000	37570																																																
▶ 8 Strips of 8 x 0.2ml	Plastic	11000	12180																																																
			31525.00																																																
			36225.00																																																
			22250.00																																																
			21160.00																																																
			24450.00																																																
			21160.00																																																
			17375.00																																																
			17375.00																																																
			21160.00																																																
			13000.00																																																
			18975.00																																																



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

<b>Angle Heads suitable for Falcon Tubes (Round Bottom Tubes)</b>					
	<b>Rotor Capacity</b>	<b>Type of Container</b>	<b>Speed (R.P.M.)</b>	<b>R.C.F. 'g'</b>	
▶	12 x 50ml	Falcon	7000	7400	21160.00
▶	24 x 15ml	Falcon	7000	7400	24450.00
▶	12 x 50ml	Falcon	9000	7880	16275.00
▶	8 x 50ml	Falcon	9000	9330	18975.00
<b>Swing Out Heads (with Graduated Glass Tubes)</b>					
	<b>Rotor Capacity</b>	<b>Type of Container</b>	<b>Speed (R.P.M.)</b>	<b>R.C.F. 'g'</b>	
▶	4 x 200ml	Plastic	4500	3500	22250.00
▶	4 x 250ml	Plastic	4500	3500	24950.00
▶	108 x 5ml	Plastic	4500	3500	21160.00
▶	16 x 50ml	Falcon	4500	3500	27150.00
▶	32 x 15ml	Falcon	4500	3500	27150.00
▶	Swing Out Rotor Head for 2 Plates of 96 wells Max. Speed 3000 r.p.m				14500.00
▶	Swing Out Rotor Head for 6 Plates of 96 wells Max. Speed 3000 r.p.m				19325.00

## G.S.T. Details

1. All Centrifuge Machines
2. Biotechnology Items
3. Anaerobic Jar
4. Magnetic Stirrer
5. Vortex Mixture

## HSN Code

- 8421
- 9027
- 9018
- 8479
- 8479

## G.S.T.

- 18%
- 18%
- 12%
- 12%
- 12%



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com







# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

## Terms & Conditions

1. Prices : As per our printed price list.
2. G.S.T. : As applicable at present it is 18% & 12% depends upon the HSN Code No.
3. Packing : Included
4. Freight : Freight to be paid by customer..
5. Delivery : Within 2-4 weeks on the receipt of your confirm order.
6. Warranty : One year against any defect.
7. Payments : 50% Payment advance with order and balance before dispatch
8. Jurisdictions : All matters subject to Ambala Jurisdiction.
9. Prices : Prices can change without prior notice.

## Details of our Bank

- Account Name : **Metal Tech Industries**  
Bank Name : **HDFC Bank Ltd.**  
Branch Name : **Mahesh Nagar, Ambala Cantt.**  
RTGS/IFSC No. : **HDFC0002562**  
Account No. : **5020005926950**



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India

Contact: +91 9896838821, +91 9896188921 | Email: risinginternational@rediffmail.com





# Metal Tech Industries

Fire Fighting Vehicles, Scientific Instruments, Furniture, Mechanical & Fabrication Work

AKHIL GUPTA - 9896838821

(M.D)

MAYURI GUPTA - 9996820039

Director (Sales)

METAL TECH INDUSTRIES  
NEOCLASSICAL FURNITURE AND INTERIORS  
(An ISO 9001:2015 Certified Companies)

4, Industrial Estate  
AMBALA CANTT- 133006  
HARYANA  
INDIA

Email: [metaltech89@gmail.com](mailto:metaltech89@gmail.com)

website: <http://www.metaltechindustries.in/>

<https://www.indiamart.com/metaltechindustries/>



Certification & Inspection

4, Industrial Estate, Ambala Cantt.-133 006 Haryana, India  
Contact: +91 9896838821, +91 9896188921 | Email: [risinginternational@rediffmail.com](mailto:risinginternational@rediffmail.com)

