



एक कदम स्वच्छता की ओर

EXPORT QUALITY



BEST QUALITY IS OUR PRIDE



BEST QUALITY IS OUR PRIDE



info@livic.co.in  www.livic.co.in

MANUFACTURER & IMPORTER OF ABRASIVE PRODUCT & TOOLS

## ABOUT US

We are an abrasives manufacturing company in india and we manufacturer and supplier company in the line of abrasives, various type of disc wheels, our main products includes cutting wheels, grinding wheels, flap discs, non-woven wheels, wooden tct blades & diamond cutters.

Livic was established in 2019 as an abrasives manufacturing company with an aim to support oil gas field, construction, steelworks, foundries, shipyard, machine engineering, civil construction and in various types of industries by providing high quality abrasives and after sales services.

Livic as, abrasive manufacturers and our products are high-quality in cutting, polishing & grinding applications which we developed for professional industrial usage and thus have a long performance life.

We make sure, our wheels are made in the highest quality and we as abrasive manufacturing company in india, making cutting & grinding wheels that provide the most stable performance at all the times in any kind of applications.

We are one of the leading abrasives manufacturing company and all of our raw materials that are sourced from high-quality, quality-controlled foreign suppliers who have a long history of delivering good quality of raw materials. we continuously develop new products based on requests and feedback from our clients. we have our own r&d department to maintained continuous consistency in our quality products.



### Convince Yourself - It Works That Way

When you purchase any products from livic, you will have 30 days to test the product and its performance. if you should not be satisfied with the products quality or performance, your specialist retailer will replace it, or you can have your money back.

### Your Advantages

Correct choice of product + guaranteed product  
+ performance easy exchange + simple money  
back rullig = **100% satisfaction**

### Working With Us You Get Lots Of Advantages

- > Competitive price;
- > High-quality and safety products;
- > Money return if quality problem;
- > Sale services;

### More Simple

Improvements in productivity and efficiency are demanded everywhere you turn in the working world. tasks are becoming increasingly more complex. the professional processing of metal and stone becomes very simple with our product and services solutions.

### Simply More

Livic stand for top performances in cutting, grinding, and polishing. our goal is to offer you a service package to exceed your expectations with clever solutions and efficient products. of course, we work to suit your requirements and offer precisely the service you really need.

### It's All About One Thing

Our family run business has developed and produced professional wheels of the highest quality. it is with this dedication that we continue to pursue our goal of making exceptional products and services even better. our focus is on providing you satisfaction after solving the challenges you put on us.

### One Thing Applies For All

No matter how different the applications and materials are, our products offer maximum benefit and an outstanding price performance ratio. we are constantly analysing applications, materials and markets. our engineers optimise and develop perfectly fitting products on this basis - without losing sight of the individual needs of our customers.

### Trust Is Good. A Guarantee Is Better.

Buying without risk – with satisfaction guarantee we are only satisfied with our products if you are also satisfied with them. we want to provide top products that are totally convincing, through great performance and a definite improvement in handling comfort. our customers have trusted us to offer this for over 1 years. you will be convinced of our product quality when you use them, we guarantee the quality and productivity of all our products.



## THREE-IN-ONE

We Aim To Continuously Improve **LIVIC** Product's Quality Until We Achieve So.

### 01 SAFE

SAFE - Safety is always our first consideration. we believe human life is more than everything, so our abrasive wheels are made by good strength. Meanwhile, please ware protections as guidance too.

### 02 SHARP

SHARP-as we want workers' work can be efficient, our discs will be very sharp to work on different materials, and it will save a lot of time.

### 03 DURABLE

DURABLE-with our new technique, our discs are 30% more life than others, and this quality is very stable, it doesn't change a lot after 6 months.



## COMPANY ADVANTAGE


“

We Want To MAKE YOUR WORK EASIER,  
So We Are Keeping To Improve And Develop Our Quality Every Second.  
We Define High Quality Product As: The Product That Has The Most Stable High Performance  
And Is Able To Meet, Even Exceed, Users' Expectations.

”

## HOW TO READ LIVIC LABEL

### GENERAL OVERVIEW



### SPECIFICATION



**WA 46 T BF**

Type of Abrasive Grains	Grit Size	Degree of Hardness	Type of Bonding
A: Aluminum Oxide SA: Single Alundum WA: White Aluminum Oxide ZA: Zirconium C: Silicon Carbide	24-24=Rough 30-60=Medium 70-150=Fine	The hardness is indicate by the letters A to Z, from the lowest to the highest.	B: Synthetic Resin Bonded BF. Synthetic Resin Bonded with Fiber Glass Net reinforcement.

## SAFETY GUIDE


 Wear protective goggles	 Wear dust respirator
 No barehanded or hand-hold operation	 Wear ear protectors
 Wear protective gloves	 No side grinding
 Observe safety recommendations	 No wet grinding

## CUTTING AND GRINDING DISC



## DISC COMBINATION

- 1 Metal ring with expiry date
- 2 Product label  
All information about the product and safety recommendations are on the label
- 3 Fiberglass net  
It secures the safety of disc during cutting or grinding, works like the reinforcement bars to concrete
- 5 Second Fiberglass net  
Another fiberglass net to enhance the safety of wheel



- 4 Mixed abrasive grains, filling materials and resin (liquid and powder)
- Abrasive grains
  - Filling materials
  - Resin (liquid and powder)



## SILVER LINE CUT-OFF WHEEL



Size		Packing (Ctn)	Max Speed		Shape	Machine
MM	Inch	Pcs/Ctn	RPM	MS		
107*1*16	4"	800	15200	80		 Angle Grinder
125*1.2*22	5"	600	12200	80		
125*2.5*22	5"	300	12200	80		
180*1.5*22	7"	200	8500	80		
180*3*22	7"	100	8500	80		 Stationary Saw
230*1.5*22	9"	50	6600	80		
305*2*25.4	12"	50	5100	80		
355*2.5*25.4	14"	50	4400	80		
405*3*25.4	16"	25	3800	80		

### Advantages:

- ✘ Durability
- ✘ Smooth and soft cutting
- ✘ Easy working
- ✘ Cost effective
- ✘ Less heat generated
- ✘ Less noise

### Application:

- ✘ Unalloyed and alloyed construction steel
- ✘ Tool steel
- ✘ High Alloy Special steel
- ✘ Angular steel profiles
- ✘ Solid construction steel

## GOLD LINE CUT-OFF WHEEL (PREMIUM QUALITY)



Size		Packing (Ctn)	Max Speed		Shape	Machine
MM	Inch	Pcs/Ctn	RPM	MS		
107*1*16	4"	800	15200	80	 Angle Grinder	
125*1.2*22	5"	600	12200	80		
125*2.5*22	5"	300	12200	80		
180*1.5*22	7"	200	8500	80		
180*3*22	7"	100	8500	80		
230*1.5*22	9"	50	6600	80		
305*2*25.4	12"	50	5100	80		
355*2.5*25.4	14"	50	4400	80	 Stationary Saw	
405*3*25.4	16"	25	3800	80		

### Advantages:

- ✘ Very-long durability
- ✘ Smooth and soft cutting
- ✘ Easy working
- ✘ Cost effective
- ✘ Drier inside against moisture to Keep discs fresh
- ✘ heat generated, Less noise


### Application:

- ✘ Unalloyed and alloyed construction steel
- ✘ Solid construction steel
- ✘ Tool steel
- ✘ High Alloy Special steel
- ✘ Angular steel profiles

IF YOU NEED PREMIUM QUALITY IN CUT-OFF WHEEL THEN YOUR LAST DESTINATION IS  
**LIVIC BRAND.**



## SILVER LINE GRINDING WHEEL



Size		Packing (Ctn)	Max Speed		Shape	Machine
MM	Inch	Pcs/Ctn	RPM	MS		
100X4X16	4"	200	15200	80		 Angle Grinder
100X6X16	4"	200	15200	80		
125X6X22	5"	150	12200	80		
180X6X22	7"	50	8600	80		
230X7X22	9"	50	6600	80		

### Advantages:

- ✘ Good lifetime
- ✘ Excellent abrasive grain
- ✘ Easy working
- ✘ Cost effective
- ✘ Good material removal rate

### Application:

- ✘ Unalloyed and alloyed construction steel
- ✘ Solid construction steel
- ✘ Tool steel
- ✘ High Alloy Special steel
- ✘ Welding seams
- ✘ Cast iron
- ✘ Non-ferrous metals

## GOLD LINE GRINDING WHEEL (PREMIUM QUALITY)



Size		Packing (Ctn)	Max Speed		Shape	Machine
MM	Inch		RPM	MS		
100X4X16	4"	200	15200	80	  Angle Grinder	
100X6X16	4"	200	15200	80		
125X6X22	5"	150	12200	80		
180X6X22	7"	50	8600	80		
230X7X22	9"	50	6600	80		

### Advantages:

- ✘ Good lifetime
- ✘ Excellent abrasive grain
- ✘ Easy working
- ✘ Cost effective
- ✘ Good material removal rate

### Application:

- ✘ Unalloyed and alloyed construction steel
- ✘ Solid construction steel
- ✘ Tool steel
- ✘ High Alloy Special steel
- ✘ Welding seams
- ✘ Cast iron
- ✘ Non-ferrous metals

IF YOU NEED PREMIUM QUALITY IN GRINDING WHEEL THEN YOUR LAST DESTINATION IS  
**LIVIC BRAND.**

EXPORT QUALITY



**7"**  
MODEL: CL-254  
WA24R  
SIZE: 180X6.5X22mm  
MAX SPEED  
8500RPM  
USE FOR  
METAL & STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**SILVER LINE**

Export Quality  
एक कदम सफलता की ओर  
Grinding Wheel

**WARNING**

**14"**  
DOUBLE NET  
MODEL: CL-204GG  
WA36S  
SIZE: 355X2.8X25.4mm  
MAX SPEED  
4400RPM 80m/s  
METAL AND  
STAINLESS STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**GOLD LINE**

Export Quality  
**GREEN COLOR**  
CUT-OFF WHEEL

एक कदम सफलता की ओर

**WARNING**

**5"**  
MODEL: CL-257GB  
WA24R  
SIZE: 125X6.0X22mm  
MAX SPEED  
12,200RPM  
USE FOR  
METAL & STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**GOLD LINE**

Export Quality  
**BLACK COLOR**  
Grinding Wheel

एक कदम सफलता की ओर

**WARNING**

**4"**  
MODEL: CL-286  
WA24R  
SIZE: 100X6.0X22mm  
MAX SPEED  
12,200RPM  
USE FOR  
METAL & STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**GOLD LINE**

Export Quality  
एक कदम सफलता की ओर  
Rip Disc

**WARNING**

**4"**  
Teeth 38  
Model: CL-364  
Ø 110 mm

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**SILVER LINE**

Export Quality  
एक कदम सफलता की ओर  
TCT Saw Blade

Max. Speed 12000 RPM

**WARNING**

**4"**  
DOUBLE NET  
MODEL: CL-204GG  
WA36S  
SIZE: 355X2.8X25.4mm  
MAX SPEED  
4400RPM 80m/s  
METAL AND  
STAINLESS STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**GOLD LINE**

Export Quality  
एक कदम सफलता की ओर  
CUT-OFF WHEEL

**WARNING**

**4"**  
DOUBLE NET  
MODEL: CL-204GG  
WA36S  
SIZE: 355X2.8X25.4mm  
MAX SPEED  
4400RPM 80m/s  
METAL AND  
STAINLESS STEEL  
ISO 9001:2015

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**GOLD LINE**

Export Quality  
एक कदम सफलता की ओर  
CUT-OFF WHEEL

**WARNING**

**4"**  
Diamond Blade  
Model: CL-355  
Ø 110 mm

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**SILVER LINE**

Export Quality  
एक कदम सफलता की ओर  
Turbo Cut

Max. Speed 15000 RPM

**WARNING**

**4"**  
Diamond Blade  
Model: CL-351  
Ø 110 mm

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**SILVER LINE**

Export Quality  
एक कदम सफलता की ओर  
Segmented Cut

Max. Speed 15000 RPM

**WARNING**

**4"**  
Diamond Blade  
Model: CL-353  
Ø 110 mm

**LIVIC**<sup>®</sup>  
BEST QUALITY IS OUR PRIDE  
**SILVER LINE**

Export Quality  
एक कदम सफलता की ओर  
Continuous Cut

Max. Speed 15000 RPM

**WARNING**

## FLAP DISC



### Type A

**Material:** Common Aluminum oxide

### Type C

**Material:** Calcined aluminum oxide

### Type ZA

**Material:** Zirconia aluminum

Size		Packing (Ctn)	Max Speed		Available Grit Size
MM	Inch		RPM	MS	
100X16	4"	200	15200	80	36 to 240
125X22.2	5"	200	12200	80	36 to 240
180X22.2	7"	100	8600	80	60 to 80

### Advantages:

- ✘ Good lifetime
- ✘ Cost effective
- ✘ Clear view of the working piece
- ✘ Fine Grinding pattern
- ✘ Better surface quality

### Application:

- ✘ Unalloyed and alloyed construction steel
- ✘ Solid construction steel
- ✘ Tool steel
- ✘ High Alloy Special steel
- ✘ Welding seams
- ✘ Cast iron
- ✘ Non-ferrous metals

## GRANITE SAW BLADE SEGMENTED CUT



APPLICATION : Granite Saw Blade Segmented Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	10 mm	20 mm	200
5"	125 mm	10 mm	20 mm	200
6"	150 mm	10 mm	22 mm	150
8"	200 mm	10 mm	22 mm	100

## DIAMOND BLADE SEGMENTED CUT




APPLICATION : Diamond Blade Segmented Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	10 mm	20 mm	200
5"	125 mm	10 mm	20 mm	200

## DIAMOND BLADE CONTINUOUS CUT



APPLICATION : Diamond Blade Continuous Cut

FEATURES : Soft bond supreme diamond and precise tolerance control provide fast cutting with minium chipping.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	10 mm	20 mm	200
5"	125 mm	10 mm	20 mm	200

## DIAMOND BLADE TURBO CUT



APPLICATION : Diamond Blade Turbo Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	8 mm	20 mm	200
5"	125 mm	10 mm	20 mm	200

## CERAMIC CUTTER BLADE CONTINUOUS CUT



APPLICATION : Ceramic Cutter Blade Continuous Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	6 mm	20 mm	200

## CERAMIC CUTTER BLADE SEGMENTED CUT



APPLICATION : Ceramic Cutter Blade Segmented Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	110 mm	10 mm	20 mm	200
5"	125 mm	10 mm	20 mm	200

## CERAMIC CUTTER BLADE TURBO CUT



APPLICATION : Ceramic Cutter Blade Turbo Cut

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
4"	105 mm	8 mm	20 mm	200

## GRANITE SAW BLADE



APPLICATION : Granite Saw Blade

FEATURES : Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

INCHES	SIZE	HEIGHT	BORE	PACKING
12"	300 mm	12 mm	50 mm	25
14"	350 mm	12 mm	50 mm	25

## TCT WOODEN CUTTING BLADE



APPLICATION : TCT Wood, Aluminum cutting saw blade

## TCT WOODEN CUTTING BLADE

INCHES	SIZE	SEGMENT	BORE	PCS/CTN	TYPE
4"	110 mm	30T	20 mm	200	PREMIUM TCT FOR WOOD
4"	110 mm	40T	20 mm	200	PREMIUM TCT FOR WOOD
5"	127 mm	30T	20 mm	200	PREMIUM TCT FOR WOOD
5"	127 mm	40T	20 mm	200	PREMIUM TCT FOR WOOD
6"	150 mm	40T	25.4 mm	50	PREMIUM TCT FOR WOOD
7"	180 mm	40T	25.4 mm	50	PREMIUM TCT FOR WOOD
7"	180 mm	60T	25.4 mm	50	PREMIUM TCT FOR WOOD
8"	200 mm	40T	25.4 mm	25	PREMIUM TCT FOR WOOD
8"	200 mm	60T	25.4 mm	25	PREMIUM TCT FOR WOOD
10"	250 mm	40T	25.4 mm	25	PREMIUM TCT FOR WOOD
10"	250 mm	60T	25.4 mm	25	PREMIUM TCT FOR WOOD
12"	300 mm	40T	25.4 mm	10	PREMIUM TCT FOR WOOD
12"	300 mm	60T	25.4 mm	10	PREMIUM TCT FOR WOOD
12"	300 mm	80T	25.4 mm	10	PREMIUM TCT FOR WOOD
14"	350 mm	40T	25.4 mm	10	PREMIUM TCT FOR WOOD
14"	350 mm	60T	25.4 mm	10	PREMIUM TCT FOR WOOD
14"	350 mm	80T	25.4 mm	10	PREMIUM TCT FOR WOOD
14"	350 mm	100T	25.4 mm	10	PREMIUM TCT FOR WOOD





## BRAND IMAGE



## OUR SALES NETWORK



## LIVIC BRAND

“  
 LIVIC Brand Started In 2020 Which Means Moral Ethics In Indian Culture. The General Manager **Mr. Jaydeep Gajera** Attaches Importance To Brand Image And Quality Very Much. After 3 Years Of Development, Livic Brand Enjoys A High Reputation In India. Meanwhile The Company Began To Develop Overseas Business In 2021, Pushing Our Livic Brand To The International Market, So That More Users Can Use Good Quality In Abrasive Products.  
 ”