




JAS-ANZ



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PRODUCT CATALOGUE
(Vol. 4)



- Propeller Shaft Components & Assy.
- Universal Joint Cross
- Steering Linkages
- Clutch Fork
- Gear Box Housing Block Assy.
- Development of CNC Turned Components

Website: www.moovel.co.in



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

COMPANY BRIEF

IMPULSE TECHNO CORPORATION is off spring of the SURI GROUP which is in the Automotive Spare Parts business for the past 6 decades. The SURI GROUP is continuously progressing into multi-products specializing in **PROPELLER SHAFT COMPONENTS & ASSEMBLIES, UNIVERSAL JOINT CROSS, STEERING LINKAGES** (Strg. Pitman Arm, Strg. Sector Shaft, Strg. Drop Arm, Strg. Join Cross Assy., Strg. Yoke & Teeth), **CLUTCH FORK, GEAR HOUSINGS BLOCK ASSEMBLIES** for Automotive, Tractor, Agricultural (Harvester Combine & Thrashers), Industrial & Marine Applications.

This professionally managed company is headed by **Mr. GAGANDEEP SINGH SURI**, is a graduate in the field of Mechanical Engineering from P.S.G. Collage of Technology, Coimbatore (Tamil Nadu), INDIA. Keeping in line with the family tradition and focus on the global scenario, he ventured in the field of manufacturing, exporting and marketing of Propshaft components & assemblies, U.J. Cross, Steering Linkages, Clutch Forks, Gear Housing Block assemblies and CNC turned components under the brand name '**MOOVEL**' and '**MOOVEL POWER**' with the help of the professionally managed and highly motivated team of young people. With emphasis on quality and continuous improvement in the development of products, he started the manufacturing and marketing of '**MOOVEL**' products. Under the '**MOOVEL**' brand the company has developed a vast range of components for the L.C.V. and H.V.C. segment covering the range of vehicles of TATA, LEYLAND, EICHER, MAHINDERA JEEP & NAVISTAR, AMW, MANN, BHARAT BENZ etc and covering the entire range of Spicer Type and RSB Type of propshaft components.

The raw material for production is first subjected to stringent quality control test in the laboratory to check for their conformity to the required specifications and standards as per O.E.M. norms. The forgings or SGI castings are machined and processed as per the CAD drawings maintaining the close tolerances using the latest production machines like CNC turning centers, Hydraulic and multi-spindle drilling machines, Hyd. Broaching machines for the splines, gear shaping and spline hobbing machines for the teeth and finally induction hardened on PLC control (SPC) techniques and also random quality inspection checks at every manufacturing process and stage by qualified and trained QC team.

The main focus is on continuous improvements in the manufacturing process and strict quality standards with emphasis on new product developments. The new product development is done using **CAD/ CAM** techniques to design and develop the components with close tolerances keeping in mind the customer requirements and standards with least development and manufacturing lead time and minimal cost with emphasis and focus on the best life cycle for the functioning life of the component and assemblies.

The '**MOOVEL**' product is supported by a motivated and encouraging network of Distributors, Stockists, Dealers, Mechanics and Fleet-owners. The distributors and dealers are given prompt feedback by the market field service staff who is in constant touch with the mechanics and fleet-owners (end-users), who are the back-bone for the growth of the '**MOOVEL**' products in the after market segment. Using this every bit of product feedback from the fleet-owners, mechanics and dealers, which is noted and recorded by the service field staff, the information is reverse engineered to the technical team at the factory to develop and produce defect-free, long lasting and trouble-free '**MOOVEL**' products to its entrusting end-users. The end result is that we grow with our customers with their trust support and co-operation.

*The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE***
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

INDEX (ITEM WISE)

IMPULSE TECHNO CORPORATION

AN ISO 9001:2008 CERTIFIED COMPANY

Propeller Shaft Components & Assy. * Steering Joint Cross Assy. * U.J. Cross * Clutch Fork
* Pitman Arm * Gear Housing Block Assy. * Strg. & Teeth

S.No.		Pg. No.
1	Universal Joint Cross (U. J. Cross)	1
2	Cross Holder (Flange Yoke)	3
3	Stub Ball Half Yoke End	9
4	Full Sleeve Yoke & Rear Teeth (Plain & Glide Coat)	13
5	Gear Box Coupling Flange	37
6	Front Teeth & Centre Coupling Flange	41
7	Pinion/ Differential Coupling Flange (Input/ Output/ Thru Shaft)	47
8	Coupling Flange W/ Cup Cone (Bearing) Assembly	54
9	Double Differential Nest Cage Assembly	54
10	Steering Pitman Arm	55
11	Rig Gear Box Coupling Flange	56
12	Full Yoke & Half Yoke Assembly	57
13	Cross Holder Assembly (Jota Assy.) - For Marine & Industrial Applications	60
14	Steering Joint Cross Assembly	61
15	Gear Box Housing Block Assembly	64
16	Clutch Fork	65
17	Steering Yoke & Teeth (Strg. Spindle Set) - Glide Coat	66
18	Interaxle Shaft Assembly - 100% Dynamic Balanced	67
19	Transmission Shaft For JCB & Earth Moving Equipment	70
20	Thru Shaft (For Double Differential Vehicle)	71

Copyright @ 2019 (Copyright Impulse Techno Corp.) - All Rights Reserved.

Note:

The contents of this catalogue are copyrighted & must not be reproduced in any form what soever without our prior written permission. Also the information contained in this catalogue is compiled accurately to the best of our knowledge.

Impulse Techno Corp. does not hold any liability for any omissions & errors.

Any error or omission may kindly be brought to our notice on our Customer care no. + 91 9810005509

Any Brand & O.E. No. used are for reference only.

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

UNIVERSAL JOINT CROSS - ALLOY STEEL (20MnCr05)

TATA SERIES

MC 1022/ 1022GL



GREASELESS -
MC1022GL

38.05x56.7 mm

TATA 1210, SE, 1109

MC 1023/ 1023GL



GREASELESS -
MC1023GL

46.05X68.70mm

TATA 1312, 1612, 1510

MC 1005



30.05X81.80mm

TATA 407

SPICER SERIES

MC 1013/ 1013GL



GREASELESS -
MC1013GL

SPICER (SPL 90) - 41.28X126 mm

TATA 2515 EX, 1616, LPK 2516,
EICHER 35.31, 33.25, LEY. 2516, 2214, 3516

MC 1032P/ 1032PGL



GREASELESS -
MC1032PGL

SPICER (1710) - 49.20X154.9mm

TATA 3118, 4018, LEY. 3118, 3116, 2523,
BHARAT BENZ, AMW, MAN (PATTI TYPE)

MC 1015UT



SPICER (2040) - 47.65X135.17mm

LPK 4923, LPK 3118, LPT 3721, AL 3119
TERRA 25, AL 4936, 4436 TR, EICHER VE 2100,
TATA 3138, 1828, 5252, 2523 LPK

MC 1038



SPICER (2045-2047) - 52X147 mm

TATA 3716, 4923, 3138, 2528, 2523, 3721, 3723, 3123,
LEY. 3123, 2523, BHARAT BENZ CLA 26.28, 31.28, 49.2,
25.28, 31.12, MAHINDRA 4026 TRACTOR, 35T, 30.4,
EICHER 40TON TIPPER, TERRA 25

MC 1036



SPICER (2055) - 57X152 mm

LPK 3118, 2521, 2523, 2518, 4923, 3138, 2528,
LEY. 4936, 4436TR,
BHARAT BENZ-CLA 25.28, 31.28, 49.28

MC 1039



SPICER (2060) - 59x167 mm

TATA LPK 3118, 5252, 2538, 2138,
VOLVO

MC 1021/ 1021GL



GREASELESS -
MC1021GL

SPICER (1550) - 34.94x126.2 mm

LEY. TUSKER, E-COMET, TATA 1109 EX,
TERRA 16, EICHER 20.16, 2516 INTERAXLE

MC 1025



SPICER (1410) - 30.18x 106 mm

EICHER CANTER, TATA 909, 709 EX, 410,
407 TURBO, LEY. IVECO, SWARAJ MAZDA,
MAH. XYLO

MC 1027



SPICER (1000) - 23.82x34.9 mm

TATA ACE O/M (INNER LOCK)

MC 1028



SPICER (1000) - 22x55 mm

TATA ACE N/M, MAGIC, HT
(OUTER LOCK)

MC 1018P



SPICER (1310) - 27x81.80 mm

TATA SUMO, 207 DI

MC 1041



ACE MINT - 26x87 mm

TATA ACE MINT



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

UNIVERSAL JOINT CROSS - ALLOY STEEL (20MnCr05)

RSB SERIES

MC 1030/ 1030GL



GREASELESS -
MC1030GL

RSB 325 - 42x119.8 mm

TATA 1616, 1613 TURBO, 2515 EX

MC 1026/ 1026GL



GREASELESS -
MC1026GL

RSB 403 - 42x129.4mm

TATA 2516 LPK, 2518 LPK,
1613 TURBO, LEYLAND 2516

MC 1031/ 1031GL



GREASELESS -
MC1031GL

RSB 490 - 48x135mm

TATA LPT 3118, LPK 2523, 2518 BSIII, 3518C EX,
LEY. 3116, 3118, 4018C

MC 1038



RSB 590 - 52x147mm

TATA 3716, 4923, 3138, 2528, 2523, 3721, 3723, 3123,
LEY. 3123, 2523, BHARAT BENZ CLA 26.20, 31.20, 49.2,
25.28, 31.12, MAHINDRA 4028 TRACTOR, 35T, 20.4,
EICHER 40TON TIPPER, TERRA 25

MC 1036



RSB 620 - 57X152 mm

LPK 3118, 2521, 2523, 2518, 4923, 3138, 2528,
LEY. 4936, 4436TR,
BHARAT BENZ-CLA 25.28, 31.20, 49.28

MC 1040



RSB 585 - 48x154 mm

RSB 585 SERIES

AMW SERIES

MC 1037



AMW - 52x133 mm

AMW (SMALL)

MC 1034



AMW - 57x144 mm

AMW (BIG)

MC 1019



MSL - 23.82x 61.30mm

AMBASSADOR, LEY. STRG. CROSS,
HYDRA, CRANES

MSL SERIES - LEYLAND, 407 TURBO, JEEP DIESEL

MC 1021/ 1021GL



GREASELESS -
MC1021GL

MSL - 34.94x126.2 mm

LEY. TUSKER, E-COMET, TATA 1109 EX,
TERRA 16, EICHER 20.16, 2516 INTERAXLE

MC 1020



MSL - 39.68x115.40 mm

LEYLAND 370, BEDFORD, J4

MC 1015 UT



MSL - 47.64x134.80 mm

LEYLAND TAURUS, 3516, EICHER
GALAXY, LEY. U-TRUCK (LOCK TYPE)

MC 1029



MSL/ DCM - 30.18x92.1mm

TATA 407 TURBO, DCM TOYOTA

MC 1033



MSL 1480/ JCB 3DX - 34.94x106mm

TATA 407 PICK UP BSIII, JCB 3DX

MC 1018



MSL JEEP DIESEL- 27x81.80 mm

MAHINDRA JEEP, BOLERO, MARSHAL,
MAXX PICK UP, TATA 207DI

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER (FLANGE YOKE)

TATA 1210 SERIES

U J CROSS - MC1022- 38.05x56.70mm

MCH 104

Size : 10.20mm
Bolt No. : 17
Holes : 6



1210 Plate Design

120mm/ 4.72"

CROSS - TATA 1210 - 38.05x56.70mm

TATA 1210, SE
(4.72" PLATE, 6H)

MCH 104C

Size : 10.20mm
Bolt No. : 17
Holes : 8



1210 Plate Design

120mm/ 4.72"

CROSS - TATA 1210 - 38.05x56.70mm

TATA 1210 SE N/M LCV N/M
(4.72" PLATE, 8H)

MCH 205C

Size : 10.20mm
Bolt No. : 17
Holes : 8



1312 Plate Design

130mm/ 5"

CROSS - TATA 1210 - 38.05x56.70mm

TATA 1312 PLATE, 1210 CROSS
(5" PLATE, 8H)

TATA 1312/ 1612/ 1510

U J CROSS - MC1023- 46.05x68.70mm

MCH 205

Size : 10.20mm
Bolt No. : 17
Holes : 8



1312 Plate Design

130mm/ 5"

CROSS - TATA 1312 - 46.05x68.70mm

TATA 1312, 1612, 1510 (8 HOLE)
(5" PLATE, 8H)

MCH 205A

Size : 10.20mm
Bolt No. : 17
Holes : 6



1210 Plate Design

120mm/ 4.72"

CROSS - TATA 1312 - 46.05x68.70mm

TATA 1312, 1612, 1510 TIPPER (6 HOLE)
(4.72" PLATE, 6H)

MCH 205AA

Size : 10.20mm
Bolt No. : 17
Holes : 8



LONG EARS

1312 Plate Design

130mm/ 5"

CROSS - TATA 1312 - 46.05x68.70mm

TATA 1312 - LONG EARS
TATA 2516 INTERAXLE

MCH 205B

Size : 12.10mm
Bolt No. : 19
Holes : 8



150mm/ 6"

CROSS - TATA 1312 - 46.05x68.70mm

TATA 2518, 2516 LPT
(6" PLATE, 8H, 1312 CROSS)

RSB 325 SERIES

U J CROSS - MC1030- 42x119.8mm

MCH 1204AR

Size : 10.20mm
Bolt No. : 17
Holes : 8



1312 Plate Design

130mm/ 5"

CROSS - RSB 325 - 42x119.8mm

TATA 2515 EX, 1613 LP, 1616
(5" PLATE, 8H)

MCH 1204AAR

Size : 12.10mm
Bolt No. : 19
Holes : 8



150mm/ 6"

CROSS - RSB 325 - 42x119.8mm

TATA 3516, 3518C EX, 2518 LPT
(6" PLATE, 8H, SPICER SPL90 CROSS)

MCH 1604AS

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS - RSB 325 - 42x119.8mm

TATA 1616, 1613 EURO III TURBO

MCH 1604ASS

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS - RSB 325 - 42x119.8mm

LPK 2516 MTR, LPO 1614, 1616

MCH 1604ACS

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS - RSB 325 - 42x119.8mm

TATA 1616, 1613 EURO III TURBO



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER (FLANGE YOKE)

RSB 403 SERIES

U J CROSS - MC1026- 42x129.4mm

MCH 1604

Size : 16.20mm
Bolt No. : 24
Holes : 8



165mm/ 6.5"

CROSS RSB 403 - 42x129.4 mm

TATA 2516LPK

MCH 1204R

Size : 10.20mm
Bolt No. : 3/8
Holes : 8



176mm/ 7"

CROSS RSB 403 - 42x129.4mm

LEYLAND 2516, 3516
(RSB WITH LEYLAND PLATE)

Leyland Plate Design

MCH 1204B

Size : 12.10mm
Bolt No. : 19
Holes : 8



150mm/ 6"

CROSS RSB 403 - 42x129.4 mm

TATA 2515, 3015, 2516 LPT,
2512 TC

MCH 1204ABR

Size : 10.20mm
Bolt No. : 17
Holes : 8



130mm/ 5"

CROSS RSB 403 - 42x129.4mm

TATA 2515 EX - N/M

1312 Plate Design

MCH 1604S

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS RSB 403 - 42x129.4mm

TATA LPT 1613, SK 1613, LPK 2516
LPK 1616

MCH 1604SS

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS RSB 403 - 42x129.4mm

LPK 2518 (INTERAXLE)

126mm
Extra Long
for Interaxle

MCH 2504ARR

Size : 14.00mm
Bolt No. : 22
Holes : 4



180mm/ 7"

CROSS RSB 403 - 42x129.4mm

TATA, LEYLAND, AMW (RSB 403 -
42x129, SERRATED 7" PLATE)

RSB 490 SERIES

U J CROSS - MC1031- 48x135mm

MCH 1322

Size : 16.20mm
Bolt No. : 24
Holes : 8



165mm/ 6.5"

CROSS RSB 490 - 48x135mm

TATA 4018, 4022, 3516 N/M

MCH 1322S

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS RSB 490 - 48x135mm

LPT 3118, 2518, LPS 4018

MCH 1322SS

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

CROSS RSB 490 - 48x135mm

LPT 2523 6x4, LPS 4923, 4928
(FOR INTERAXLE)

132mm
Extra Long
Interaxle

MCH 2504R

Size : 14.00mm
Bolt No. : 22
Holes : 4



180mm/ 7"

CROSS RSB 490 - 48x135mm

LPK 2523, LPS 4923, 4928

132mm
Extra Long

MCH 2504AA

Size : 14.00mm
Bolt No. : 22
Holes : 4



180mm/ 7"

CROSS RSB 620 - 57x152mm

LPK 2523 6x4, LPK 2518 TC Q1150
LPK 3118 TC, LPT 3723

132mm

MCH 2504AR

Size : 14.00mm
Bolt No. : 22
Holes : 4



180mm/ 7"

CROSS RSB 585 - 48x154mm

RSB 585 SERIES - 7" PLATE, 4 HOLE
SERRATED

142mm

RSB 620 SERIES UJC-MC1036- 57x152mm

RSB 585 SERIES UJC-MC1040- 48x154mm



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY


CROSS HOLDER (FLANGE YOKE)

RSB 590 SERIES

U J CROSS - MC1038- 52x147mm

MCH 2604ABS

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS RSB 590 - 52x147 mm

LPT 2523, LPK 2523, LPK 3118

MCH 2604AB

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS RSB 590 - 52x147mm

TATA 2523 TC LPK, 3118 LPK

SPICER SPL90 SERIES

U J CROSS - MC1013- 41.28x126.2mm

MCH 1204A

Size : 10.20mm
Bolt No. : 17
Holes : 8



1312 Plate Design

CROSS SPICER SPL90 - 41.28x126mm

TATA 2515 EX, 1613 LP N/M,
EICHER 33.25, 30.25, 35.31

MCH 1204AA

Size : 12.10mm
Bolt No. : 19
Holes : 8



CROSS SPICER SPL90 - 41.28x126mm

TATA LPT 2516, 2518, 2521, 3015 TC
LPO 1616 BUS, LPO 1625, 1628

MCH 1204

Size : 10.20mm
Bolt No. : 3/8
Holes : 8



Leyland Plate Design

CROSS SPICER SPL90 - 41.28x126mm

LEYLAND 2516, 3516, 2214, SUPER TUSKER TCAC
AMW 2516, 2518, EICHER 30.25

MCH 1220A

Size : 12.10mm
Bolt No. : 21
Holes : 4



Square Base
115mm
Extra Long
For Interaxle

CROSS SPICER SPL90 - 41.28x126mm

LEYLAND INTERAXEL 2516 & HYWA, 2214, 2516
(SQUARE BASE - 4 HOLE)

MCH 1242

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER SPL90 - 41.28x126mm

TATA 1616, 1613 TURBO, 2521, LEYLAND 3116,
2516 Taurus, 1616, 2214, MAN 25T, AMW 2518, 2516LT

MCH 1242A

Size : 12.10mm
Bolt No. : 19
Holes : 4



Long For Interaxle

CROSS SPICER SPL90 - 41.28x126mm

TATA 1616 SE BSIII - 4200B
LEYLAND INTERAXLE - 2516

SPICER 1710 SERIES U J CROSS - MC1032P- 49.20x154.9mm

MCH 1242AB

Size : 10.20mm
Bolt No. : 17
Holes : 4



CROSS SPICER SPL90 - 41.28x126mm

LEYLAND AVIA - 1218 E3

MCH 1604A

Size : 16.20mm
Bolt No. : 24
Holes : 8




CROSS SPICER 1710 - 49.20x154.9mm

TATA LPS 4018, 4022, 1623 BUS
2516 LPK (6.5" PLATE, 8H, 16MM BOLT)

MCH 2704P

Size : 12.10mm
Bolt No. : 19
Holes : 12



CROSS SPICER 1710 - 49.20x154.9mm

EICHER 40.40, TERRA 25, AMW 2523,
2528, 4018 (12H, 12MM BOLT)

MCH 1604AAS

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER 1710 - 49.20x154.9mm

TATA LPT 2518 BSII, LPT 2521, AMW 2518 6x2,
LPT 3118, LPO 1613, LEY. 2516 TIPPER,
4921 6x2, 3121, MAN FORCE 25T

MCH 1604ABS

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER 1710 - 49.20x154.9mm

TATA LPT 2518 BSII, LPT 2521, AMW 2518 6x2,
LPT 3118, LPO 1613, LEY. 2516 TIPPER,
4921 6x2, 3121, MAN FORCE 25T (INTERAXLE)

MCH 2504P

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 1710 - 49.20x154.9mm

AMW 2518, 2523 TP, 4923, 4018, 3116, 2518TM
LEY. 2516 MINING TIPPER, 2521, 4923, 3123
2518, 2523, LEY. U-TRUCK



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER (FLANGE YOKE)

SPICER 2040 SERIES

U J CROSS - MC1015UT- 47.65x135mm

MCH 2622SS

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER 2040 - 47.65x135mm

LPS 4923, LPK 3118, LPT 3721,
AL 3119 MINING, TERRA 25, CLA 31.28

MCH 2504UT

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2040 - 47.65x135mm

LEY. 4936, 4436 TR, EICHER VE 2100
TATA 3138, 1828, 5252, 2523 LPK, 2038

SPICER 2045 SERIES

U J CROSS - MC1038 - 52x147mm

MCH 2604AAB

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER 2045 - 52x147mm

LPK 3138, LPK 2538, LPT 3721, LPT 3723, LPK 2528,
MAHINDRA 25 T, EICHER 40T, BHARAT BENZ 2523

MCH 2604AB

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2045 - 52x147mm

LPK 2521, LPK 2523, LPTA 2038,
AL 3123, 3136, 2523, BHARAT BENZ
3138, 4023TT, MAN CLA 26.28, 31.28

MCH 2722SS

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2045 - 52x147mm

LPK 2523, LEY. AL 3123 (INTERAXLE)

SPICER 2050 SERIES UJC-MC1034 - 57x144mm

SPICER 2055 SERIES UJC-MC1036 - 57x152mm

SPICER 2060 SERIES UJC-MC1041 - 59x161mm

MCH 1604AA

Size : 18.20mm
Bolt No. : 24
Holes : 8



CROSS SPICER 2047 - 57x144mm

AMW - 6.5" PLATE, 8 HOLE

MCH 2504AA

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2055 - 57x152mm

TATA LPTA 3138, 1628, 2038, LPK 2528,
LEY. AL 4936, 4436TR BHARAT BENZ
2528C MINING TIPPER, 4928TT

MCH 2922S

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2060 - 59x168mm

LPTA 3138, 1028, 2038, 2538,
LEY. AL 4936, 4436 TR,
BHARAT BENZ 2528, 3128, 4928, VOLVO

SPICER 2047 SERIES

U J CROSS - MC1037 - 52x133mm

MCH 2604

Size : 12.10mm
Bolt No. : 19
Holes : 4



CROSS SPICER 2047 - 52x133mm

AMW, MAN, VOLVO - 6" PLATE,
4 HOLE, SERRATED

MCH 2604A

Size : 14.00mm
Bolt No. : 22
Holes : 4



CROSS SPICER 2047 - 52x133mm

AMW, MAN, VOLVO - 7" PLATE,
4 HOLE, SERRATED

**MOOVEL**

AUTOMOTIVE PARTS

AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER (FLANGE YOKE)**SPICER 1550/ SPL70/ MSL SERIES****U J CROSS - TUSKER - MC1021- 34.94x126mm****MCH 704**Size : 12.10mm
Bolt No. : 21
Holes : 4

Square Base

81mm

CROSS L/L TUSKER - 34.94x126 mm**LEYLAND TUSKER, EICHER JUMBO 20.16, TERRA 16, EICHER 11.10 XP****MCH 1220**Size : 12.10mm
Bolt No. : 21
Holes : 4

Square Base

100mm
Extra Long
For Interaxle**CROSS L/L TUSKER - 34.94x126 mm****LEYLAND INTERAXLE 2516 & HYWA, 2214, 2516 (SQUARE BASE)****MCH 704A**Size : 10.20mm
Bolt No. : 17
Holes : 8

110mm

130mm/ 5"

1312 Plate Design

CROSS L/L TUSKER - 34.94x126 mm**TATA 1109 EX UERO II BSIII****MCH 704C**Size : 10.20mm
Bolt No. : 17
Holes : 6

1210 Plate Design

82mm

120mm/ 4.75"

CROSS L/L TUSKER - 34.94x126 mm**TATA 709, 909 EURO III****MCH 704S**Size : 10.20mm
Bolt No. : 17
Holes : 4

88mm

125mm/ 5"

CROSS L/L TUSKER - 34.94x126 mm**LEYLAND E-COMET, IVECO CARGO 712
TATA 36 SEATER LP BUS****MCH 704AS**Size : 12.10mm
Bolt No. : 19
Holes : 4

150mm/ 6"

CROSS L/L TUSKER - 34.94x126 mm**EICHER TERRA 16 (TUSKER 6" PLATE, 4 HOLE
SERRATED****LEYLAND - 370 BEDFORD/ J 4,****TUSKER (MSL TYPE),****TAURUS T11****MCH 604**Size : 12.10mm
Bolt No. : 21
Holes : 4

94mm

150mm/ 6"

CROSS L/L 370 BEDFORD - 39.68x115.4mm**LEYLAND 370, BEDFORD, J 4****MCH 704**Size : 12.10mm
Bolt No. : 21
Holes : 4

Square Base

81mm

CROSS L/L TUSKER - 34.94x126 mm**LEYLAND TUSKER, EICHER JUMBO 20.16, TERRA 16, EICHER 11.10 XP****MCH 804**Size : 9.50mm
Bolt No. : 3/8
Holes : 8

110mm

176mm/ 7"

CROSS L/L TAURUS - 47.62x135mm**LEYLAND TAURUS T11, EICHER JUMBO 30.25****MAHINDRA JEEP****U J CROSS - MC1018 - 27x81.80mm****MCH 905**Size : 8.20mm
Bolt No. : 13
Holes : 4

Round Base

64mm

98mm/ 4"

CROSS JEEP DIESEL - 27x81.80mm**MAHINDRA JEEP DIESEL
(ROUND PLATE)****MCH 905A**Size : 8.20mm
Bolt No. : 13
Holes : 4

Square Base

62mm

CROSS JEEP DIESEL - 27x81.80mm**MAHINDRA JEEP DIESEL,
MAX PICK UP, BOLERO,
SCORPIO (SQUARE BASE)****MCH 1804**Size : 8.70mm
Bolt No. : 13
Holes : 4

52mm

87mm/ 3.42"

CROSS AMBASSADOR - 23.82x61.30mm**AMBASSADOR, HYDRA CRANE****CROSS FITMENT - EICHER CANTER****U J CROSS - MC1025 - 30.18x106mm****MCH 1404**Size : 12.20mm
Bolt No. : 19
Holes : 4

Square Base

68mm

CROSS EICHER CANTER - 30.18x106mm**EICHER CANTER N/M****MCH 104A**Size : 10.20mm
Bolt No. : 17
Holes : 6

1210 Plate Design

88mm

120mm/ 4.72"

CROSS EICHER CANTER - 30.18x106mm**TATA 407 TURBO, LPT 407, 410 EX BSIII WB,
SFC 407, 709, 909****MCH 1404S**Size : 10.20mm
Bolt No. : 17
Holes : 4

130mm/ 5"

CROSS EICHER CANTER - 30.18x106mm**LEYLAND IVECO 709, 909**



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER (FLANGE YOKE)

CROSS FITMENT - DCM (MSL TYPE) UJC - MC1029- 30.18x92mm

MCH 403A

Size : 8.20mm
Bolt No. : 13
Holes : 6



74 mm

Tata 407
Plate Design

100mm/ 4"

CROSS TATA 407 TURBO/ DCM - 30.18x92 mm

TATA 407 TURBO, LPT 407, 410 EX

MCH 403AA

Size : 10.20mm
Bolt No. : 17
Holes : 6



Tata 1210
Plate Design

120mm/ 4.72"

CROSS TATA 407 TURBO/ DCM - 30.18x92 mm

TATA 407 TURBO, LPT 407, 410 EX

CROSS FITMENT - JCB 3DX U J CROSS - MC1033- 34.94x106mm

MCH 104AA

Size : 10.20mm
Bolt No. : 17
Holes : 6



88mm

Tata 1210
Plate Design

120mm/ 4.72"

CROSS TATA 407 PICKUP/ JCB 3DX - 34.94x106 mm

TATA 407 PICK UP

CROSS FITMENT - TATA 407 (TELCO TYPE) UJC - MC1005- 30.05x81.80mm

MCH 403

Size : 8.20mm
Bolt No. : 13
Holes : 6



72mm

Tata 407
Plate Design

100mm/ 4"

CROSS TATA 407 - 30.05x81.80 mm

TATA 407 TURBO, LPT 407, 410 EX

TATA ACE - ACE O/M,

MAGIC/ HT,

SUPER ACE

MCH 1503

Size : 8.20mm
Bolt No. : 13
Holes : 4



Square Base

59mm

CROSS TATA ACE O/M - 23.82x34.90 mm

TATA ACE O/M (INNER LOCK)

MCH 1503A

Size : 8.20mm
Bolt No. : 13
Holes : 4



Square Base

59mm

CROSS TATA ACE N/M - 22x55 mm

TATA ACE MAGIC/ HT (OUTER LOCK)

MCH 1503AA

Size : 8.20mm
Bolt No. : 13
Holes : 4



Square Base

64mm

CROSS JEEP DIESEL - 27x81.80 mm

TATA SUPER ACE, VENTURE

MAHINDRA MAXXIMO U J C - MC1018- 27x81.80mm

LEYLAND DOST U J C - MC1018- 27x81.80mm

MCH 2803

Size : 8.20mm
Bolt No. : 13
Holes : 4



Square Base

62mm

CROSS JEEP DIESEL - 27x81.80 mm

MAHINDRA MAXXIMO

MCH 2903

Size : 8.20mm
Bolt No. : 13
Holes : 4



Square Base

63mm

CROSS JEEP DIESEL - 27x81.80 mm

LEYLAND DOST



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STUB BALL HALF YOKE END

TATA 1210/ SE SERIES

U J CROSS - MC1022- 38.05x56.70mm

MHY 108

2.5" PIPE



2.5" / 64.2mm

CROSS - TATA 1210 - 38.05x56.70mm

TATA 1210, 1109 (2.5")

MHY 115

3" PIPE



3" / 68.2mm

CROSS - TATA 1210 - 38.05x56.70mm

TATA 1210 SE (3")

MHY 407A

2.25" PIPE



2.25" / 54mm

CROSS - TATA 1210 - 38.05x56.70mm

CONVERT TATA 407 TO 1210 CROSS

TATA 1312/ 1612/ 1510 SERIES

U J CROSS - MC1023- 46.05x68.70mm

MHY 209

3.5" PIPE



3.5" / 84mm

CROSS - TATA 1312 - 46.05x68.70mm

TATA 1312, 1612, 1510 (90mm)

MHY 209A

3" PIPE



3" / 72mm

CROSS - TATA 1312 - 46.05x68.70mm

TATA 1312, 1612, 1510 (72mm - MODIFIED)

SPICER SPL 90 SERIES

U J CROSS - MC1013- 41.28x126mm

MHY 1308B

3.5" PIPE



3.5" / 84mm

CROSS - SPICER SPL90 - 41.28x126mm

TATA 2515EX, 1616, LEY. 2214, 2516 3516 (3.5" / 90mm Pipe)

MHY 1308

4" PIPE



4" / 95mm

CROSS - SPICER SPL90 - 41.28x126mm

TATA 2515EX, 1616, LEY. 2214, 2516 3516, EICHER GALAXY, AMW (4" / 102mm Pipe)

MHY 1308L

4" PIPE
LONG



4" / 95mm

CROSS - SPICER SPL90 - 41.28x126mm

TATA 1616 SE B5III - 4200B (4" / 102mm Pipe)
LEYLAND INTERAXLE (LONG EARS)

SPICER 1710 SERIES JC - MC1032P - 49.20x154.9mm

SPICER 2040 SERIES U J CROSS - MC1015UT- 47.64x135.9mm

MHY 1608

4" PIPE
PATTI TYPE



4" / 95mm

CROSS - SPICER 1710 - 49.20x154.90mm

TATA LEY. AMW - 4018, 3118, 2516 (PATTI TYPE - 4" / 102mm Pipe)

MHY 2608

3.75" PIPE



3.75" / 91mm

CROSS - SPICER 2040 - 47.64x135.9mm

TATA 3118 LPT, 2518, 3718, LEY. AL 3119

MHY 2608A

4.5" PIPE



4.5" / 114mm

CROSS - SPICER 2040 - 47.64x135.9mm

LEY. AL 3518, M NAL 35T, TATA LPS 4921, LPO 1625, 1624, BHARAT BENZ 3123

SPICER 2045/ 2047 SERIES U J CROSS - MC1038- 52x147mm

SPICER 2055 SERIES UJC - MC1036- 57x152mm

MHY 2708

4.5" PIPE



4.5" / 112mm

CROSS - SPICER 2045 - 52x147mm

LPS 4923, AL 3123, MNAL 49TR, EML TERRA 25, MAN 31.28, BHARAT BENZ 2523

MHY 2708A

4" PIPE



4" / 100mm

CROSS - SPICER 2045 - 52x147mm

LPK 3138, LPK 2538, LPK 2523 LEY. AL FV 2636, 3136

MHY 2908A

4.25" PIPE



4.25" / 108mm

CROSS - SPICER 2055 - 57x152mm

LPK 2528, LEY. AL 4936, 4436, BHARAT BENZ



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STUB BALL HALF YOKE END

RSB 325 SERIES

U J CROSS - MC1030- 42x119.8mm

MHY 1319

3.5" PIPE



3.5" / 84mm

130mm

CROSS RSB 325 - 42x119.8 mm
TATA 2515 EX, 1613 SE
(RSB 325 - 3.5" Pipe)

MHY 1319A

4" PIPE



4" / 95mm

130mm

CROSS RSB 325 - 42x119.8 mm
TATA 1613, 1616, 2516, 2518
(RSB 325 - 4" Pipe)

RSB 403 SERIES

U J CROSS - MC1026- 42x129.40mm

MHY 1318A

3.5" PIPE



3.5" / 84mm

130mm

CROSS RSB 403 - 42x129.40 mm
TATA 2516 LPT
(RSB 403 - 3.5" Pipe)

MHY 1318

4" PIPE



4" / 95mm

130mm

CROSS RSB 403 - 42x129.40 mm
TATA & LEY. 2516, 2518
3015 (RSB 403 - 4" Pipe)

MHY 1318L

4" PIPE
LONG



4" / 95mm

145mm
Extra Long
For Interaxle


CROSS RSB 403 - 42x129.40 mm
INTERAXLE TATA 2516, 2518
(Extra long Ears - RSB 403 - 4" Pipe)

RSB 490 SERIES

U J CROSS - MC1026- 1031-48x135mm

MHY 1321

4" PIPE



4" / 95mm

142mm

CROSS RSB 490 - 48x135 mm
TATA & LEY. 3118, 2518,
4018 (RSB 490, 4")

MHY 1321L

4" PIPE
LONG



4" / 95mm

162mm
Extra Long
For Interaxle

CROSS RSB 490 - 48x135 mm
TATA & LEY. 3118, 2518, 4018
(RSB 490 - For INTERAXLE)

MHY 1321AL

4" PIPE



4" / 95mm

154mm

CROSS RSB 585 - 48x154 mm
RSB 585 SERIES

RSB 590 SERIES UJC - MC1038 - 52x147 mm

RSB 620 SERIES UJC - MC1036 - 57x152 mm

SPICER 2060 SERIES UJC - MC1033 - 59x167.6 mm

MHY 2708

4.5" PIPE



4.5" / 112mm

160mm

CROSS RSB 590 - 52x147 mm
LPT 3723, LPT 2523 (RSB 590 - 4.5")

MHY 2908

4.25" PIPE



4.25" / 108mm

150mm

CROSS RSB 620 - 57x152 mm
LPK 3118 8x4, LPK 2521, LPK 2523,
LPK 2518, LPS 4923 (RSB 620 - 4.25")

MHY 1323AL

4.75" PIPE



4.75" / 118mm

167mm

CROSS SPICER 2060 - 59x168 mm
LPK 3138, LPK 2538, LPK 2528,
LPO 2138, AL FV 3136, MAN 31.28



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STUB BALL HALF YOKE END

EICHER CANTER UJC - MC 1025 - 30.17x106 mm

MHY 1408

3" PIPE



CROSS EICHER CANTER - 30.17x106 mm

TATA 407 TURBO, 709, 909, EICHER CANTER, IVECO CARGO, SWRAJ MAZDA (3")

DCM CROSS UJC - MC 1029 - 30.17x92 mm

MHY 1408A

3" PIPE



CROSS DCM - 30.17x92 mm

TATA 407 TURBO (DCM CROSS - 3" PIPE)

TATA 407 O/M UJC - MC 1005 - 30.05x81.80 mm

MHY 407

2.25" PIPE



CROSS TATA 407 - 30.05x81.80 mm

TATA 407 O/M, SUMO

TATA ACE O/M UJC - MC 1027 - 23.82x35.2 mm

MHY 1504

1.75" PIPE



CROSS TATA ACE O/M - 23.84x35.2 mm

TATA ACE O/M (INNER LOCK)

TATA ACE N/M/ MAGIC/ HT

MHY 1504A

1.75" PIPE



CROSS TATA ACE N/M - 22x55 mm

TATA ACE N/M, MAGIC, HT (OUTER LOCK)

U J CROSS - MC1028 - 22x55mm

MHY 1504B

1.75" PIPE



CROSS TATA ACE N/M - 22x55 mm

TATA ACE MAGIC N/M, DICOR (OUTER LOCK)

TATA SUPER ACE UJC - MC1013 - 27x81.8 mm

MHY 1504AA

2.25" PIPE



CROSS JEEP - 27x81.8 mm

TATA SUPER ACE (OUTER LOCK)

MAHINDRA MAXXIMO UJC - MC1018 - 27x81.8 mm

MHY 2804

2.25" PIPE



CROSS JEEP - 27x81.8 mm

MAHINDRA MAXXIMO

LEY. DOST UJC - MC1018 - 27x81.8 mm

MHY 2904

2" PIPE



CROSS JEEP - 27x81.8 mm

LEYLAND DOST

MAHINDRA JEEP/ BOLERO/ SCORPIO/ MARSHAL/ MAXX PICKUP/ MAXI TRUCK UJC - MC1018 - 27x81.80mm

MHY 909

2.5" PIPE



CROSS JEEP - 27x81.8 mm

MAHINDRA JEEP DIESEL, TATA SUMO (PIPE DIA 60MM)

MHY 909A

3" PIPE



CROSS JEEP - 27x81.8 mm

MAHINDRA MAXX PICKUP (PIPE DIA 70MM)

MHY 909B

2.75" PIPE



CROSS JEEP - 27x81.8 mm

MAHINDRA MAXI TRUCK (PIPE DIA 66MM)

AMBASSADOR/ HYDRA/ ESCORT UJC - MC1019 - 23.83x61.4 mm

MHY 1808

1.75" PIPE



CROSS AMBASSADOR - 23.83x61.4 mm

AMBASSADOR, HYDRA ESCORT

TATA 407 PICK UP (JCB 3DX CROSS)

UJC - MC1033 - 34.94x106 mm

MHY 1408B

3.5" PIPE



CROSS TATA 407 PICKUP/ JCB 3DX - 34.94x106 mm

TATA 407 PICK UP (3.5")

MHY 1408C

3" PIPE



CROSS TATA 407 PICKUP/ JCB 3DX - 34.94x106 mm

TATA 407 PICK UP (3")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STUB BALL HALF YOKE END

LEYLAND TUSKER - SPICER, MSL SERIES

U J CROSS - MC 1021 - 34.94x126mm

MHY 711

3" PIPE



3" / 72mm

110mm

CROSS L/L TUSKER - 34.94x126 mm

LEYLAND TUSKER TRUCK,
EICHER 11.10 XP (3")

MHY 712

3.5" PIPE



3.5" / 84mm

110mm

CROSS L/L TUSKER - 34.94x126 mm

LEYLAND TUSKER BUS, EICHER 20.16,
EICHER TERRA 16, TATA 1109 BSIII (3.5")

MHY 1308A

4" PIPE
LONG



4" / 95mm

130mm
Extra Long
For Interaxle

CROSS L/L TUSKER - 34.94x126 mm

INTERAXLE - LEY. 2516, 2214 TAURUS
(EXTRA LONG TUSKER 4")

LEY. TAURUS UJC - MC 1015UT - 47.64x135 mm

LEYLAND BEDFORD/ 370

U J CROSS - MC1020 - 39.68x115.4mm

MHY 809

3.5" PIPE



3.5" / 84mm

148mm

CROSS L/L TAURUS - 47.64x135 mm

LEYLAND TAURUS
(CIRCLIP TYPE)

MHY 611

3" PIPE



3" / 72mm

122mm

CROSS L/L BEDFORD/ 370 - 39.68x115.4 mm

LEYLAND BEDFORD, J4, 370 TRUCK
(3")

MHY 612

3.5" PIPE



3.5" / 84mm

122mm

CROSS L/L BEDFORD/ 370 - 39.68x115.4 mm

LEYLAND BEDFORD, J4, 370 BUS (3.5")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

TATA 1210/ SE/ 1109 (U J CROSS 1210 - MC1022 - 38.05x56.70mm)

10 SPLINES

MYT 105



TATA 1210, 1109 (2.5")

MFY 106
MRT 107

MYT 112



TATA 1210 SE (3")

MFY 113
MRT 114

MFY 106 (1210) / MFY 113 (SE)



TATA 1210, 1109

MFY 106
MFY 113

MRT 107



TATA 1210, 1109 (2.5")

MRT 114



TATA 1210 SE (3")

TATA 1109 BSIII/ 909/ MARCOPOLLO BUS (U J CROSS 1210 - MC1022 - 38.05x56.70mm)

22 SPLINES

MYT 105A



TATA 1109 BSIII, 909, MARCOPOLLO BUS

MFY 106A
MRT 107A

MYT 105AC (GLIDE COAT)



TATA 1109 BSIII, 909, MARCOPOLLO BUS

MFY 106A
MRT 105AC

MFY 106A



TATA 1109 BSIII, 909, MARCOPOLLO BUS

MRT 107A



TATA 1109 BSIII, 909, MARCOPOLLO BUS

MRT 107AC (GLIDE COAT)



TATA 1109 BSIII, 909, MARCOPOLLO BUS

TATA 407 CONVERT TO 1210 (U J CROSS 1210 - MC1022 - 38.05x56.70mm)

10 SPLINES - 2.25" PIPE

MYT 404 A



TATA 407 CONVERT TO 1210 (1210 YOKE - 2.25" PIPE)

MFY 106
MRT 406A

MFY 106 (1210)



TATA 407 CONVERT TO 1210 (1210 YOKE)

MRT 406 A



TATA 407 CONVERT TO 1210 (1210 YOKE - 2.25" PIPE)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

TATA 1312/ 1512/ 1516/ 1612/1613 (U J CROSS 1312 - MC1023 - 46.05x68.70mm) 16 SPLINES

MYT 206



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1512, 1516, 1612, 1613

MFY 207
MRT 208

MYT 206C (GLIDE COAT)



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1512, 1516, 1612, 1613

MFY 206
MRT 208C

MFY 207



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1512, 1516, 1612, 1613

MRT 208



TATA 1312, 1512, 1516, 1612, 1613

MRT 208C (GLIDE COAT)



TATA 1312, 1512, 1516, 1612, 1613

TATA 1613 TURBO (U J CROSS 1312 - MC1023 - 46.05x68.70mm) 24 SPLINES

MYT 206A



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1613 TURBO (24 SPLINE)

MFY 207A
MRT 208A

MYT 206AC (GLIDE COAT)



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1613 TURBO (24 SPLINE)

MFY 207A
MRT 208AC

MFY 207A



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1613 TURBO (24 SPLINE)

MRT 208A



TATA 1613 TURBO (24 SPLINE)

MRT 208AC (GLIDE COAT)



TATA 1613 TURBO (24 SPLINE)

TATA 1312/ 1612 LONG (EXTRA LONG FOR INTERAXLE - 2516) (U J CROSS 1312 - MC1023 - 46.05x68.70mm) 16 SPLINES

MYT 1225



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1612 (EXTRA LONG FOR INTERAXLE - 2516)

MFY 1207
MRT 1208

MYT 1225C (GLIDE COAT)



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1612 (EXTRA LONG FOR INTERAXLE - 2516)

MFY 1207
MRT 1208C

MFY 1207



CROSS TATA 1312/ 1612 - 46.05x68.70 mm

TATA 1312, 1612 (EXTRA LONG FOR INTERAXLE - 2516)

MRT 1208



TATA 1312, 1612 (EXTRA LONG FOR INTERAXLE - 2516)

MRT 1208C (GLIDE COAT)



TATA 1312, 1612 (EXTRA LONG FOR INTERAXLE - 2516)

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER SPL90 SERIES - 63 SLIP (U J CROSS SPICER SPL90 - MC 1013 - 41.27x126mm) 30 SPLINE (SHORT - 4" PIPE)

MYT 1216



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, LP 1613, LEY. 3516, 3014 (SMALL - THIN SPL.)

SPLINES - 30
SHORT 4" PIPE

MFY 1206
MRT 1210

MYT 1216C (GLIDE COAT)



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, LP 1613, LEY. 3516, 3014 (SMALL - THIN SPL.)

SPLINES - 30
SHORT 4" PIPE

MFY 1206
MRT 1210C

MFY 1206



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, LP 1613, LEY. 3516, 3014 (SMALL - THIN SPL.)

SPLINES - 30
SHORT

MRT 1210



TATA 1616, LP 1613, LEY. 3516, 3014 (SMALL - THIN SPL.)

TEETH OD 49.35MM

TEETH - 30
SHORT 4" PIPE

MRT 1210C (GLIDE COAT)



TATA 1616, LP 1613, LEY. 3516, 3014 (SMALL - THIN SPL.)

TEETH OD 49.35MM

TEETH - 30
SHORT 4" PIPE

SPICER SPL90 SERIES - 63 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 30 SPLINES (SHORT - 3.5" PIPE)

MYT 1205



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, 1613 SE, SK (YOKE 10", PIPE DIA 3.5" - THIN SPL)

SPLINES - 30
SHORT 3.5" PIPE

MFY 1206
MRT 1209

MYT 1205C (GLIDE COAT)



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, 1613 SE, SK (YOKE 10", PIPE DIA 3.5" - THIN SPL)

SPLINES - 30
SHORT 3.5" PIPE

MFY 1206
MRT 1209C

MFY 1206



CROSS SPICER SPL90 - 41.27x126 mm

TATA 1616, 1613 SE, SK (YOKE 10", PIPE DIA 3.5" - THIN SPL)

SPLINES - 30
SHORT

MRT 1209



TATA 1616, 1613 SE, SK (YOKE 10", PIPE DIA 3.5" - THIN SPL)

TEETH OD 49.35MM

TEETH - 30
SHORT 3.5" PIPE

MRT 1209C (GLIDE COAT)



TATA 1616, 1613 SE, SK (YOKE 10", PIPE DIA 3.5" - THIN SPL)

TEETH OD 49.35MM

TEETH - 30
SHORT 3.5" PIPE

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 30 SPLINES (LONG - 4" PIPE)

MYT 1305



CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

SPLINES - 30
LONG 4" PIPE

MFY 1306
MRT 1307

MYT 1305C (GLIDE COAT)



CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

SPLINES - 30
LONG 4" PIPE

MFY 1306
MRT 1307C

MFY 1306



CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

SPLINES - 30
LONG

MRT 1307



TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

HALF TEETH - PLAIN

TEETH - 30
LONG 4" PIPE

MRT 1307C (GLIDE COAT)



TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

HALF TEETH - COATED

TEETH - 30
LONG 4" PIPE



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 30 SPLINES (LONG - 4" PIPE)

MYT 1305F

EN-8 FORGING FULL YOKE



SPLINES - 30
LONG 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

MFY 1306F
MRT 1307

MYT 1305CF (GLIDE COAT)

EN-8 FORGING FULL YOKE



SPLINES - 30
LONG 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

MFY 1306F
MRT 1307C

MFY 1306F

EN-8 FORGING FULL YOKE
SPLINE ID 49.35



SPLINES - 30
LONG 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

MRT 1307

HALF TEETH - PLAIN
TEETH OD 49.35



SPLINES - 30
LONG 4" PIPE

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

MRT 1307C (GLIDE COAT)

HALF TEETH - COATED
TEETH OD 49.35



SPLINES - 30
LONG 4" PIPE

TATA 2515 EX, 2516, 2518, LEY.2214, 2516, EICHER GALAXY (YOKE 12", PIPE 4")

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 30 SPLINES (LONG - 3.5" PIPE)

MYT 1305S



SPLINES - 30
LONG 3.5" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX (YOKE 12", PIPE 3.5")

MFY 1306
MRT 1307S

MYT 1305SC (GLIDE COAT)



SPLINES - 30
LONG 3.5" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX (YOKE 12", PIPE 3.5")

MFY 1306
MRT 1307SC

MFY 1306

SPLINE ID 49-35



SPLINES - 30
LONG

CROSS SPICER SPL90 - 41.27x126 mm

TATA 2515 EX (YOKE 12", PIPE 3.5")

MRT 1307S

TEETH OD 49-35



TEETH - 30
LONG 3.5" PIPE

TATA 2515 EX (YOKE 12", PIPE 3.5")

MRT 1307SC (GLIDE COAT)

TEETH OD 49-35



TEETH - 30
LONG 3.5" PIPE

TATA 2515 EX (YOKE 12", PIPE 3.5")

SPICER SPL90 SERIES - 63 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 16 SPLINES (SHORT - 4" PIPE)

MYT 1216A



SPLINES - 16
SHORT 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

LEY. 3516, 3015 (SMALL - THICK SPL.)

MFY 1206A
MRT 1210A

MYT 1216AC (GLIDE COAT)



SPLINES - 16
SHORT 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

LEY. 3516, 3015 (SMALL - THICK SPL.)

MFY 1206A
MRT 1210AC

MFY 1206A

SPLINE ID 50-80



SPLINES - 16
SHORT 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

LEY. 3516, 3015 (SMALL - THICK SPL.)

MRT 1210A

TEETH OD 50-80



TEETH - 16
SHORT 4" PIPE

LEY. 3516, 3015 (SMALL - THICK SPL.)

MRT 1210AC (GLIDE COAT)

TEETH OD 50-80



TEETH - 16
SHORT 4" PIPE

LEY. 3516, 3015 (SMALL - THICK SPL.)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER SPL90 SERIES - 63 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (SHORT - 3.5" PIPE)

MYT 1205A



TATA & LEY. 3516 (YOKE 10", PIPE DIA 3.5" - THICK SPL.) MFY 1206A MRT 1209A

MYT 1205AC (GLIDE COAT)



TATA & LEY. 3516 (YOKE 10", PIPE DIA 3.5" - THICK SPL.) MFY 1205AC MRT 1209AC

MFY 1206A



MRT 1209A



MRT 1209AC (GLIDE COAT)



SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1305A



MYT 1305AC (GLIDE COAT)



MFY 1306A



MRT 1307A



MRT 1307AC (GLIDE COAT)



SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1305AA



MYT 1305AAC (GLIDE COAT)



MFY 1306A



MRT 1307AA



MRT 1307AAC (GLIDE COAT)





MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1305AF

HALF TEETH - PLAIN
EN-8 FORGING FULL YOKE



SPLINES - 16
LONG 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., H/S) MFY 1306AF MRT 1307A

MYT 1305ACF (GLIDE COAT)

HALF TEETH - COATED
EN-8 FORGING FULL YOKE



SPLINES - 16
LONG 4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., H/S) MFY 1306AF MRT 1307A

MFY 1306AF

EN-8 FORGING FULL YOKE
SPLINE ID 50-80



SPLINES - 16
LONG

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., H/S)

MRT 1307A

HALF TEETH - PLAIN
TEETH OD 50-80



TEETH - 16
LONG
4" PIPE

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., H/S)

MRT 1307AC (GLIDE COAT)

HALF TEETH - COATED
TEETH OD 50-80



TEETH - 16
LONG
4" PIPE

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., H/S)

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1305AAF

FULL TEETH - PLAIN
EN-8 FORGING FULL YOKE



SPLINES - 16
LONG
4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., F/S) MFY 1306AF MRT 1307AA

MYT 1305AACF (GLIDE COAT)

FULL TEETH - COATED
EN-8 FORGING FULL YOKE



SPLINES - 16
LONG
4" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., F/S) MFY 1306AF MRT 1307AA

MFY 1306AF

EN-8 FORGING FULL YOKE
SPLINE ID 50-80



SPLINES - 16
LONG

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL.)

MRT 1307AA

FULL TEETH - PLAIN
TEETH OD 50-80



TEETH - 16
LONG
4" PIPE

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., F/S)

MRT 1307AAC (GLIDE COAT)

FULL TEETH - COATED
TEETH OD 50-80



TEETH - 16
LONG
4" PIPE

TATA & LEY. 2214, 2515 EX, 2516, 3516(YOKE 12", PIPE 4" - THICK SPL., F/S)

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 3.5" PIPE)

MYT 1305AS



SPLINES - 16
LONG 3.5" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2515 EX (YOKE 12", PIPE 3.5" - THICK) MFY 1306A MRT 1307AS

MYT 1305ASC (GLIDE COAT)



SPLINES - 16
LONG
3.5" PIPE

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2515 EX (YOKE 12", PIPE 3.5" - THICK) MFY 1306A MRT 1307ASC

MFY 1306A

EN-8 FORGING FULL YOKE
SPLINE ID 50-80



SPLINES - 16
LONG

CROSS SPICER SPL90 - 41.27x126 mm

TATA & LEY. 2515 EX (YOKE 12", PIPE 3.5" - THICK)

MRT 1307AS

TEETH OD 50-80



TEETH - 16
LONG
3.5" PIPE

TATA & LEY. 2515 EX (YOKE 12", PIPE 3.5" - THICK)

MRT 1307ASC (GLIDE COAT)

TEETH OD 50-80



TEETH - 16
LONG
3.5" PIPE

TATA & LEY. 2515 EX (YOKE 12", PIPE 3.5" - THICK)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER 1710 SERIES - (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (SHORT - 4" PIPE)

MYT 1240A



MFY 1241A



MRT 1607C (GLIDE COAT)



SPICER 1710 SERIES - (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1240C (GLIDE COAT)



MFY 1241



MRT 1232MC (GLIDE COAT)



MYT 1240PC (GLIDE COAT)



MFY 1241



MRT 1232MCP (GLIDE COAT)



SPICER 1710 SERIES - (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm) 16 SPLINES (EXTRA LONG - 4" PIPE)

MYT 1240AAPC (GLIDE COAT)



MFY 1241AA



MRT 1232AMCP (GLIDE COAT)



SPICER 1710 SERIES - (U J CROSS SPICER 5-280X - MC1032P - 49.2x154.90mm PATTI TYPE) 16 SPLINES (SHORT - 4" PIPE)

MYT 1605C (GLIDE COAT)



MRT 1606



MRT 1607C (GLIDE COAT)





MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER SPL90 SERIES - 110 SLIP (U J CROSS SPICER SPL90 - MC1013 - 41.27x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1905

PATTI TYPE YOKE



SPLINES - 16
LONG
4" PIPE

CROSS SPICER 5-280X - 49.2x154.90 mm

LPO 3118, LPT2518 B5III, LPO BUS 1625, 1618, 1623, LEV. 2516, 4923, 3III6, AMW 2518, MAN FORCE 25T

MFY 1906
MRT 1232

MYT 1905C (GLIDE COAT)

PATTI TYPE YOKE



SPLINES - 16
LONG
4" PIPE

CROSS SPICER 5-280X - 49.2x154.90 mm

LPO 3118, LPT2518 B5III, LPO BUS 1625, 1618, 1623, LEV. 2516, 4923, 3III6, AMW 2518, MAN FORCE 25T

MFY 1906
MRT 1232C

MFY 1906

SPLINE ID 63-80



SPLINES - 16
LONG
PATTI TYPE
YOKE

CROSS SPICER 5-280X - 49.2x154.90 mm

LPO 3118, LPT2518 B5III, LPO BUS 1625, 1618, 1623, LEV. 2516, 4923, 3III6, AMW 2518, MAN FORCE 25T

MRT 1232

TEETH OD 63-80



TEETH - 16
LONG
4" PIPE

LPO 3118, LPT2518 B5III, LPO BUS 1625, 1618, 1623, LEV. 2516, 4923, 3III6, AMW 2518, MAN FORCE 25T

MRT 1232C (GLIDE COAT)

TEETH OD 63-80



TEETH - 16
LONG
4" PIPE

LPO 3118, LPT2518 B5III, LPO BUS 1625, 1618, 1623, LEV. 2516, 4923, 3III6, AMW 2518, MAN FORCE 25T

SPICER 1710 SERIES - (U J CROSS TUSKER - MC1021 - 34.94x126mm)

16 SPLINES (LONG - 4" PIPE)

MYT 1235C (GLIDE COAT)

PATTI TYPE YOKE



SPLINES - 16
LONG
4" PIPE

CROSS TUSKER - 34.94x126 mm

LEV. 2516, 2214 (INTERAXLE TUSKER CROSS) MFY 1236
MRT 1232MC

MFY 1236



SPLINES - 16
LONG

CROSS TUSKER - 34.94x126 mm

LEV. 2516, 2214 (INTERAXLE TUSKER CROSS)

MRT 1232MC (GLIDE COAT)

TEETH OD 63-80



TEETH - 16
LONG
4" PIPE

LEV. 2516, 2214 (INTERAXLE TUSKER CROSS)

MYT 1235PC (GLIDE COAT)

PATTI TYPE YOKE



SPLINES - 16
LONG
4" PIPE

CROSS TUSKER - 34.94x126 mm

TATA & LEV. 3116, 2516, AMW, EICHER 30.25, 31.25 (INTERAXLE) MFY 1236
MRT 1232MCP

MFY 1236

SPLINE ID 63-80



SPLINES - 16
LONG

CROSS TUSKER - 34.94x126 mm

TATA & LEV. 3116, 2516, AMW, EICHER 30.25, 31.25 (INTERAXLE)

MRT 1232MCP (GLIDE COAT)

TEETH OD 63-80



TEETH - 16
LONG
4" PIPE

TATA & LEV. 3116, 2516, AMW, EICHER 30.25, 31.25 (INTERAXLE)

SPICER 2040 SERIES - (U J CROSS SPICER 2040 - MC1015UT - 47.65x135mm)

34 SPLINES (SHORT - 4.5" PIPE)

MRYST 2620BP/ 2620BPC

PATTI TYPE YOKE



SPLINES - 34
SHORT
4" PIPE

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4021, 5252, 1625, 1623, LEV. 3518, MAH. NAVISTAR 4026, 49TR

MFY 2620ATP
MRT 2627A/ 2627BC

MRY 2620ATP



SPLINES - 34
SHORT

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4021, 5252, 1625, 1623, LEV. 3518, MAH. NAVISTAR 4026, 49TR

MST 2627B (PLAIN)/ 2627BC (GLIDE COAT)

TEETH OD 63-80



SPLINES - 34
SHORT
4.5" PIPE

TATA LPS 4021, 5252, 1625, 1623, LEV. 3518, MAH. NAVISTAR 4026, 49TR



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER 2040 SERIES - (U J CROSS SPICER 2040 - MC1015UT - 47.65x135mm) 34 SPLINES (SHORT - 3.75" PIPE)

MRYST 2620AP/ 2620APC



PLAIN SET - MRYST 2620AP
GLIDE COAT SET - MRYST 2620APC

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4021, 5252, 1625, 1623, LEY. 3518, MAH. NAVISTAR 4026, 49TR

MRYST 2620ATP
MST 2627A/ 2627AC

MRY 2620ATP



TEETH - 34
SHORT

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4021, 5252, 1625, 1623, LEY. 3518, MAH. NAVISTAR 4026, 49TR

MST 2627A (PLAIN)/ 2627AC (GLIDE COAT)



SPLINES - 34
SHORT
4.5" PIPE

TATA LPS 4021, 5252, 1625, 1623, LEY. 3518, MAH. NAVISTAR 4026, 49TR

SPICER 2040 SERIES - (U J CROSS SPICER 2040 - MC1015UT - 47.65x135mm) 34 SPLINES (LONG - 3.75" PIPE)

MRYST 2620P (PLAIN)/ 2620PC (COATED)



PLAIN SET - MRYST 2620P
GLIDE COAT SET - MRYST 2620PC

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4928, 3138, LPK 2528, LEY. 3119, BHARAT BENZ 2523, 2528, 3128, 4928

MRYST 2620TP
MST 2627C/ 2627CC

MRY 2620TP



TEETH - 34
LONG

CROSS SPICER 2040 - 47.65x135 mm

TATA LPS 4928, 3138, LPK 2528, LEY. 3119, BHARAT BENZ 2523, 2528, 3128, 4928

MST 2627 (PLAIN)/ 2627C (COATED)



SPLINES - 34
LONG 4" PIPE

TATA LPS 4928, 3138, LPK 2528, LEY. 3119, BHARAT BENZ 2523, 2528, 3128, 4928

SPICER 2040 SERIES - (U J CROSS SPICER 2040 - MC 1015UT - 47.65x135mm) 34 SPLINES (EXTRA LONG - 3.75" PIPE)

MRYST 2620AAP (PLAIN)/ 2620AAPC (COATED)



PLAIN SET - MRYST 2620AAP
GLIDE COAT SET - MRYST 2620AAPC

CROSS SPICER 2040 - 47.65x135 mm

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

MRYST 2620AATP
MST 2627AA/ 2627AAC

MRY 2620AATP



SPLINES - 34
EXTRA LONG

CROSS SPICER 2040 - 47.65x135 mm

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

MST 2627AA (PLAIN)/ 2627AAC (COATED)



TEETH - 34
LONG 4" PIPE

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

SPICER 2040 SERIES - (U J CROSS SPICER 2040 - MC1015UT - 47.65x135mm) 34 SPLINES (LONG - 3.75" PIPE DIRECT HALF YOKE WELD TY.)

MRYST 2620WP (PLAIN)/ 2620WPC (COATED)



PLAIN SET - MRYST 2620WP
GLIDE COAT SET - MRYST 2620WPC

CROSS SPICER 2040 - 47.65x135 mm

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

MRYST 2620TP
MST 2627BW/ 2627BWC

MRY 2620TP



TEETH - 34
LONG

CROSS SPICER 2040 - 47.65x135 mm

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

MST 2627BW (PLAIN)/ 2627BWC (COATED)



SPLINES - 34
LONG 4" PIPE

INTERAXLE - TATA LPK 2523, 3128 LEY. U-TRUCK 2523

SPICER 2045-2047 SERIES - (U J CROSS SPICER 2045 - MC1038 - 52x147mm) 38 SPLINES - (SHORT - 4.5" PIPE)

MRYST 2820APC (GLIDE COAT)



CROSS SPICER 2045 - 52x147 mm

LPK 2521, LEY. 3123, LPS 4923, CLA 26.80, 31.280, BHARAT BENZ 3128

MRYST 2820ATP
MST 2827A

MRY 2820ATP



TEETH - 38
SHORT

CROSS SPICER 2045 - 52x147 mm

LPK 2521, LEY. 3123, LPS 4923, CLA 26.80, 31.280, BHARAT BENZ 3128

MST 2827C (GLIDE COAT)



SPLINES - 38
SHORT
4.5" PIPE

LPK 2521, LEY. 3123, LPS 4923, CLA 26.80, 31.280, BHARAT BENZ 3128



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

SPICER 2045-2047 SERIES - (U J CROSS SPICER 2045 - MC1038 - 52x147mm) 38 SPLINES - LONG 4" PIPE

MRYST 2820P/ 2820PC



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523 MRY 2820TP MST 2827/ 2827C

MRY 2820TP



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523

MST 2827 (PLAIN)/ 2827C (GLIDE COAT)



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523

SPICER 2045-2047 SERIES - (U J CROSS SPICER 2045 - MC1038 - 52x147mm)

38 SPLINES - LONG (DIRECT HALF YOKE WELD TYPE)

MRYST 2820PW/ 2820PWC (COATED)



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523 (INTERAXLE) MRY 2820TP MST 2827W/ 2827WC

MRY 2820TP



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523 (INTERAXLE)

MST 2827W (PLAIN)/ 2827WC (COATED)



LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, BHARAT BENZ 2523 (INTERAXLE)

SPICER 2055 SERIES - (U J CROSS SPICER 2040 - MC1036 - 57x152mm)

38 SPLINES (SHORT - 4.5" PIPE)

MRYST 2920P/ 2920PC (COATED)



LPK 2528, LEY. 4936, BHARAT BENZ 4436 MRY 2920TP MST 2927/ 2927C

MRY 2920TP



LPK 2528, LEY. 4936, BHARAT BENZ 4436

MST 2927 (PLAIN)/ 2927C (COATED)



LPK 2528, LEY. 4936, BHARAT BENZ 4436

SPICER 2060 SERIES - (U J CROSS SPICER 2040 - MC1039 - 59x167.60mm)

MRYST 3020P/ 3020PC (COATED)



TATA LPT 5252, 3138, 2138 VOLVO MRY 3020TP MST 3027/ 3027C

MRY 3020TP



TATA LPT 5252, 3138, 2138 VOLVO

MST 3027 (PLAIN)/ 3027C (COATED)



TATA LPT 5252, 3138, 2138 VOLVO



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

RSB 325 SERIES (U J CROSS RSB 325 - MC1030 - 42x119.80mm)

20 SPLINES - SHORT 3.5" PIPE

MRYST 1316P (PLAIN)/ 1316PC (COATED)

PLAIN SET - MRYST 1316P
GLIDE COAT SET - MRYST 1316PC



CROSS RSB 325 - 42.05x119.80 mm

MRYST 1316 (PLAIN)/ 1316C (COATED)

PLAIN SET - MRYST 1316P
GLIDE COAT SET - MRYST 1316PC



CROSS RSB 325 - 42.05x119.80 mm

TATA 2515 EX, 1613 TURBO (PIPE DIA 3.5")

MRY 1316TP
MST 1325/ 1325C

TATA 2515 EX, 1613 TURBO (PIPE DIA 3.5")

MRY 1316T
MST 1325/ 1325C

MRY 1316TP

TEETH - 20
WITH D.COVER
& SEAL



CROSS RSB 325 - 42.05x119.80 mm

TATA 2515 EX, 1613 TURBO

MRY 1316T

TEETH - 20
W/O D. COVER
& SEAL



CROSS RSB 325 - 42.05x119.80 mm

TATA 2515 EX, 1613 TURBO

MST 1325 (PLAIN)/ 1325C (COATED)

SPLINES - 20
SHORT 3.5" PIPE



TATA 2515 EX, 1613 TURBO (PIPE DIA 3.5")

RSB 325 SERIES (U J CROSS RSB 325 - MC1030 - 42.x119.80mm)

20 SPLINES - SHORT 4" PIPE

MRYST 1316AP (PLAIN)/ 1316APC (COATED)

PLAIN SET - MRYST 1316AP
GLIDE COAT SET - MRYST 1316APC



CROSS RSB 325 - 42.05x119.80 mm

TATA 1616, 1613 TURBO BSIII, 1616 BSIII (PIPE DIA 4")

MRY 1316TP
MST 1326/ 1326C

MRYST 1316A (PLAIN)/ 1316AC (COATED)

PLAIN SET - MRYST 1316AP
GLIDE COAT SET - MRYST 1316APC



CROSS RSB 325 - 42.05x119.80 mm

TATA 1616, 1613 TURBO BSIII, 1616 BSIII (PIPE DIA 4")

MRY 1316T
MST 1326/ 1326C

MRY 1316TP

TEETH - 20
WITH D.COVER
& SEAL



CROSS RSB 325 - 42.05x119.80 mm

TATA 1616, 1613 TURBO BSIII, 1616 BSIII

MRY 1316T

TEETH - 20
W/O D. COVER
& SEAL



CROSS RSB 325 - 42.05x119.80 mm

TATA 1616, 1613 TURBO BSIII, 1616 BSIII

MST 1326 (PLAIN)/ 1326C (COATED)

SPLINES - 20
SHORT 4" PIPE



TATA 1616, 1613 TURBO BSIII, 1616 BSIII

RSB 403 SERIES (U J CROSS RSB 403 - MC1026 - 42x129.40mm)

20 SPLINES - SHORT 3.5" PIPE

MRYST 1317AAP (PLAIN)/ 1317AAPC (COATED)

PLAIN SET - MRYST 1317AAP
GLIDE COAT SET - MRYST 1317AAPC



CROSS RSB 403 - 42.05x129.40 mm

TATA 1613 TURBO BSIII, 1616 BSIII (PIPE DIA 3.5")

MRY 1317TP
MST 1326/ 1326C

MRYST 1317AA (PLAIN)/ 1317AAC (COATED)

PLAIN SET - MRYST 1317AA
GLIDE COAT SET - MRYST 1317AAC



CROSS RSB 403 - 42.05x129.40 mm

TATA 1613 TURBO BSIII, 1616 BSIII (PIPE DIA 3.5")

MRY 1317T
MST 1326/ 1326C

MRY 1317TP

TEETH - 20
WITH D.COVER
& SEAL



CROSS RSB 403 - 42.05x129.40 mm

TATA 1613 TURBO BSIII, 1616 BSIII

MRY 1317T

TEETH - 20
W/O D. COVER
& SEAL



CROSS RSB 403 - 42.05x129.40 mm

TATA 1613 TURBO BSIII, 1616 BSIII

MST 1325 (PLAIN)/ 1325C (COATED)

SPLINES - 20
SHORT 3.5" PIPE



TATA 1613 TURBO BSIII, 1616 BSIII (PIPE DIA 3.5")

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

RSB 403 SERIES (U J CROSS RSB 403 - MC1026 - 42x129.40mm)

20 SPLINES - SHORT 4" PIPE

MRYST 1317P (PLAIN)/ 1317PC (COATED)

PLAIN SET - MRYST 1317P
GLIDE COAT SET - MRYST 1317PC

SPLINES - 20
SHORT
4" PIPE



CROSS RSB 403 - 42x129.40 mm

TATA 2516, 2518, 1616 BSIII (PIPE DIA 4") MRY 1317TP MST 1326P 1326C

MRYST 1317 (PLAIN)/ 1317C (COATED)

PLAIN SET - MRYST 1317
GLIDE COAT SET - MRYST 1317C

SPLINES - 20
SHORT 4" PIPE
W/O D. COVER
& SEAL



CROSS RSB 403 - 42x129.40 mm

TATA 2516, 2518, 1616 BSIII (PIPE DIA 4") MRY 1317T MST 1326A 1326C

MRY 1317TP

TEETH - 20
WITH D. COVER
& SEAL



CROSS RSB 403 - 42x129.40 mm

TATA 2516, 2518, 1616 BSIII

MRY 1317T

TEETH - 20
W/O D. COVER
& SEAL



CROSS RSB 403 - 42x129.40 mm

TATA 2516, 2518, 1616 BSIII

MST 1326 (PLAIN)/ 1326C (COATED)

SPLINES - 20
SHORT
4" PIPE



TATA 2516, 2518, 1616 BSIII

RSB 403 SERIES (U J CROSS RSB 403 - MC1026 - 42x129.40mm)

20 SPLINES - LONG 4" PIPE

MRYST 1317AP (PLAIN)/ 1317APC (COATED)

PLAIN SET - MRYST 1317AP
GLIDE COAT SET - MRYST 1317APC

SPLINES - 20
LONG 4" PIPE



CROSS RSB 403 - 42x129.40 mm

TATA & LEY. 2516, 2518 (INTERAXLE - LONG, PIPE DIA 4") MRY 1317ATP MST 1326A 1326C

MRYST 1317A (PLAIN)/ 1317AC (COATED)

PLAIN SET - MRYST 1317
GLIDE COAT SET - MRYST 1317C

SPLINES - 20
LONG 4" PIPE
W/O D. COVER & SEAL



CROSS RSB 403 - 42x129.40 mm

TATA & LEY. 2516, 2518 (INTERAXLE - LONG, PIPE DIA 4") MRY 1317AT MST 1326A 1326C

MRY 1317ATP

TEETH - 20
WITH D. COVER & SEAL
LONG



CROSS RSB 403 - 42x129.40 mm

TATA & LEY. 2516, 2518 (INTERAXLE - LONG, PIPE DIA 4")

MRY 1317AT

TEETH - 20
W/O D. COVER & SEAL
LONG



CROSS RSB 403 - 42x129.40 mm

TATA & LEY. 2516, 2518 (INTERAXLE - LONG, PIPE DIA 4")

MST 1326A (PLAIN)/ 1326AC (COATED)

SPLINES - 20
SHORT 4" PIPE



TATA & LEY. 2516, 2518 (INTERAXLE - LONG, PIPE DIA 4")

RSB 403 SERIES (U J CROSS RSB 403 - MC1026 - 42x129.40mm)

20 SPLINES - EXTRA LONG 4" PIPE

MRYST 1317ABP (PLAIN)/ 1317ABPC (COATED)

PLAIN SET - MRYST 1317ABP
GLIDE COAT SET - MRYST 1317ABPC

SPLINES - 20
EXTRA LONG
4" PIPE



CROSS RSB 403 - 42x129.40 mm

LEY. 2518, 2516 BSIII (INTERAXLE - E. LONG, PIPE DIA 4") MRY 1317ABTP MST 1326AB 1326ABC

MRYST 1317AB (PLAIN)/ 1317ABC (COATED)

PLAIN SET - MRYST 1317AB
GLIDE COAT SET - MRYST 1317ABC

SPLINES - 20
EXTRA LONG 4" PIPE
W/O D. COVER & SEAL




CROSS RSB 403 - 42x129.40 mm

LEY. 2518, 2516 BSIII (INTERAXLE - E. LONG, PIPE DIA 4") MRY 1317ABT MST 1326AB 1326ABC

MRY 1317ABTP

TEETH - 20
WITH D. COVER
& SEAL
EXTRA LONG




CROSS RSB 403 - 42x129.40 mm

LEY. 2518, 2516 BSIII (INTERAXLE - E. LONG, PIPE DIA 4")

MRY 1317ABT

TEETH - 20
W/O D. COVER
& SEAL
EXTRA LONG



CROSS RSB 403 - 42x129.40 mm

LEY. 2518, 2516 BSIII (INTERAXLE - E. LONG, PIPE DIA 4")

MST 1326AB (PLAIN)/ 1326ABC (COATED)

SPLINES - 20
EXTRA LONG
4" PIPE



LEY. 2518, 2516 BSIII (INTERAXLE - E. LONG, PIPE DIA 4")

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

RSB 403 SERIES (U J CROSS RSB 403 - MC1026 - 42x129.40mm)

20 SPLINES - LONG 4" PIPE DIRECT HALF YOKE WELD TYPE

MRYST 1317AWP (PLAIN)/ 1317AWPC (COATED)

PLAIN SET - MRYST 1317AWP
GLIDE COAT SET - MRYST 1317AWPC

SPLINES - 20
LONG 4" PIPE



CROSS RSB 403 - 42x129.40 mm

TATA 2518 LPK, BOGIE SUSPENSION (INTERAXLE - LONG PIPE DIA 4") MRY 1317ATP MST 1326AW 1326AWC

MRYST 1317AW (PLAIN)/ 1317AWC (COATED)

PLAIN SET - MRYST 1317AW
GLIDE COAT SET - MRYST 1317AWC

SPLINES - 20
LONG 4" PIPE



CROSS RSB 403 - 42x129.40 mm

TATA 2518 LPK, BOGIE SUSPENSION (INTERAXLE - LONG PIPE DIA 4") MRY 1317AT MST 1326AW 1326AWC

MRY 1317ATP



CROSS RSB 403 - 42x129.40 mm

TATA 2518 LPK, BOGIE SUSPENSION (INTERAXLE - LONG PIPE DIA 4")

MRY 1317AT



CROSS RSB 403 - 42x129.40 mm

TATA 2518 LPK, BOGIE SUSPENSION (INTERAXLE - LONG PIPE DIA 4")

MST 1326AW (PLAIN)/ 1326AWC (COATED)



TATA 2518 LPK, BOGIE SUSPENSION (INTERAXLE - LONG PIPE DIA 4")

RSB 490 SERIES (U J CROSS RSB 490 - MC1031 - 48x135mm)

30 SPLINES - SHORT 4" PIPE

MRYST 1320AP (PLAIN)/ 1320APC (COATED)

PLAIN SET - MRYST 1320AP
GLIDE COAT SET - MRYST 1320APC

SPLINES - 30
SHORT 4" PIPE



CROSS RSB 490 - 48x135 mm

TATA 4018, 2518, 3518C EX (PIPE DIA 4") MRY 1320ATP MST 1327A 1327AC

MRYST 1320A (PLAIN)/ 1320AC (COATED)

PLAIN SET - MRYST 1320A
GLIDE COAT SET - MRYST 1320AC

SPLINES - 30
SHORT 4" PIPE



CROSS RSB 490 - 48x135 mm

TATA 4018, 2518, 3518C EX (PIPE DIA 4") MRY 1320AT MST 1327A 1327AC

MRY 1320ATP



CROSS RSB 490 - 48x135 mm

TATA 4018, 2518, 3518C EX (PIPE DIA 4")

MRY 1320AT



CROSS RSB 490 - 48x135 mm

TATA 4018, 2518, 3518C EX (PIPE DIA 4")

MST 1327A (PLAIN)/ 1327AC (COATED)



TATA 4018, 2518, 3518C EX (PIPE DIA 4")

RSB 490 SERIES (U J CROSS RSB 490 - MC1031 - 48x135mm)

30 SPLINES - LONG 4" PIPE

MRYST 1320P (PLAIN)/ 1320PC (COATED)

PLAIN SET - MRYST 1320P
GLIDE COAT SET - MRYST 1320PC

SPLINES - 30
LONG 4" PIPE



CROSS RSB 490 - 48x135 mm

TATA & LEY. 3118, 3516, 4018, 2518 LPK (LONG PIPE DIA 4") MRY 1320TP MST 1327P 1327C

MRYST 1320 (PLAIN)/ 1320C (COATED)

PLAIN SET - MRYST 1320
GLIDE COAT SET - MRYST 1320C

SPLINES - 30
LONG 4" PIPE



CROSS RSB 490 - 48x135 mm

TATA & LEY. 3118, 3516, 4018, 2518 LPK (LONG PIPE DIA 4") MRY 1320T MST 1327P 1327C

MRY 1320TP



CROSS RSB 490 - 48x135 mm

TATA & LEY. 3118, 3516, 4018, 2518 LPK (LONG PIPE DIA 4")

MRY 1320T



CROSS RSB 490 - 48x135 mm

TATA & LEY. 3118, 3516, 4018, 2518 LPK (LONG PIPE DIA 4")

MST 1327 (PLAIN)/ 1327C (COATED)



TATA & LEY. 3118, 3516, 4018, 2518 LPK (LONG PIPE DIA 4")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

RSB 490 SERIES (U J CROSS RSB 490 - MC1031 - 48x135mm)

30 SPLINES - EXTRA LONG 4" PIPE

MRYST 1320AAP (PLAIN)/ 1320AAPC (COATED)

PLAIN SET - MRYST 1320AAP
GLIDE COAT SET - MRYST 1320AAPC



CROSS RSB 490 - 48x135 mm

LPT 2523 (6x4), LPT 3723 (E.LONG, PIPE DIA 4") MRY 1320AAP MST 1320AA 1321AA

MRYST 1320AA (PLAIN)/ 1320AAC (COATED)

PLAIN SET - MRYST 1320AA
GLIDE COAT SET - MRYST 1320AAC



CROSS RSB 490 - 48x135 mm

LPT 2523 (6x4), LPT 3723 (E.LONG, PIPE DIA 4") MRY 1320AA MST 1321AA 1321AA

MRY 1320 AATP



CROSS RSB 490 - 48x135 mm

LPT 2523 (6x4), LPT 3723 (E.LONG, PIPE DIA 4")

MRY 1320 AAT



CROSS RSB 490 - 48x135 mm

LPT 2523 (6x4), LPT 3723 (E.LONG, PIPE DIA 4")

MST 1327AA (PLAIN)/ 1327AAC (COATED)



LPT 2523 (6x4), LPT 3723 (E.LONG, PIPE DIA 4")

RSB 590 SERIES (U J CROSS RSB 590 - MC1038 - 52x147mm)

36 SPLINES - SHORT 4.5" PIPE

MRYST 2720APC (GLIDE COAT)



CROSS RSB 590 - 52x147 mm

LPT 3723 (RSB 590 - PIPE DIA 4.5") MRY 2720ATP MST 2721AA 2721AA

MRYST 2720AP (PLAIN)



CROSS RSB 590 - 52x147 mm

LPT 3723 (RSB 590 - PIPE DIA 4.5") MRY 2720ATP MST 2721AA 2721AA

MRY 2720ATP



CROSS RSB 590 - 52x147 mm

LPT 3723 (RSB 590 - PIPE DIA 4.5")

MST 2727A



LPT 3723 (RSB 590 - PIPE DIA 4.5")

MST 2727AC (GLIDE COAT)



LPT 3723 (RSB 590 - PIPE DIA 4.5")

RSB 590 SERIES (U J CROSS RSB 590 - MC1038 - 52x147mm)

36 SPLINES - LONG 4.5" PIPE

MRYST 2720PC (GLIDE COAT)



CROSS RSB 590 - 52x147 mm

LPT 2523 (6x4), LPK 3118, LPK 2521, LPK 2523 (RSB 590 - PIPE DIA 4.5") MRY 2720TP MST 2727C

MRYST 2720P (PLAIN)



CROSS RSB 590 - 52x147 mm

LPT 2523 (6x4), LPK 3118, LPK 2521, LPK 2523 (RSB 590 - PIPE DIA 4.5") MRY 2720TP MST 2727A

MRY 2720TP



CROSS RSB 590 - 52x147 mm

LPT 2523 (6x4), LPK 3118, LPK 2521, LPK 2523 (RSB 590 - PIPE DIA 4.5")

MST 2727



LPT 2523 (6x4), LPK 3118, LPK 2521, LPK 2523 (RSB 590 - PIPE DIA 4.5")

MST 2727C (GLIDE COAT)



LPT 2523 (6x4), LPK 3118, LPK 2521, LPK 2523 (RSB 590 - PIPE DIA 4.5")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

RSB 585 SERIES (U J CROSS RSB 585 - MC1040 - 48x154mm)

30 SPLINES - 4" PIPE

MRYST 1320BPC (GLIDE COAT)



RSB 585 SERIES

MRY 1320BTP
MST 1327BC

MRYST 1320BP (PLAIN)



RSB 585 SERIES

MRY 1320BTP
MST 1327B

MRY 1320BTP



RSB 585 SERIES

MST 1327B (PLAIN)



RSB 585 SERIES

MST 1327BC (GLIDE COAT)



RSB 585 SERIES

RSB 620 SERIES (U J CROSS RSB 620 - MC1036 - 57x152mm)

36 SPLINES - 4.5" PIPE

MRYST 3320PC (GLIDE COAT)



LPK 2523, LPK 2518 WITH GB-1150 (PIPE DIA 4.5")

MRY 3320TP
MST 3327C

MRYST 3320P (PLAIN)



LPK 2523, LPK 2518 WITH GB-1150 (PIPE DIA 4.5")

MRY 3320TP
MST 3327

MRY 3320TP



LPK 2523, LPK 2518 WITH GB-1150 (PIPE DIA 4.5")

MRY 3320 (PLAIN)



LPK 2523, LPK 2518 WITH GB-1150 (PIPE DIA 4.5")

MST 3320C (GLIDE COAT)



LPK 2523, LPK 2518 WITH GB-1150 (PIPE DIA 4.5")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

TATA 407 TURBO/ 410 EX/ 412 (U J CROSS DCM - MC1029 - 30.18x92.10mm)

MSL TYPE

MYT 404MC (GLIDE COAT)



MFY 405A



MRT 406MC



TATA 909 EX/ 709 TURBO/ 407 EX/ LPT 407/ 410/ SFC 407 (U J CROSS EICHER CANTER - MC1025 - 30.18x106mm)

SPICER 1410 SERIES

MYT 1405AC



MFY 1406



MRT 1407AC (GLIDE COAT)



TATA CITY RIDE BUS 709/ 909 BSIII/ 407 TURBO (U J CROSS EICHER CANTER - MC1025 - 30.18x106mm)

MSL SERIES

MYT 1405AAC



MFY 1406



MRT 1407AAC (GLIDE COAT)



TATA 1109 BSIII/ 909/ MARCOPOLLO BUS (U J CROSS 1210 - MC1022 - 38.05x56.70mm) 22 SPLINES

MYT 105A



MYT 105AC (GLIDE COAT)



MFY 106A



MRT 107A



MRT 107AC (GLIDE COAT)





MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

TATA 407 TURBO - MONOTRON (U J CROSS TATA 407 - MC1005 - 30.18x81.80mm)

MONOTRON

MYT 404TT (GLIDE COAT)



MFY 405



MRT 406TT (PLAIN)



TATA 407 (U J CROSS TATA 407 - MC1005 - 30.18x81.80mm)

TELCO TYPE

MYT 404



MYT 404C (GLIDE COAT)



MFY 405



MRT 406 (PLAIN)



MRT 406C (GLIDE COAT)



TATA MARCOPOLLO/ 709/ 909 EURO II (U J CROSS TUSKER - MC1021 - 34.94x126mm)

SPICER 1550 SERIES - 16 SPLINES

MYT 1405BC (GLIDE COAT)



MFY 706B



MRT 1407AC (GLIDE COAT)



TATA 1109 EX EUROII BSIII/ TATA 909 EUROIII (U J CROSS TUSKER - MC1021 - 34.94x126mm)

SPICER 1550 SERIES - 27 SPLINES

MYT 2305C (GLIDE COAT)



MFY 2306



MRT 2307C (GLIDE COAT)





MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

TATA 407 PICK-UP BSIII (U J CROSS JCB 3DX - MC1033 - 34.94x106mm)

MSL TYPE - PIPE DIA 3"

MYT 1405ABC (GLIDE COAT)



CROSS JCB 3DX - 34.94x106 mm

TATA 407 PICK-UP BSIII (MSL TY. - 3" PIPE)

MFY 1406B



CROSS JCB 3DX - 34.94x106 mm

TATA 407 PICK-UP BSIII (MSL TYPE)

MRT 1407ABC (GLIDE COAT)



TATA 407 TURBO, 410 EX, 412 (MSL TYPE)

TATA 407 PICK-UP BSIII (U J CROSS JCB 3DX - MC1033 - 34.94x106mm)

MSL TYPE - PIPE DIA 3.5"

MYT 1405AABC (GLIDE COAT)



CROSS JCB 3DX - 34.94x106 mm

TATA 407 PICK-UP BSIII (MSL TY. - 3.5" PIPE)

MFY 1406B



CROSS JCB 3DX - 34.94x106 mm

TATA 407 PICK-UP BSIII (MSL TYPE)

MRT 1407AABC (GLIDE COAT)



TATA 407 PICK-UP BSIII (MSL TY. - 3.5" PIPE)

EICHER 10.40/ 10.50/ 10.70/ 10.80/ 10.95 (UJC EICHER CANTER - MC1025 - 30.18x106mm) 16 SPLINES - 3" PIPE

MYT 1405 (PLAIN)



CROSS EICHER CANTER - 30.18x106 mm

EICHER 10.40, 10.50, 10.70, 10.80, 10.95

MFY 1406
MRT 1407

MYT 1405C (GLIDE COAT)



CROSS EICHER CANTER - 30.18x106 mm

EICHER 10.40, 10.50, 10.70, 10.80, 10.95

MFY 1406
MRT 1407C

MFY 1406



CROSS EICHER CANTER - 30.18x106 mm

EICHER 10.40, 10.50, 10.70, 10.80, 10.95

MRT 1407 (PLAIN)



EICHER 10.40, 10.50, 10.70, 10.80, 10.95

MRT 1407C (GLIDE COAT)



EICHER 10.40, 10.50, 10.70, 10.80, 10.95

EICHER N/M / SWRAJ MAZDA (U J CROSS EICHER CANTER - MC1025 - 30.18x106mm)

CANTER LONG

MYT 1405L (PLAIN)



CROSS EICHER CANTER - 30.18x106 mm

EICHER N/M LONG, SWARAJ MAZDA (CANTER LONG)

MFY 1406L



CROSS EICHER CANTER - 30.18x106 mm

EICHER N/M LONG, SWARAJ MAZDA (CANTER LONG)

MRT 1407L (PLAIN)



EICHER N/M LONG, SWARAJ MAZDA (CANTER LONG)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

EICHER JUMBO 20.16/ ECOMET/ LEY. 1613 TIPPER 6 Tyre/ CARGO (U J CROSS TUSKER - MC1021 - 34.94x126mm) SPICER 1550 SERIES

MYT 1705 (PLAIN)/ 1705C



EICHER JUMBO 20.16, ECOMET, LEY. 1613 TIPPER, CARGO (SPICER 1550)

MYT 1705H (PLAIN)/ 1705HC (COATED)



EICHER JUMBO 20.16, ECOMET, LEY. 1613 TIPPER, CARGO (SPICER 1550)

MFY 706A



EICHER JUMBO 20.16, ECOMET, LEY. 1613 TIPPER, CARGO (SPICER 1550)

MRT 608AF (PLAIN)/ 608AFC (COATED)



EICHER JUMBO 20.16, ECOMET, LEY. 1613 TIPPER, CARGO (SPICER 1550)

MRT 608AH (PLAIN)/ 608AHC (COATED)



EICHER JUMBO 20.16, ECOMET, LEY. 1613 TIPPER, CARGO (SPICER 1550)

ECOMET/ VIKING/ CHEETAH/ STAG/ LYNX/ CT 1613/ CARGO 912/ AVIA 714/ EAGLE 911/ HINO BUS (U J CROSS TUSKER - MC1021 - 34.94x126mm) SPICER 1550 SERIES

MYT 1705A (PLAIN)/ 1705AC (COATED)



ECOMET, VIKING, CHEETAH, STAG, LYNX, CT 1613, CARGO 912, HINO BUS (SPICER 1550)

MYT 1705AH (PLAIN)/ 1705AHC (COATED)



ECOMET, VIKING, CHEETAH, STAG, LYNX, CT 1613, CARGO 912, HINO BUS (SPICER 1550)

MFY 706AA



ECOMET, VIKING, CHEETAH, STAG, LYNX, CT 1613, CARGO 912, HINO BUS (SPICER 1550)

MRT 608AAF (PLAIN)/ 608AFC (COATED)



ECOMET, VIKING, CHEETAH, STAG, LYNX, CT 1613, CARGO 912, HINO BUS (SPICER 1550)

MRT 608AAH (PLAIN)/ 608AAHC (COATED)



ECOMET, VIKING, CHEETAH, STAG, LYNX, CT 1613, CARGO 912, HINO BUS (SPICER 1550)

EICHER TERRA 16 TIPPER/ 2016 JUMBO (U J CROSS TUSKER - MC1021 - 34.94x126mm)

SPICER 1550 SERIES - 28 SPLINES

MYT 1705AAC



EICHER TERRA 16 TIPPER/ 2016 JUMBO (SPICER 1550 - 28 SPL.)

MFY 1213



EICHER TERRA 16 TIPPER/ 2016 JUMBO (SPICER 1550 - 28 SPL.)

MRT 1708C (GLIDE COAT)



EICHER TERRA 16 TIPPER/ 2016 JUMBO (SPICER 1550 - 28 SPL.)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

LEYLAND 2516/ 1616/ VIKING 222/ LPT 2515/ EICHER 33.25 (U J CROSS TUSKER - MC1021 - 34.94x126mm) 22 SPLINES - 3.5" PIPE

MYT 705DC



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

MFY 706D



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

MRT 608DC



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

LEYLAND 2516/ 1616/ VIKING 222/ LPT 2515/ EICHER 33.25 (U J CROSS TUSKER - MC1021 - 34.94x126mm) BRG. TYPE 22 SPLINES - 3.5" PIPE

MYT 705ADC



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

MFY 706D



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

MRT 608ADC



LEY. 2516, 1616, VIKING 222, EICHER 33.25 (22 SPL., 3.5" PIPE)

TATA ACE O/M (INNER LOCK TYPE)

MFY 1506



TATA ACE O/M (INNER LOCK TYPE)

MFY 1506A



TATA MAGIC, HT, DICOR N/M (OUTER LOCK)

MFY 1506AA



TATA SUPER ACE

MAHINDRA MAXXIMO

MFY 2806




MAHINDRA MAXXIMO

MFY 2906



LEYLAND DOST

MRY 4041



FORK TEETH YOKE - 4x4 AXLE

AMBASSADOR/ HYDRA/ CRANES

MYT 1805



AMBASSADOR, HYDRA, CRANES

MFY 1806



AMBASSADOR, HYDRA, CRANES

MRT 1807



AMBASSADOR, HYDRA, CRANES



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

ASHOK LEYLAND TUSKER (TRUCK)/ EICHER 11.10 XP (U J CROSS TUSKER - MC1021 - 34.94x126mm)

16 SPLINES - 3" PIPE

MYT 705 (PLAIN)/ 705C (COATED)



LEYLAND TUSKER (TRUCK), EICHER 11.10 XP (PIPE - 3")

MYT 705
MRT 607 607FC

MYT 705H (PLAIN)/ 705HC (COATED)



LEYLAND TUSKER (TRUCK), EICHER 11.10 XP (PIPE - 3")

MYT 706
MRT 607H 607HC

MFY 706



LEYLAND TUSKER (TRUCK), EICHER 11.10 XP

MRT 607 (PLAIN)/ 607FC (COATED)



LEYLAND TUSKER (TRUCK), EICHER 11.10 XP (PIPE - 3")

MRT 607H (PLAIN)/ 607HC (GLIDE COAT)



LEYLAND TUSKER (TRUCK), EICHER 11.10 XP (PIPE - 3")

ASHOK LEYLAND TUSKER (BUS)/ EICHER 11.14 PRO (U J CROSS TUSKER - MC1021 - 34.94x126mm)

16 SPLINES - 3.5" PIPE

MYT 705A (PLAIN)/ 705AC (COATED)



LEYLAND TUSKER (BUS), EICHER 11.14 PRO (PIPE - 3.5")

MYT 706
MRT 608 608FC

MYT 705AH (PLAIN)/ 705AHC (COATED)



LEYLAND TUSKER (BUS), EICHER 11.14 PRO (PIPE - 3.5")

MYT 706
MRT 608H 608HC

MFY 706



LEYLAND TUSKER (BUS), EICHER 11.14 PRO

MRT 608 (PLAIN)/ 608FC (COATED)



LEYLAND TUSKER (BUS), EICHER 11.14 PRO (PIPE - 3.5")

MRT 608H (PLAIN)/ 608HC (GLIDE COAT)




LEYLAND TUSKER (BUS), EICHER 11.14 PRO (PIPE - 3.5")

ASHOK LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (U J CROSS BEDFORD/ 370 - MC1020 - 39.68x115.40mm)

16 SPLINES - 3" PIPE

MYT 605 (PLAIN)/ 605C (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3")

MYT 606
MRT 607 607FC

MYT 605H (PLAIN)/ 605HC (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3")

MYT 606
MRT 607H 607HC

MFY 606



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6

MRT 607 (PLAIN)/ 607FC (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3")

MRT 607H (PLAIN)/ 607HC (GLIDE COAT)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3")



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

ASHOK LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (U J CROSS BEDFORD/ 370 - MC1020 - 39.68x115.40mm)

16 SPLINES - 3.5" PIPE

MYT 605A (PLAIN)/ 605AC (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3.5")

MFY 605
MRT 605/ 605FC

MYT 605AH (PLAIN)/ 605AHC (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3.5")

MFY 605
MRT 605H/ 605HC

MFY 606



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6

MRT 608 (PLAIN)/ 608FC (COATED)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3.5")

MRT 608H (PLAIN)/ 608HC (GLIDE COAT)



LEYLAND BEDFORD/ 370 (TRUCK)/ J-4/ J-6 (PIPE - 3.5")

ASHOK LEYLAND TAURUS T-11 O/M (U J CROSS TAURUS - MC1015UT - 47.64x135mm)

16 SPLINES - 3.5" PIPE (SHORT & LONG)

MYT 807 (PLAIN)/ 807C (COATED)



LEYLAND TAURUS T-11 O/M (PIPE - 3.5")

MFY 805
MRT 805/ 805C

MYT 807H (PLAIN)/ 807HC (COATED)



LEYLAND TAURUS T-11 O/M (PIPE - 3.5")

MFY 805
MRT 805H/ 805HC

MFY 806



LEYLAND TAURUS T-11 O/M

MRT 806 (PLAIN)/ 806C (COATED)



LEYLAND TAURUS T-11 O/M (PIPE - 3.5")

MRT 806H (PLAIN)/ 806HC (GLIDE COAT)



LEYLAND TAURUS T-11 O/M (PIPE - 3.5")

MFY 815 (PALIN)



LEYLAND TAURUS T-11 O/M (LONG YOKE & TEETH)

MRT 816



LEYLAND TAURUS T-11 O/M (LONG YOKE)

MRT 817 (PLAIN)



LEYLAND TAURUS T-11 O/M (LONG TEETH)

TATA SUMO/ 207 DI/ SAFARI/ TAMPO TRAX - CRUISER & TOOFAN/ JUDO/ TRAVELLER (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm) SPICER DESIGN - MONOTRON

MYT 404T (PLAIN)



TATA SUMO, 207DI, SAFARI, TAMPO TRAX - CRUISER & TOOFAN, JUDO, TRAVELLER

MFY 402T
MRT 402T

MYT 404TC (GLIDE COAT)



TATA SUMO, 207DI, SAFARI, TAMPO TRAX - CRUISER & TOOFAN, JUDO, TRAVELLER

MFY 402T
MRT 402TC

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

MFY 405T



MRT 406T (PLAIN)



MRT 406TC (GLIDE COAT)



TATA SPACIO GOLD/ MAH. SCORPIO O/M (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm) SPICER DESIGN

MYT 913C (GLIDE COAT)



MFY 405T



MRT 914C (GLIDE COAT)



MAHINDRA BOLERO DI SLX FB (O.E. REF. NO.: 3220431/ 3220432) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm) JEEP 6" - 2.5" PIPE

MYT 904 (PLAIN)



MYT 904C (GLIDE COAT)



MFY 907



MRT 908 (PLAIN)




MRT 908C (GLIDE COAT)



MAHINDRA UTILITY/ FC/ NC (O.E. REF. NO.: 3220452/ 3220472) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm) JEEP 7" - 2.5" PIPE

MYT 904A (PLAIN)



MYT 904AC (GLIDE COAT)



MFY 907



MRT 908A (PLAIN)



MRT 908AC (GLIDE COAT)



The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL SLEEVE YOKE & REAR TEETH

MAHINDRA MAX PICK UP (O.E. REF. NO.: 3220463/ 3220492) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm)

3" PIPE

MYT 912 (PLAIN)



SPLINES - 16
3" PIPE

CROSS JEEP DIESEL - 27x81.80 mm

MAHINDRA MAX PICK UP (3" PIPE)

MFY 907
MRT 914

MYT 912C (GLIDE COAT)



SPLINES - 16
3" PIPE

CROSS JEEP DIESEL - 27x81.80 mm

MAHINDRA MAX PICK UP (3" PIPE)

MFY 907
MRT 914C

MFY 907



CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA MAX PICK UP

MRT 914 (PLAIN)



SPLINES - 16
3" PIPE

MAHINDRA MAX PICK UP (3" PIPE)

MRT 914C (GLIDE COAT)



SPLINES - 16
3" PIPE

MAHINDRA MAX PICK UP (3" PIPE)

MAHINDRA MAXII TRUCK (O.E. REF. NO.: 3220457/ 3220477) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm)

2.75" PIPE

MYT 915C (GLIDE COAT)



SPLINES - 16

CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA MAXII TRUCK

MFY 916



SPLINES - 16

CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA MAXII TRUCK

MRT 917C (GLIDE COAT)



TEETH - 16

MAHINDRA MAXII TRUCK

MAHINDRA UTILITY/ FC/ NC/ VOYAGER (O.E. REF. NO.: 3220455/ 3220475) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm)

2.5" PIPE

MYT 918C (GLIDE COAT)



SPLINES - 16

CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA UTILITY, FC, NC, VOYAGER

MFY 919



SPLINES - 16

CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA UTILITY, FC, NC, VOYAGER

MRT 920C (GLIDE COAT)



TEETH - 16

MAHINDRA UTILITY, FC, NC, VOYAGER

MAHINDRA UTILITY/ FC/ NC/ VOYAGER (O.E. REF. NO.: 3220455/ 3220475) (U J CROSS JEEP DIESEL - MC1018 - 27x81.80mm)

2.5" PIPE

MYT 912AC (GLIDE COAT)



CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA XYLO, BOLERO N/M

MFY 916



SPLINES - 16

CROSS JEEP DIESEL - 27x81.80 mm
MAHINDRA XYLO, BOLERO N/M

MRT 406ATC (GLIDE COAT)



MAHINDRA XYLO, BOLERO N/M



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

GEAR BOX COUPLING FLANGE

GEAR COUPLING - LEYLAND (LEYLAND TUSKER & TAURUS)

6 SPLINES

MGC 601



LEYLAND TUSKER, 370 BEFORD
(6 SPL., SQUARE BASE, 4H)

MGC 601A



LEYLAND TUSKER, 370 BEFORD
(6 SPL., 6" PLATE, 4H)

MGC 801



LEYLAND TAURUS T-11 O/M
(6 SPL., 7" PLATE, 8H)

JEEP DIESEL 10 SPLINES

MGC 902



JEEP DIESEL GEAR BOX COUPLING
(10 SPL., 3.8" PLATE, 4H)

GEAR TATA SUMO 26 SPLINES

MGC 501



TATA SUMO
(26 SPL., SPICER - PATTI BOLT TYPE)

MGC 101



TATA 1210, SE
(14 SPL., 4.72" PLATE, 6H)

GEAR COUPLING GB-40

16 SPLINES

MGC 117



TATA 1210 SE (GB40 - 6 HOLE)
(16 SPL., 4.72" PLATE, 6H)

MGC 201



TATA 1312, 1612 (GB40 - 8 HOLE)
(16 SPL., 5" PLATE, 8H)

MGC 201S



GB40 - SERRATED TYPE, 4 HOLE
(16 SPL., 5" PLATE, 4H, SERRATED)

GEAR COUPLING TATA 407

16 SPLINES

MGCPC 401



TATA 407 O/M (6 HOLE)
(16 SPL., 4" PLATE, 6H)

MGCPC 402



TATA 407 N/M (6 HOLE)
(16 SPL., 4.72" PLATE, 6H)

MGC 1201



TATA 2515 EX, 2516, 1613LP
(18 SPL., 5" PLATE, 8H)

GEAR COUPLING GB 60


18 SPLINES

MGC 1330



TATA 2516, 2518, 3516
(18 SPL., 6" PLATE, 8H, 12MM BOLT)

MGC 1601



TATA 4018, 2516 LPK
(18 SPL., 6.5" PLATE, 8H, 16MM BOLT)

MGC 1601A



TATA 4018, 2516 LPK
(18 SPL., 6.5" PLATE, 8H, 16MM BOLT)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

GEAR BOX COUPLING FLANGE

GEAR COUPLING GB 60

18 SPLINES

MGC 1601S

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 18
X-SERRATED



TATA 1616, 1613 TURBO, 2516, 2518, 3516
(18 SPL., 6" PLATE, 4H, SERRATED)

MGC 1601SS

Size : 16.20mm
Bolt No. : 24
Holes : 4
2 STEP



SPLINES - 18
X-SERRATED



TATA 1616, 1613 TURBO, 2516, 2518, 3516
(18 SPL., 6" PLATE, 4H, SERRATED, 2 STEP)

GEAR COUPLING GB 75

26 SPLINES

MGC 203AAS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



TATA 3118, 4018, 2518 (GB 75)
(26 SPL., 6" PLATE, 4H, SERRATED)

MGC 2501A

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 26
X-SERRATED



TATA 4923 PRIMA (GB 75)
(26 SPL., 7" PLATE, 4H, SERRATED)

GEAR COUPLING GB 1150

26 SPLINES

MGC 1602S

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



TATA LPK 2523, 3723, PRIMA 4023 (GB 1150)
(26 SPL., 6" PLATE, 4H, SERRATED)

MGC 1602AS

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 26
X-SERRATED




TATA LPK 2523, 3723 (GB 1150)
(26 SPL., 7" PLATE, 4H, SERRATED)

GEAR COUPLING - EATON

26 SPLINES

MGC 1901S

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 28
X-SERRATED



TATA, LEYLAND AL, BHARAT BENZ (EATON GEAR COUPLING)
(28 SPL., 6" PLATE, 4H, SERRATED) [O.E. REF.: 330131]

MGC 1901AS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 28
X-SERRATED



TATA, LEYLAND AL, BHARAT BENZ (EATON GEAR COUPLING)
(28 SPL., 6" PLATE, 4H, SERRATED) [O.E. REF.: 330106]

MGC 1902S

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 30
X-SERRATED



TATA, LEYLAND AL, BHARAT BENZ (EATON GEAR COUPLING)
(30 SPL., 6" PLATE, 4H, SERRATED) [O.E. REF.: 999]

MGC 1903S

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 38
X-SERRATED



TATA, LEYLAND AL, BHARAT BENZ, MAH. NAVISTAR (EATON GEAR COUPLING)
(38 SPL., 6" PLATE, 4H, SERRATED) [O.E. REF.: 0001]



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

GEAR BOX COUPLING FLANGE

GEAR COUPLING - AMW

MGC 1908



AMW
(31 SPL., 7" PLATE, 4H, SERRATED)

MGC 1909



AMW
(21 SPL., 7" PLATE, 4H, SERRATED)

GEAR COUPLING - LEYLAND ZF

28 SPLINES

MGC 1301



LEYLAND 2516, 3516, 2214, 1616 (ZF)
(28 SPL., 7" PLATE, 8H)

MGC 1301A



LEYLAND 2516, 3516 (ZF - BELL TYPE)
(28 SPL., 7" PLATE, 8H, LONG) O.E. REF.: 02311

MGC 1301AA



LEYLAND 1616, CARGO (ZF - SQUARE BASE)
(28 SPL., SQ. BASE, 8H) O.E. REF.: 1402511

MGC 1301B



LEYLAND 2516, 3116, 3118, 2518 (ZF - 6" SERRATED)
(28 SPL., 6" PLATE, 4H, SERRATED) O.E. REF.: 1404311

MGC 1301AB



LEYLAND 1616, ECOMET, STAG (ZF - 4.72" SERRATED)
(28 SPL., 4.72" PLATE, 4H, SERRATED) O.E. REF.: 1439511

GEAR COUPLING - LEYLAND (9 SPEED GEAR BOX)

31 SPLINES

MGC 1301ABC



LEYLAND U-TRUCK 2523, 3718 (9 SPEED GEAR BOX)
(31 SPL., 7" PLATE, 4H, SERRATED) O.E. REF.: 611

GEAR COUPLING - LEYLAND (LEYLAND TUSKER & TAURUS)

6 SPLINES

MGC 601



LEYLAND TUSKER, 370 BEFORE
(6 SPL., SQUARE BASE, 4H)

MGC 601A



LEYLAND TUSKER, 370 BEFORE
(6 SPL., 6" PLATE, 4H)

MGC 801



LEYLAND TAURUS T-11 O/M
(6 SPL., 7" PLATE, 8H)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

GEAR BOX COUPLING FLANGE

GEAR COUPLING - EICHER MOTORS

MGC 1401



EICHER 10.90 LCV
(18 SPL., SQUARE BASE, 4H)

MGC 1401A



EICHER 11.10
(20 SPL., SQUARE BASE, 4H)

MGC 1701



EICHER TERRA 16, HCV
(34 SPL., SQ. BASE, 4H) O.E. REF.: IA 201070

MGC 1701A



EICHER TERRA 16 (O.E. REF.: ID 311462)
(34 SPL., SQ. BASE, 4H)

MGC 1302AA



EICHER 30.25, GALAXY 35.31
(34 SPL., 7" PLATE, 8H)

MGC 1302BS



EICHER HCV, TERRA 16 (O.E. REF.: ID 311462)
(34 SPL., 6" PLATE, 4H, SERRATED)

MGC 1702



EICHER 40.40, AMW (O.E. REF.: ID 205829)
(32 SPL., 8" PLATE, 12H)

MGC 1707



EICHER 40.40, AMW
(31 SPL., 8" PLATE, 12H)

GEAR COUPLING FLANGE - RIG GEAR BOX

MGC 802AR



RIG GEAR BOX COUPLING (16S, SMALL BORE O/M)
(16 SPL., 7" PLATE, 8H)

MGC 813R



RIG GEAR BOX COUPLING (10S, SMALL BORE O/M)
(10 SPL., 7" PLATE, 8H)

MGC 820R



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 8H, BIG BORE - N/M)

MGC 820SR



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 6" PLATE, 4H, SERRATED, BIG BORE - N/M)

MGC 820SSR



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 4H, SERRATED, BIG BORE - N/M)

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FRONT TEETH & CENTRE COUPLING FLANGE

TATA 1210/ SE - BEARING NO.: 6208/ 88508

14 SPLINES - 2.5" & 3" PIPE

MFT 109

SPLINES - 18



2.5"/ 64mm

TATA 1210 (PIPE 2.5")
(14 SPL., PIPE 2.5"/ 64MM)

MFT 116

SPLINES - 14



3"/ 68mm

TATA 1210 SE (PIPE 3")
(14 SPL., PIPE 3"/ 68MM)

MCC 102

Size : 10.20mm
Bolt No. : 17
Holes : 6



120mm/ 4.72"

TATA 1210
(14 SPL., 4.72" PLATE, 6H)

MCC 202

Size : 10.20mm
Bolt No. : 17
Holes : 8



130mm/ 5"

TATA 1312, 1612
(14 SPL., 5" PLATE, 8H)

TATA 407 - BEARING NO.: 6207/ 88507

16 SPLINES - 2.25" PIPE

MFT 408

SPLINES - 16




2.25"/ 56mm

TATA 407 (PIPE 2.25")
(16 SPL., PIPE 2.25"/ 56MM)

MGCP 401

Size : 8.20mm
Bolt No. : 13
Holes : 6




100mm/ 4"

TATA 407 O/M
(16 SPL., 4" PLATE, 6H)

MGCP 402

Size : 10.20mm
Bolt No. : 17
Holes : 6



120mm/ 4.72"

TATA 407 N/M
(16 SPL., 4.72" PLATE, 6H)

TATA 1312/ 1612/ 1613/ 2416 - BEARING NO.: 6211/ 88511

26 SPLINES - 3.5" PIPE

MFT 210

SPLINES - 26



3.5"/ 84mm

TATA 1312, 1612, 1613, 2416 (PIPE 3.5")
(26 SPL., PIPE 3.5"/ 84MM)

MCC 203

Size : 10.20mm
Bolt No. : 17
Holes : 8



130mm/ 5"

TATA 2416, 1613, LPO 1512
(26 SPL., 5" PLATE, 8H)

MCC 203A

Size : 10.20mm
Bolt No. : 17
Holes : 8



130mm/ 5"

TATA LPT 2515, 2515 EX, 1613 LPT
(26 SPL., 5" PLATE, 8H)

TATA 1312/ 1612 TIPPER - BEARING NO.: 6211/ 88511

26 SPLINES - 3" PIPE

MFT 210A

SPLINES - 26



3"/ 72mm

TATA 1312, 1612 - TIPPER (PIPE 3")
(26 SPL., PIPE 3"/ 72MM)

MCC 203

Size : 10.20mm
Bolt No. : 17
Holes : 8




130mm/ 5"

TATA 2416, 1613, LPO 1512, 1312 TIPPER
(26 SPL., 5" PLATE, 8H)

MPCC 204

Size : 10.20mm
Bolt No. : 17
Holes : 8



130mm/ 5"

TATA 1312, 1612 - TIPPER
(26 SPL., 5" PLATE, 8H)

TATA 2516/ 2516 LPT - BEARING NO.: 6211/ 88511 - SPICER SPL90

26 SPLINES - 4" PIPE

MFT 210AA

SPLINES - 26



4"/ 95mm

TATA 2516, 2518 (BRG. NO.: 6211)
(26 SPL., PIPE 4"/ 95MM, 1312 TY. - 4"PIPE)

MCC 203AA

Size : 12.10mm
Bolt No. : 19
Holes : 8



150mm/ 6"

TATA 2516, 2518 LPK, 2518 TC
(26 SPL., 6" PLATE, 8H)

MCC 203S

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm/ 6"

TATA 1613 TURBO, 2516, 2518
(26 SPL., 6" PLATE, 4H, SERRATED)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FRONT TEETH & CENTRE COUPLING FLANGE

RSB 325/ 403/ 490 SERIES (BRG. DIA 65MM/ BRG. NO.: 6013)

26 SPLINES - 4" PIPE

MFT 210B

SPLINES - 26



BRG. DIA 65MM
BRG. NO.: 6013

TATA 2518, 3118, LEY. 3116 (BRG. DIA 65MM)
(26 SPL., 4" PIPE, 3 STEP) (BRG. NO.: 6013)

MFT 210BB

SPLINES - 26



BRG. DIA 65MM
BRG. NO.: 6013

TATA 2518, 3118, LEY. 3116 (BRG. DIA 65MM)
(26 SPL., 4" PIPE, 3 STEP) (BRG. NO.: 6013)

MCC203AS

Size : 12.10mm
Bolt No. : 19
Holes : 4

SMALL O/S 68mm



SPLINES - 26
X-SERRATED



TATA 3118, 3116, 2518 (SMALL O/S 68MM)
(26 SPL., 6" PLATE, 4H, SERRATED, SMALL O/S 68MM)

MCC203BS

Size : 12.10mm
Bolt No. : 19
Holes : 4

BIG O/S 72mm



SPLINES - 26
X-SERRATED



TATA 3118, 3116, 2518 (BIG O/S 72MM)
(26 SPL., 6" PLATE, 4H, SERRATED, BIG O/S 72MM)

MCC 203ACS

Size : 14mm
Bolt No. : 22
Holes : 4

O/S 70mm



SPLINES - 26
X-SERRATED



TATA 3118 LPK, 3718
(26 SPL., 7" PLATE, 4H, SERRATED)

MCC 203S

Size : 12.10mm
Bolt No. : 19
Holes : 4

O/S 60mm



SPLINES - 26
X-SERRATED




TATA 1613 TURBO, 2516, 2518, 3118
(26 SPL., 6" PLATE, 4H, SERRATED)

MCC 203A

Size : 10.20mm
Bolt No. : 17
Holes : 8

O/S 68mm




SPLINES - 26
TATA 1312
PLATE DESIGN

TATA LPT 2515, 2515 EX, 1613 LPT
(26 SPL., 5" PLATE, 8H)

MCC 203AB

Size : 12.10mm
Bolt No. : 19
Holes : 8

O/S 71mm




SPLINES - 26

TATA 2516 LPT, 2518 LPT
(26 SPL., 6" PLATE, 8H)

MCC 203AA

Size : 12.10mm
Bolt No. : 19
Holes : 8

O/S 60mm



SPLINES - 26

TATA 2516, 2518 LPK, 2518 TC
(26 SPL., 6" PLATE, 8H)

RSB 325/ 403/ 490 SERIES (BRG. DIA 55MM/ BRG. NO.: 6211/ 88511)

26 SPLINES - 3.5" / 4" / 4.5" PIPE

MFT 210BC

SPLINES - 26



BRG. DIA 55MM
BRG. NO.: 6211 / 88511

TATA LPT 1613 LATEST (BRG. DIA 55MM)
(26 SPL., 3.5" PIPE, 1 STEP - BIG COLLAR) (BRG. NO.: 6211)

MFT 210AB

SPLINES - 26



BRG. DIA 55MM
BRG. NO.: 6211 / 88511

TATA LPK 1616, LPK 1613, LPT 2518 (BRG. DIA 55MM)
(26 SPL., 4" PIPE, 1 STEP - BIG COLLAR) (BRG. NO.: 6211)

MFT 210AAB

SPLINES - 26



BRG. DIA 55MM
BRG. NO.: 6211 / 88511

(26 SPL., PIPE 4.5" / 114MM, 1 STEP - BIG COLLAR)
BRG. DIA 55MM, BRG. NO.: 6211

MFT 210C

SPLINES - 26



BRG. DIA 55MM
BRG. NO.: 6211 / 88511

TATA LPT 3118, 2518 (26 SPL., PIPE 4" / 95MM)
(PIPE 4", BRG. 6211 W) BIG RUBBER)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FRONT TEETH & CENTRE COUPLING FLANGE

RSB 590 SERIES

26 SPLINES - 4" & 4.5" PIPE

MFT 2709

SPLINES - 26



4" / 95mm

TATA 3718 (4" PIPE - BOLT TYPE)
(26 SPL., PIPE 4", BOLT TYPE)

MFT 2709A

SPLINES - 26



4.5" / 114mm

TATA 3718 (4.5" PIPE - BOLT TYPE)
(26 SPL., PIPE 4.5", BOLT TYPE)

MCC 2703

Size : 12.10mm
Bolt No. : 19
Holes : 4



150mm / 6"

SPLINES - 26
X-SERRATED



TATA 3718
(26 SPL., 6" PLATE, 4H, SERRATED)

RSB 620 SERIES

30 SPLINES

MFT 3309

SPLINES - 30



4.5" / 114mm

TATA 1318 LPK, 3718, 3723, 2523 LPK (4.5" PIPE)
(30 SPL., PIPE 4.5" / 114MM)

MCC 3302

Size : 14mm
Bolt No. : 22
Holes : 4



180mm / 7"

SPLINES - 30
X-SERRATED



TATA 1318 LPK, 3718, 3723, 2523 LPK
(30 SPL., 7" PLATE, 4H, SERRATED)

SPICER 1550 SERIES - TATA 1613TC/ 1510TC/ LEYLAND 1613 TIPPER/ ECOMET/ STAG BUS

10 SPLINES - 3.5" PIPE

MFT 309

SPLINES - 10



3.5" / 84mm

BRG. DIA 45MM
BRG. NO.: 6209/ 88509

TATA 1613TC, 1510TC, LEY. 1613 TIPPER, ECOMAT, STAG BUS
(10 SPL., 3.5" PIPE) BRG. DIA 45MM, BRG. NO.: 6209/ 88509

MCC 1703

Size : 12.10mm O/S 58mm
Bolt No. : 21
Holes : 4



150mm / 6"

SPLINES - 10

64mm

TATA 1613TC, 1510TC, LEY. 1613 TIPPER, ECOMAT,
STAG BUS (10 SPL., 6" PLATE, 4H)

MCC 1703S

Size : 10.20mm O/S 50mm
Bolt No. : 17
Holes : 4



120mm / 4.72"

SPLINES - 10
X-SERRATED



VIKING BUS, STAG BUS, LYNX BUS
(10 SPL., 4.72" PLATE, 4H, SERRATED)

SPICER SPL90 SERIES - BRG. DIA 55MM/ BRG. NO.: 6211/ 88511 (FOR TATA)

34 SPLINES - 3.5" & 4" PIPE

MFT 1309A

SPLINES - 34



3.5" / 84mm

2 STEP

6.25" / 162mm

BRG. DIA 55MM
BRG. NO.: 6211/ 88511

TATA 1613, 1616 SE, 1616 SK (BRG. NO.: 6211/ 88511)
(34 SPL., 3.5" PIPE, 2 STEP) BRG. DIA 55MM

MFT 1309AA

SPLINES - 34



4" / 95mm

2 STEP

6.5" / 167mm

BRG. DIA 55MM
BRG. NO.: 6211/ 88511

TATA 2515, 2516, 2518, 1613 TURBO (BRG. NO.: 6211/ 88511)
(34 SPL., 4" PIPE, 2 STEP) BRG. DIA 55MM

MCC 1202S

SPLINES - 34



TATA 1613 TC, 1510 TC
(34 SPL., PATTI BOLT TYPE, TUSKER CROSS)

MCC 1202

Size : 10.20mm O/S 63mm
Bolt No. : 17
Holes : 8



130mm / 5"

78mm
TATA 1312
PLATE DESIGN

TATA 2515, 1613 LPT
(34 SPL., 5" PLATE, 8H)

MCC 1202A

Size : 10.20mm O/S 66mm
Bolt No. : 17
Holes : 8



130mm / 5"

78mm
TATA 1312
PLATE DESIGN

TATA 2515 EX, 1613 LPT
(34 SPL., 5" PLATE, 8H - HEAVY DUTY)

MCC 1331

Size : 12.10mm O/S 66mm
Bolt No. : 19
Holes : 8



150mm / 6"

TATA 2516, 2518 LPT
(34 SPL., 6" PLATE, 8H)

MCC 1302AS

Size : 12.10mm O/S 66mm
Bolt No. : 19
Holes : 4



150mm / 6"

TATA 2518 N/M, 1613 EURO III
(34 SPL., 6" PLATE, 4H, SERRATED)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FRONT TEETH & CENTRE COUPLING FLANGE

SPICER SPL90 SERIES - BRG. DIA 45MM/ BRG. NO.: 6209/ 88509 - FOR LEYLAND & EICHER 34 SPLINES - 3.5" & 4" PIPE



LEY. 2214, 2516, 3516, EICHER (BRG. DIA 45MM)
(34 SPL., 4" PIPE, 1 STEP) (BRG. NO.: 6209/ 88509)



LEY. 1613 TIPPER NM, ECONET, STAG BUS (BRG. DIA 45MM)
(34 SPL., 3.5" PIPE, 1 STEP) (BRG. NO.: 6209/ 88509)



LEY. 2214, 2516, 3516, EICHER 30.15, 30.25
(34 SPL., 7" PLATE, 8H) EICHER O.E. REF.: IA 224900



EICHER HCV
(34 SPL., 4.72" PLATE, 4H, SERRATED)



EICHER 30.25, 35.31
(34 SPL., 5" PLATE, 8H)



LEY. 2516, 2515, EICHER 35.31
(34 SPL., 7" PLATE, 4H, SERRATED)



EICHER HCV (O.E. REF. NO.: ID 332643)
(34 SPL., 6" PLATE, 4H)

SPICER 1710 SERIES - BRG. DIA 60MM

16 SPLINES - 4" & 4.5" PIPE



TATA & LEY. 3118, 3116, 4923, AMW (BRG. DIA 60MM)
(16 SPL., 4" PIPE) (SPICER 1710 SERIES - 4" PIPE)



TATA & LEY. (BRG. DIA 60MM)
(16 SPL., 4.5" PIPE) (SPICER 1710 SERIES - 4.5" PIPE)



LEYLAND & EICHER (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 8H, BIG BORE - N/M)



TATA & LEY. 3118, 3116, 4923, AMW, MAH. NAVISTAR (16S, BIG BORE N/M)
(16 SPL., 6" PLATE, 4H, SERRATED, BIG BORE - N/M)



AMW, MAN (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 4H, SERRATED, BIG BORE - N/M)

SPICER 2040 SERIES - BOLT TYPE

20 SPLINES - 4" PIPE



TATA 3118 LPT, 2518, 3718, LEY. 3119 MNAL
(20 SPL., 4" PIPE)



TATA 3118 LPT, 2518, 3718, LEY. 3119 MNAL
(20 SPL., 6" PLATE, 4H, SERRATED)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FRONT TEETH & CENTRE COUPLING FLANGE

SPICER 2040 SERIES - BOLT TYPE

20 SPLINES - 4.5" PIPE

MFT 2609A

SPLINES - 20



4.5" / 114mm

6" / 151mm

LEY. 3518, MNAL 35T, TATA LPS 4921, LPO 1625, 1624, BHARAT BENZ 3123 (20 SPL., 4.5" PIPE)

MCC 2607A

Size : 14mm
Bolt No. : 22
Holes : 4



180mm / 7"

78mm

SPLINES - 20
X-SERRATED



LEY. 3518, MNAL 35T, TATA LPS 4921, LPO 1625, 1624, BHARAT BENZ 3123 (20 SPL., 7" PLATE, 4H, SERRATED)

EICHER CANTER 10.90/ LCV

10 SPLINES - 3" PIPE

MFT 1409

SPLINES - 10



3" / 72mm

6" / 150mm

BRG. DIA 40MM
BRG. NO.: 6208/ 88508

EICHER CANTER 10.50, 10.70, 10.90 (BRG. DIA 40MM) (10 SPL., 3" PIPE) (BRG. NO.: 6208/ 88508)

MCC 1402

Size : 12.10mm
Bolt No. : 21
Holes : 4



60mm

SPLINES - 10
SQUARE BASE

EICHER CANTER 10.50, 10.70, 10.90

SWARAJ MAZDA

34 SPLINES - 3" PIPE

MFT 1409C

SPLINES - 34



3" / 72mm

4.75" / 120mm

BRG. DIA 40MM
BRG. NO.: 6208/ 88508

SWARAJ MAZDA
(34 SPL., 3" PIPE)

MCC 1402C

Size : 12.10mm
Bolt No. : 21
Holes : 4



SPLINES - 34
SQUARE BASE

SWARAJ MAZDA
(34 SPL., SQUARE BASE, 4H)

EICHER 11.10 XP

16 SPLINES - 3" PIPE

MFT 1409D

SPLINES - 16



3" / 72mm

7" / 180mm

EICHER 11.10 XP
(16 SPL., 3" PIPE)

MCC 1402D

Size : 12.10mm
Bolt No. : 21
Holes : 4



96mm

SPLINES - 16
SQUARE BASE

EICHER 11.10 XP (O.E. REF.: IA 207978)
(16 SPL., SQUARE BASE, 4H)

EICHER GALAXY/ LEYLAND TAURUS T-11 O/M

16 SPLINES - 3.5" PIPE

MFT 808

SPLINES - 16



3.5" / 84mm

7" / 180mm

BRG. DIA 62MM
BRG. NO.: 6112

EICHER 30.25, GALAXY, LEYLAND TAURUS T-11 O/M
(16 SPL., 3.5" PIPE)

MCC 802

Size : 9.5mm
Bolt No. : 3/8
Holes : 8



176mm / 7"

97mm

SPLINES - 16

LEYLAND
PLATE DESIGN

EICHER 30.25, GALAXY, LEYLAND TAURUS T-11 O/M
(16 SPL., 7" PLATE, 8H) (O.E. REF.: IA 224440)



FRONT TEETH & CENTRE COUPLING FLANGE

LEYLAND TUSKER/ 370/ BEDFORD J4/ VIKING

16 SPLINES - 3" PIPE

MFT 609

SPLINES - 16



BRG. DIA 46MM
BRG. NO.: MSN-14

LEYLAND TUSKER, 370, BEDFORD J4, VIKING
(16 SPL., 3" PIPE)

MCC 602

Size : 12.10mm
Bolt No. : 21
Holes : 4



SPLINES - 16
SQUARE BASE

LEYLAND TUSKER, 370, BEDFORD J4, VIKING
(16 SPL., SQUARE BASE, 4H)

LEYLAND TUSKER/ 370/ BEDFORD J4/ VIKING/ HINO BUS

16 SPLINES - 3.5" PIPE

MFT 610

SPLINES - 16




BRG. DIA 46MM
BRG. NO.: MSN-14

LEYLAND TUSKER, 370, BEDFORD J4, VIKING
(16 SPL., 3.5" PIPE)

MCC 602

Size : 12.10mm
Bolt No. : 21
Holes : 4



SPLINES - 16
SQUARE BASE

LEYLAND TUSKER, 370, BEDFORD J4, VIKING
(16 SPL., SQUARE BASE, 4H)

MCPC 813

Size : 9.5mm
Bolt No. : 3/8
Holes : 8



SPLINES - 10
LEYLAND
PLATE DESIGN

LEY. TAURUS T-11 O/M, HINO BUS (10S, SMALL BORE O/M)
(10 SPL., 7" PLATE, 6H)

TATA SUMO - SPICER DESIGN

16 SPLINES

MFT 408

SPLINES - 16



BRG. DIA 35MM
BRG. NO.: 6207/ 88507

TATA 407, SUMO O/M (PIPE 2.25")
(16 SPL., PIPE 2.25"/ 56MM)

MCC 502



SPLINES - 16
SPICER DESIGN
PATTI BOLT TYPE

TATA SUMO O/M
(16 SPL., SPICER - PATTI BOLT TYPE)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINON/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

PINION/ DIFF. COUPLING FLANGE - FOR TATA

26 SPLINES

MPC 103

Size : 10.20mm
Bolt No. : 17
Holes : 6

O/S 68mm

SPLINES - 26



TATA 1210
PLATE DESIGN


TATA 1210, SE
(26 SPL., 4.72" PLATE, 6H)

MCPC 204

Size : 10.20mm
Bolt No. : 17
Holes : 8

O/S 68mm

SPLINES - 26



TATA 1312
PLATE DESIGN

TATA 1312, 1510, 1512, 1612, 2515 EX
(26 SPL., 5" PLATE, 8H)

MPC 1314

Size : 12.10mm
Bolt No. : 19
Holes : 8

O/S 68mm

SPLINES - 26



TATA 2516, 2518 LPT, 2518 TC
(26 SPL., 6" PLATE, 8H, 12MM BOLT)

MPC 1603R

Size : 16.20mm
Bolt No. : 24
Holes : 8

O/S 68mm

SPLINES - 26



TATA 4018
(26 SPL., 6.5" PLATE, 8H, 16MM BOLT)

PINION/ DIFF. COUPLING FLANGE - FOR TATA LCV

16 SPLINES

MPC 117A

Size : 10.20mm
Bolt No. : 17
Holes : 6

O/S 58mm

SPLINES - 16



TATA 709, 909 EX N/M
(16 SPL., 4.72" PLATE, 6H)

MPC 201A

Size : 10.20mm
Bolt No. : 17
Holes : 8

O/S 58mm

SPLINES - 16




TATA 1109 EURO II BSIII
(16 SPL., 5" PLATE, 8H)

MGPC 401

Size : 8.20mm
Bolt No. : 13
Holes : 6

O/S 48mm

SPLINES - 16



TATA 407 O/M
(16 SPL., 4" PLATE, 6H)

MGPC 402

Size : 10.20mm
Bolt No. : 17
Holes : 6

O/S 48mm

SPLINES - 16



TATA 407 N/M
(16 SPL., 4.72" PLATE, 6H)

PINION/ DIFF. COUPLING - FOR TATA 2516 INTERAXLE

PLATE 5"/ 130MM (1312 PLATE)/ 8 HOLES & SPICER DESIGN

MPC 1203B

Size : 10.20mm
Bolt No. : 17
Holes : 8

SMALL O/S 71.3mm

SPLINES - 39



TATA 2516 - INTERAXLE
(39 SPL., 5" PLATE, 8H, SMALL O/S)

MPC 1203

Size : 10.20mm
Bolt No. : 17
Holes : 8

BIG O/S 76.5mm

SPLINES - 39



TATA 2516 - INTERAXLE
(39 SPL., 5" PLATE, 8H, BIG O/S)

MPC 1203A

Size : 10.20mm
Bolt No. : 17
Holes : 8

O/S 76.5mm

SPLINES - 41



TATA 2516 - INTERAXLE
(41 SPL., 5" PLATE, 8H, BIG O/S)

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINON/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

MPC 1202



TATA 2516 - INTERAXLE (THRU SHAFT)
(34 SPL., 5" PLATE, 8H)

MPC 1203S



TATA 2516 - INTERAXLE (SPICER DESIGN)
(39 SPL., SPICER - PATTI BOLT TYPE)

MPC 1203AS



TATA 2516 - INTERAXLE (SPICER DESIGN)
(41 SPL., SPICER - PATTI BOLT TYPE)

PINION/ DIFF. COUPLING - FOR LEYLAND 2516 INTERAXLE

SQUARE BASE/ 4 HOLE

MPC 1303AD



LEYLAND 2516 - INTERAXLE
(39 SPL., SQUARE BASE, 4H - SMALL O/S)

MPC 1303A



LEYLAND 2516 - INTERAXLE
(39 SPL., SQUARE BASE, 4H - BIG O/S)

MPC 1304A



LEYLAND 2516 - INTERAXLE
(41 SPL., SQUARE BASE, 4H - BIG O/S)

MPC 1302A



LEYLAND 2516 - INTERAXLE (THRU SHAFT)
(34 SPL., SQUARE BASE, 4H)

PINION/ DIFF. COUPLING - FOR TATA 2515/ 2516/ AMW

PLATE 6.5" / 8 HOLE / 16MM BOLT

MPC 1603R



TATA 4018
(26 SPL., 6.5" PLATE, 8H)

MPC 1603



TATA & AMW 2515, 2516, 2518
(41 SPL., 6.5" PLATE, 8H - LONG HT.)

MPC 1603B



TATA & AMW 2515, 2516, 2518
(41 SPL., 6.5" PLATE, 8H - SMALL HT.)

MPC 1603A



TATA & AMW 2516, 2518
(39 SPL., 6.5" PLATE, 8H - LONG HT.)

MPC 1603AB



TATA & AMW 2516, 2518
(39 SPL., 6.5" PLATE, 8H - SMALL HT., BIG O/S)

MPC 1603AD



TATA & AMW 2516, 2518
(39 SPL., 6.5" PLATE, 8H - SMALL HT., SMALL O/S)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINION/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

PINION/ DIFF. COUPLING - FOR LEYLAND 2516/ 3516/ TAURUS T-11

PLATE 7" / 8 HOLE / 9.5MM BOLT

MPC 803



LEYLAND 3516, 2516 (SMALL O/S)
(39 SPL., 7" PLATE, 8H - SMALL O/S)

MPC 1303



LEYLAND 3516, 2516 (BIG O/S)
(39 SPL., 7" PLATE, 8H - BIG O/S)

MPC 1303L



LEYLAND 2516 BSIII LATEST (LONG HT.)
(39 SPL., 7" PLATE, 8H - LONG HT.)

MPC 1304



LEYLAND 3516, 2516
(41 SPL., 7" PLATE, 8H)

MPC 2511A



LEYLAND 2516 - INPUT SHAFT
(44 SPL., 7" PLATE, 8H - LONG HT.)

MPC 2511B



LEYLAND 2516 N/M (O.E. REF.: K 993709)
(44 SPL., 7" PLATE, 8H - SMALL HT.)

MPC 2512A



LEYLAND 2516 BSIII - LATEST
(46 SPL., 7" PLATE, 8H)

MCPC 813



LEY. TAURUS T-11 O/M (10S, SMALL BORE O/M)
(10 SPL., 7" PLATE, 8H)

PINION/ DIFF. COUPLING - FOR LEYLAND INTERAXLE SHAFT

PLATE 6" / 4 HOLE / 12MM BOLT

MPC 1303B



LEYLAND 1616, 2516 - RR AXLE
(39 SPL., 6" PLATE, 4H)

MPC 1303AB



LEYLAND 1616, 2516 - RR AXLE
(39 SPL., 6" PLATE, 4H - LONG HT.)

MPC 1303AA



LEYLAND 1613 (SPICER AXLE), 2516 RMC
(39 SPL., 6" PLATE, 4H - SPICER AXLE)

MPC 603



LEYLAND 370/ BEFORD J4/ TUSKER/ VIKING
(10 SPL., 6" PLATE, 4H)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINON/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

PINION/ DIFF. COUPLING - FOR EICHER MOTORS

MPC 1403A



EICHER 10.90, LCV
(14 SPL., 4.92" PLATE, 4H)

MPC 1403D



EICHER HCV, 11.10 (O.E. REF.: IA 231003)
(39 SPL., SQUARE BASE, 4H)

MPC 802E



LEYLAND
PLATE DESIGN

EICHER 30.25 N/M
(39 SPL., 7" PLATE, 8H)

MPC 1403AA



EICHER 11.10 XP, HCV
(18 SPL., 4.92" PLATE, 4H)

MPC 1403AD



EICHER 20.16 JUMBO (O.E. REF.: IA 203484)
(39 SPL., SQUARE BASE, 4H) (O.E. REF.: IA 231001)

MPC 1403B



EICHER TERRA 16 TIPPER (O.E. REF.: ID 300947)
(16 SPL., SQUARE BASE, 4H)

MPC 1403



EICHER CANTER LCV
(14 SPL., SQUARE BASE, 4H)

MPC 2512E



AMW, EICHER 40.40, TERRA 25 (O.E. REF.: IA 231708)
(46 SPL., 8" PLATE, 12H)

MPC 1403BS



EICHER TERRA 16 N/M
(16 SPL., 6" PLATE, 4H, SERRATED)

MPC 1603ES



EICHER HCV
(39 SPL., 6" PLATE, 4H, SERRATED)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINON/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

PINION/ DIFF. COUPLING - X-SERRATED TYPE

6" PLATE/ 4 HOLE/ SERRATED/ 12MM BOLT

MPC 1603RS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



TATA 1616, 1613 TURBO, 3118, 3516, 2516 LPT, 2518 LPT
(26 SPL., 6" PLATE, 4H, SERRATED)

MPC 1603BRS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



TATA 1616, 1613 TURBO, 3118, 3516, 2516 LPT, 2518 LPT
(26 SPL., 6" PLATE, 4H, SERRATED)

MPC 1603RSS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



LPK 2518 TC (O.E. REF.: 5810 353 0010)
(26 SPL., 6" PLATE, 4H, SERRATED)

MPC 1302SS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 34
X-SERRATED



TATA & LEYLAND 2516 (THRU SHAFT - MERITOR AXLE)
(34 SPL., 6" PLATE, 4H, SERRATED)

MPC 1603AS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 39
X-SERRATED



TATA & LEYLAND 2516, 2518, Mt1495 (THRU SHAFT - MERITOR AXLE)
(39 SPL., 6" PLATE, 4H, SERRATED - SMALL O/S)

MPC 1603AAS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 39
X-SERRATED



TATA & LEYLAND 2516, 2518
(39 SPL., 6" PLATE, 4H, SERRATED - BIG O/S)

MPC 1303AAS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 39
X-SERRATED



LEYLAND 2516 - INTERAXLE (LATEST)
(39 SPL., 6" PLATE, 4H, SERRATED)

MPC 1303ABS

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 39
X-SERRATED



LEYLAND 1616, 2516 (RR AXLE - SPICER DESIGN)
(39 SPL., 6" PLATE, 4H, SERRATED)

MPC 1603S

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 41
X-SERRATED



TATA & LEYLAND 2516, 2518
(41 SPL., 6" PLATE, 4H, SERRATED)

MPC 1611A

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 44
X-SERRATED



TATA/ LEYLAND/ AMW 2518 (INPUT SHAFT)
(44 SPL., 6" PLATE, 4H, SERRATED - LONG HT.)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINON/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

MPC 1611

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 44
X-SERRATED



(INPUT SHAFT)
(44 SPL., 6" PLATE, 4H, SERRATED)

MPC 1612

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 46
X-SERRATED



TATA/ LEYLAND/ AMW - MERITOR AXLE (MS160)
(46 SPL., 6" PLATE, 4H, SERRATED) (O.E. P.NO.: P4303214)

MPC 1613

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 24
X-SERRATED



TATA 3128, 2528, PRIMA 4928 - THRU SHAFT FLANGE
(24 SPL., 6" PLATE, 4H, SERRATED) (O.E. REF.: 2739 3530 0130)

MPC 1614

Size : 12.10mm
Bolt No. : 19
Holes : 4



SPLINES - 26
X-SERRATED



O.E. REF.: 2727 3530 0133
(26 SPL., 6" PLATE, 4H, SERRATED)

PINION/ DIFF. COUPLING - X-SERRATED TYPE

7" PLATE/ 4 HOLE/ SERRATED/ 14MM BOLT

MPC 2503RSS

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 26
X-SERRATED



LPK 3118 TIPPER, LPK 2523, LPS 4923
(26 SPL., 7" PLATE, 4H, SERRATED) (O.E. REF.: 5810 3530 0117)

MPC 2503RS

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 26
X-SERRATED



TATA
(26 SPL., 7" PLATE, 4H, SERRATED)

MPC 2503AS

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 39
X-SERRATED



TATA/ LEYLAND/ AMW 4923, 4921 (SMALL O/S)
(39 SPL., 7" PLATE, 4H, SERRATED - SMALL O/S)

MPC 2503AAS

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 39
X-SERRATED



TATA/ LEYLAND/ AMW 4923, 4921 (BIG O/S)
(39 SPL., 7" PLATE, 4H, SERRATED - BIG O/S)

MPC 2503S

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 41
X-SERRATED



TATA/ LEYLAND/ AMW (BIG O/S)
(41 SPL., 7" PLATE, 4H, SERRATED - BIG O/S)

MPC 2511

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 44
X-SERRATED



TATA/ LEYLAND/ AMW (BIG O/S)
(44 SPL., 7" PLATE, 4H, SERRATED - BIG O/S)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

PINION/ DIFF./ INPUT/ OUTPUT/ THRU SHAFT COUPLING FLANGE

MPC 2512

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 46
X-SERRATED



TATA/ LEYLAND/ AMW
(46 SPL., 7" PLATE, 4H, SERRATED)

MPC 2512A

Size : 14mm
Bolt No. : 22
Holes : 4



SPLINES - 46
X-SERRATED



TATA/ LEYLAND/ AMW/ MAN
(46 SPL., 7" PLATE, 4H, SERRATED - LONG HT.)

PINION/ DIFF. COUPLING - MAHINDRA JEEP MODELES

MPC 903

SPLINES - 10



SPICER DESIGN
PATTI BOLT TYPE

MAHINDRA JEEP DIESEL (SPICER - PATTI BOLT TYPE)
(10 SPL., SPICER - PATTI BOLT TYPE)

MPC 903A/ 503

SPLINES - 26



SPICER DESIGN
PATTI BOLT TYPE

MAHINDRA JEEP DIESEL (SPICER - PATTI BOLT TYPE)
(26 SPL., SPICER - PATTI BOLT TYPE)

MPC 902

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 10

MAHINDRA JEEP DIESEL (ROUND TYPE)
(10 SPL., 3.8" PLATE, 4H)

MPC 902A

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 26

MAHINDRA JEEP DIESEL (ROUND TYPE)
(26 SPL., 3.8" PLATE, 4H)

PINION/ DIFF. COUPLING - FOR MINI TRUCKS

MPC 1505

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 23

TATA ACE O/M
(23 SPL., 3.5" PLATE, 4H)

MPC 1505A

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 23

TATA ACE MAGIC/ HT N/M
(23 SPL., 3.5" PLATE, 4H)

MPC 1505AA

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 26

TATA SUPER ACE
(26 SPL., 3.5" PLATE, 4H)

MPC 2805

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 26

MAHINDRA MAXXIMO
(26 SPL., 3.38" PLATE, 4H)

MPC 2905

Size : 8.20mm
Bolt No. : 13
Holes : 4



SPLINES - 26

LEYLAND DOST
(26 SPL., 3.5" PLATE, 4H)

PINION/ DIFF. COUPLING - FOR TATA SUMO

MPC 503/ 903A

SPLINES - 26



SPICER DESIGN
PATTI BOLT TYPE

TATA SUMO (SPICER - PATTI BOLT TYPE)
(26 SPL., SPICER - PATTI BOLT TYPE)

PINION/ DIFF. COUPLING - FOR SWARAJ MAZDA SPLINES - 31

MPC 1403D

Size : 12.10mm
Bolt No. : 14
Holes : 4



SPLINES - 31
SQUARE BASE

SWARAJ MAZDA
(31 SPL., SQUARE BASE, 4H)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

COUPLING FLANGE W/ WITH CUP CONE (BRG.) ASSEMBLY

MCCCA 3201

OLD MODEL



TATA & LEYLAND O/M

MCCCA 3202

NEW MODEL



TATA & LEYLAND N/M



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

DOUBLE DIFF. NEST CAGE ASSEMBLY

MNA 3101

OLD MODEL



41 SPLINES

NEST CAGE ASSY. - TATA 2516 O/M (41 SPLINES)

MNA 3102

NEW MODEL



22 SPLINES

NEST CAGE ASSY. - TATA 2518 N/M (22 SPLINES)

MNA 3103

37 SPLINES



NEST CAGE ASSY. - TATA 3118 (37 SPLINES)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STEERING PITMAN ARM

MSPA 2006



TATA 1210 - TRUCK

MSPA 2007



TATA 1210 - BUS

MSPA 2014



TATA SE - TRUCK

MSPA 2015



TATA LPS - BUS

MSPA 3201



TATA 1109 - MANUAL STEERING

MSPA 3202



TATA 1109 - POWER STEERING

MSPA 3203



TATA 1613 LP

MSPA 3204



TATA 1613 SFC

MSPA 2030



TATA 407 - TRUCK

MSPA 3205A



TATA SUMO - SPACIO N/M

MSPA 3206



TATA SUMO - SPLINED BORE

MSPA 3207



TATA SUMO - SPACIO BIG

MSPA 3208



TATA SUMO W/ SMALL BUSH

MSPA 3209



TATA 2416 TRUCK

MSPA 3211



**TATA 2516 RANE POWER STEERING
(11")**



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STEERING PITMAN ARM

MSPA 3214



2416 ZF (12")

MSPA 3215



1613 BIG (12")

STEERING - STRAIGHT ARM - FOR TATA 3118

MSSA 3216R

RIGHT



TATA 3118 - ST. ARM (RIGHT)

MSSA 3217L

LEFT



TATA 3118 - ST. ARM (LEFT)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

RIG - GEAR BOX COUPLING FLANGE

MGC 802AR



RIG GEAR BOX COUPLING (16S, SMALL BORE O/M)
(16 SPL., 7" PLATE, 8H)

MGC 813R



RIG GEAR BOX COUPLING (10S, SMALL BORE O/M)
(10 SPL., 7" PLATE, 8H)

MGC 820R



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 8H, BIG BORE - N/M)

MGC 820SR



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 6" PLATE, 4H, SERRATED, BIG BORE - N/M)

MGC 820SSR



RIG GEAR BOX COUPLING (16S, BIG BORE N/M)
(16 SPL., 7" PLATE, 4H, SERRATED, BIG BORE - N/M)

**MOOVEL**

AUTOMOTIVE PARTS

AN ISO 9001:2008 CERTIFIED COMPANY

FULL YOKE ASSY. & HALF YOKE ASSY.**TATA 1210/ SE/ 1109****U J CROSS - MC1022 - 38.05x56.70mm****MFYA 110/ 118**

CROSS - TATA 1210

SPLINES - 10
HOLE - 6
PLATE 4.72"/ 120mmMFYA 110 - TATA 1210, 1109
MFYA 118 - TATA SE**MHYA 111**

CROSS - TATA 1210

PIPE - 2.5"
HOLE - 6
PLATE 4.72"/ 120mm

TATA 1210 (PIPE 2.5")

MHYA 119


CROSS - TATA 1210

PIPE - 3"
HOLE - 6
PLATE 4.72"/ 120mm

TATA 1210 SE (PIPE 3")

TATA 1312/ 1510/ 1512/ 1612**U J CROSS - MC1023 - 46.05x68.70mm****MFYA 211**

CROSS - TATA 1312

SPLINES - 16
HOLE - 8
PLATE 5"/ 130mmTATA 1312, 1510, 1512, 1612
(8 HOLES)**MFYA 211A**

CROSS - TATA 1312

E. LONG YOKE
SPLINES - 16
HOLE - 8
PLATE 5"/ 130mmTATA 2516 - INTERAXLE (8 HOLES)
(1312 EXTRA LONG YOKE)**MHYA 212**

CROSS - TATA 1312

PIPE - 3.5"
HOLE - 8
PLATE 5"/ 130mmTATA 1312, 1510, 1612 (PIPE 90MM,
8 HOLES)**TATA 407/ 608****U J CROSS - MC1005 - 30.05x81.80mm****MFYA 409**

CROSS - TATA 407

SPLINES - 16
HOLE - 6
PLATE 4"/ 100mm

TATA 407, 608

MHYA 410

CROSS - TATA 407

PIPE - 2.25"
HOLE - 6
PLATE 4"/ 100mm

TATA 407, 608

SPICER SPL90 SERIES**U J CROSS - MC1013 - 41.28x126mm****MFYA 1311B/ 1311AB**CROSS - SPICER SPL90
41.28x126mm110 SLIP YOKE
SPLINES - 30/ 16
HOLE - 8
PLATE 5"/ 130mmTATA 2515C EX, 1613 LP (BIG YOKE, 5" PLATE)
MFYA1311B - 30 SPL./ MFYA1311AB - 16 SPL.**MFYA 1311/ 1311A**CROSS - SPICER SPL90
41.28x126mm110 SLIP YOKE
SPLINES - 30/ 16
HOLE - 8
PLATE 7"/ 176mmLEYLAND 2214, 2516, 3516 (BIG YOKE, 7" PLATE)
MFYA1311 - 30 SPL./ MFYA1311A - 16 SPL.**MFYA 1211/ 1211A**CROSS - SPICER SPL90
41.28x126mm63 SLIP YOKE
SPLINES - 30/ 16
HOLE - 8
PLATE 7"/ 176mmLEYLAND 3516 (SMALL YOKE, 7" PLATE)
MFYA1211 - 30 SPL./ MFYA1211A - 16 SPL.**MFYA 1311BC/ 1311ABC**CROSS - SPICER SPL90
41.28x126mmEXTRA LONG
FOR INTERAXLESPLINES - 30/16
HOLE - 4
PLATE 6"/ 150mm
X-SERRATEDTATA 1616 LPK, 1613 TURBO, LEY.2516
MFYA1311BC - 30 SPL., MFYA1311ABC - 16 SPL.**MFYA 1311C/ 1311AC**CROSS - SPICER SPL90
41.28x126mmSPLINES - 30/16
HOLE - 4
PLATE 6"/ 150mm
X-SERRATEDTATA 1616 LPK, 1613 TURBO, LEY.2516
MFYA1311C - 30 SPL., MFYA1311AC - 16 SPL.**MFYA 1511**CROSS - SPICER SPL90
41.28x126mmEXTRA LONG
FOR INTERAXLESPLINES - 16
HOLE - 4
PLATE 6"/ 150mm
X-SERRATEDTATA 2516, LEY. 3116
LEYLAND 2516 - FOR INTERAXLE



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL YOKE ASSY. & HALF YOKE ASSY.

MHYA 1312B

CROSS - SPICER SPL90
41.28x126mm



PIPE 4"
HOLE - 8
PLATE 5" / 130mm

TATA 2515C EX, 1613 LP (5" PLATE, 8 HOLES)

MHYA 1312

CROSS - SPICER SPL90
41.28x126mm



PIPE 4"
HOLE - 8
PLATE 7" / 176mm

LEYLAND 2214, 2516, 3516 (7" PLATE, 8 HOLES, 4" PIPE)

MHYA 1312D

CROSS - SPICER SPL90
41.28x126mm



PIPE 4"
HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 1616, 1613, LEY. 2516, 3516
(6" PLATE, 4 HOLES, SERRATED)

MHYA 1312BD

CROSS - SPICER SPL90
41.28x126mm

EXTRA LONG
FOR INTERAXLE



PIPE 4"
HOLE - 4
PLATE 6" / 150mm
X-SERRATED
EXTRA LONG - INTERAXLE


TATA 2516, LEYLAND 2516 (FOR INTERAXLE)

RSB 325 SERIES

U J CROSS - MC1030 - 42x119.80mm

MFYA 4111

CROSS - RSB 320
42x119.8mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 1616 LPK, 1613 TURBO

MHYA 4112

CROSS - RSB 320
42x119.8mm



4" PIPE
HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 1616 LPK, 1613 TURBO

RSB 403 SERIES

U J CROSS - MC1026 - 42x129.40mm

MFYA 4211

CROSS - RSB 403
42x129.4mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 2516 LPK, 2518 (FOR INTERAXLE)

MHYA 4212

CROSS - RSB 403
42x129.4mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED
LONG EARS - INTERAXLE

EXTRA LONG HT.

TATA 2516 LPK, 2518 (FOR INTERAXLE)

RSB 490 SERIES

U J CROSS - MC1031 - 48x135mm

MFYA 4311A

CROSS - RSB 490
48x135mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 2518 LPK BSIII, 4018, 3518C EX

MFYA 4311

CROSS - RSB 490
48x135mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 3118 LPT BSIII, LEY. 3116, 3118

MHYA 4312

CROSS - RSB 490
48x135mm



HOLE - 4
PLATE 6" / 150mm
X-SERRATED

TATA 3118, 2518 LPK, LEY. 3118, 3116

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL YOKE ASSY. & HALF YOKE ASSY.

SPICER 1710 SERIES

U J CROSS - MC1032P - 49.20x154.90mm

MFYA 1911

CROSS - SPICER 5-280X
49.2x154.90mm
(PATTI BOLT TYPE)



HOLE - 4
PLATE 6"/ 150mm
X-SERRATED

TATA LPO 3118, LPT2518 BSIII, 2521, LPO BUS 1625, 1618, 1623, LEY. 2516 TIPPER, 4921 TRACTOR, AMW 2518, MAN 25T N/M

MHYA 1912

CROSS - SPICER 5-280X
49.2x154.90mm
(PATTI BOLT TYPE)



PIPE 4"
HOLE - 4
PLATE 6"/ 150mm
X-SERRATED

TATA LPO 3118, LPT2518 BSIII, 2521, LPO BUS 1625, 1618, 1623, LEY. 2516 TIPPER, 4921 TRACTOR, AMW 2518, MAN 25T N/M

LEYLAND TUSKER/ EICHER 11.10 XP

U J CROSS - MC1021 - 34.94x126mm

MFYA 713

CROSS - TUSKER (MSL TY.)
34.94x126mm



SPLINES - 16
HOLE - 4
SQUARE BASE

LEYLAND TUSKER, EICHER 11.10 XP, PRO
(TUSKER - MSL TYPE)

MHYA 714

CROSS - TUSKER (MSL TY.)
34.94x126mm



PIPE 3"
HOLE - 4
SQUARE BASE

LEYLAND TUSKER, EICHER 11.10 XP, PRO (PIPE 3")
(TUSKER - MSL TYPE)

MHYA 715

CROSS - TUSKER (MSL TY.)
34.94x126mm



PIPE 3.5"
HOLE - 4
SQUARE BASE

LEYLAND TUSKER, EICHER 11.10 XP, PRO (PIPE 3.5")
(TUSKER - MSL TYPE)

LEYLAND 370/ BEDFORD J4/ VIKING

U J CROSS - MC1020 - 39.68x115.40mm

MFYA 613

CROSS - 370/ BEDFORD
39.68x115.40mm



SPLINES - 16
HOLE - 4
PLATE 6"/ 150mm

LEYLAND 370/ BEDFORD J4/ VIKING

MHYA 614

CROSS - 370/ BEDFORD
39.68x115.40mm



PIPE 3"
HOLE - 4
PLATE 6"/ 150mm

LEYLAND 370/ BEDFORD J4/ VIKING (PIPE 3")

MHYA 615

CROSS - 370/ BEDFORD
39.68x115.40mm



PIPE 3.5"
HOLE - 4
PLATE 6"/ 150mm

LEYLAND 370/ BEDFORD J4/ VIKING (PIPE 3.5")

LEYLAND TAURUS T-11 O/M

U J CROSS - MC1015UT - 47.64x135mm

MFYA 810

CROSS - LEY. TAURUS
47.64x135mm



SPLINES 16
HOLE - 8
PLATE 7"/ 176mm

LEYLAND TAURUS T-11 O/M

MHYA 811

CROSS - LEY. TAURUS
47.64x135mm



PIPE 3.5"
HOLE - 8
PLATE 7"/ 176mm

LEYLAND TAURUS T-11 O/M

AMBASSADOR/ HYDRA/ CRANES

U J CROSS - MC1019 - 23.83x61.30mm

MFYA 1809

CROSS - AMBASSADOR
23.83x61.30mm



SPLINES 16
HOLE - 4
PLATE 3.5"/ 87mm

AMBASSADOR, HYDRA, CRANES

MHYA 1810

CROSS - AMBASSADOR
23.83x61.30mm



PIPE 2"
HOLE - 4
PLATE 3.5"/ 87mm

AMBASSADOR, HYDRA, CRANES



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

FULL YOKE ASSY. & HALF YOKE ASSY.

MAHINDRA JEEP DIESEL

U J CROSS - MC1018 - 27x81.80mm

MFYA 910

CROSS - JEEP DIESEL
27x81.80mm



SPLINES 16
HOLES 4
PLATE 4" / 97mm

MAHINDRA JEEP DIESEL (ROUND BASE)

MHYA 911

CROSS - JEEP DIESEL
27x81.80mm



PIPE 2.5"
HOLE - 4
PLATE 4" / 97mm

MAHINDRA JEEP DIESEL (ROUND BASE, 2.5" PIPE)

MFYA 910A

CROSS - JEEP DIESEL
27x81.80mm



SPLINES 16
HOLES 4
SQUARE BASE

MAHINDRA JEEP DIESEL, MAX PICK UP (SQUARE BASE)

MHYA 911A

CROSS - JEEP DIESEL
27x81.80mm



PIPE 3"
HOLES 4
SQUARE BASE

MAHINDRA JEEP DIESEL, MAX PICK UP (SQUARE BASE, 3" PIPE)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CROSS HOLDER ASSY. (JOTA ASSY.) - MARINE & INDUSTRIAL APPLICATION

MCHA 120F

CROSS - 38.05x56.70mm



HOLE - 6
PLATE 4.72" / 120mm

CROSS CUP 38MM, PLATE 120MM, 6H

MCHA 616F

CROSS - 39.68x115.40mm



HOLE - 4
PLATE 6" / 150mm

CROSS CUP 38.70MM, PLATE 150MM, 4H

MCHA 818F

CROSS - 47.64x135mm



HOLE - 8
PLATE 7" / 176mm

CROSS CUP 47.6MM, PLATE 176MM, 8H

MCHA 1255F

CROSS - 41.28x126mm



HOLE - 8
PLATE 7" / 176mm

CROSS CUP 41.28MM, PLATE 176MM, 8H

MCHA 912F

CROSS - 27x81.80mm



HOLE - 4
PLATE 4" / 97mm

CROSS CUP 27MM, PLATE 97MM, 4H

MCHA 1811F

CROSS - 23.83x61.30mm



HOLE - 4
PLATE 3.5" / 88mm

CROSS CUP 23.83MM, PLATE 88MM, 4H



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STEERING JOINT CROSS ASSEMBLY

STEERING JOINT CROSS ASSEMBLY - FOR TATA MOTORS

MSCA 2003



TATA 1210 O/M

MSCA 2011

BOTH SIDE THIN SPL.



TATA 1312, SE

MSCA 2012

ONE SIDE THICK SPL.
OTHER SIDE THIN SPL.



TATA 1613 TURBO

MSCA 2020

ONE SIDE BIG YOKE
OTHER SIDE SMALL
YOKE



TATA 2515, 2516 (RANE
POWER STEERING)

MSCA 2055A

BOTH SIDE BIG YOKE



TATA 2515, 2516, LEYLAND
ZF STEERING

MSCA 2055B

BOTH SIDE SMALL YOKE



TATA 709 LPT, LEYLAND
ZF POWER STEERING

MSCA 2057

ONE SIDE BIG HOLE (THICK SPL.)
OTHER SIDE SMALL HOLE (THIN SPL.)



TATA 1109

MSCA 2027

BOTH SIDE SMALL HOLE
(THIN SPL.)



TATA 407, MATDOR MAX,
TRAX

MSCA 2086A



TATA 4018

MSCA 2041



TATA SUMO

MSCA 2041A



TATA SUMO VICTA

MSCA 2085



TATA 207 DI RX

MSCA 2059



TATA ACE, MAGIC, HT

MSCA 2059A

WITH ROD



TATA ACE WITH ROD
(OLD MODEL)

MSCA 2059AA

WITH ROD



TATA ACE WITH ROD
(MAGIC/ HT - NEW MODEL)

MSCA 2102

WITH ROD



TATA ACE SUPER WITH ROD

MSCA 2103

WITH ROD



TATA ACE SUPER
(LOWER WITH ROD)

MSCA 2104

WITH ROD



ACE IRIS (BIG 18" W/ ROD WITH
SMALL BORE IN SMALL YOKE)

MSCA 2105


WITH ROD



ACE IRIS (BIG 18" W/ ROD WITH
BIG BORE IN SMALL YOKE)

MSCA 2106

WITH ROD



ACE IRIS (BIG 18" - RANE
STEERING WITH ROD)

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STEERING JOINT CROSS ASSEMBLY

MSCA 2107

WITH ROD



TATA ACE IRIS (SMALL 5" W/ ROD WITH SMALL BORE IN SMALL YOKE)

MSCA 2107A

WITH ROD



TATA ACE IRIS (SMALL 5" W/ ROD WITH BIG BORE IN SMALL YOKE)

MSCA 2108

WITH ROD



TATA ACE HT (20" W/ ROD)

STEERING JOINT CROSS ASSEMBLY - FOR ASHOK LEYLAND

MSCA 2045

LEYLAND - THICK SPL.



LEYLAND 2516, 3516 O/M - THICK SPLINES

MSCA 2045A

LEYLAND - THIN SPL.



LEYLAND 2516, 3516 O/M - THIN SPLINES

MSCA 2055

LEYLAND - LONG YOKE



LEYLAND 3516, 3518 - LONG

MSCA 2095

9 SPLINES



LEYLAND IVECO 709, STALLION (O.E. P.NO.: F7859500) NO.: 116

MSCA 2096

9 SPLINES



LEYLAND IVECO 909 - NEW MODEL NO.:119

MSCA 2097

26 SPLINES
PIPE 305MM



LEYLAND U-TRUCK (26 TEETH - PIPE 305MM)

MSCA 2098

26 SPLINES
PIPE 250MM



LEYLAND U-TRUCK (26 TEETH - PIPE 250MM)

MSCA 2099

26 SPLINES
PIPE 192MM



LEYLAND U-TRUCK, 4018 (26 TEETH - PIPE 192MM)

STEERING JOINT CROSS ASSEMBLY - FOR EICHER MOTORS

MSCA 2087

16 SPLINES



EICHER 10.60 (O.E. P.NO.: 302364)

MSCA 2088

16 SPLINES



EICHER 10.95 (LONG)

MSCA 2090

16 SPLINES



EICHER 11.10

MSCA 2091

16 SPLINES



EICHER JUMBO TURBO

MSCA 2100

16 SPLINES



EICHER JUMBO, GALAXY (16 SPLINES) (O.E. P.NO.: 312380)

MSCA 2101

16 SPLINES



EICHER JUMBO, GALAXY - POWER STEERING (16 SPLINES) (EICHER HCV)

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

STEERING JOINT CROSS ASSEMBLY

STEERING JOINT CROSS ASSEMBLY - FOR SWARAJ MAZDA

MSCA 2089

16 SPLINES



SWARAJ MAZDA - NEW MODEL

MSCA 2089A

16 SPLINES



SWARAJ MAZDA - OLD MODEL

STEERING JOINT CROSS ASSEMBLY - FOR MAHINDRA

MSCA 2082A



MAHINDRA MARSHAL BIG, UTILITY

MSCA 2083



MAHINDRA COMMANDER - SMALL

MSCA 2080U



MAHINDRA BOLERO - UPPER

MSCA 2081L



MAHINDRA BOLERO - LOWER

MSCA 2084



MAHINDRA SCORPIO

MSCA 2085



MAHINDRA MAXIMO WITH ROD

STEERING JOINT CROSS ASSEMBLY - FOR RANE POWER STRG. MODIFIED

MSCA 2020M

SMALL YOKE - THIN SPL.
BIG YOKE - THICK SPL.



RANE POWER STRG. (SMALL YOKE
- THIN SPL. & BIG YOKE - THICK SPL.)

MSCA 2055BM

ONE SIDE THIN SPL.
OTHER SIDE THICK SPL.



ZF POWER STRG. - ONE SIDE THIN SPL.
& OTHER SIDE THICK SPL.

MSCA 2086J



JCB

STEERING JOINT CROSS ASSEMBLY - PUNCH TYPE (ORIGINAL TYPE)

MSCA 2020P

ORIGINAL -
PUNCH TYPE



TATA 2515, 2516 - RANE
POWER STRG.

MSCA 2055BP

ORIGINAL -
PUNCH TYPE



TATA 709 LPT, LEY.
ZF POWER STRG.

MSCA 2027P

ORIGINAL -
PUNCH TYPE



TATA 407

MSCA 2057P

ORIGINAL -
PUNCH TYPE



TATA 1109

MSCA 2055AP

ORIGINAL -
PUNCH TYPE



TATA 2515, 2516, LEY.
ZF STRG.

GEAR BOX HOUSING BLOCK ASSEMBLY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

MGBA 2061



TATA 2516, LEYLAND (SPLINE BORE)

MGBA 2065



TATA 1512, 1613 TC (THREAD BORE)

MGBA 2068



LEYLAND 3518, 3118, LEYLAND BUS

MGBA 2066



TATA 2516 TC

MGBA 2067



TATA 4018

MGBA 2060



TATA 1312

MGBA 2062



TATA 1616

MGBA 2064



TATA 1313



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

CLUTCH FORK

MCF 2048



TATA 1210 O/M
(312 293 1211)

MCF 2049

GB 30 REGULAR



TATA 1210 SE

MCF 2049A

GB 40 REGULAR



TATA GBS - 40
(2573 2560 5102)

MCF 2051A

GB 40 SHORT



TATA 1510, 1516, 1612,
1312 N/M

MCF 2051



TATA 1312 N/M, 1109

MCF 2057



TATA 1613 TC SHORT

MCF 2058



TATA 1613 TC LONG

MCF 2050



MCF 2072



TATA 1109 - SINGLE BEND

MCF 2073



TATA 1109 - DOUBLE BEND

MCF 2052



TATA 407
(2651 2560 0107)

MCF 2053



TATA 709, 1109

MCF 2053A



TATA 709 TC, 1109 TC

MCF 2071

GB 1150



TATA 4018, 3118

MCF 2074

GB 55



TATA GBS-55

MCF 2056

GB 60



TATA GBS-60

MCF 2070

GB 75



TATA GBS-75

MCF 2054



LEYLAND O/M W/ BUSH

MCF 2054A

THREAD TYPE



LEYLAND N/M W/ BUSH
THREAD TYPE

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY

STEERING YOKE & TEETH (GLIDE COAT)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

MSYT 2111C

COMPRESSED TL=8"



TATA SUMO

MSYT 2112C

COMPRESSED TL=15"



TATA 207 DI

MSYT 2113C

COMPRESSED TL=17.5"



TATA 407

MSYT 2113AC

COMPRESSED TL=17.5"



TATA 407 TURBO
(HEAVY DUTY)

MSYT 2114C

COMPRESSED TL=16"



TATA 609 DI, 709

MSYT 2115C

COMPRESSED TL=16"



TATA 709 LPT

MSYT 2116C

COMPRESSED TL=15.75"



TATA 1109 LP

MSYT 2117C

COMPRESSED TL=15.5"



TATA 3015 EX, 1613 TC,
2515 TC

MSYT 2118C

COMPRESSED TL=17.5"



TATA SUMO

MSYT 2119C

COMPRESSED TL=18.75"



TATA 2515 - RANE POWER
STEERING

MSYT 2120C

COMPRESSED TL=19.5"



TATA 2515 - ZF POWER
STEERING

MSYT 2121C

COMPRESSED TL=18"



TATA 4018 EX

MSYT 2122C

COMPRESSED TL=20"



TATA 410, 712 SFC N/M

MSYT 2123C

COMPRESSED TL=19.75"



TATA 1109 EX - LONG

MSYT 2124C

COMPRESSED TL=14"



TATA 1613 LPT

MSYT 2125C

COMPRESSED TL=14"



TATA 712 EX SFC

MSYT 2126C

COMPRESSED TL=11.75"



TATA 407 CITY RIDE

MSYT 2127C

COMPRESSED TL=18.5"



TATA 909 EX

MSYT 2128C

COMPRESSED TL=12.5"



TATA 4923, 4018 N/M

MSYT 2129C

COMPRESSED TL=14"



TATA 3118

MSYT 2130C

COMPRESSED TL=16.75"



TATA 1613 LPT



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

INTER AXLE SHAFT ASSY. - 100% DYNAMIC BALANCED

SPICER 1550/ 1710 SERIES

U J CROSS LEY. TUSKER - MC1021 - 34.94x126mm

MISA 1245B



LEYLAND 2516 TCAC, TATA 4923

MISA 1245



LEYLAND 2214

MISA 1245D



LEYLAND 2516, TATA 2923, STALLION 6x6 THAI

MRTST 1240BC



LEY. 2516
(INTERAXLE)

MRT 1232MCP



LEY. 2516
(INTERAXLE)

MST 1325D



LEY. 2516
(INTERAXLE)

SPICER SPL90/ 1710 SERIES

U J CROSS SPICER SPL90 - MC1013 - 41.28x126mm

MISA 1245A



LEYLAND 2516, 2518 6x4 TIPPER BSIII
150 WB/ AMW 2516

MISA 1250



LEYLAND 2516, 2518 6x4 TIPPER BSIII
150 WB/ AMW 2516

MISA 1260



AMW 2516 - BOGGIE SUSPENSION, BHARAT BENZ 25T
TIPPER, LEY. 4923 TRACTOR

MISA 1258



LEYLAND 2516, 2518 6x4 TIPPER BSIII 150 WB

MISA 1250A



LEYLAND 4923 TRACTOR

MISA 1259



LEYLAND 2516, 2518 6x4 TIPPER BSIII 150 WB

The Power of Motion in the New Millennium - **MOOVEL AUTOMOTIVE**
PRODUCTS OF AN ISO 9001:2008 CERTIFIED COMPANY



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

INTER AXLE SHAFT ASSY. - 100% DYNAMIC BALANCED

RSB 403 SERIES


U J CROSS RSB 403 - MC1026 - 42x129.40mm

MISA 1336



TATA LPT 2518 BOGIE SUSPENSION


MISA 1336A



TATA LPT 2518 38 WB SRT AXLE

TATA 2516 LPK U J CROSS RSB 1312 - MC1023 - 46.05x68.70mm

MISA 1340



TATA LPT 2516 38 WB SRT AXLE

MISA 215



TATA 2516 LPK

RSB 490 SERIES

U J CROSS RSB 490 - MC1031 - 48x135mm

MISA 1350



TATA LPS 4923 WITH EATON GB & SRT AXLE,
LPK 2523 TC 6x4 SRT AXLE

MISA 1355



TATA LPK 2523 TC BSIII - MERITOR AXLE,
TATA LPS 3118 8x4 TC 56 WB

RSB 590 SERIES U J CROSS RSB 590 - MC1038 - 52x147mm

MISA 1350A



TATA LPK 2523 TC BSIII - MERITOR AXLE,
TATA LPS 4923 TC 6x4 BSIII

MISA 2745



TATA LPK 2523 6x4 SRT AXLE, VECV - PRO 6025

SPICER 2045 SERIES


U J CROSS SPICER 2045 - MC1038 - 52x147mm

MISA 2746



TATA 3138, 2528

MISA 2748



TATA LPO 2630 RE LE - ARTICULATED BUS



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

INTER AXLE SHAFT ASSY. - 100% DYNAMIC BALANCED

SPICER 2040 SERIES

U J CROSS LEY. U-TRUCK - MC1015UT - 47.64x135mm

MISA 2845

CROSS HOLDER 6" SERRATED
SPICER 2040 CROSS, 4 HOLE (BOLT NO. 19)



AMW 2528 TP 6x4, 4923 TR 6x4, MAH. NAVISTAR 25T
STD TIPPER 9 SPEED, 40T/ 25T HD TIPPER

MISA 2846

CROSS HOLDER 6" SERRATED
SPICER 2040 CROSS, 4 HOLE (BOLT NO. 19)



TATA 4923, 2523, LEY. 3123 TIPPER, 2523 6x4,
HMV 6x6 TRUCK, BHARAT BENZ 40T/ 25T HD TIPPER

MISA 2847

CROSS HOLDER 6" SERRATED
SPICER 2040 CROSS, 4 HOLE (BOLT NO. 19)



LEYLAND 2518 6x4 TIPPER

MISA 2848

CROSS HOLDER 7" SERRATED
SPICER 2040 CROSS, 4 HOLE (BOLT NO. 22)



TATA LPK 3123, 2518

MISA 2849

CROSS HOLDER 7" SERRATED
SPICER 2040 CROSS, 4 HOLE (BOLT NO. 22)



BHARAT BENZ CLA 31.28

TRANSMISSION SHAFT FOR JCB & EARTH MOVING EQUIPMENT



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

MTSA 5001

PLATE 3.5"/ 87MM
HOLE 4

265MM



CROSS - 23.63x61.40mm

PUMP COUPLING HYDRA (ACE/ ESCORTS)

MTSA 5002

PLATE 3.5"/ 87MM
HOLE 4

220MM



CROSS - 23.63x61.40mm

PUMP COUPLING FOR STANDARD CRANE

MTSA 5003

SQUARE BASE
HOLE 4

22.5"/ 570MM



CROSS - 34.94x106mm

JCB 3DX

MTSA 5004

SQUARE BASE
HOLE 4

260MM



CROSS - 34.94x126mm

REAR PROPELLER SHAFT - JCB 3DX

MTSA 5005

SQUARE BASE
HOLE 4

302MM

BORE ID
25.4MM/ 1"



CROSS - 27x81.80mm

PUMP COUPLING FOR JCB 3DX (BORE ID 25.4MM)

MTSA 5006

SQUARE BASE
HOLE 4

302MM

BORE ID
28.5MM/ 1.12"



CROSS - 27x81.80mm

PUMP COUPLING FOR JCB 3DX (BORE ID 28.5MM)

MTSA 5007

PLATE 4.72"/ 120MM
HOLE 8

285MM



CROSS - 30.18x106mm

PROPELLER SHAFT N/M (770) - L&T

MTSA 5008

PLATE 4.72"/ 120MM
HOLE 6

315MM



CROSS - 30.18x106mm

PROPELLER SHAFT O/M (583) - L&T

MTSA 5009

320MM



CROSS - 30.18x106mm

PROPELLER SHAFT FOR TEREX/ L&T (KERRARO ENGINE),
ESCORT DIGIMAX

MTSA 5010

585MM/ 23"



CROSS - 30.18x92mm

TRANSMISSION SHAFT (4x4) FOR JCB 4DX



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

TRANSMISSION SHAFT FOR JCB & EARTH MOVING EQUIPMENT

MTSA 5011



CROSS - 30.18x92mm

TRANSMISSION SHAFT (4x4) FOR JCB 4DX

MTSA 5012



CROSS - 30.18x92mm

TRANSMISSION SHAFT (4x4) FOR JCB 4DX

MTSA 5013

HOLE 4



CROSS - 30.18x81.80mm

PUMP COUPLING F-15 (ESCORT)

MTSA 5014

ROUND BASE
HOLE 4



CROSS - 27x81.80mm

PUMP COUPLING FX 150/ FX 120 (ACE)



MOOVEL
AUTOMOTIVE PARTS
AN ISO 9001:2008 CERTIFIED COMPANY

THRU SHAFT FOR DOUBLE DIFF. VEHICLES

MTS 2601T

34x32 SPLINES



MERITOR TYPE - 34x32 SPLINES

MTS 2602T

26x35 SPLINES



SPICER TYPE - 26x35 SPLINES

MTS 2603T

39x20 SPLINES



SPICER TYPE - 39x20 SPLINES

MTS 2604T

39x34 SPLINES



SPICER TYPE - 39x34 SPLINES



Certificate of Registration (Quality Management System)

QFS MANAGEMENT SYSTEMS LLP

This is to Certify that the Quality Management System of

IMPULSE TECHNO CORPORATION

G-1019, DSIIDC INDUSTRIAL COMPLEX, NARELA, DELHI- 110040 (INDIA)

Has been found to be of the Quality Management System Standard

ISO 9001:2015

This certificate is valid for the following product or service range

MANUFACTURING & MARKETING OF PROPELLER SHAFT COMPONENTS UNIVERSAL JOINT
GROSSES, STEERING LINK AGES, AGRICULTURAL & TRACTOR PARTS & CNC MACHINED
COMPONENTS FOR AUTOMOTIVE, AGRICULTURAL & INDUSTRIAL APPLICATIONS.

Certificate Number: **IS/1908IE/1303**

Initial Date of Certification: **02.08.2019**

Date of Certificate: **02.08.2019**

Date of Expiry: **01.08.2022**

Director:

Date: **02.08.2019**

1st Surv. Due on: **01.07.2020**

2nd Surv. Due on: **01.07.2021**



The validity of certificate is subject to regular surveillance audit on or before above mentioned dates and its only valid after successful surveillance with continuation letter issued by QFS. It is issued subject to the continued availability of access at any time and without notice to the above named organization's premises for the purpose of assessment and surveillance regarding the standard named above and QFS terms and conditions.

QFS MANAGEMENT SYSTEMS LLP

A-27/H, Sector-16, Noida-201301, U.P., India

Reach us : **9205794699**

www.qfscerts.com

email: admin@qfscerts.com

This Certificate remains the property of QFS



MOOVEL

AUTOMOTIVE PARTS

AN ISO 9001:2008 CERTIFIED COMPANY



IMPULSE TECHNO CORPORATION

AN ISO 9001:2008 CERTIFIED COMPANY

Plot # 1019, G-Block, DSIIDC Narela Industrial Area,
Narela, Delhi - 110 040 (India)

Ph.:+91-11-27782898 Telefax:+ 91-11-27782238

Mob.:+ 91 98100 05509

E-mail :moovel@gmail.com, moovel@rediffmail.com

Website: www.moovel.co.in