



DOUGH BASED PRODUCTS

Processing Machinery

+91 94260 88680, +91 94274 17384, +91 88493 52717

info@jasenterprise.com  www.jasenterprise.com

DOUGH PROCESSING MACHINE

Dough kneader with Twin Screw Extruder



Model No.	JAS-DSE-01
Production capacity per batch	10-15 kg/batch
Tank Size	14" × 12" × 15 "
Extruder	Double Screw
Dough Sheet size	8 inches (200 mm) X 12 mm or 8 inches (200 mm) X 6 mm
Motor Power	1.5 H.P. (1.13kW)
Dimension of Machine	45" × 20" × 32"
Approx. Weight	95 kg

U type Dough Kneader



Model No.	Mixing Capacity	Motor Power	Dimension of Machine
JAS-EPM-36	15-20 kg / batch	2 HP (1.5 kW)	68" × 25" × 41" (220 kg)
JAS-EPM-60	20-30 kg / batch	3 HP (2.25 kW)	92" × 25" × 41"(370 kg)

Dough Extruder



Model No.	JAS-DE-200	JAS-DE-400	JAS-DE-600
Extruder	Double Worm	Four Worm	Six Worm
Dough Sheet size	8" x 12 mm	16" x 12 mm	24" x 12 mm
Motor Power	1.5 H.P. (1.13kW)	1.5 H.P. (1.13kW)	2 HP (1.5 kW)
Dimension of Machine	27" × 19" × 30"	33" × 25" × 33"	33" × 32" × 34"
Weight	75 kg	120 kg	155 kg

Dough Kneader



Model No.	Capacity	Motor Power	Bowl Size	Dimension of Machine
JAS-DK-5	5 kg/batch	0.5 HP (0.37 kW)	Ø 15" × 9"	30" × 15" × 24" (47 kg)
JAS-DK-10	10 kg/batch	1 HP (0.75 kW)	Ø 19" × 13"	38" × 19" × 35" (100 kg)
JAS-DK-15	15 kg/batch	1 HP (0.75 kW)	Ø 20.5" × 13"	40" × 22" × 36" (120 kg)
JAS-DK-20	20 kg/batch	2 HP (1.5 kW)	Ø 22" × 15"	43" × 24" × 40" (125 kg)
JAS-DK-25	25 kg/batch	2 HP (1.5 kW)	Ø 24" × 15"	44" × 26" × 40" (135 kg)
JAS-DK-30	30 kg/batch	2 HP (1.5 kW)	Ø 25.5" × 15"	45" × 26" × 40" (145 kg)
JAS-DK-40	40 kg/batch	3 HP (2.25 kW)	Ø 27.5" × 18"	52" × 28" × 44" (180 kg)
JAS-DK-50	50 kg/batch	3 HP (2.25 kW)	Ø 28" × 19"	52" × 28" × 44" (200 kg)

DOUGH PROCESSING MACHINE

Dough Kneader with Gas Burner



Model No.	JAS-KMM-5	JAS-KMM-10	JAS-KMM-15	JAS-KMM-25	JAS-KMM-30	JAS-KMM-50
Bowl Size	Ø 11" × 6"	Ø 18" × 10"	Ø 20" × 11"	Ø 23" × 13"	Ø 25" × 15"	Ø 30" × 18"
Production Capacity *	5 kg/batch	10 kg/batch	15 kg/batch	25 kg/batch	30 kg/batch	50 kg/batch
Motor Power	0.5 HP (0.37 kW)	1 HP (0.75 kW)	1 HP (0.75 kW)	1.5 HP (1.1 kW)	2 HP (1.5 kW)	3 HP (2.25 kW)
Dimension of Machine	28" × 18" × 40" (70 kg)	30" × 21" × 42" (85 kg)	35" × 23" × 44" (100 kg)	38" × 25" × 40" (110 kg)	40" × 32" × 48" (120 kg)	45" × 35" × 55" (145 kg)

Note : Each batch requires a processing time of 10–15 minutes.

PAPAD MATHIYA CHORAFALI MAKING MACHINE


Semi-Automatic Papad Making Machine



Model No.	JAS-SAPM-100	JAS-SAPM-125	JAS-SAPM-250
Production Capacity per 8-hour shift	100 kg/day 10-12.5 kg/hr	125 kg/day 12 - 15 kg/hr	250 kg/day 25-30 kg/hr
Roller	Ø 8" × 14"	Ø 10" × 14"	Ø 10" × 20"
Belt Width	15"	15"	22"
Motor Power	1 HP (0.75 kW)	1 HP (0.75 kW)	1.5 HP (1.1 kW)
No. of Die Roll	1 Number	2 Number	2 Number
Extension Belt	Not Applicable	Not Applicable	48" L x 22" W

PAPAD MATHIYA CHORAFALI MAKING MACHINE

Automatic Papad Making Machine with 3 phase Electric Dryer




Model No.	JAS-FAPM-100
Production Capacity per 8-hour shift	125-160 kg/day 15-20 kg/hr
Roller	Ø 8" x 14"
Belt Width	15"
No. of Die Roll	2 Number
Motor Power	20 HP (15 kW)
Dryer Length in Feet	32" x 72"
Conveyor Belt	6 No. Hot + 1 No. Cold
Dimension of Machine in Feet	45' x 3' x 5'

FULLY AUTOMATIC PAPAD MAKING MACHINE WITH DIESEL/GAS/PELLET FIRED DRYER MACHINE



Model No.	JAS-FAMP-200	JAS-FAMP-300	JAS-FAMP-500	JAS-FAMP-1000
Production Capacity	200 kg/day	300 kg/day	500 kg/day	1000 kg/day
Roller	Ø 10" x 14"	Ø 10" x 18"	Ø 10" x 24"	Ø 12" x 38"
Hot Air Generator	MS Outer body with SS heat exchanger, duly insulated Along with 1 HP blower and a RIELLO/ECOFLAM make burner	MS Outer body with SS heat exchanger, duly insulated Along with 2 HP blower and a RIELLO/ECOFLAM make burner	MS Outer body with SS heat exchanger, duly insulated Along with 3 HP blower and a RIELLO/ECOFLAM make burner	MS Outer body with SS heat exchanger, duly insulated Along with 7.5 HP blower and a RIELLO/ECOFLAM make burner
Dimension of Dryer	31' x 6'	32' x 6'	38' x 6'	50' x 55" x 100"
Conveyor Belt	6 No. Hot+2 No. Cold	8 No. Hot+2 No. Cold	8 No. Hot+2 No. Cold	12 No. Hot+2 No. Cold
Motor Power	6 HP	10 HP	13 HP	30 HP
Dimension of Machine	50' x 3' x 5'	55' x 3.5' x 6'	65' x 4' x 6'	70' x 5.5' x 6'

SAMOSA PATTI MAKING MACHINE



Model No.	JAS-SPM-150	JAS-SPM-400	JAS-SPM-800
Production Capacity	18-20 kg/hr	40-50 kg/hr	100-125 kg/hr
Roller Size	Ø 6" x 14"	Ø 7" x 14"	Ø 8" x 22"
Dry Flour Sprinkler	2 Number	2 Number	4 Number
Roaster Size	7' x 3' x 3' feet	12' x 3' x 3' feet	10' x 4' x 3' feet
Conveyor Belt	15" Width (4 Number)	15" Width (4 Number)	23" Width (4 Number)
Bottom Heating	LPG/PNG	LPG/PNG	Electric Heater
Top Heating	Electric Heater	Electric Heater	Electric Heater
Power	7 kW	10 kw	45 kW
Required Size in feet	26' x 3' x 3'	32' x 3' x 3'	45' x 4' x 3'



DOUGH SHEETING & DIE CUTTING



JAS-EPP-300



JAS-EPP



HORIZONTAL FEEDING



JAS-DBPM



JAS-PMM



JAS-ELPM

Model Range	EPP- 300 / 400 / 600 / 800	DBPM- 400 / 600 / 800	PMM- 400 / 600 / 800	ELPMM- 400 / 600 / 800
Dough Sheeting	Single Pass	Double Pass	Double Pass	Double Pass
Conveyor Belt	Single Belt	Double Belt	Three Belt	Four Belt
Wastage Belt	No	Yes	Yes	Yes
Extension Belt	No	No	Yes	Yes
Easy Cloth Lifting Belt	No	No	No	Yes
Sheeting Roller Width	6" to 24"	12" to 24"	12" to 24"	12" to 24"
Power Requirement	0.5-1.5 HP	0.5-1.5 HP	0.5-1.5 HP	0.5-2 HP
Endless Belt Width	7" to 25"	11" to 23"	11" to 23"	11" to 35"
Belt Configuration	1 Belt	2 Belts	3 Belts	4 Belts
Wastage Collection	No / Tray Base	Yes (Direct Hopper)	Yes (Direct Hopper)	Yes (Direct Hopper)
Flour Sprinkling	No	Yes	Yes	Yes
Easy Lifting	No	No	No	Yes
Speed Controller	At extra cost	At extra cost	At extra cost	Included
Emergency Stop	At extra cost	At extra cost	At extra cost	Included
Overload Protection	At extra cost	At extra cost	At extra cost	Included
Model No.	-300	-400	-600	-800
Sheeting Roller Width	6" (150 mm)	12" (300mm)	18" (450 mm)	24" (600 mm)
Endless Belt Width	7" (175 mm)	13" (325 mm)	19" (475 mm)	25" (625 mm)
Belt	1 Number	1 Number	1 Number	1 Number
Power Requirement	0.5 HP (0.375 kW)	0.5 HP (0.375 kW)	1 HP (0.75 kW)	1.5 HP (1.12 kW)
Wastage Collection System	No	Yes	Yes	Yes

Note : For higher capacity please contact to us. Custom design also available.

DOUGH SHEETING & DIE CUTTING



Sheeting Roller Width	Available Die		150 - 300	300 - 400	450 - 600	600 -800
Model No. / Die No.	Die Size in mm	Die Size in Inch	Production Capacity pcs per Hour			
JAS-RBD-12	12	0.47"	54000	112500	166500	225000
JAS-RBD-20	20	0.79"	18900	40500	59400	81000
JAS-RBD-25	25	0.98"	12600	25200	37800	50400
JAS-RBD-30	30	1.18"	9000	18000	27000	36000
JAS-RBD-32	32	1.26"	6600	14850	23100	29700
JAS-RBD-38	38	1.5"	4050	9450	14850	20250
JAS-RBD-41	41	1.61"	3600	8400	12000	16800
JAS-RBD-45	45	1.77"	3600	7200	12000	15600
JAS-RBD-47	47	1.85"	3150	6300	9450	12600
JAS-RSD-48	48	1.89"	3150	6300	9450	12600
JAS-RBD-50	50	1.97"	3150	6300	9450	12600
JAS-RSD-51	51	2.01"	2100	5250	8400	11550
JAS-RBD-52	52	2.05"	1800	4500	7200	9900
JAS-RSD-54	54	2.13"	1800	4500	7200	9900
JAS-RBD-55	55	2.17"	1800	4500	7200	9000
JAS-RBD-60	60	2.36"	1800	4500	6300	9000
JAS-RBD-65	65	2.56"	1500	3000	4500	6750
JAS-RBD-75	75	2.95"	1200	2400	3600	4800
JAS-RBD-80	80	3.15"	600	1800	3000	4200
JAS-RBD-85	85	3.35"	600	1800	3000	4200
JAS-RBD-90	90	3.54"	600	1800	3000	3600
JAS-RBD-95	95	3.74"	450	1350	1800	2700
JAS-RBD-98	98	3.86"	450	1350	1800	2700
JAS-RBD-100	100	3.94"	450	1350	1800	2700
JAS-RBD-105	105	4.13"	450	900	1800	2250
JAS-RBD-110	110	4.33"	450	900	1800	2250
JAS-RSD-112	112	4.41"	450	900	1800	2250
JAS-RSD-114	114	4.49"	450	900	1350	2250
JAS-RBD-115	115	4.53"	450	900	1350	2250
JAS-RSD-118	118	4.65"	450	900	1350	2250
JAS-RBD-120	120	4.72"	450	900	1350	2250
JAS-RBD-125	125	4.92"	300	600	900	1200
JAS-RBD-130	130	5.12"	300	600	900	1200
JAS-RBD-140	140	5.51"	300	600	900	1200
JAS-RBD-145	145	5.71"	300	600	900	1200
JAS-RBD-150	150	5.91"	300	600	900	1200
JAS-RBD-160	160	6.3"	0	300	600	900
JAS-RBD-165	165	6.5"	0	300	600	900
JAS-RBD-175	175	6.89"	0	300	600	900
JAS-RBD-178	178	7.01"	0	300	600	900
JAS-RBD-180	180	7.09"	0	300	600	900
JAS-RBD-190	190	7.48"	0	150	300	450
JAS-RBD-200	200	7.87"	0	150	300	450
JAS-RBD-220	220	8.66"	0	150	300	300
JAS-RBD-230	230	9.06"	0	150	150	300
JAS-RBD-240	240	9.45"	0	150	150	300
JAS-RBD-270	270	10.63"	0	150	150	300
JAS-RBD-320	320	12.6"	0	0	150	150
JAS-RBD-355	355	13.98"	0	0	150	150



SAMOSA PRODUCTION CAPACITY PER HOUR

Roller Width			150	300	450	600
Model No.			300	400	600	800
Die No.	Die Size in mm	Type	Production Capacity pcs per hour			
1	80 × 65	DUPLEX	1200	2400	3600	5400
2	93 × 83	DUPLEX	600	1800	3000	4200
3	135 × 125	SINGLE	300	600	900	1200
4	140 × 120	DUPLEX	300	600	900	1500
5	165 × 125	DUPLEX	300	600	900	1200
6	165 × 140	DUPLEX	300	600	900	1200
7	185 × 125	SINGLE	150	300	450	600
8	200 × 140	DUPLEX	150	300	450	600
9	140 × 110	DUPLEX	300	600	1200	1500
10	190 × 150	DUPLEX	150	300	450	600
11	245 × 165	SINGLE	0	150	300	450
12	125 × 75	DUPLEX	0	300	600	900
13	80 × 80	SINGLE	1200	2400	3600	4800
14	230 × 150	SINGLE	150	450	750	1050
15	165 × 165	SINGLE	300	600	900	1200
16	127 × 95	SINGLE	0	300	600	900
17	300 × 135	SINGLE	150	450	600	900
18	115 × 110	DUPLEX	450	900	1350	1800
19	185 × 140	SINGLE	150	300	450	600
20	152 × 150	SINGLE	3000	6000	9000	12000



FLOUR KNEADER WITH FLOUR FLATTING MACHINE



Stainless Steel Model



MS Model

Jas Brand Paddle Mixer with Patta Making Machine

Model No.	JAS-PMPM-200-MS	JAS-PMPM-200-SS	JAS-PMPM-400-MS	JAS-PMPM-400-SS	JAS-PMPM-600-MS	JAS-PMPM-600-SS
Mixing Capacity	200 kg/hr	200 kg/hr	400 kg/hr	400 kg/hr	600-800 kg/hr	600-800 kg/hr
Motor	3 HP (2.25 kW)	3 HP (2.25 kW)	3 HP (2.25 kW)	3 HP (2.25 kW)	10 HP (7.5 kW)	10 HP (7.5 kW)
MOC	MS	SS	MS	SS	MS	SS



Jas Brand Nimki Making Machine

Model No.	JAS-NMM-200-MS	JAS-NMM-200-SS	JAS-NMM-400-MS	JAS-NMM-400-SS	JAS-NMM-600-MS	JAS-NMM-600-SS
Roll Width	18"	18"	24"	24"	27"	27"
Production Capacity	200 kg/hr	200 kg/hr	400 kg/hr	400 kg/hr	600-800 kg/hr	600-800 kg/hr
Motor	2 HP (1.5 kW)	2 HP (1.5 kW)	3 HP (2.25 kW)	3 HP (2.25 kW)	7.5 HP (5.6 kW)	7.5 HP (5.6 kW)
MOC	MS	SS	MS	SS	MS	SS

FRYER WITH TILTING SYSTEM



Model No.	Kadai Size	Capacity	kW	Phase	Dimension of Machine
JAS-KF-16	16"	10 Litre	6 kW	1/2	18" × 18" × 32"
JAS-KF-18	18"	12 Litre	6 kW	1/2	20" × 20" × 32"
JAS-KF-20	20"	15 Litre	6 kW	1/2	22" × 22" × 32"
JAS-KF-22	22"	20 Litre	6 kW	1/2	24" × 24" × 32"
JAS-KF-24	24"	26 Litre	6 kW	1/2	26" × 26" × 32"
JAS-KF-26	26"	30 Litre	6 kW	1/2	28" × 28" × 32"
JAS-KF-28	28"	32 Litre	7 kW	1/2	30" × 30" × 32"
JAS-KF-30	30"	42 Litre	8 kW	1/2	32" × 32" × 32"
JAS-KF-36	36"	58 Litre	9 kW	3	38" × 38" × 32"
JAS-KF-42	42"	66 Litre	12 kW	3	44" × 44" × 32"
JAS-KF-48	48"	85 Litre	15 kW	3	50" × 50" × 32"
JAS-KF-54	54"	100 Litre	18 kW	3	56" × 56" × 32"



Kadai Size	Capacity	kW	Phase	Dimension of Machine
18"	10 Litre	5 kW	1	24" × 24" × 34"
20"/22"	18 Litre	8 kW	1	26" × 26" × 34"
24"	22 Litre	10 kW	3	28" × 28" × 34"
28"/30"	30 Litre	15 kW	3	34" × 34" × 34"
30"/32"	30 Litre	20 kW	3	36" × 36" × 34"
36"	45 Litre	30 kW	3	42" × 42" × 34"

DIRECT HEAT BATCH FRYER




PANIPURI PRESSING MACHINE



PARATHA MAKING MACHINE



CONTINUOUS PANI PURI FRYER





Jas Enterprise

27-29, Om Industrial Park Part-2,
Insight of Paavan Industrial Estate Gate No.2,
Bakrol Bujrang, Ahmedabad, Gujarat-382433, India.



Food Processing Machines -
Jas enterprises

☎ : +91 94260 88680, +91 9427417384, +91 88493 52717

✉ : info@jasenterprise.com

🌐 : www.jasenterprise.com

📷 [jasenterprise](#) 📺 [jasenterprise1990](#) 🐦 [jasenterprise1990](#) 📘 [jasenterprise90](#)

Disclaimer

Design & Specifications : We reserve the right to modify any dimensions, designs, features, or specifications without prior notice as part of our continuous improvement process.
Capacity Figures : All capacity figures mentioned are indicative and may vary depending on product characteristics, operating conditions, and other influencing factors.
Legal Notice : This catalogue is intended solely as a general guideline. It does not constitute any legal, contractual, or binding obligation in any form.