

HOW TO ORDER



Our aim is to make ordering as quick, easy and convenient as possible. Our products are available via a comprehensive network of stockists throughout the UK, Ireland and the rest of the world.

Our Distributors hold stock of fast-moving items. If they do not have the specific item that you require, they can order it from us and we will deliver it promptly.

Finding your local Stockist is quick and easy, either visit www.sealey.co.uk or call us on the number shown below.



+91 9380647428

+91 8073843541



info@vandita-technovations.in



www.vandita-technovations.in

Our call centre is open between 8.30am to 5.30pm Monday to Friday. Calls are immediately passed to the first available operator without any complicated routing process. Our experienced, professional and friendly advisors can provide instant stock availability, pricing and technical information.

Our authorised stockists can order direct from us via telephone, email, fax or online using our B2B (Business to Business) website. Here, you can place your order at a time that suits you and view instant stock availability and pricing.

HUGE STOCKS & FAST DESPATCH

We hold over £30million worth of stock. Modern, computer controlled warehousing enables, on average, 99.8% of our entire product range to be despatched straightaway.

Some items in our Catalogue are very heavy and extra assistance is recommended at the delivery point to help unload. Look out for this logo on products affected.



1	HAND TOOLS	14-264
2	JACKING & LIFTING	265-324
3	MOTORCYCLE TOOLS	325-353
4	BATTERY CHARGERS	354-377
5	VEHICLE SERVICE TOOLS	378-629
6	LUBRICATION	630-677
7	BODYSHOP	678-729
8	AIR POWER TOOLS	730-764
9	COMPRESSORS	765-796
10	WELDING & CUTTING	797-819
11	ELECTRIC POWER TOOLS	820-857
12	POWER TOOL ACCESSORIES	858-912
13	LIGHTING & POWER	913-953
14	STORAGE & WORKSTATIONS	954-1073
15	HEATING & COOLING	1074-1095
16	JANITORIAL, MATERIAL HANDLING & LEISURE	1096-1176
17	MACHINE SHOP	1177-1236
18	SAFETY PRODUCTS	1237-1264
19	CONSUMABLES	1265-1331
INDEX - MODEL NO.		1332-1362
INDEX - DESCRIPTIVE		1363-1370

OUR BRANDS AND GUARANTEES

The Sealey range of tools and equipment is designed with you in mind. Throughout this catalogue you will find various brand logos and explanations to help differentiate between the choices available. Whichever level you choose, quality assurance is always guaranteed.



Made for the Trade, the Sealey brand is defined by traditional designs and proven workshop reliability. Our core range, trusted for over 40 years, is one of the UK's market leaders in tools and equipment.



Offering you impressive reliability with exceptional value for money. Our Siegen range is backed up with the same professional aftersales service as the Sealey and Premier ranges.



New to this catalogue is the trusted Worksafe® brand of safety products and power tool accessories - the latest big addition to the Sealey range.



Manufactured from the highest quality materials to exacting standards for a long and durable life, our Premier range delivers exceptional performance at a competitive price.

LONG-TERM GUARANTEES*

At Sealey we have some of the best guarantees* in the business. All Premier and Siegen Hand Tools are covered by our no-quibble lifetime guarantee* against manufacturing defects, with many other products benefiting from our 2, 3 or 5 Year guarantees* where indicated on the product in this catalogue and on our website.

Please see www.sealey.co.uk/guarantee for more information, terms and exclusions. To make a claim on your guarantee, simply return your product to the place of purchase along with your sales receipt.



2 YEAR



3 YEAR



5 YEAR



Our no quibble guarantee covers individual items within sets. Excludes TRX-Star T40 bits, breaker bar knuckles, drill bits, cutting blades and taps and dies. Repair kits will be sent out for most ratchet wrenches. Please refer to www.sealey.co.uk/guarantee for more information on guarantees.

HAND TOOLS

SECTION 1

back to
SECTION LIST



Adjustable Wrenches
226 - 227

Impact Driver Sets
116 - 117

Bit Sets
191 - 195

Impact Socket Accessories
95 - 97

Bolsters & Chisels
237 - 238

Impact Socket Bits Sets
87 - 94

Bolt Croppers
233

Knives & Multi-Tools
239 - 243

Breaker Bars
84 - 86

Magnetic Holders & Accessories
152 - 153

Hacksaws
244 - 245

Non-Sparking Tools
202 - 206

Hammers
228 - 232

Pick-Up Tools
154 - 157

Hex Key Sets
158 - 167

Pipe & Cable Tools
250 - 253

SECTION 1

back to
SECTION LIST

Pliers

207 - 225

Spanners

120 - 149

Precision Tools

118 - 119

Spanner Racks & Accessories

150 - 151

Pry Bars

245 - 249

Spirit Levels

263

Punch & Chisel Sets

234 - 237

Staplers

262

Ratchet Wrenches

75 - 82

Tape Measures

264

Screwdrivers

101 - 119

Tool Kits

56 - 62

Sockets & Sets

28 - 55

Tool Trays

16 - 27

Socket Accessories

62 - 69

Torque Multipliers

83

Socket Bit Sets

168 - 190

Torque Wrenches

70 - 74

Soldering Tools

254 - 261

VDE Tools

196 - 201

Premier Tool Trays

Comprehensive and exciting range of Premier Line Tool Trays. Designed to fit the AP24 Series Topchest, Rollcab and Workstation range and a selection from our Superline PRO® and Premier ranges (see pages 966 to 991 for full details), these trays are available in 35 different configurations. The tools have been carefully selected for the professional technician from our Premier Line range and are backed with our no quibble lifetime guarantee*. Design your own tool kit by purchasing the trays separately, or take advantage of our specially selected combination deals. Visit www.sealey.co.uk to see product demonstration videos.



Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.



Our ABS Tool Trays are built to last and designed to maximize drawer space. Manufactured to either 1/3 or full size drawer width. Example 1 shows 3 x 1/3 trays and example 2 is 1 full size tray, both filling 1 drawer.



Example 1 - 3 x 1/3 Trays



Example 2 - 1 Full Size Tray

A

1/4"
Sq. Drive

MM

IMP

A 43pc 1/4" Sq Drive Socket Set with Tool Tray

Model No. TBT19

Tool Tray with 1/4" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 1/4", 9/32", 11/32", 3/8", 1/2", Deep Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 1/4", 3/8", 1/2", 1/4" Sq Drive Flip Reverse Ratchet Wrench, Spinner Handle, 105mm Sliding T-Bar, 150mm Flexible Extension, Universal Joint, Extension Bars; 50, 100, 150mm, DuoMetric® Coverage; 5/32", 7/32", 5/16", 7/16", 15/32"

Tray Size (W x D x H):

176.5 x 397 x 55mm

B

3/8"
Sq. Drive

MM

B 35pc 3/8" Sq Drive Socket Set with Tool Tray

Model No. TBT20

Tool Tray with 3/8" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm, Spark Plug Sockets; 16, 18, 21mm, 3/8" Sq Drive Flip Reverse Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint

Tray Size (W x D x H):

176.5 x 397 x 55mm

C

1/2"
Sq. Drive

MM

C 26pc 1/2" Sq Drive Socket Set with Tool Tray

Model No. TBT21

Tool Tray with 1/2" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2" Sq Drive Flip Reverse Ratchet Wrench, Extension Bars; 75, 200mm, Spark Plug Sockets; 16, 21mm

Tray Size (W x D x H):

176.5 x 397 x 55mm

D

1/4"
Sq. Drive

MM

IMP

D 43pc 1/4" Sq Drive Socket Set with Tool Tray

Model No. TBT33

Tool Tray with 1/4" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 1/4", 9/32", 11/32", 3/8", 1/2", Deep Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 1/4", 3/8", 1/2", 1/4" Sq Drive Flip Reverse Ratchet Wrench with Comfort Grip, Spinner Handle, 105mm Sliding T-Bar, 150mm Flexible Extension, Universal Joint, Extension Bars; 50, 100, 150mm, DuoMetric® Coverage; 5/32", 7/32", 5/16", 7/16", 15/32"

Tray Size (W x D x H):

176.5 x 397 x 55mm

E

3/8"
Sq. Drive

MM

E 35pc 3/8" Sq Drive Socket Set with Tool Tray

Model No. TBT34

Tool Tray with 3/8" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm, Spark Plug Sockets; 16, 18, 21mm, 3/8" Sq Drive Flip Reverse Ratchet Wrench with Comfort Grip, Extension Bars; 75, 150mm, Universal Joint

Tray Size (W x D x H):

176.5 x 397 x 55mm



A 26pc 1/2" Sq Drive Socket Set with Tool Tray
Model No. TBT35

Tool Tray with 1/2" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2" Sq Drive Flip Reverse Ratchet Wrench with Comfort Grip, Extension Bars; 75, 200mm, Spark Plug Sockets; 16, 21mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



C 13pc Ratchet, Torque Wrench, Breaker Bar & Socket Adaptor Set with Tool Tray
Model No. TBT32

Tool Tray with Ratchet, Torque Wrench, Breaker Bar & Socket Adaptor Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 1/4" Sq Drive Palm Ratchet, 3/8" Sq Drive Palm Ratchet, 300mm 3/8" Sq Drive Long Pattern Flip Reverse Ratchet Wrench, 375mm 1/2" Sq Drive Long Pattern Flip Reverse Ratchet Wrench, 3/8" Sq Drive Micrometer Torque Wrench, 1/2" Sq Drive Micrometer Torque Wrench, 600mm 1/2" Sq Drive Breaker Bar, Socket Adaptors; 1/4"(M)-3/8"(F), 3/8"(M)-1/4"(F), 3/8"(M)-1/2"(F), 1/2"(M)-3/8"(F), 1/2"(M)-3/4"(F), 3/4"(M)-1/2"(F) Sq Drive

Tray Size (W x D x H): 530 x 397 x 55mm




E 12pc Flare Nut & Ratchet Ring Spanner Set with Tool Tray
Model No. TBT13

Tool Tray with Flare Nut & Ratchet Ring Spanner Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Flare Nut Spanners; 6 x 8, 9 x 11, 10 x 12, 13 x 14, 15 x 17, 19 x 21mm, Ratchet Ring Spanners; 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 18, 17 x 19mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



B 55pc 3/8" & 1/2" Sq Drive Socket Set with Tool Tray
Model No. TBT31

Tool Tray with 3/8" & 1/2" Sq Drive Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 3/8" Sq Drive Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8" Sq Drive Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 1/2" Sq Drive Sockets; 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2" Sq Drive Deep Sockets; 21, 22, 24, 27, 28, 30, 32mm, Spark Plug Sockets; 16, 18, 21mm, 3/8" Sq Drive Flip Reverse Ratchet Wrench, 1/2" Sq Drive Flip Reverse Ratchet Wrench, Universal Joints; 3/8" & 1/2" Sq Drive, 3/8" Sq Drive Extension Bars; 75, 250mm, 1/2" Sq Drive Extension Bars; 125, 250mm, 380mm 1/2" Sq Drive Breaker Bar, 1/2"(F)-3/8"(M) Sliding T-Bar Adaptor

Tray Size (W x D x H): 530 x 397 x 55mm



D 13pc Combination Spanner Set with Tool Tray
Model No. TBT01

Tool Tray with Combination Spanner Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



F 12pc Jumbo Combination Spanner Set with Tool Tray
Model No. TBT37

Tool Tray with Combination Spanner Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm

Tray Size (W x D x H): 530 x 397 x 55mm



Premier

A 4pc Locking Pliers & Adjustable Wrench Set with Tool Tray Model No. TBT04

Tool Tray with Locking Pliers & Adjustable Wrench Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: 140mm Curved Jaw Locking Pliers (30mm Capacity), 190mm Curved Jaw Locking Pliers (42mm Capacity), 150mm Adjustable Wrench (20mm Capacity), 250mm Adjustable Wrench (30mm Capacity)

Tray Size (W x D x H): 176.5 x 397 x 55mm



MM

Premier

B 25pc Impact Driver & Punch Set with Tool Tray Model No. TBT18

Tool Tray with Impact Driver & Punch Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: 1/2" Sq Drive Impact Driver, Slotted Bits: 5, 6, 8, 10, 12mm, Phillips Bits: #1, #2, #3, #4mm, Hex Bits: 4, 5, 6, 8mm, 1/2" Sq Drive x 8mm Hex Adaptor, #2 x 9.5 x 120mm Centre Punch, #3 x 9.5 x 120mm Taper Pin Punch, 12 x 9.5 x 130mm Cold Chisel, 5 x 9.5 x 130mm Utility Chisel, Parallel Pin Punches: #2 x 8 x 115, #3 x 8 x 125, #4 x 9.5 x 150, #5 x 9.5 x 165, #6 x 12.7 x 180, #8 x 12.7 x 180mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



Premier

C 38pc Precision & Pick-Up Tool Set with Tool Tray Model No. TBT17

Tool Tray with Precision & Pick-Up Tool Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: 1.5kg Pick-Up Tool, 1.6kg Pick-Up Tool with Power Ring, 40mm Inspection Mirror, 115mm Combination Pliers, 110mm Diagonal Cutting Pliers, 125mm Long Nose Pliers, Ratchet Screwdriver, Bits: Slotted - 1, 1.5, 2, 2.5, 3, 3.5, 4mm, Phillips - #000, #00, #0, #1, Pozidriv - #0, #1, TRX-Star[®] - T4, T5, T6, T7, T8, T9, T10, T15, T20, Hex - 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4mm, 115mm Extension Bar

Tray Size (W x D x H): 176.5 x 397 x 55mm



Premier

D 60pc Security TRX-Star/Hex/Ribe/Spline Bit Set with Tool Tray Model No. TBT11

Tool Tray with Ribe/Spline/Hex/Security TRX-Star[®] Bit Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: Security TRX-Star[®] Bits: T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Hex Bits: 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits: M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits: M5, M6, M8, M9, M10, M12 (1 each 30 & 75mm), Drive Adaptors: 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex

Tray Size (W x D x H): 176.5 x 397 x 55mm



Premier

E 6pc Screwdriver Set with Tool Tray Model No. TBT14

Tool Tray with Screwdriver Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: Slotted: 6.5 x 100, 8 x 150mm, Phillips: #1 x 75, #2 x 100mm, Pozidriv: #1 x 75, #2 x 100mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



Premier

F 6pc Hammer-Thru Screwdriver Set with Tool Tray Model No. TBT29

Tool Tray with Hammer-Thru Screwdriver Set. Suitable for selected Superline PRO[®] and Premier tool chests.

Contents: Slotted: 5.5 x 100, 6.5 x 150, 8 x 175mm, Phillips: #1 x 75, #2 x 100, #3 x 150mm

Tray Size (W x D x H): 176.5 x 397 x 55mm

A



A 4pc Pliers Set with Tool Tray
Model No. TBT02

Premier

Tool Tray with Pliers Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 175mm Combination Pliers, 215mm Long Nose Pliers, 160mm Side Cutters, 250mm Water Pump Pliers

Tray Size (W x D x H): 176.5 x 397 x 55mm

B



B 6pc Pry Bar, Hammer & Hacksaw Set with Tool Tray
Model No. TBT30

Premier

Tool Tray with Pry Bar, Hammer & Hacksaw Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Pry Bar; 300, 460mm, 400mm Heel Bar, 1lb Ball Pein Hammer, 300mm Hacksaw, 150mm Junior Hacksaw

Tray Size (W x D x H): 530 x 397 x 55mm

C



C 29pc Hex/Ball-End Hex Key & Socket Bit Set with Tool Tray
Model No. TBT07

Premier

Tool Tray with Hex/Ball-End Hex Key & Socket Bit Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Ball-End Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Hex Socket Bits; 3/8" Sq Drive - 4, 5, 6, 7, 8, 9, 10mm, 1/2" Sq Drive - 12, 14, 17, 19mm

Tray Size (W x D x H): 176.5 x 397 x 55mm

D



D 35pc TRX-Star* Key, Socket Bit & Socket Set with Tool Tray
Model No. TBT08

Premier

Tool Tray with TRX-Star* Key, Socket Bit & Socket Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: TRX-Star* Keys; T10, T15, T20, T25, T27, T30, T40, T45, T50, 3/8" Sq Drive Socket Bits; T10, T15, T20, T25, T27, T30, T40, 1/2" Sq Drive Socket Bits; T45, T50, T55, T60, T70, TRX-Star* Female Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E11, E12, E14, 1/2" Sq Drive - E16, E18, E20, E22, E24

Tray Size (W x D x H): 176.5 x 397 x 55mm

E



E 8pc T-Handle Ball-End Hex Key Set with Tool Tray
Model No. TBT06

Premier

Tool Tray with T-Handle Ball-End Hex Key Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: 2 x 85, 2.5 x 85, 3 x 85, 4 x 85, 5 x 85, 6 x 135, 8 x 135, 10 x 135mm

Tray Size (W x D x H): 176.5 x 397 x 55mm

F



F 8pc T-Handle TRX-Star* Key Set with Tool Tray
Model No. TBT05

Premier


Tool Tray with T-Handle TRX-Star* Key Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: T9 x 85, T10 x 85, T15 x 85, T20 x 85, T25 x 85, T27 x 135, T30 x 135, T40 x 135mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



A 28pc 1/2"Sq Drive Impact Socket Set with Tool Tray
Model No. TBT24
Tool Tray with 1/2"Sq Drive Impact Socket Set. Suitable for selected Superline PRO® and Premier tool chests.
Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm
Tray Size (W x D x H): 176.5 x 397 x 55mm




C 4pc Circlip Pliers Set with Tool Tray
Model No. TBT03
Tool Tray with Circlip Pliers Set. Suitable for selected Superline PRO® and Premier tool chests.
Contents: Bent-External; Ø1.5mm Tip - 10-40mm Capacity, Straight-External; Ø1.5mm Tip - 10-40mm Capacity, Bent-Internal; Ø1.5mm Tip - 12-65mm Capacity, Straight-Internal; Ø1.5mm Tip - 12-65mm Capacity
Tray Size (W x D x H): 176.5 x 397 x 55mm




E Ratchet Crimper & Assorted Insulated Terminal Set with Tool Tray
Model No. TBT16
Tool Tray with Ratchet Crimper & Assorted Insulated Terminals. Suitable for selected Superline PRO® and Premier tool chests.
Contents: Ratchet Crimper, 325 Assorted Insulated Terminals; Male Blade Blue 6.3mm Size 16-14 (x50), Female Blade Blue 6.3mm Size 16-14 (x50), Butt Red Size 22-16 (x25), Butt Blue Size 16-14 (x25), Ring Blue 3mm Size 16-14 (x50), Ring Blue 5mm Size 16-14 (x50), Male Bullet Blue Size 16-14 (x50), Female Bullet Blue Size 16-14 (x25)
Tray Size (W x D x H): 176.5 x 397 x 55mm



B 15pc Impact Socket & Adaptor Set with Tool Tray
Model No. TBT25
Tool Tray with Impact Socket & Adaptor Set. Suitable for selected Superline PRO® and Premier tool chests.
Contents: 1/2"Sq Drive Alloy Wheel Impact Sockets; 17, 19, 21, 22mm, 1/2"Sq Drive Locking Wheel Nut Sockets; 18.5, 21.5, 26mm, 1/2"Sq Drive Impact Extensions; 75, 150, 250mm, 1/2"Sq Drive Universal Joint, Impact Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 1"(F) x 3/4"(M)
Tray Size (W x D x H): 176.5 x 397 x 55mm



D 5pc Engineer's File Set with Tool Tray
Model No. TBT09
Tool Tray with Engineer's File Set. Suitable for selected Superline PRO® and Premier tool chests.
Contents: Half-Round, Round, Square, 3-Square, Flat
Tray Size (W x D x H): 176.5 x 397 x 55mm



F 21pc Oil Filter Wrench, Pliers & Drain Key Set with Tool Tray
Model No. TBT28
Tool Tray with Oil Filter Wrench, Pliers & Drain Key Set. Suitable for selected Superline PRO® and Premier tool chests.
Contents: Strap Wrench 3/8" & 1/2"Sq Drive, Pliers 54-108mm Capacity, 3/8"Sq Drive Drain Keys; Square Male; 7, 8, 10, 11, 12, 13, 14mm, 5/16", 3/8", Square Female; 10mm, Hex; 8, 9, 10, 12, 14, 17, Triangle; 10mm, TRX-Star*; T45, Tommy Bar 3/8"Sq Drive Sliding T-Bar
Tray Size (W x D x H): 176.5 x 397 x 55mm

A



A 9pc Scraper & Hook Set with Tool Tray
Model No. TBT23



Tool Tray with Scraper and Hook Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents:	Picks; 165, 260mm, Straight, Right Angle, Half-Round, Swan Neck, Scraper 260 x 25mm
Tray Size (W x D x H):	176.5 x 397 x 55mm

B



B 6pc Measuring & Cutting Set with Tool Tray
Model No. TBT12



Tool Tray with Measuring & Cutting Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents:	150mm/6" Digital Vernier Caliper, 5m Measuring Tape, Digital Tyre Tread Depth Gauge (DVSA Approved), Retractable Utility Knife, 150mm Steel Rule, Locking Pocket Knife
Tray Size (W x D x H):	176.5 x 397 x 55mm

C



C Riveter & Assorted Rivet Set with Tool Tray
Model No. TBT15



Tool Tray with Riveter & Assorted Rivets. Suitable for selected Superline PRO® and Premier tool chests.

Contents:	Riveter, 400 Assorted Rivets; 2.4 x 5.8 (x100), 3.2 x 5.8 (x100), 4 x 7.9 (x100), 4.8 x 8.0mm (x100)
Tray Size (W x D x H):	176.5 x 397 x 55mm

D



D 18pc Brake Wind-Back Kit with Tool Tray
Model No. TBT27



Tool Tray with Brake Wind-Back Kit. Suitable for selected Superline PRO® and Premier tool chests.

Applications:	Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford, Honda, Jaguar, Mazda, Mercedes, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Seat, Skoda, Subaru, Toyota, Vauxhall/Opel, Volvo, VW
Tray Size (W x D x H):	176.5 x 397 x 55mm

E



E 33pc Tap & Die Set with Tool Tray
Model No. TBT26



Tool Tray with Tap & Die Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents:	Taps & Dies; 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1, 8 x 1.25, 10 x 1.5, 12 x 1.75mm, 1/4"-28, 5/16"-24, 3/8"-24, 7/16"-20, 1/2"-20UNF, 1/8"-28, 1/4"-19BSP, Tap Wrench, T-Bar Tap Wrench, Die Holder, Thread Gauge, Screwdriver
Tray Size (W x D x H):	176.5 x 397 x 55mm

F



F Blank Tool Tray
Model No. TBTB



Add-On tray ideal for storing personal items (i.e. keys, mobile phones etc.), additional tools or small components. Suitable for selected Superline PRO® and Premier tool chests.

Tray Size (W x D x H):	176.5 x 397 x 55mm
-------------------------------	--------------------



All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.

Premier Platinum series

- ✓ Comprehensive range of Premier Platinum Series EVA foam tool trays.
- ✓ Polypropylene topped EVA foam for added protection and easy cleaning.
- ✓ Available in 10 different full size tray configurations.
- ✓ Carefully selected Premier Line tools for the Professional technician backed with our no-quibble lifetime guarantee*.
- ✓ Suitable for selected Superline PRO® and Premier tool chests. See pages 966 to 991.
- ✓ The EVA trays hold the tools securely in place providing protection and organisation, whilst enabling fast selection of the tool that you require.
- ✓ All sockets and spanners are made from Chrome Vanadium steel with hard chrome finish.
- ✓ Driver bits made from ultra hard S2 steel with rust resistant coating.
- ✓ Pliers and screwdrivers made from Chrome Molybdenum and Chrome Vanadium where applicable.
- ✓ Look out for our pre-assembled tool kit including these trays and our Superline PRO® tool chests on page 969.



A 14 Drawer Tool Chest Combination with 446pc Premier Platinum Series Tool Kit
Model No. **TBTPCOMB01**

See page 969 for full details.



Model No. TBTP02



Model No. TBTP03



Model No. TBTP04



Model No. TBTP05



Model No. TBTP06UK



Model No. TBTP07



Model No. TBTP11



Premier Platinum series

1/4", 3/8" & 1/2" Sq. Drive


MM

C 91pc 1/4", 3/8" & 1/2" Sq Drive Socket Set with Tool Tray
Model No. **TBTP02**

Contents: 1/4"Sq Drive Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4"Sq Drive Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/8"Sq Drive Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 1/2"Sq Drive Sockets; 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm, 1/2"Sq Drive Deep Sockets; 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 3/8"Sq Drive Spark Plug Sockets; 14, 16, 21mm, 1/4"Sq Drive Flip Reverse Ratchet Wrench, 3/8"Sq Drive Flip Reverse Ratchet Wrench, 1/2"Sq Drive Flip Reverse Ratchet Wrench, Universal Joints; 1/4", 3/8" & 1/2"Sq Drive, 1/4"Sq Drive Extension Bars; 50, 100, 150mm, 150mm Flexible Extension, Spinner Handle, 115mm Sliding T-Bar, 3/8"Sq Drive Extension Bars; 75, 150mm, 1/2"Sq Drive Extension Bars; 75, 200mm, 450mm 1/2"Sq Drive Breaker Bar, 1/2"(F)-3/8"(M) Sliding T-Bar Adaptor

Tray Size (W x D x H):

530 x 397 x 55mm



Premier Platinum series



MM

B 35pc Spanner Set with Tool Tray
Model No. **TBTP03**

Contents: Combination; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm, Offset Double Ring; 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm, TRX-Star® Double End; E6 x E8, E7 x E11, E10 x E12, E14 x E18, E16 x E22, E20 x E24

Tray Size (W x D x H):

530 x 397 x 55mm


A

Premier
Platinum series

A 72pc Screwdriver Set with Tool Tray
Model No. **TBTP04**

Contents: Screwdrivers; Slotted: 3 x 75, 4 x 100, 5.5 x 100, 6.5 x 100mm, Phillips: #1 x 75, #2 x 100mm, Poz: #1 x 75, #2 x 100mm, Hammer-Thru Screwdrivers: Slotted: 5.5 x 100, 6.5 x 150, 8 x 175mm, Phillips: #2 x 100, #3 x 150mm, Poz: #2 x 100, #3 x 150mm, 8pc Heavy-Duty Impact Driver Set, 11pc Fine Tooth Ratchet Screwdriver, Microtip Precision Screwdrivers; Slotted: 1.5 x 50, 2 x 50, 3 x 50mm, Phillips: #00 x 50, #0 x 50, #1 x 50mm, Colour-Coded S2 Bits: Slotted: 3, 4, 5, 6mm, Phillips: #1, #2 x 2, #3, Poz: #1, #2 x 2, #3, Hex: 3, 4, 5, 6, TRX-Star: T10, T15, T20, T25, T27, T30, T40, Security TRX-Star: T10H, T15H, T20H, T25H, T27H, T30H, T40H, 1/4" Sq Drive Adaptor, 65mm Quick Release Bit Holder

Tray Size (W x D x H): 530 x 397 x 55mm

C

MM
Premier
Platinum series

C 13pc Hacksaw, Hammers & Punch Kit with Tool Tray
Model No. **TBTP06UK**

Contents: 190mm Universal Shears, 300mm Adjustable Hacksaw Blade, Sheathed Parallel Pin Punch Set (x7): Ø2, 3, 4, 5, 6, 7, 8mm, Retracting Knife with Pressure Blade Change, 11 x 460mm Pry Bar, 2lb Dead Blow Hammer, 1lb Ball Pein Hammer

Tray Size (W x D x H): 530 x 397 x 55mm


MACHINIST HAMMER

TBTP06UK is available with 500g Machinist Hammer, order Model No. **TBTP06EU**.

C
B

Premier
Platinum series

B 14pc Pliers Set with Tool Tray
Model No. **TBTP05**

Contents: Circip Pliers; Bent - External 1.5mm/4-30mm, Straight - External 1.5mm/4-35mm, Bent - Internal 1.5mm/4-35mm, Straight - Internal 1.5mm/4-40mm, Pliers; 175mm Combination Pliers, 215mm Long Nose Pliers, 160mm Side Cutters, 250mm Water Pump Pliers, Locking Pliers; Curved Jaw Pliers #1 30/140mm, Curved Jaw Pliers #2 45/220mm, Long Nose Pliers 60/210mm, Mini Pliers; 110mm Diagonal Side Cutter, 150mm Needle Nose Pliers, 125mm Long Nose Pliers

Tray Size (W x D x H): 530 x 397 x 55mm


D

Premier
Platinum series

1/4", 3/8" & 1/2" Sq. Drive
D 177pc Specialised Bit & Socket Set with Tool Tray
Model No. **TBTP07**

Contents: TRX-Star Bits: T20, T25, T30, T40, T45, T47, T50, T55, T60, T70 (1 each 30 & 75mm), Security TRX-Star Bits: T20H, T25H, T30H, T40H, T45H, T47H, T50H, T55H, T60H, T70H (1 each 30 & 75mm), Hex Bits: 4, 5, 6, 7, 8, 10, 12, 14, 17, 19mm (1 each 30 & 75mm), Ribs Bits: M5, M6, M7, M8, M9, M10, M12, M13, M14, M16 (1 each 30 & 75mm), Spline Bits: M5, M6, M8, M10, M12, M14, M16 (1 each 30 & 75mm), Quick Release Drive Adaptors: 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex, TRX-Star Sockets: 1/4" Sq Drive E4, E5, E6, E7, E8, 3/8" Sq Drive E10, E11, E12, E14, 1/2" Sq Drive E16, E18, E20, E22, E24, TRX-Star Socket Bits - 1/4" Sq Drive: T8, T9, T10, T15, T20, T25, T27, T30, TRX-Star Socket Bits - 3/8" Sq Drive: T40, T45, T47, T50, T55, TRX-Star Socket Bits - 1/2" Sq Drive: T60, T70, Hex Socket Bits - 1/4" Sq Drive: 3, 4, 5, 6, 7, 8mm, Hex Socket Bits - 3/8" Sq Drive: 9, 10, 12, 14mm, Hex Socket Bits - 1/2" Sq Drive: 17, 19mm, Driver Socket Bits - 1/4" Sq Drive: Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7mm, Phillips: #0, #1, #2, #3, Poz: #0, #1, #2, #3, TRX-Star Hex Keys: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, Ball-End Hex: 1.27, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm

Tray Size (W x D x H): 530 x 397 x 55mm




Premier Platinum series Deep Twin Hammer 1/2" Sq. Drive MM

A 42pc Impact Wrench, Sockets & Tyre Tool Set with Tool Tray Model No. TBTP08

Contents: 1/2" Sq Drive Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, 1/2" Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, 1/2" Sq Drive Locking Wheel Nuts; 19, 21, 22mm, 1/2" Sq Drive Air Impact Wrench with Twin Hammer, Air Blow Gun, 1/2" Sq Drive Extension Bars; 75, 125, 150, 250mm, Jumbo Tyre Inflator with Clip-On Connector, 3pc 1/2" Sq Drive Alloy Wheel Ultra-Power Impact Socket Set, Digital Depth Gauge, Pressure Gauge


Tray Size (W x D x H): 530 x 397 x 55mm



C 42pc Brake Service Tool Set with Tool Tray Model No. TBTP10

Contents: 31pc Brake Piston Wind-Back Tool Kit, Disc Brake Piston Spreader Tool, Brake & Fuel Pipe Inspection Tool, 10 x 11mm Flare Nut Ratcheting Spanner, Brake Pipe Bender, Brake Pipe Cutter, 4pc Hose Pinch Tool Set, Brake Spring Washer Tool, Brake Shoe Spring Hook Tool


Tray Size (W x D x H): 530 x 397 x 55mm



B 41pc Oil Service Tool Kit with Tool Tray Model No. TBTP09

Contents: Oil Filter Pliers Swivel Jaw 57-120mm Capacity, 15pc Oil Filter Cap Wrench Set, Oil Drain Plug Thread Repair Kits; M13, M15, M17, M20, 19pc Oil Filter Drain Plug Set, Oil Filter Chain Wrench, 8-in-1 Oil Drain Plug Wrench

Tray Size (W x D x H): 530 x 397 x 55mm



D 44pc Specialised Spanner Set with Tool Tray Model No. TBTP11

Contents: Stubby Combination; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Extra-Long Ring; 8 x 10, 11 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 21, 22 x 24mm, Ratchet Combination; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Flare Nut; 9 x 11, 10 x 12, 13 x 14, 15 x 17, 19 x 21mm, 3/8" Sq Drive Crow's Foot; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Tray Size (W x D x H): 530 x 397 x 55mm



Siegen

Our most competitively priced hand tools intended for light trade or serious DIY use, which are still covered by a lifetime guarantee*.

Siegen Tool Trays

- ✓ Comprehensive range of Siegen EVA foam tool trays.
- ✓ Available in 16 full size tray configurations.
- ✓ Carefully selected Siegen by Sealey range of quality tools at competitive prices.
- ✓ Designed to fit Model No's AP3503TB, AP3505TB & AP3508TB. See page 958.
- ✓ The EVA trays hold the tools securely in place providing protection and organisation, whilst enabling fast selection of the tool that you require.
- ✓ Design your own tool kit by purchasing the trays separately or take advantage of our specially selected combination deal. See page 958.



A 62pc 3/8" Sq Drive Socket Set with Tool Tray

Model No. **S01120**

Contents: Standard Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm Deep Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Extension Bars: 75, 150mm, 72-Tooth Flip Reverse Quick Release Ratchet Wrench, 250mm Breaker Bar, Spark Plug Sockets: 16, 18, 21mm, Universal Joint, Sliding T-Bar, 3/8"(F)-1/4"(M) Adaptor 3/8" Sq Drive Socket Bits: Hex: 3, 4, 5, 6, 7, 8, 9, 10mm, Spline: M5, M6, M8, M10, M12, TRX-Star*, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55

Tray Size (W x D x H): 510 x 270 x 40mm



B 62pc 1/4" & 1/2" Sq Drive Socket Set with Tool Tray

Model No. **S01122**

Contents: Standard Sockets: 1/4" Sq Drive: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/2" Sq Drive: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Sockets: 1/4" Sq Drive: 6, 7, 8, 9, 10, 11, 12, 13, 1/2" Sq Drive: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 1/4" Sq Drive: Extension Bars: 75, 150mm, 72-Tooth Flip Reverse Quick Release Ratchet Wrench, Universal Joint, Spinner Handle, 1/2" Sq Drive: Extension Bars: 125mm, 250mm, 72-Tooth Flip Reverse Quick Release Ratchet Wrench, Universal Joint, Spark Plug Sockets: 14, 16, 21mm

Tray Size (W x D x H): 510 x 270 x 40mm



C 19pc Combination Spanner Set with Tool Tray

Model No. **S01123**

Contents: Combination Spanners: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm

Tray Size (W x D x H): 510 x 270 x 40mm



D 20pc Combination & Deep Offset Spanner Set with Tool Tray

Model No. **S01124**


Contents: Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Deep Offset Spanners: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

Tray Size (W x D x H): 510 x 270 x 40mm



A 30pc Specialised Spanner Set with Tool Tray
Model No. **S01125**

Contents: Stubby Combination Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, TRX-Star* Double Ended Spanners; E6 x E8, E10 x E12, E14 x E18, E20 x E24, Flare Nut Spanners; 8 x 10, 9 x 11, 10 x 12, 13 x 14, 15 x 17, 16 x 18mm, 3/8" Sq Drive Crow's Foot Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Tray Size (W x D x H): 510 x 270 x 40mm



C 20pc Screwdriver Set with Tool Tray
Model No. **S01127**


Contents: Slotted; 6 x 38, 3 x 75, 4 x 100, 5 x 125, 6 x 150, 8 x 200mm, Phillips; #2 x 38, #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, Pozi; #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, TRX-Star*; T10 x 100, T15 x 100, T20 x 100, T25 x 100, T30 x 100mm
Tray Size (W x D x H): 510 x 270 x 40mm



E 9pc Pliers Set with Tool Tray
Model No. **S01129**

Contents: 180mm Combination Pliers, 200mm Long Nose Pliers, 150mm Diagonal Side Cutters, 250mm Water Pump Pliers, 130mm Mini Combination Pliers, 125mm Mini Diagonal Cutters, Needle Nose Pliers; 275mm Straight, 275mm 90° Angle, 275mm 45° Angle
Tray Size (W x D x H): 510 x 270 x 40mm

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



B 192pc Specialised Bit Set & Folding Hex Keys with Tool Tray
Model No. **S01126**

Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55 (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits; M6, M7, M8, M10, M12, M13, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Bit Set; 25mm Bits; Slotted; 3mm (x4), 4mm (x5), 6mm (x5), Phillips; #0 (x2), #1 (x4), #2 (x9), #3 (x6), Pozi; #0 (x2), #1 (x4), #2 (x9), #3 (x6), TRX-Star*; T10 (x2), T15 (x2), T20 (x2), T25 (x2), T27 (x2), T30 (x2), T40 (x2), Security TRX-Star*; T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex; 3mm (x3), 4mm (x4), 5mm (x4), 6mm (x4), 7mm (x3), 8mm (x3), 90mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, #3, Pozi - #1, #2, #3, TRX-Star* - T20, T25, T27, T30, T40, 1/4" Sq Drive 60mm Bit Adaptor, 120mm Screw Finder Folding Keys; Hex - 1.5, 2, 2.5, 3, 4, 5, 6, 8mm, Ball-End Hex - 1.5, 2, 2.5, 3, 4, 5, 6, 8mm, TRX-Star* - T9, T10, T15, T20, T25, T27, T30, T40, Accessories; 3/8" x 10mm Adaptor, 1/2" x 10mm Adaptor, 150mm Bit Holder
Tray Size (W x D x H): 510 x 270 x 40mm



D 36pc Screwdriver Set with Tool Tray
Model No. **S01128**

Contents: Precision Screwdrivers; Slotted; 2 x 50, 2.5 x 50, 3 x 50mm, Phillips; #00 x 50, #0 x 50, #1 x 50mm, TRX-Star*; T10 x 50, T15 x 50mm, Hammer-Thru Screwdrivers; Slotted - 5.5 x 100, 6.5 x 150, 8 x 175mm, Phillips - #1 x 75, #2 x 100, #3 x 150mm, Ratchet Driver Set (6pc), Impact Driver Set (12pc), Inspection Mirror Ø50mm, 3.6kg Magnetic Pick-Up Tool
Tray Size (W x D x H): 510 x 270 x 40mm



F 10pc Adjustable Wrench & Pliers Set with Tool Tray
Model No. **S01130**

Contents: Adjustable Wrenches; 150, 200, 250mm, Locking Pliers; 125, 175mm, 225mm, Long Nose Locking Pliers, 180mm Circlip Pliers; Bent External, Straight External, Bent Internal, Straight Internal
Tray Size (W x D x H): 510 x 270 x 40mm

A



Siegen

A 23pc Pry Bar, Hammer & Punch Set with Tool Tray
Model No. S01131
Contents: Pry Bars; 200, 300, 460mm, 400mm Heel Bar, 16oz Ball Pein Hammer, Cold Chisels; 10 x 140, 13 x 150, 16 x 170mm, Taper Punches; 1.5 x 140, 2.4 x 140, 3 x 140, 4 x 140, 5 x 140, 6 x 140mm, Pin Punches; 1.5 x 150, 2.4 x 150, 3 x 150, 4 x 150, 5 x 150, 6 x 150mm, Centre Punches; 6 x 100, 6 x 140, 8 x 115mm
Tray Size (W x D x H): 510 x 270 x 40mm

B




MM

Siegen

B 48pc Tap & Die, File & Caliper Set with Tool Tray
Model No. S01132
Contents: Files; Round, Half-Round, Three-Square, Flat, Needle Files; Round, Half-Round, Three-Square, Flat, Square, Equalling, Tap & Dies; 3 x 0.5, 3 x 0.6, 4 x 0.7, 4 x 0.75, 5 x 0.8, 5 x 0.9, 6 x 0.75, 6 x 1, 7 x 0.75, 7 x 1, 8 x 1, 8 x 1.25, 10 x 1.25, 10 x 1.5, 12 x 1.5, 12 x 1.75mm, 1/8" x 27 NPT, Tap Wrench, T-Bar Tap Wrench, Die Holder, 150mm Digital Caliper
Tray Size (W x D x H): 510 x 270 x 40mm


C



Siegen

C 28pc Cutting & Drilling Set with Tool Tray
Model No. S01133
Contents: HSS Drill Bits; 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm, Step Drills; 4-12, 4-22, 4-30mm, Hacksaws; 12", 6" Junior, Scraper, Multifunction Scissors, Retractable Knife Auto-Load, 1-10mm Drilling Measuring Gauge
Tray Size (W x D x H): 510 x 270 x 40mm

D




MM

Siegen

D 26pc T-Handle & Standard Hex Key Sets with Tool Tray
Model No. S01134
Contents: T-Handle Ball-End Hex Keys; 2 x 75, 2.5 x 75, 3 x 100, 4 x 100, 5 x 150, 6 x 150, 8 x 200, 10 x 200mm, Ball-End Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Tray Size (W x D x H): 510 x 270 x 40mm


E



Siegen

E 26pc T-Handle & Standard Security/TRX-Star* Keys with Tool Tray
Model No. S01135
Contents: T-Handle Security TRX-Star*/TRX-Star* Keys; T10 x 75, T15 x 75, T20 x 100, T25 x 100, T30 x 150, T40 x 150, T45 x 200, T50 x 200mm, TRX-Star* Keys; T10, T15, T20, T25, T27, T30, T40, T45, T50, Security TRX-Star* Keys; T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H
Tray Size (W x D x H): 510 x 270 x 40mm

F



Siegen

F 18pc Hook & Scraper Set with Tool Tray
Model No. S01136
Contents: Hooks; 165, 260mm; Straight, Right Angle, Half-Round, Swan Neck, Precision Hooks; Straight, Right Angle, Half-Round, 45° Tip, Offset 45° Tip, O-Ring Puller, 260 x 25mm Scraper, Hammer Cap Scrapers; 32mm, 50mm, Angled (20°) 32mm
Tray Size (W x D x H): 510 x 270 x 40mm

**A 1/4" Sq Drive Fully Polished Sockets**Model No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Model No:	Size:	Depth:
SP1404	4mm	Standard
SP1405	5mm	Standard
SP14055	5.5mm	Standard
SP1406	6mm	Standard
SP1407	7mm	Standard
SP1408	8mm	Standard
SP1409	9mm	Standard
SP1410	10mm	Standard
SP1411	11mm	Standard
SP1412	12mm	Standard
SP1413	13mm	Standard
SP1414	14mm	Standard
SP1404D	4mm	Deep
SP1405D	5mm	Deep
SP14055D	5.5mm	Deep
SP1406D	6mm	Deep
SP1407D	7mm	Deep
SP1408D	8mm	Deep
SP1409D	9mm	Deep
SP1410D	10mm	Deep
SP1411D	11mm	Deep
SP1412D	12mm	Deep
SP1413D	13mm	Deep
SP1414D	14mm	Deep

B 3/8" Sq Drive Fully Polished SocketsModel No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Model No:	Size:	Depth:
SP3806	6mm	Standard
SP3807	7mm	Standard
SP3808	8mm	Standard
SP3809	9mm	Standard
SP3810	10mm	Standard
SP3811	11mm	Standard
SP3812	12mm	Standard
SP3813	13mm	Standard
SP3814	14mm	Standard
SP3815	15mm	Standard
SP3816	16mm	Standard
SP3817	17mm	Standard
SP3818	18mm	Standard
SP3819	19mm	Standard
SP3820	20mm	Standard
SP3821	21mm	Standard
SP3822	22mm	Standard
SP3824	24mm	Standard
SP3808D	8mm	Deep
SP3809D	9mm	Deep
SP3810D	10mm	Deep
SP3811D	11mm	Deep
SP3812D	12mm	Deep
SP3813D	13mm	Deep
SP3814D	14mm	Deep
SP3815D	15mm	Deep
SP3816D	16mm	Deep
SP3817D	17mm	Deep
SP3818D	18mm	Deep
SP3819D	19mm	Deep

C 1/2" Sq Drive Fully Polished SocketsModel No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated with a fully polished mirror finish. WallDrive® socket configuration. Knurled ring for extra grip with oily fingers.

Model No:	Size:	Depth:
SP1208	8mm	Standard
SP1209	9mm	Standard
SP1210	10mm	Standard
SP1211	11mm	Standard
SP1212	12mm	Standard
SP1213	13mm	Standard
SP1214	14mm	Standard
SP1215	15mm	Standard
SP1216	16mm	Standard
SP1217	17mm	Standard
SP1218	18mm	Standard
SP1219	19mm	Standard
SP1220	20mm	Standard
SP1221	21mm	Standard
SP1222	22mm	Standard
SP1223	23mm	Standard
SP1224	24mm	Standard
SP1225	25mm	Standard
SP1226	26mm	Standard
SP1227	27mm	Standard
SP1228	28mm	Standard
SP1229	29mm	Standard
SP1230	30mm	Standard
SP1232	32mm	Standard
SP1211D	11mm	Deep
SP1212D	12mm	Deep
SP1213D	13mm	Deep
SP1214D	14mm	Deep
SP1215D	15mm	Deep
SP1216D	16mm	Deep
SP1217D	17mm	Deep
SP1218D	18mm	Deep
SP1219D	19mm	Deep
SP1221D	21mm	Deep
SP1222D	22mm	Deep
SP1224D	24mm	Deep

IMPACT SOCKETS

Drop-forged, 6-point, WallDrive® Impact Sockets. Hardened and tempered for added strength, with phosphate finish for greater corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2" Sq Drive. Chrome Molybdenum steel used on 3/4" and 1" Sq Drive. See pages 87 to 100 for the full range.

**D Spark Plug Sockets**Model No. [SEE BELOW](#)

Cold forged Chrome Vanadium steel sockets. Hardened, tempered and chrome plated. Fully polished mirror finish with knurled ring. Socket insert grips ceramic insulation and assists in extraction of plug. Especially useful on deep-seated plugs. For other variations of individual Spark Plug Sockets, see page 496.

Model No:	Drive:	Socket Size:
S38SP10	3/8" Sq	16mm
S38SP14	3/8" Sq	21mm
S12SP10	1/2" Sq	16mm
S12SP14	1/2" Sq	21mm





A 1/4" Sq Drive Sockets

Model No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Model No:	Size:	Depth:
S1404	4mm	Standard
S1405	5mm	Standard
S14055	5.5mm	Standard
S1406	6mm	Standard
S1407	7mm	Standard
S1408	8mm	Standard
S1409	9mm	Standard
S1410	10mm	Standard
S1411	11mm	Standard
S1412	12mm	Standard
S1413	13mm	Standard
S1414	14mm	Standard
S1404D	4mm	Deep
S1405D	5mm	Deep
S14055D	5.5mm	Deep
S1406D	6mm	Deep
S1407D	7mm	Deep
S1408D	8mm	Deep
S1409D	9mm	Deep
S1410D	10mm	Deep
S1411D	11mm	Deep
S1412D	12mm	Deep
S1413D	13mm	Deep
S1414D	14mm	Deep

D 3/4" Sq Drive 12-point WallDrive® Sockets

Model No. [SEE BELOW](#)

Forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated and mirror finished. 12-point WallDrive® socket configuration.

Model No:	Size:	Depth:
S34/19	19mm	Standard
S34/22	22mm	Standard
S34/24	24mm	Standard
S34/26	26mm	Standard
S34/27	27mm	Standard
S34/29	29mm	Standard
S34/30	30mm	Standard
S34/32	32mm	Standard
S34/33	33mm	Standard
S34/36	36mm	Standard
S34/38	38mm	Standard
S34/41	41mm	Standard
S34/42	42mm	Standard
S34/46	46mm	Standard
S34/50	50mm	Standard
S34/55	55mm	Standard



B 3/8" Sq Drive Sockets

Model No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Model No:	Size:	Depth:
S3806	6mm	Standard
S3807	7mm	Standard
S3808	8mm	Standard
S3809	9mm	Standard
S3810	10mm	Standard
S3811	11mm	Standard
S3812	12mm	Standard
S3813	13mm	Standard
S3814	14mm	Standard
S3815	15mm	Standard
S3816	16mm	Standard
S3817	17mm	Standard
S3818	18mm	Standard
S3819	19mm	Standard
S3820	20mm	Standard
S3821	21mm	Standard
S3822	22mm	Standard
S3824	24mm	Standard
S3808D	8mm	Deep
S3809D	9mm	Deep
S3810D	10mm	Deep
S3811D	11mm	Deep
S3812D	12mm	Deep
S3813D	13mm	Deep
S3814D	14mm	Deep
S3815D	15mm	Deep
S3816D	16mm	Deep
S3817D	17mm	Deep
S3818D	18mm	Deep
S3819D	19mm	Deep




C 1/2" Sq Drive Sockets

Model No. [SEE BELOW](#)

Cold-forged Chrome Vanadium steel sockets. Hardened and tempered for added strength. Chrome plated in half chrome, half satin finish with knurled ring for extra grip with oily fingers. WallDrive® socket configuration.

Model No:	Size:	Depth:
S1208	8mm	Standard
S1209	9mm	Standard
S1210	10mm	Standard
S1211	11mm	Standard
S1212	12mm	Standard
S1213	13mm	Standard
S1214	14mm	Standard
S1215	15mm	Standard
S1216	16mm	Standard
S1217	17mm	Standard
S1218	18mm	Standard
S1219	19mm	Standard
S1220	20mm	Standard
S1221	21mm	Standard
S1222	22mm	Standard
S1223	23mm	Standard
S1224	24mm	Standard
S1225	25mm	Standard
S1226	26mm	Standard
S1227	27mm	Standard
S1228	28mm	Standard
S1229	29mm	Standard
S1230	30mm	Standard
S1232	32mm	Standard
S1210D	10mm	Deep
S1211D	11mm	Deep
S1212D	12mm	Deep
S1213D	13mm	Deep
S1214D	14mm	Deep
S1215D	15mm	Deep
S1216D	16mm	Deep
S1217D	17mm	Deep
S1218D	18mm	Deep
S1219D	19mm	Deep
S1221D	21mm	Deep
S1222D	22mm	Deep
S1224D	24mm	Deep



A



Standard

Individual Sockets

MIRROR FINISH

6pt

WALLDRIVE®

MM

3/8" Sq. Drive



Deep


Siegen

A 3/8"Sq Drive Sockets
Model No. SEE BELOW

High grade carbon steel sockets. Hardened and tempered for added strength. Chrome plated and mirror finished. WallDrive® socket configuration.

Model No:	Size:	Depth:
S0576	8mm	Standard
S0577	10mm	Standard
S0578	11mm	Standard
S0579	12mm	Standard
S0580	13mm	Standard
S0581	14mm	Standard
S0582	15mm	Standard
S0583	16mm	Standard
S0584	17mm	Standard
S0585	18mm	Standard
S0586	19mm	Standard
S0587	8mm	Deep
S0588	10mm	Deep
S0589	11mm	Deep
S0590	12mm	Deep
S0591	13mm	Deep
S0592	14mm	Deep
S0593	15mm	Deep
S0594	16mm	Deep
S0595	17mm	Deep
S0596	18mm	Deep
S0597	19mm	Deep

B



Standard

Individual Sockets


MIRROR FINISH

6pt

WALLDRIVE®

MM

1/2" Sq. Drive



Deep

Siegen

B 1/2"Sq Drive Sockets
Model No. SEE BELOW

High grade carbon steel sockets. Hardened and tempered for added strength. Chrome plated and mirror finished. WallDrive® socket configuration.

Model No:	Size:	Depth:
S0648	10mm	Standard
S0649	11mm	Standard
S0650	12mm	Standard
S0651	13mm	Standard
S0652	14mm	Standard
S0653	15mm	Standard
S0654	16mm	Standard
S0655	17mm	Standard
S0656	18mm	Standard
S0657	19mm	Standard
S0658	21mm	Standard
S0659	22mm	Standard
S0660	23mm	Standard
S0661	24mm	Standard
S0662	26mm	Standard
S0663	27mm	Standard
S0664	30mm	Standard
S0665	32mm	Standard
S0666	10mm	Deep
S0667	11mm	Deep
S0668	12mm	Deep
S0669	13mm	Deep
S0670	14mm	Deep
S0671	15mm	Deep
S0672	16mm	Deep
S0673	17mm	Deep
S0674	18mm	Deep
S0675	19mm	Deep
S0676	21mm	Deep
S0677	22mm	Deep
S0678	23mm	Deep
S0679	24mm	Deep
S0680	26mm	Deep
S0681	27mm	Deep
S0682	30mm	Deep
S0683	32mm	Deep

LIFETIME GUARANTEE*

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects.

DUAL FINISH

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Half chrome and half satin finish with knurled ring for extra grip with knurled ring for extra grip with oily fingers.

MIRROR FINISH

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Fully polished finish with knurled ring for extra grip with oily fingers.

C



1/4" Sq. Drive

MIRROR FINISH

Siegen

C 3pc 1/4"Sq Drive Extension Bar Set
Model No. S0718

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive:	1/4"Sq
Lengths:	50, 100, 150mm

D



3/8" Sq. Drive

MIRROR FINISH

Siegen

D 3pc 3/8"Sq Drive Extension Bar Set
Model No. S0719

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive:	3/8"Sq
Lengths:	75, 125, 150mm

E



1/2" Sq. Drive

MIRROR FINISH

Siegen

E 3pc 1/2"Sq Drive Extension Bar Set
Model No. S0720

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive:	1/2"Sq
Lengths:	75, 150, 250mm

1/4"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*



A Model No:	S0497
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	10
Contents:	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail




B Model No:	AK2705
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



C Model No:	AK2691
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



D Model No:	AK2680
Type:	1/4"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail




E Model No:	AK282
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	12
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail



F Model No:	AK2872
Type:	1/4"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



G Model No:	AK2670
Type:	1/4"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	11
Contents:	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", Socket Rail



H Model No:	AK2717
Type:	1/4"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	11
Contents:	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", Socket Rail



A Model No: S0498
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 10
 Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail



B Model No: AK2706
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 13
 Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



C Model No: AK2692
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 13
 Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



D Model No: AK2718
 Type: 1/4" Sq Drive - Imperial
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 9
 Contents: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", Socket Rail



E Model No: AK2671
 Type: 1/4" Sq Drive - Imperial
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 11
 Contents: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", Socket Rail



F Model No: AK2747
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Lock-On™ Socket
 Depth: Deep
 Quantity of Sockets: 13
 Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail



G Model No: AK282D
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Multi-Coloured
 Depth: Deep
 Quantity of Sockets: 12
 Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Rail



H Model No: AK2872D
 Type: 1/4" Sq Drive - Metric
 Configuration: 6-point Multi-Coloured
 Depth: Deep
 Quantity of Sockets: 13
 Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail

3/8"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*.



A Model No:	S0499
Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail




B Model No:	AK2771
Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



C Model No:	AK2693
Type:	3/8"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



D Model No:	AK2682
Type:	3/8"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E Model No:	AK285
Type:	3/8"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



F Model No:	AK2873
Type:	3/8"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



G Model No:	AK2672
Type:	3/8"Sq Drive - Imperial
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	11
Contents:	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, Socket Rail



H Model No:	AK2761
Type:	3/8"Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	9
Contents:	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 15/16, Socket Rail



A Model No:	AK2676
Type:	3/8\"Sq Drive - Whitworth
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	7
Contents:	1/8\", 3/16\", 1/4\", 5/16\", 3/8\", 7/16\", 1/2\", Socket Rail



B Model No:	AK2710
Type:	3/8\"Sq Drive - Metric
Configuration:	6-point Universal Joint
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



C Model No:	AK2741
Type:	3/8\"Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



D Model No:	AK69911
Type:	3/8\"Sq Drive - Metric
Configuration:	Total Drive™
Depth:	Standard
Quantity of Sockets:	11
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm, Socket Rail



E 25pc 3/8\"Sq Drive Ratchet Wrench & Socket Set Model No. AK66722

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and quick release mechanism. Supplied in EVA storage tray.

Drive:	3/8\"Sq Drive - Metric
Contents:	Standard Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Deep Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8\"Sq Drive 72-Tooth Ratchet Wrench



F Model No:	S0500
Type:	3/8\"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



G Model No:	AK2841
Type:	3/8\"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



A Model No: **AK2694**
 Type: 3/8" Sq Drive - Metric
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 12
 Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



B Model No: **AK2683**
 Type: 3/8" Sq Drive - Metric
 Configuration: 12-point Socket
 Depth: Deep
 Quantity of Sockets: 12
 Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



C Model No: **AK285D**
 Type: 3/8" Sq Drive - Metric
 Configuration: 6-point Multi-Coloured
 Depth: Deep
 Quantity of Sockets: 10
 Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



D Model No: **AK2873D**
 Type: 3/8" Sq Drive - Metric
 Configuration: 6-point Multi-Coloured
 Depth: Deep
 Quantity of Sockets: 12
 Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



E Model No: **AK2831**
 Type: 3/8" Sq Drive - Imperial
 Configuration: 6-point Socket
 Depth: Deep
 Quantity of Sockets: 8
 Contents: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Socket Rail



F Model No: **AK2673**
 Type: 3/8" Sq Drive - Imperial
 Configuration: 12-point Socket
 Depth: Deep
 Quantity of Sockets: 11
 Contents: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail



G Model No: **AK2678**
 Type: 3/8" Sq Drive - Whitworth
 Configuration: 12-point Socket
 Depth: Deep
 Quantity of Sockets: 7
 Contents: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", Socket Rail



H Model No: **AK2743**
 Type: 3/8" Sq Drive - Imperial
 Configuration: 6-point Lock-On™ Socket
 Depth: Deep
 Quantity of Sockets: 11
 Contents: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail



DUAL
FINISH

MIRROR
FINISH

Our 6pt and 12pt WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded off and damaged corners too.

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Half chrome and half satin finish with knurled ring for extra grip with oily fingers.

Cold-forged Chrome Vanadium steel sockets, hardened and tempered for added strength. Fully polished finish with knurled ring for extra grip with oily fingers.

1/2"Sq Drive Socket Sets

Chrome Vanadium steel socket sets in carefully selected sizes. Hardened and tempered with chrome finish for corrosion resistance. All sockets include WallDrive® configuration giving an additional 30% more torque handling power than traditional sockets. Handles rounded fixings as well. Sets supplied on socket rail and backed by a lifetime guarantee*.



B Model No:	AK2791
Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



D Model No:	AK2684
Type:	1/2"Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



F Model No:	AK2874
Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	15
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



A Model No:	S0501
Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	10
Contents:	10, 13, 14, 15, 16, 17, 18, 19, 21, 24mm, Socket Rail




C Model No:	AK2695
Type:	1/2"Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



E Model No:	AK288
Type:	1/2"Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Standard
Quantity of Sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



G Model No:	AK2674
Type:	1/2"Sq Drive - Imperial
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", Socket Rail



A Model No:	AK2677
Type:	1/2" Sq Drive - Whitworth
Configuration:	12-point Socket
Depth:	Standard
Quantity of Sockets:	9
Contents:	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", Socket Rail



B Model No:	AK2781
Type:	1/2" Sq Drive - Imperial
Configuration:	6-point Socket
Depth:	Standard
Quantity of Sockets:	10
Contents:	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail



C Model No:	S0502
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	10
Contents:	10, 13, 14, 15, 16, 17, 18, 19, 21, 24mm, Socket Rail



D Model No:	AK2871
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



E Model No:	AK2696
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



F Model No:	AK288D
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



G Model No:	AK2874D
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Multi-Coloured
Depth:	Deep
Quantity of Sockets:	15
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



H Model No:	AK2685
Type:	1/2" Sq Drive - Metric
Configuration:	12-point Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



A Model No: AK2679
Type: 1/2" Sq Drive - Whitworth
Configuration: 12-point Socket
Depth: Deep
Quantity of Sockets: 9
Contents: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", Socket Rail



B Model No: AK2861
Type: 1/2" Sq Drive - Imperial
Configuration: 6-point Socket
Depth: Deep
Quantity of Sockets: 8
Contents: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail



C Model No: AK2675
Type: 1/2" Sq Drive - Imperial
Configuration: 12-point Socket
Depth: Deep
Quantity of Sockets: 13
Contents: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", Socket Rail



D 12pc 1/4" Sq Drive Socket Set
Model No. S0503

Chrome Vanadium steel WallDrive® sockets, ratchet wrench and extension bar. Supplied with socket rail.

Contents: Sockets; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" Sq Drive Ratchet Wrench, 75mm Extension Bar



E 12pc 3/8" Sq Drive Socket Set
Model No. S0504

Chrome Vanadium steel WallDrive® sockets, ratchet wrench and extension bar. Supplied with socket rail.

Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8" Sq Drive Ratchet Wrench, 150mm Extension Bar



F 12pc 1/2" Sq Drive Socket Set
Model No. S0505

Chrome Vanadium steel WallDrive® sockets, ratchet wrench and extension bar. Supplied with socket rail.

Contents: Sockets; 10, 13, 14, 15, 16, 17, 18, 19, 21, 24mm, 1/2" Sq Drive Ratchet Wrench, 125mm Extension Bar



G 27pc 1/4" Sq Drive Socket & Socket Bit Set
Model No. S0928

Chrome Vanadium steel socket set, hardened and tempered for strength with a fully polished finish for corrosion resistance. 45-Tooth pear-head flip reverse ratchet wrench with quick socket release and comfort grip handle. Knurled ring on sockets for extra grip with greasy fingers. Supplied on storage rack.

Contents: Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, Socket Bits; Slotted - 4, 5, 7mm, Phillips - #1, #2, TRX-Star* - T10, T15, T20, T25, T30, Hex - 3, 4, 5, 6mm, 1/4" Sq Drive Flip Reverse Ratchet Wrench



H 19pc 3/8" Sq Drive Socket Set
Model No. S0929

Chrome Vanadium steel socket set, hardened and tempered for strength with a fully polished finish for corrosion resistance. 45-Tooth pear-head flip reverse ratchet wrench with quick socket release and comfort grip handle. Knurled ring on sockets for extra grip with greasy fingers. Supplied on storage rack.

Contents: Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm, 3/8" Sq Drive Flip Reverse Ratchet Wrench



I 17pc 1/2" Sq Drive Socket Set
Model No. S0930

Chrome Vanadium steel socket set, hardened and tempered for strength with a fully polished finish for corrosion resistance. 45-Tooth pear-head flip reverse ratchet wrench with quick socket release and comfort grip handle. Knurled ring on sockets for extra grip with greasy fingers. Supplied on storage rack.

Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2" Sq Drive Flip Reverse Ratchet Wrench

A **NEW**



A 27pc 1/4" Sq Drive Ratchet Wrench & Socket Set

Model No. AK66721

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and quick release mechanism. Supplied in EVA storage tray.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/4" Sq Drive 72-Tooth Ratchet Wrench

B



B 25pc 3/8" Sq Drive Ratchet Wrench & Socket Set

Model No. AK66722

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and quick release mechanism. Supplied in EVA storage tray.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8" Sq Drive 72-Tooth Ratchet Wrench

C **NEW**




C 27pc 1/2" Sq Drive Ratchet Wrench & Socket Set

Model No. AK66723

Deluxe professional socket set with standard and deep heat treated mirror polished Chrome Vanadium sockets. Slim style contoured handle 72-tooth ratchet wrench with flip reverse and quick release mechanism. Supplied in storage tray.

Contents: Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 1/2" Sq Drive 72-Tooth Ratchet Wrench

D



Extendable



D 34pc 3/8" Sq Drive Socket Set

Model No. AK7960

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 72-tooth extending ratchet wrench with comfort grip and push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8" Sq Drive 72-Tooth Extending Ratchet Wrench with Quick Release, Universal Joint, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor

E



Extendable

E 26pc 1/2" Sq Drive Socket Set

Model No. AK7961

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 8 to 32mm. Features 72-tooth extending ratchet wrench with comfort grip and push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2" Sq Drive 72-Tooth Extending Ratchet Wrench with Quick Release, Universal Joint, 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor

Premier LOCK-ON™

MIRROR
FINISH

WORKS ON UP TO 85% ROUNDED FIXINGS

- Manufactured from hardened and tempered high grade Chrome Vanadium 6142 steel.
- Fully polished mirror finish** for resistance to corrosion.
- Features specially machined flutes in the walls of the socket which enables use on up to 85% rounded fasteners.
- Includes knurled ring** for extra grip with oily fingers.

** Excluding impact sockets.



A

MIRROR
FINISH

MM

1/4"
Sq. DrivePremier
LOCK-ON™

A Model No:	AK2746
Type:	1/4" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail

B

MIRROR
FINISH

MM

3/8"
Sq. DrivePremier
LOCK-ON™

B Model No:	AK2741
Type:	3/8" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail

C

MIRROR
FINISH

IMP

3/8"
Sq. DrivePremier
LOCK-ON™

C Model No:	AK2740
Type:	3/8" Sq Drive - Imperial
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	11
Contents:	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail

D

MIRROR
FINISH

MM

1/2"
Sq. DrivePremier
LOCK-ON™

D Model No:	AK2742
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail

E



MM

1/2"
Sq. DrivePremier
LOCK-ON™

** Impact sockets have a phosphate finish without knurled ring.

E Model No:	AK5616M
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Standard
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

A MIRROR FINISH


A Model No:	AK2747
Type:	1/4" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail

B MIRROR FINISH


B Model No:	AK2743
Type:	3/8" Sq Drive - Imperial
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	11
Contents:	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Socket Rail

C MIRROR FINISH


C Model No:	AK2744
Type:	3/8" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail



See page 94 for details of our Impact Lock-On™ Sockets.

D MIRROR FINISH


D Model No:	AK2745
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	13
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail



E Model No:	AK5817M
Type:	1/2" Sq Drive - Metric
Configuration:	6-point Lock-On™ Socket
Depth:	Deep
Quantity of Sockets:	16
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



A 32pc 1/4\"Sq Drive Lock-On™ Socket Set
Model No. AK27480

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Covers sizes from 4 to 14mm in both standard and deep. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spinner handle, universal joint and 3/8\"Sq Drive - 1/4\"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4\"Sq Drive 48-tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Spinner Handle, Universal Joint, 3/8\"Sq Drive - 1/4\"Sq Drive Male Adaptor



C 26pc 1/2\"Sq Drive Lock-On™ Socket Set
Model No. AK27482

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Covers sizes from 8 to 32mm. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8\"Sq Drive - 1/2\"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2\"Sq Drive Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2\"Sq Drive 48-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Universal Joint, 3/8\"Sq Drive - 1/2\"Sq Drive Male Adaptor



B 34pc 3/8\"Sq Drive Lock-On™ Socket Set
Model No. AK27481

Heat treated, drop-forged Chrome Vanadium 6142 steel sockets and accessories with a fully polished mirror finish. Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 48-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2\"Sq Drive - 3/8\"Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8\"Sq Drive Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8\"Sq Drive 48-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench, Universal Joint, 1/2\"Sq Drive - 3/8\"Sq Drive Male Adaptor



D 38pc 1/4\"Sq Drive Socket & Bit Set
Model No. AK8945

Manufactured from high quality Chrome Vanadium steel. Hardened and tempered sockets and accessories with a fully polished finish for resistance to corrosion. Features 48-tooth flip reverse comfort grip ratchet wrench with push-button quick release, spinner handle, extension bars, universal joint and bit adaptor. Supplied in compact storage case.

Contents: Slotted; 3, 4, 5, 6mm, Phillips; #1, #2 (x2), #3, Pozzi; #1, #2, #3, Security TRX-Star*; T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex; 3, 4, 5, 6mm, 1/4\"Sq Drive Sockets; 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 50, 100mm, 1/4\"Sq Drive 48-Tooth Ratchet Wrench, Spinner Handle, Bit Coupler, Universal Joint

Our Total Drive® Sockets can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex and many are equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex.



Gear 2 Gear

Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.

A - F Total Drive® Socket Sets

Model No. See Below

Chrome Vanadium steel Total Drive® sockets, hardened and heat treated for strength with a fully polished mirror finish for resistance to corrosion. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Supplied on rail.

A Model No:	AK69813
Depth:	Standard
Drive:	1/4"Sq
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail

B Model No:	AK69813D
Depth:	Deep
Drive:	1/4"Sq
Quantity of Sockets:	13
Contents:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Socket Rail

C Model No:	AK69911
Depth:	Standard
Drive:	3/8"Sq
Quantity of Sockets:	11
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm, Socket Rail

D Model No:	AK69910D
Depth:	Deep
Drive:	3/8"Sq
Quantity of Sockets:	10
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Socket Rail

E Model No:	AK70612
Depth:	Standard
Drive:	1/2"Sq
Quantity of Sockets:	12
Contents:	10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail

F Model No:	AK70610D
Depth:	Deep
Drive:	1/2"Sq
Quantity of Sockets:	10
Contents:	13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Socket Rail





A 19pc 1/2"Sq Drive
Total Drive® Socket Set
Model No. AK70619

Hardened and heat treated Chrome Vanadium steel Total Drive® sockets with a fully polished mirror finish. All are suitable for Spline, Metric Hex and Metric Bi-Hex and many are equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex. Includes knurled ring for extra grip with greasy fingers. Supplied in storage case.

Depth:	Standard
Quantity of Sockets:	19
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm

Total Drive	6pt	12pt	AF	E-TRX	Spline	WW
4mm	✓	✓	5/32"	E5	M4	-
4.5mm	✓	✓	-	E6	-	-
5mm	✓	✓	3/16"	E7	M5	-
5.5mm	✓	✓	-	-	-	-
6mm	✓	✓	-	E8	M6	-
7mm	✓	✓	9/32"	-	M7	-
8mm	✓	✓	5/16"	E10	M8	-
9mm	✓	✓	11/32"	-	M9	1/8"
10mm	✓	✓	3/8"	E12	M10	-
11mm	✓	✓	7/16"	E14	M11	-
12mm	✓	✓	15/32"	E16	M12	3/16"
13mm	✓	✓	1/2"	-	-	-
14mm	✓	✓	9/16"	E18	M14	1/4"
15mm	✓	✓	19/32"	-	-	-
16mm	✓	✓	5/8"	E20	M16	5/16"
17mm	✓	✓	-	-	-	-
18mm	✓	✓	-	E22	M18	-
19mm	✓	✓	3/4"	E24	-	3/8"
20mm	✓	✓	25/32"	-	-	-
21mm	✓	✓	-	-	-	7/16"
22mm	✓	✓	7/8"	-	M22	-
24mm	✓	✓	15/16"	-	M24	1/2"
27mm	✓	✓	1-1/16"	-	-	-
30mm	✓	✓	1-1/8"	-	M30	5/8"
32mm	✓	✓	1-1/4"	-	M32	-



B 24pc 3/8"Sq Drive Total Drive® Socket Set
Model No. AK699

Chrome Vanadium steel Total Drive® sockets, hardened and heat treated for strength with a fully polished mirror finish for resistance to corrosion. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Includes contents map displayed inside the lid. Set also includes two spark plug sockets, extension bars, sliding T-bar, universal joint and 3/8"Sq drive quick release, gear-to-gear flip reverse ratchet wrench. Supplied in storage case.


Contents: Total Drive® Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, Sliding T-Bar, Universal Joint, 3/8"Sq Drive Quick Release Gear-to-Gear Flip Reverse Ratchet Wrench



C 42pc 1/2"Sq Drive
Total Drive® Socket & Bit Set
Model No. AK706

Chrome Vanadium steel Total Drive® sockets, hardened and heat treated for strength with a fully polished mirror finish for resistance to corrosion. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Includes contents map displayed inside the lid. Set also includes a range of hex, spline and TRX-Star® bits, extension bars, 3/8"(F)-1/2"(M)Sq drive T-bar adaptor, bit holder, universal joint and 1/2"Sq drive quick release, gear-to-gear flip reverse ratchet wrench. Supplied in storage case.

Contents: Total Drive® Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm, 10mm Hex Bits; TRX-Star® - T20, T25, T27, T30, T40, T45, T50, T55, Spline - M5, M6, M8, M10, M12, Hex - 5, 6, 7, 8, 10, 12mm, 1/2"Sq Drive(F)-10mm Hex(F) Bit Adaptor, Extension Bars; 125, 250mm, 3/8"(F)-1/2"(M)Sq Drive T-Bar Adaptor, Universal Joint, 1/2"Sq Drive Quick Release Gear-to-Gear Flip Reverse Ratchet Wrench



A 15pc 1/4" Sq Drive Low Profile Socket Set
Model No. AK5783

Premier

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism. Ideal for use under dashboards and on auxiliary belts as well as any other applications where access is restricted. Supplied in an EVA storage tray.

Drive: 1/4" Sq
Contents: Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 75mm Extension Bar; 90-Tooth Pear-Head Ratchet with Flip Reverse Quick Release Mechanism.



B 14pc 3/8" Sq Drive Low Profile Socket Set
Model No. AK5785

Premier

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism. Ideal for use under dashboards and on auxiliary belts as well as any other applications where access is restricted. Supplied in an EVA storage tray.

Drive: 3/8" Sq
Contents: Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 75mm Extension Bar; 90-Tooth Pear-Head Ratchet with Flip Reverse Quick Release Mechanism



C 15pc 1/2" Sq Drive Low Profile Socket Set
Model No. AK5787

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 6-point WallDrive® sockets. Low profile 90-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism. Ideal for use under dashboards and on auxiliary belts as well as any other applications where access is restricted. Supplied in an EVA storage tray.

Drive: 1/2" Sq
Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, 150mm Extension Bar, 90-Tooth Pear-Head Ratchet with Flip Reverse Quick Release Mechanism



D 14pc Low Profile Go-Through Socket Set
Model No. AK6926

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished micro satin finish. Low profile sockets with a projected length of just 13mm, ideal for use under dashboards and on auxiliary belts as well as any other application where access is restricted. Go-through design for nuts on extended studs and adjusting screw locknuts. Sockets range from 8-19mm. Includes go-through extension. Flip reverse, 72-tooth ratchet wrench with push-through socket release. Supplied in storage case.

Contents: Low Profile Go-Through Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 75mm Go-Through Extension Bar, 72-Tooth 3/4" Spline Drive Flip Reverse Ratchet Wrench



E 13pc 3/8" Sq Drive Low Profile 12-point Walldrive® Socket Set
Model No. AK5780

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Low profile 12-point WallDrive® sockets with a maximum overall length of just 20mm. Up to 33% shorter than a traditional standard type socket. Low profile 60-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism. Designed for use under dashboards and on auxiliary belts as well as any other application where access is restricted. Supplied in storage case.

Contents: Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8" Sq Drive 60-Tooth Pear-Head Ratchet with Flip Reverse Quick Release Mechanism



Low Profile
60-Tooth
3/8" Sq. Drive
Premier



Up to 33% shorter than traditional sockets.



A 26pc 1/4"Sq Drive Socket Set
Model No. S0910

High grade carbon steel standard and deep WallDrive® sockets and accessories. Chrome Vanadium steel 72-tooth pear-head flip reverse ratchet wrench with quick socket release. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4"Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint, Spinner Handle



B 47pc 1/4"Sq Drive Socket Set
Model No. S0917

High grade carbon steel standard and deep WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Includes slotted, Phillips, hex and TRX-Star® Chrome Vanadium steel socket bits. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4"Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint, Spinner Handle, Socket Bits; Slotted - 4, 5.5, 8mm, Phillips - #1, #2, #3, TRX-Star® - T8, T10, T15, T20, T25, T27, T30, T40, Hex - 2, 2.5, 3, 4, 5, 6, 8mm



C 18pc 3/8"Sq Drive Socket Set
Model No. S0911

High grade carbon steel WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, 3/8"Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint



D 30pc 3/8"Sq Drive Socket Set
Model No. S0912

High grade carbon steel standard and deep WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, 3/8"Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint



E 52pc 3/8"Sq Drive Socket Set
Model No. S0918

High grade carbon steel standard and deep WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Includes slotted, Phillips, hex and TRX-Star® Chrome Vanadium steel socket bits. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, 3/8"Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 75, 150mm, Universal Joint, Socket Bits; Slotted - 4, 5.5, 8mm, Phillips - #1, #2, #3, TRX-Star® - T10, T15, T20, T25, T27, T30, T40, T45, T50, Hex - 3, 4, 5, 6, 7, 8, 10mm



A 22pc 1/2" Sq Drive Socket Set
Model No. S0913

High grade carbon steel WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, 1/2" Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 125, 250mm, Universal Joint



B 35pc 1/2" Sq Drive Socket Set
Model No. S0914

High grade carbon steel standard and deep WallDrive® sockets and accessories. Chrome Vanadium steel 45-tooth pear-head flip reverse ratchet wrench with quick socket release. Hardened and tempered with a fully polished finish for corrosion resistance. Supplied in storage case.

Contents: Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Spark Plug Sockets; 16, 21mm, 1/2" Sq Drive Flip Reverse Quick Release Ratchet Wrench, Extension Bars; 125, 250mm, Universal Joint



C 37pc 1/4" & 3/8" Sq Drive Socket Set
Model No. S0725

High grade carbon steel sockets and accessories. Hardened and tempered with a fully polished mirror finish for corrosion resistance. Supplied in storage case.

Contents: 1/4" Sq Drive Standard Sockets - 4, 4.5, 5, 6, 7, 8, 9mm, 3/8" Sq Drive Standard Sockets - 10, 11, 12, 13, 14, 15, 17, 19mm, Extension Bars; 75, 150mm, 21mm Spark Plug Socket, Bits; Slotted - 4, 5.5, 7mm, Phillips - #1, #2, #3, Hex - 3, 4, 5, 6, 7, 8mm, Hex Key Wrenches; 1.5, 2, 2.5mm, Spinner Handle, 1/4" x 1/4" Sq Bit Holder Drive, 3/8" Sq Drive Female x 1/4" Sq Drive Male Adaptor, 200mm 3/8" Sq Drive Reversible Ratchet Wrench, Spinner Disc for Ratchet



D 52pc 1/4" & 1/2" Sq Drive Socket Set
Model No. S0711

Chrome Vanadium steel sockets from 4-32mm hardened and finished in high chrome for corrosion resistance. Two high quality ratchet wrenches in 1/4" and 1/2" Sq drive, extension bars, sliding T-bar, universal joints, ratchet screwdriver with bits and spark plug socket are included. Supplied in storage case.

Contents: 1/4" Sq Drive Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13mm, 1/2" Sq Drive Standard Sockets; 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm, 21mm 1/2" Sq Drive Spark Plug Socket, Extension Bars; 1/4" Sq Drive - 75mm, 1/2" Sq Drive - 125, 250mm, Sliding T-Bars; 1/4", 1/2" Sq Drive, Bit Driver Handle, Universal Joints; 1/4", 1/2" Sq Drive, Hex Key Wrenches; 1.5, 2, 2.5mm, 1/4" Hex Bits; Slotted - 4, 5.5, 7mm, Phillips - #1, #2, #3, Hex - 3, 4, 5, 6, 7, 8mm, 1/4" Sq Drive Bit Adaptor, 1/4" Hex x 1/4" Sq Drive Adaptor, Reversible Ratchet Wrenches; 1/4", 1/2" Sq Drive

LIFETIME
GUARANTEE*

*Lifetime replacement warranty on all Premier and Siegen Hand Tools. Our no-quibble guarantee covers individual items within sets. Excludes TRX-Star® T40 bits, breaker bar knuckles, drill bits, cutting blades and taps and dies. Repair kits will be sent out for most ratchet wrenches.



Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.



WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied to the fixing than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded-off and damaged corners too.

Professional Socket Sets

Deluxe professional socket sets with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse ratchet with quick socket release. Supplied in storage case.



A



MM

1/4"
Sq. Drive



A 33pc 1/4" Sq Drive Socket Set Model No. AK8990

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 4 to 14mm in both standard and deep. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spinner handle, universal joint and sliding T-bar. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 50, 100, 150mm, Sliding T-Bar, 1/4" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Spinner Handle, Universal Joint

B



MM

3/8"
Sq. Drive



B 34pc 3/8" Sq Drive Socket Set Model No. AK8991

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor

C



MM

3/8"
Sq. Drive



C 34pc 3/8" Sq Drive Socket Set Model No. AK8994

Heat treated, drop-forged 12-point Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor



A 26pc 1/2" Sq Drive Socket Set
Model No. AK8992

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 8 to 32mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor



B 26pc 1/2" Sq Drive Socket Set
Model No. AK8995

Heat treated, drop-forged 12-point Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 8 to 32mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor



C 41pc 1/2" Sq Drive Socket Set
Model No. AK8993

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 8 to 32mm and deep sockets from 8 to 24mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor. Supplied in storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor



D 46pc 3/8" Sq Drive Socket & Spanner Set
Model No. AK8996

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm, deep sockets from 10 to 19mm and combination spanners from 8 to 19mm. Features 48-tooth gear-to-gear comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor. Supplied in storage case.


Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Combination Spanners; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8" Sq Drive 48-Tooth Gear-to-Gear Ratchet Wrench, Universal Joint, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor



Ratchet Wrenches

Gear-to-Gear ratchet head design is much stronger than traditional styles and offers up to 30% more torque.





WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied to the fixing than traditional hex sockets, without causing damage. WallDrive® sockets can grip fasteners with rounded-off and damaged corners too.

Professional Socket Sets

Deluxe professional socket sets with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse ratchet with quick socket release. Supplied in metal storage case.



A

Slim Style 48-Tooth

Available Sizes


1/4" Drive 3/8" Drive 1/2" Drive

Gear 2 Gear **Premier**

A Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel gear-to-gear 48-tooth ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style contoured handle with pear-head design. Features flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK660	1/4"Sq	48-Tooth	140mm	AK660.V2.RK
AK661	3/8"Sq	48-Tooth	200mm	AK661.V2.RK
AK662	1/2"Sq	48-Tooth	265mm	AK662.V2.RK



C

3/8" Sq. Drive DUAL FINISH 6pt WALLDRIVE® Gear 2 Gear MM & IMP Premier

C 35pc 3/8"Sq Drive Socket Set - Metric/Imperial
Model No. [AK691](#)

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 3/8"Sq Drive Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Extension Bars; 75, 150, 225mm, Universal Joint, 16mm Spark Plug Socket, Extension Adaptors; 1/2"(F)-3/8"(M), 3/8"(F)-1/4"(M), 3/8"(F)-1/2"(M)




1/4" Sq. Drive MIRROR FINISH 6pt WALLDRIVE® Gear 2 Gear MM & IMP Premier

B 41pc 1/4"Sq Drive Socket Set - Metric/Imperial
Model No. [AK690](#)

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Fully polished mirror finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/16", 1/4", 9/32", 11/32", 3/8", 1/2", Deep Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 3/16", 1/4", 3/8", 1/2", 1/4"Sq Drive Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Spinner Handle, 110mm Sliding T-Bar, 150mm Flexible Extension, Universal Joint, Extension Bars; 50, 100, 150mm




D

3/8" Sq. Drive DUAL FINISH 6pt WALLDRIVE® Gear 2 Gear MM & IMP Premier

D 45pc 3/8"Sq Drive Socket Set - Metric/Imperial
Model No. [AK692](#)

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm, 3/8", 1/2", 9/16", 11/16", 13/16", Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 22mm, 3/8", 1/2", 9/16", 11/16", 13/16", Spark Plug Sockets; 16, 18, 21mm, 3/8"Sq Drive Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Bent Flex Handle, T-Bar Adaptor 1/2"(F)-3/8"(M), Universal Joint, Extension Bars; 75, 150mm



*Lifetime replacement warranty on all Premier and Siegen Hand Tools. Our no-quibble guarantee covers individual items within sets. Excludes TRX-Star® T40 bits, breaker bar knuckles, drill bits, cutting blades and taps and dies. Repair kits will be sent out for most ratchet wrenches.

A



1/2" Sq. Drive

DUAL FINISH

6pt WALLDRIVE®

Gear 2 Gear

MM & IMP

Premier

A 32pc 1/2" Sq Drive Socket Set - Metric/Imperial

Model No. AK693

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, 3/8", 1/2", 9/16", 11/16", Spark Plug Sockets; 16, 21mm, 1/2" Sq Drive Flip Reverse Ratchet Wrench with Quick Release, 380mm Swivel Head Breaker Bar, Universal Joint, Extension Bars; 75, 125, 250mm

B



1/2" Sq. Drive

DUAL FINISH

6pt WALLDRIVE®

Gear 2 Gear

MM

Premier

B 46pc 1/2" Sq Drive Socket Set

Model No. AK6941

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm, Spark Plug Sockets; 16, 21mm, 1/2" Sq Drive Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, Extension Bars; 125, 250mm, 360mm Breaker Bar

C



3/8" & 1/2" Sq. Drive

DUAL FINISH

6pt WALLDRIVE®

Gear 2 Gear

MM

Premier

C 50pc 3/8" & 1/2" Sq Drive Socket Set

Model No. AK6942

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: 3/8" Sq Drive Standard Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18mm, 3/8" Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18mm, 1/2" Sq Drive Sockets; 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2" Sq Drive Deep Sockets; 19, 21, 22, 24, 27, 28, 30, 32mm, 3/8" Sq Drive Spark Plug Sockets; 16, 21mm, 3/8" Sq Drive Accessories; Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, Extension Bars; 75, 250mm, 1/2" Sq Drive Accessories; Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, 450mm Breaker Bar, Universal Joint, Extension Bars; 125, 250mm, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor

D



Gear 2 Gear

3/8" & 1/2" Sq. Drive

DUAL FINISH

6pt WALLDRIVE®

12pt WHITWORTH

MM, IMP & WW

Premier

D 64pc 3/8" & 1/2" Sq Drive Socket Set - Metric/Imperial/Whitworth

Model No. AK694

Deluxe professional socket set with heat treated Chrome Vanadium steel WallDrive® sockets. Dual satin/chrome finish. Flip reverse gear-to-gear ratchet with quick socket release. Supplied in metal storage case.

Contents: 3/8" Sq Drive Standard Sockets; 13, 14, 15, 16, 17, 18, 19mm, 3/8", 1/2", 9/16", 11/16", 3/8" Sq Drive Deep 6pt Sockets; 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8", 1/2", 9/16", 11/16", 1/2" Sq Drive Standard Sockets; 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm, 1/2" Sq Drive Deep 6pt Sockets; 13/16", 1", 1-1/8", 1/2" Sq Drive WW 12pt Sockets; 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 3/8" Sq Drive Spark Plug Sockets; 16, 18, 21mm, 3/8" Tools - Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, 150mm Sliding T-Bar, Universal Joint, Extension Bars; 75, 250mm, 1/2" Tools - Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, 380mm Swivel Head Breaker Bar, Universal Joint, Extension Bars; 125, 250mm, T-Bar Adaptor 1/2"(F)-3/8"(M), Speed Brace



A 13pc 3/8"Sq Drive Total Drive® Socket Set - Black Series Model No. AK7973

Professional Total Drive® socket set. Manufactured from hardened and tempered heat treated Chrome Vanadium steel. Fully polished black chrome finish with machined and lacquered surfaces. Can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex, with many also equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex. Knurled ring for extra grip with greasy fingers. Features 72-tooth flip reverse ratchet wrench with push-button quick release. Supplied on composite socket retaining rail.

Depth:	Standard
Quantity of Sockets:	12
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 3/8"Sq Drive 72-Tooth Ratchet Wrench



C 34pc 3/8"Sq Drive Socket Set - Black Series Model No. AK7971

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Standard sockets cover sizes from 6 to 24mm and deep sockets from 10 to 19mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8"Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male Adaptor



B 32pc 1/4"Sq Drive Socket Set - Black Series Model No. AK7970

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Standard and deep sockets cover sizes from 4 to 14mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4"Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, Spinner Handle, 3/8"Sq Drive - 1/4"Sq Drive Male T-Bar Adaptor



D 28pc 1/2"Sq Drive Socket Set - Black Series Model No. AK7972

Professional socket set with heat treated Chrome Vanadium steel sockets and accessories. Fully polished black chrome finish with machined and lacquered surfaces. Covers sizes from 8 to 32mm. Features 72-tooth flip reverse ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in metal storage case.

Contents: Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2"Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 1/2"Sq Drive - 3/8"Sq Drive Male T-Bar Adaptor



A 40pc 1/4" Sq Drive Socket Set
Model No. AK7949

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 4 to 14mm. Includes slotted, Phillips, security hex and security TRX-Star* S2 steel socket bits. Features 72-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spinner handle, universal joint and T-bar adaptor. Contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4" Sq Drive 72-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Spinner Handle, Universal Joint, 3/8" Sq Drive Female - 1/4" Sq Drive Male Adaptor, S2 Socket Bits; Slotted - 4, 5.5, 8mm, Phillips - #1, #2, #3, Security TRX-Star* - T8H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, Security Hex - 2, 2.5, 3, 4, 5, 6, 8mm



B 32pc 1/4" Sq Drive Socket Set
Model No. AK7950

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 4 to 14mm in both standard and deep. Features 72-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spinner handle, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, Extension Bars; 75, 150mm, 1/4" Sq Drive 72-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Spinner Handle, Universal Joint, 3/8" Sq Drive - 1/4" Sq Drive Male Adaptor



C 38pc 3/8" Sq Drive Socket Set
Model No. AK7952

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Standard sockets cover sizes from 6 to 24mm and deep sockets from 8 to 19mm. Features 72-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Standard Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm, Deep Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 150mm, 3/8" Sq Drive 72-Tooth Gear-to-Gear Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 1/2" Sq Drive - 3/8" Sq Drive Male Adaptor



D 28pc 1/2" Sq Drive Socket Set
Model No. AK7953

Heat treated, drop-forged Chrome Vanadium steel sockets and accessories with a fully polished mirror finish. Covers sizes from 8 to 32mm. Features 72-tooth gear-to-gear flip reverse comfort grip ratchet wrench with push-button quick release, extension bars, spark plug sockets, universal joint and T-bar adaptor. Includes contents map displayed inside the lid. Supplied in storage case.

Contents: Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, Spark Plug Sockets; 16, 21mm, Extension Bars; 75, 125, 250mm, 1/2" Sq Drive 72-Tooth Flip Reverse Ratchet Wrench with Quick Release, Universal Joint, 3/8" Sq Drive - 1/2" Sq Drive Male Adaptor

A


3/4"
Sq. Drive

12pt

MM

Siegen

A 22pc 3/4" Sq Drive 12-point Socket Set Model No. S0712

Manufactured from heat treated, drop-forged, high quality steel with fully polished chrome plating for corrosion resistance. Includes reversible ratchet wrench, extension bars and sliding T-bar. Supplied in heavy-duty impact resistant storage case.

Contents: Standard Sockets; 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 41, 46, 50mm, 3/4" Sq Drive Reversible Ratchet Wrench, Extension Bars; 100, 150, 200mm, Sliding T-Bar

B


3/4"
Sq. Drive

12pt

MM & IMP

Siegen

B 26pc 3/4" Sq Drive 12-point Socket Set - Metric/Imperial Model No. S0713

Manufactured from heat treated, drop-forged, high quality steel with fully polished chrome plating for corrosion resistance. Includes reversible ratchet wrench, extension bars and sliding T-bar. Supplied in heavy-duty impact resistant storage case.

Contents: Standard Sockets; 22, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46mm, Imperial 12pt Sockets; 15/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 3/4" Sq Drive Reversible Ratchet Wrench, Extension Bars; 100, 150, 200mm, Sliding T-Bar

C


3/4"
Sq. Drive

12pt

WALLDRIVE®

MM


Premier

C 22pc 3/4" Sq Drive 12-point WallDrive® Socket Set Model No. AK2598

Heat treated drop-forged Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Pear-head ratchet with flip reverse and quick release. Supplied in storage case.

Contents: Standard Sockets; 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 41, 46, 50mm, 510mm 3/4" Sq Drive Pear-Head Reversible Ratchet Wrench, Extension Bars; 100, 150, 200mm, 460mm Sliding T-Bar

D


3/4"
Sq. Drive

12pt

WALLDRIVE®

LRM
BEST
BUDGET
BUY

MM & IMP

Premier

D 26pc 3/4" Sq Drive 12-point WallDrive® Socket Set - Metric/Imperial Model No. AK2582

Manufactured from heat treated, drop-forged Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Supplied in heavy-duty impact resistant storage case.

Contents: Standard Sockets; Metric - 22, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46mm, Imperial - 15/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 450mm 3/4" Sq Drive Reversible Ratchet, Extension Bars; 100, 150, 200mm, Sliding T-Bar

A



3/4"
Sq. Drive



MM

Premier

A 17pc 3/4" Sq Drive Socket Set
Model No. AK2597

Manufactured from heat treated drop-forged Chrome Vanadium steel. Hardened and tempered with a chrome finish for corrosion resistance. WallDrive® sockets grip the flats of the fixing giving maximum torque transfer. Features extendable pear-head flip reverse ratchet wrench with quick release. Includes breaker bar, extension bars and universal joint.

Contents: Standard Sockets; 19, 22, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50mm, 3/4" Sq Drive Flip Reverse Quick Release Extendable Ratchet Wrench 510-760mm, Extension Bars; 200, 405mm, 505mm Breaker Bar, Universal Joint

B



1"
Sq. Drive



MM

Siegen

B 21pc 1" Sq Drive Socket Set
Model No. S0768

Heat treated, drop-forged, Chrome Vanadium steel with fully polished chrome plating for corrosion resistance. WallDrive® sockets, ratchet wrench with twist-reverse, extension bars and sliding T-bar. Supplied in metal storage case.

Contents: Standard Sockets; 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm, Extension Bars; 200, 400mm, Sliding T-Bar, 1" Sq Drive Twist-Reverse Ratchet Wrench

C



3/4"
Sq. Drive



MM & IMP

Premier

C 22pc 3/4" Sq Drive 12-point WallDrive® Socket Set - Metric/Imperial
Model No. AK259/CRV

DuoMetric® socket selection covers both Metric and Imperial sizes. Manufactured from Chrome Vanadium steel. Heat treated DuoMetric® WallDrive® sockets with high chrome finish. Ratchet features heavily knurled grip and twist-reverse mechanism. Supplied in metal storage case.

Contents: Standard Sockets; 22, 24, 26, 27, 29, 30, 32, 33, 36, 38, 41, 46, 50mm, 1-1/8", 1-3/8", 1-7/16", 1-3/4", 3/4" Sq Drive Reversible Ratchet Wrench, Sliding T-Bar, Extension Bars; 100, 150, 200mm

D



1"
Sq. Drive



MM

Premier

D 22pc 1" Sq Drive Socket Set
Model No. AK261

Manufactured from heat treated, drop-forged, Chrome Vanadium steel with chrome plating for corrosion resistance. WallDrive® sockets grip the flats of the fixing, giving maximum torque transfer. Flip reverse ratchet with quick release. Supplied in heavy-duty metal storage case.

Contents: Standard Sockets; 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm, Extension Bars; 200, 400mm, Universal Handle, Sliding T-Bar Adaptor, 1" Sq Drive Flip Reverse Quick Release Ratchet

A



D



A

NEW

3/8"
Sq. Drive

Premier

**A 27pc 1000V
Insulated Tool Kit
VDE Approved
Model No. AK7945**

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: Pliers; 8" Combination Pliers, 6" Diagonal Pliers, Open-End Spanners; 7, 8, 10, 12, 13, 14, 17, 19mm, Cable Knife, Screwdrivers; Slotted - 5.5 x 125, 4 x 100mm, Phillips - #1 x 100, #2 x 100mm, 3/8" Sq Drive Reversible Ratchet, 3/8" Sq Drive 100mm Extension Bar, 3/8" Sq Drive Sockets; 7, 8, 10, 12, 13, 14, 17, 19, 22mm, 3/8" Sq Drive T-Handle

B

3/8"
Sq. Drive

MM



Premier


**B 9pc 3/8" Sq Drive Insulated Socket Set - VDE Approved
Model No. AK7942**

Hardened and tempered Chrome Vanadium steel sockets and accessories. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Covers sizes from 8 to 19mm. Includes flip reverse comfort grip ratchet wrench with push-button quick release and 100mm extension bar. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: 3/8" Sq Drive Sockets; 8, 10, 12, 13, 14, 17, 19mm, Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, 100mm Extension Bar

C

NEW

MM 1/2"
Sq. Drive

Premier



**C 10pc 1/2" Sq Drive Insulated
Socket Set - VDE Approved
Model No. AK7943**

Hardened and tempered Chrome Vanadium steel sockets and accessories. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Covers sizes from 10 to 24mm. Includes flip reverse comfort grip ratchet wrench with push-button quick release and 125mm extension bar. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: Sockets; 10, 12, 13, 14, 17, 19, 22, 24mm, Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, 125mm Extension Bar

D

3/8"
Sq. Drive

E

1/2"
Sq. Drive

Premier



**D - E Insulated Socket Sets - VDE Approved
Model No. SEE BELOW**

Hardened and tempered Chrome Vanadium steel sockets and accessories. Chrome plated for resistance to corrosion. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Model No. AK7940 covers sizes from 8 to 22mm and Model No. AK7941 covers sizes from 10 to 32mm. Features 45-tooth flip reverse comfort grip ratchet wrench with push-button quick release, hex socket bits, locking extension bars and locking T-bar. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

D Model No:

AK7940

Contents: 3/8" Sq Drive Sockets; 8, 10, 12, 13, 14, 17, 19, 22mm, 45-Tooth Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, Socket Bits (50mm); 4, 5, 6, 8mm, Locking Extension Bars; 150, 250mm, 200mm Locking T-Bar

E Model No:

AK7941

Contents: 1/2" Sq Drive Sockets; 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32mm, 45-Tooth Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, Socket Bits (100mm); 4, 5, 6, 8, 10mm, Locking Extension Bars; 150, 250mm, 200mm Locking T-Bar



A 73pc Tool Kit
Model No. S01220

Includes a selection of screwdrivers with satin finish Chrome Vanadium steel shafts and soft grip handles for comfort and control. Electrical screwdrivers insulated for use up to 1000V. Microtip screwdrivers with spinner tops enabling fingertip control. Reversible 72-tooth ratchet bit driver for use with an assortment of bits, flexible extension and Chrome Vanadium steel WallDrive® sockets. Combination pliers and long nose pliers. Tape measure, insulating tape and mains tester also included to make this comprehensive tool kit ideal for the serious DIY and professional user. Supplied in storage case.

Contents: Screwdrivers; Slotted - 5 x 75, 6.5 x 100, 8 x 150mm, Phillips - #1 x 75, #2 x 100mm, Insulated Screwdrivers; Slotted - 3 x 100, 4 x 100, 5.5 x 125mm, Phillips - #1 x 80, #2 x 100mm, Microtip Screwdrivers; Slotted - 2.5 x 50, 3 x 50mm, Phillips - #00 x 50, #0 x 50mm, Bits; Slotted - 3-8mm, Phillips - #1 (x2), #2 (x2), #3 (x2), Pozi - #1 (x2), #2 (x2), #3 (x2), TRX-Star* - T10, T15, T20, T25, T27, T30, T40, Hex - 3-6mm, Square - S1, S2, S3, 1/4" Sq Drive Adaptor, Sockets; 5-13mm, 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2", 50mm Bit Extension, Combination Pliers, Long Nose Pliers, Reversible Ratchet Driver, Mains Tester, 3m Measuring Tape, Insulating Tape, 230mm Flexible Shaft

C 101pc Tool Kit with 18V Cordless Drill
Model No. S01224

Comprehensive tool kit containing 18V cordless drill with battery and charger. Kit also includes screwdrivers, pliers, wire stripper/cutter, claw hammer, hacksaw, measuring tape, utility knife, hex keys, sockets, PVC tape, spirit level, torch, masonry and wood drill bits, digital voltage tester, bits, screws and accessories. Tools feature soft grip handles for comfort and control. Supplied in storage case.

Drive: 1/4" Sq Drive
Contents: 18V Cordless Drill, 150mm Long Nose Pliers, 150mm Wire Stripper, 12oz Claw Hammer, 1/4" Sq Drive Sockets; 5, 6, 7, 8, 9, 10, 11, 12, 13mm, Hex Keys; 1.5, 2, 2.5, 3, 3.5, 4, 5, 6mm, 3m Measuring Tape, Knife, Hand Saw, PVC Electrical Tape, 1/4" Hex Bits; Slotted - 4, 5, 6mm, Phillips - #1, #2, Pozi - #1, #2, TRX-Star - T15, T20, Screwdrivers; Slotted - 6 x 100mm, Phillips - #2 x 100mm, Precision Screwdrivers; Slotted - 3 x 75mm, Phillips - #0 x 75mm, Digital Voltage Tester, Bit Driver, 50mm Bit Holder, 50mm Socket Adaptor, 48 Assorted Screws, Spirit Level, HSS Drill Bits; 4, 5, 6mm, Masonry Drill Bits; 4, 5.5, 6mm, Mini Torch



B 24pc Tool Kit
Model No. S01222

Kit includes slotted and Pozi screwdrivers with Chrome Vanadium steel shafts and soft grip handles. Combination pliers, long nose pliers and water pump pliers with soft grip handles. 8oz Claw hammer with fibreglass shaft. Junior hacksaw, universal shears and retractable snap-off knife. Ball-end hex key set and adjustable wrench. Mains tester, tape measure and insulating tape also included to make this comprehensive tool kit ideal for the serious DIY and professional user. Supplied in storage case.

Contents: Screwdrivers; Slotted - 4 x 100, 6 x 125mm, Pozi - #1 x 75, #2 x 100, 150mm Combination Pliers, 150mm Long Nose Pliers, 200mm Water Pump Pliers, 8oz Claw Hammer, Junior Hacksaw, Universal Shears, Retractable Knife, Ball-End Hex Keys - 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, Adjustable Wrench, Mains Tester, 3m Measuring Tape, Insulating Tape



C
NEW


LIFETIME
GUARANTEE*

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.

A-C Socket Sets

Model No. SEE BELOW

Professional socket sets manufactured from hardened and heat treated Chrome Vanadium steel. Fully polished with a mirror finish. Covers sizes from 4 to 32mm. Supplied in storage case.



A 171pc 1/4", 3/8" & 1/2" Sq Drive Socket Set

Model No. S01211

Contents: 1/4"Sq Drive Standard Sockets; 4-14mm, 1/4"Sq Drive Deep Sockets; 4-10mm, 1/4"Sq Drive Female TRX-Star* Sockets; E4-E8, 1/4"Sq Drive Socket Bits; Slotted - 4, 5.5, 6.5, 7mm, Phillips - #0, #1, #2, Pozi - #0, #1, #2, TRX-Star* - T8-30, Security TRX-Star* - T8H-T30H, Hex - 3, 4, 5, 6mm, 1/4"Sq Drive Extension Bars; 50, 100mm, 1/4"Sq Drive Ratchet Wrench, 3/8"Sq Drive Standard Sockets; 10-19mm, 3/8"Sq Drive Deep Sockets; 10-15mm, 3/8"Sq Drive 18mm Spark Plug Socket, 3/8"Sq Drive Female TRX-Star* Sockets; E10-E18, 150mm 3/8"Sq Drive Extension Bar, 3/8"Sq Drive Ratchet Wrench, 1/2"Sq Drive Standard Sockets; 10-32mm, 1/2"Sq Drive Deep Sockets; 16-22mm, 1/2"Sq Drive Female TRX-Star* Sockets; E20, E24, 1/2"Sq Drive Spark Plug Sockets 16 & 21mm, 1/2"Sq Drive Extension Bars; 125 & 250mm, 1/2"Sq Drive Ratchet Wrench, 1/4", 3/8" & 1/2"Sq Drive Accessories; 1/4"Hex Bits; Slotted - 6-8, 8-10 (x2), 10-12mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, TRX-Star* - T10-T30, Square - S1, S2, S3, 8mm Hex Bits; Slotted - 8, 10, 12mm, Phillips - #3, #4, Pozi - #3, #4, TRX-Star* - T40, T45, T50, Security TRX-Star* - T40H, T45H, T50H, Hex - 7-14mm, 10mm Hex Bits; TRX-Star* - T55, T60, T70, Security TRX-Star* - T55H, T60H, T70H, Spinner Handle, 1/4"Sq Drive Sliding T-Bar, Hex Keys; 1.27-5mm, 1/4", 3/8" & 1/2"Sq Drive Universal Joints, Hex Adaptors, T-Bar Adaptor

C 94pc 1/4" & 1/2" Sq Drive Socket Set

Model No. S01210

Contents: 1/4"Sq Drive Standard Sockets; 4-14mm, 1/4"Sq Drive Deep Sockets; 6-13mm, 1/4"Sq Drive Socket Bits; T8-T30, Phillips - #1, #2, Pozi - #1, #2, Slotted - 4-7mm, Hex - 3-6mm, 1/4"Sq Drive Extension Bars; 50, 100mm, 1/4"Sq Drive Flexible Extension, 1/4"Sq Drive Ratchet Wrench, 1/2"Sq Drive Standard Sockets; 10-32mm, 1/2"Sq Drive Deep Sockets; 14-19mm, 8mm Hex Bits; TRX-Star* - T40-T55, Phillips - #3, #4, Pozi - #3, #4, Slotted - 8-12mm, Hex - 8-14mm, 1/2"Sq Drive Spark Plug Sockets; 16, 21mm, 1/2"Sq Drive Extension Bars; 125, 250mm, 1/2"Sq Drive Ratchet Wrench, 1/4" & 1/2"Sq Drive Universal Joint, 1/4"Sq Drive Spinner Handle, 1/4"Sq Drive Sliding T-Bar, 1/2"Sq Drive T-Bar Adaptor, 8mm Hex Bit Adaptor, Hex Keys; 1.5-2.5mm




B 219pc 1/4", 3/8" & 1/2" Sq Drive Socket Set

Model No. S01212

Contents: 1/4"Sq Drive Standard Sockets; 4-14mm, 1/4"Sq Drive Deep Sockets; 4-10mm, 1/4"Sq Drive Female TRX-Star* Sockets; E4-E8, 1/4"Sq Drive Socket Bits, 1/4"Sq Drive Extension Bars; 50, 100mm, 1/4"Sq Drive Ratchet Wrench, 3/8"Sq Drive Standard Sockets; 10-19mm, 3/8"Sq Drive Deep Sockets; 10-15mm, 3/8"Sq Drive Spark Plug Socket, 3/8"Sq Drive Female TRX-Star* Sockets; E8-E16, 3/8"Sq Drive Extension Bar, 3/8"Sq Drive Ratchet Wrench, 1/2"Sq Drive Standard Sockets; 10-32mm, 1/2"Sq Drive Deep Sockets; 16-22mm, 1/2"Sq Drive Female TRX-Star* Sockets; E18 - E24, 1/2"Sq Drive TRX-Star* Socket Bits; T55, T60, 1/2"Sq Drive Spark Plug Sockets, 1/2"Sq Drive Extension Bars; 125, 250mm, 1/2"Sq Drive Ratchet Wrench, Combination Spanners; 8-19mm, 1/4", 3/8" & 1/2"Sq Drive Accessories; Spinner Handle, Bit Driver, Universal Joints, Bit Holders, Hex Keys; 1.27-5mm, 1/4"Sq Drive Sliding T-Bar, 1/2"Sq Drive T-Bar Adaptor, 8mm Hex Bits; Slotted - 6, 6.5, 8, Phillips; #3, #4, Pozi; #3, #4, TRX-Star*; T25, T27 (x2), T30 (x2), T35 (x2), T40 (x3), T45 (x2), T50 (x2), Hex; 5.5, 6 (x2), 7, 8, Spline; M5, 6, 8, 10, 25mm Length/1/4" Hex Shank Bits; Slotted; 4, 5, 5.5, Phillips; #1, #2, Pozi - #1, #2, TRX-Star*; T8, T10, T15, T20, T25, Tamper-proof TRX-Star*; T8, T10 (x2), T15, T20 (x3), T25 (x2), T40, Hex; 3, 4, 5, 6, Security Hex; 3, 4, 5, 6, Spline; M5, M6, M8, Tri-Wing; #1, #2, #3, Torq; #6, #8, #10, Square; S1, S2






A 84pc Tool Kit
Model No. S01213

Comprehensive range of frequently used hand tools with 3/8" Sq Drive reversible ratchet wrench. Includes 3/8" Sq drive sockets, hex keys, combination spanners, screwdrivers, pliers, hammer, mini hacksaw, bit driver, bits and accessories. Tools feature soft grip handles for comfort and control. Supplied in storage case.

Contents: 3/8" Sq Drive; Reversible Ratchet, Universal Joint, 75mm Extension Bar, 3/8" Sq Drive Sockets; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm, Screwdrivers; Slotted - 4 x 100, 5.5 x 100, 6.5 x 100mm, Phillips - #1 x 75, #2 x 100mm, 10 x 75mm Screwdriver Bit Holder, Precision Screwdriver Set; Slotted - 1.5, 2, 2.5, 3mm, Phillips - #0, #00, Combination Spanners; 8, 10, 12, 13, 14, 17, 19mm, Ball-End Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



B 135pc Mechanic's Tool Kit
Model No. S01214

Comprehensive range of frequently used hand tools with 1/4" and 1/2" Sq Drive Reversible ratchet wrenches. Includes 1/4", 3/8" and 1/2" Sq drive sockets, hex keys, combination spanners, screwdrivers, pliers, utility knife, bit set and accessories. Tools feature soft grip handles for comfort and control. Supplied in storage case.

Contents: 1/4" & 1/2" Sq Drive Reversible Ratchet, 1/2" - 3/8" Sq Drive Male Adaptor, Standard 1/4" Sq Drive Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 1/4" Sq Drive TRX-Star* Female Sockets; E4, E5, E6, E7, E8, 1/4" Sq Drive Extension Bars; 50, 100mm, 3/8" Sq Drive TRX-Star* Female Sockets; E10, E11, E12, E14, E16, E18, Standard 1/2" Sq Drive Sockets; 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, 1/2" Sq Drive TRX-Star* Female Sockets; E20, E22, E24, 1/2" Sq Drive Extension Bars; 125, 250mm, 16mm Spark Plug Socket, Spinner Handle, 3-Way Adaptors; 3/8" Female x 1/2" Male & 3/8" Female x 1/4" Male, Universal Joints; 1/4" x 1/2" Sq Drive, Power Extension Bar; 1/4", 3/8", 1/2" Sq Drive, Screwdrivers; Slotted - 6.5 x 38, 5.5 x 75, 6 x 100mm, Phillips - #2 x 38, #1 x 75, #2 x 100mm, Combination Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 19mm, 30mm Bit Set; Hex - 4, 5, 6, 7, 8, 10, 12mm, Spline - M5, M6, M8, M10, M12, TRX-Star* - T20, T25, T30, T40, T45, T50, T55, Ball-End Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, 30pc 1/4" Bit Set; Slotted - 3, 4, 5, 6mm, Phillips - #0 (x2), #1 (x2), #2 (x2), #3 (x2), Pozi - #0 (x2), #1 (x3), #2 (x3), #3 (x2), TRX-Star* - T10, T15, T20, T25, T30, T40, Screwdriver Bit Holder, 1/4" x 1/4" Bit Holder, 1/2" x 8mm Bit Holder, Long Nose Pliers, Side Cutters, Combination Pliers, Water Pump Pliers, Pocket Knife, 60mm Bit Adaptor

C 90pc Electrician's Tool Kit
Model No. S01217

Comprehensive range of frequently used hand tools. Manufactured from hardened and tempered Chrome Vanadium steel. All screwdrivers and pliers are VDE approved. Includes 1/4" and 1/2" Sq drive sockets, hex keys, spanners, screwdrivers, mains tester, pliers, tape measure, ball pein hammer, scissors, bits and accessories. Supplied in storage case.

Contents: 1/4" Sq Drive Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, Extension Bars - 50, 100mm, Universal Joint, 1/4" Sliding T-Bar, Spinner Handle, 1/4" Sq Drive to 1/4" Hex Adaptor, 1/2" Sq Drive Sockets; 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, 1/2" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, Extension Bars - 125, 250mm, Universal Joint, Spark Plug Sockets; 16, 21mm, 3/8" (F) x 1/2" (M) 3-Way Adaptor, Hex Keys; 1.5, 2, 2.5, 3, 3.5, 4, 5, 6, 8, 10mm, Combination Wrenches; 8, 10, 12, 13, 14, 17mm, 12oz Ball Pein Hammer, 5m Measuring Tape, Scissors, 1/4" Hex Bits; Slotted - 4, 5, 6, 7mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, TRX-Star* - T10, T15, T20, T25, Hex - 3, 4, 5, 6mm, VDE Approved Screwdrivers; Slotted - 3 x 75, 4 x 100, 5.5 x 125mm, Phillips - #0 x 60, #1 x 80, #2 x 100mm, VDE Approved Electrical Tester, VDE Approved Pliers - 150mm Wire Stripping Pliers, 160mm Diagonal Cutters, 170mm Combination Pliers, 200mm Long Nose Pliers, 250mm Water Pump Pliers



A 70pc Tool Kit with Cantilever Toolbox

Model No. S01215

Comprehensive range of frequently used hand tools with 1/4" and 3/8" Sq drive reversible ratchet wrenches. Includes 1/4" and 3/8" Sq drive sockets, hex keys, combination spanners, screwdrivers, bit set and accessories. Tools feature soft grip handles for comfort and control. Housed in a metal cantilever toolbox.

Contents:

3/8" Sq Drive

Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 19mm, 3/8" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, 75mm Extension Bar, Universal Joint, Spinner Handle, 1/4" Sq Drive Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/2" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, Universal Joint, Spinner Handle, Combination Spanners; 10, 12, 13, 15, 17, 19mm, Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6mm, 150mm Combination Pliers, 150mm Long Nose Pliers, 150mm Diagonal Cutters, Screwdrivers; Slotted - 6 x 100mm, Phillips - #2 x 100mm, Bit Driver, 1/4" Hex Bits; Slotted - 4, 5, 5.5, 6mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, Hex 3, 4, 5, 5.5, 6mm, TRX-Star* - T10, T15, T20, T25, T27, T30, T40



B 86pc Tool Kit with Cantilever Toolbox

Model No. S01216

Comprehensive range of frequently used hand tools with 1/4" and 1/2" Sq Drive Reversible ratchet wrenches. Includes 1/4" and 1/2" Sq drive sockets, hex keys, combination spanners, screwdrivers, pliers, utility knife, measuring tape, bit set and accessories. Tools feature soft grip handles for comfort and control. Housed in a metal cantilever toolbox.

Contents:

Standard Sockets; 1/4" Sq

Drive - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/2" Sq Drive - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27mm, Hex Bits; Slotted - 3, 4, 5, 6, 7mm, Phillips - #0, #1, #2, #3, #4, Pozi - #1, #2, Accessories; 1/4" Sq Drive Reversible Ratchet, 1/2" Sq Drive Universal Joint, 1/4" Sq Drive 75mm Extension Bar, 1/2" Sq Drive Sliding T-Bar, 1/2" Sq Drive Reversible Ratchet, 1/2" Sq Drive Extension Bars - 125, 250mm, 3m Measuring Tape, Utility Knife with 5 Blades, Ratchet Bit Holder, 19mm Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm, Combination Spanners; 6, 8, 9, 10, 11, 12, 13, 14, 15, 17mm, Screwdrivers; Slotted - 5 x 75, 6 x 100, 8 x 150mm, Phillips - #1 x 75, #2 x 100mm, Pliers; 150mm Combination Pliers, 150mm Long Nose Pliers, 250mm Water Pump Pliers, 250mm Locking Pliers

C 2 Drawer Portable Tool Chest with 90pc Tool Kit


Model No. S01055

Comprehensive range of frequently used hand tools. Includes 1/4" and 1/2" Sq drive socket set, hex keys, spanners, pliers, screwdrivers and bits. Housed in a metal cantilever tool chest with carry handle.

Contents:

1/4" Sq Drive Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, 75mm Extension Bar, Universal Joint, Spinner Handle, 1/2" Sq Drive Sockets; 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm, 1/2" Sq Drive Accessories; Flip Reverse Quick Release Ratchet Wrench, 250mm Extension Bar, Spark Plug Sockets - 16, 21mm, Universal Joint, Combination Spanners; 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm, Hex Keys; 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, 175mm Combination Pliers, 200mm Long Nose Pliers, 150mm Side Cutters, Screwdrivers; Slotted - 5 x 75, 6 x 100mm, Phillips - #1 x 75mm, #2 x 100, Bit Driver, 1/4" Hex Bits; Slotted - 3, 4, 5, 6mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, TRX-Star* - T15, T20, T25, T30, Hex - 3, 4, 5, 6mm, Square - #0, #1, #2, #3





A - B 172pc 1/4", 3/8" & 1/2" Sq Drive Socket Set
Model No. SEE BELOW

Deluxe professional socket sets with hardened and heat treated Chrome Vanadium steel sockets. Model No. AK7955 has a fully polished mirror finish and Model No. AK7955EU has a fully polished satin finish. Covers sizes from 4 to 32mm. Includes comfort grip ratchet wrenches, spark plug sockets, extension bars, female TRX-Star* sockets, socket bits, hex keys, bits, spinner handle and accessories. Supplied in storage case.

Model No:	Finish:
A AK7955	Mirror
B AK7955EU	Satin
Contents: 1/4"Sq Drive Standard Sockets; 4-14mm, 1/4"Sq Drive Deep Sockets; 4-10mm, 1/4"Sq Drive Female TRX-Star* Sockets; E4-E8, 1/4"Sq Drive Socket Bits, 1/4"Sq Drive Extension Bars; 50, 100mm, 1/4"Sq Drive Ratchet Wrench, 3/8"Sq Drive Standard Sockets; 10-19mm, 3/8"Sq Drive Deep Sockets; 10-15mm, 3/8"Sq Drive Spark Plug Socket, 3/8"Sq Drive Female TRX-Star* Sockets; E10-E18, 125mm 3/8"Sq Drive Extension Bar, 3/8"Sq Drive Ratchet Wrench, 1/2"Sq Drive Standard Sockets; 10-32mm, 1/2"Sq Drive Deep Sockets; 16-22mm, 1/2"Sq Drive Female TRX-Star* Sockets; E20, E24, 1/2"Sq Drive Spark Plug Sockets, 1/2"Sq Drive Extension Bars; 125, 250mm, 1/2"Sq Drive Ratchet Wrench, 1/4", 3/8" & 1/2"Sq Drive Accessories, 6mm Hex Bits; 8mm Hex Bits; Spinner Handle, Hex Keys; 1.27-5mm	


D 136pc Mechanic's Tool Kit
Model No. AK7980

Comprehensive range of frequently used hand tools. Includes 1/4", 3/8" and 1/2" Sq drive sockets, hex keys, spanners, screwdrivers, pliers, bits and accessories. Housed in a sturdy storage case with reinforced corners, aluminium trim and lockable metal catches.

Contents:	Standard Sockets; 1/4"Sq Drive; 4-14mm, 1/2"Sq Drive; 15-32mm, Female TRX-Star* Sockets; 1/4"Sq Drive; E4-E8, 3/8"Sq Drive; E10-E18, 1/2"Sq Drive; E20-E24, 1/4"Hex Bits; Slotted, Phillips, Pozi, TRX-Star*, Security TRX-Star*, Hex, 10mm Hex Bits; TRX-Star*, Hex, Spline, 1/2"Sq Drive 16mm Spark Plug Socket, 1/4", 3/8" & 1/2"Sq Drive Accessories, Combination Spanners; 10-19mm, Hex Keys; 1.5-10mm, Screwdrivers; Phillips & Slotted, Pliers; Combination, Long Nose, Water Pump, Side Cutters
------------------	---



All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



C 216pc 1/4", 3/8" & 1/2" Sq Drive Socket Set
Model No. AK7956


Deluxe professional socket set with heat treated, mirror polished Chrome Vanadium steel sockets. Covers sizes from 4 to 32mm. Includes comfort grip ratchet handles, spark plug sockets, extension bars, female TRX-Star* sockets, socket bits, combination spanners, bits, hex keys and accessories. Supplied in storage case.

Contents: 1/4"Sq Drive Standard Sockets; 4-14mm, 1/4"Sq Drive Deep Sockets; 4-10mm, 1/4"Sq Drive Female TRX-Star* Sockets; E4-E8, 1/4"Sq Drive Socket Bits, 1/4" Hex Adaptor, 3/8"Sq Drive Standard Sockets; 8-19mm, 3/8"Sq Drive Deep Sockets; 10-15mm, 3/8"Sq Drive Female TRX-Star* Sockets; E10-E18, 1/2"Sq Drive Standard Sockets; 13-32mm, 1/2"Sq Drive Deep Sockets; 16-22mm, 1/2"Sq Drive Female TRX-Star* Sockets; E20-E24, 3/8" & 1/2"Sq Drive Spark Plug Sockets; 1/4", 3/8" & 1/2"Sq Drive Accessories, Combination Spanners; 8-19mm, 1/4"Hex Bits; 8mm Hex Bits; 6mm Hex Bit Driver, Hex Keys; 1.27-5mm



1/4" 3/8" & 1/2" Sq. Drive





B - D Socket Retaining Rails with Clips
Model No. [SEE BELOW](#)

Durable composite sliding socket rails. Size printed directly on each individual socket clip for easy selection. Drilled rails allow wall mounting or cabinet fixing.

Model No:	Length:	Drive:	Socket Size/Capacity:
B AK1412	300mm	1/4"Sq	4-13mm/12
C AK3812	300mm	3/8"Sq	8-19mm/12
D AK1217	460mm	1/2"Sq	8-24mm/17



H 3pc Socket Retaining Rail Set
Model No. [AK270](#)

Rails each fitted with 16 adjustable socket clips. Drilled rails allow wall mounting or cabinet fixing.

Contents:	1 each; 1/4", 3/8", 1/2"Sq Drive Rail with Retaining Clips
Length:	410mm

A 100pc Mechanic's Tool Kit
Model No. [AK7400](#)

Comprehensive range of frequently used hand tools for professional mechanics and serious DIY experts with 1/4" & 1/2"Sq drive 90-tooth offset comfort grip ratchet wrenches. Includes 1/4" and 1/2"Sq drive sockets, spark plug sockets, extension bars, spanners, screwdrivers, ball pein hammer, pliers, bits and accessories. Supplied in storage case with metal catches.


Drive: 1/4" & 1/2"Sq Drive
Contents: Standard Sockets; 1/4"Sq Drive; 4-13, 1/2"Sq Drive; 10-32mm, Deep Sockets; 1/4"Sq Drive - 9, 10, 11, 12, 13mm, 6mm Drive Bits; Slotted - 4, 5.5, 7mm, Phillips - #1, #2, #3, Hex - 3, 4, 5, 6mm, TRX Star* - T15, T20, T30, Accessories; 1/4" & 1/2"Sq Drive Ratchets, 10" Water Pump Pliers, Wire Cutters, 12oz Ball Pein Hammer, 7" Combination Pliers, Terminals (x26), Circuit Tester, Hex Keys; 1.5, 2, 2.5mm, Combination Spanners; 8, 10, 11, 12, 13, 14, 15, 17, 19mm, Screwdrivers; Slotted; 5 x 38mm, 6mm x 100mm, Phillips; #1 x 38mm, #2 x 100mm, Pozi - #2 x 150mm



E - G Socket Retaining Rails with 14 Clips
Model No. [SEE BELOW](#)

Tidy storage for loose sockets. Carry rail to the job or mount onto wall or toolbox. Handle marked with drive size. Supplied with 14 socket clips.


Model No:	Length:	Drive/Capacity:
E AK1414	420mm	1/4"Sq/14
F AK3814	420mm	3/8"Sq/14
G AK1214	420mm	1/2"Sq/14



A 10pc Magnetic Socket Insert Set
Model No. **AK27095**

Magnetic socket inserts for use in standard or deep sockets. Simply push into sockets to retain fasteners during installation or removal. Ideal for use in areas where access is limited.

Insert Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



B - D Socket Retaining Rails with 16 Clips - Hi-Vis Green
Model No. **SEE BELOW**

Aluminium socket rails with hi-vis green nylon clips. Holds up to 16 sockets.


Model No:	Length:	Drive:	Socket Capacity:
B AK27052HV	440mm	1/4" Sq	16
C AK27053HV	440mm	3/8" Sq	16
D AK27054HV	440mm	1/2" Sq	16



E 1/4" Sq Drive
Magnetic Socket Retaining Tray
Model No. **AK27088**

Durable, high-impact ABS socket tray with strong magnetic backing and carry handle. Holds up to 13 standard and 13 deep 1/4" Sq drive sockets up to 14mm (5/8"). Ideal for use in tool chest drawers or can be attached to any ferrous surface.

Size (L x D x H):	285 x 100 x 15mm
Drive:	1/4" Sq
Socket Capacity:	26



F - H Magnetic Socket Retaining Rails with Clips
Model No. **SEE BELOW**

Anodised aluminium socket rails with nylon clips. Strong magnet with protective covering attaches to any ferrous surface. Includes Metric/Imperial sizing labels.


Model No:	Length:	Drive:	Socket Capacity:
F AK27082	305mm	1/4" Sq	13
G AK27083	305mm	3/8" Sq	12
H AK27084	305mm	1/2" Sq	10



I 3/8" Sq Drive
Magnetic Socket Retaining Tray
Model No. **AK27089**

Durable, high-impact ABS socket tray with strong magnetic backing and carry handle. Holds up to 14 standard and 14 deep 3/8" Sq drive sockets up to 24mm (1"). Ideal for use in tool chest drawers or can be attached to any ferrous surface.


Size (L x D x H):	420 x 125 x 20mm
Drive:	3/8" Sq
Socket Capacity:	28



J - L Magnetic Socket Holders
Model No. **SEE BELOW**

Durable, high-impact ABS socket holders with strong magnetic backing. Ideal for use in tool chest drawers or can be attached to any ferrous surface. Allows you to maintain a tidy workstation with sockets always to hand. Accommodates both standard and deep sockets (except Model No. AK27087 which only accommodates standard).


Model No:	Size (W x D x H):	Drive:	Type:	Socket Capacity:
J AK27085	235 x 55 x 35mm	1/4" Sq	Standard/Deep	26
K AK27086	360 x 85 x 34mm	3/8" Sq	Standard/Deep	30
L AK27087	360 x 85 x 34mm	1/2" Sq	Standard	19



A - C Socket Holders
Model No. [SEE BELOW](#)

Allows you to maintain a tidy workstation with sockets always to hand. Accommodates both standard and deep sockets.

Model No:	Length:	Drive:	Capacity:	Socket Sizes:
A SH1414	230mm	1/4"Sq	28	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
B SH3815	332mm	3/8"Sq	30	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
C SH1217	515mm	1/2"Sq	34	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27mm



D - F Socket Holders - Hi-Vis Green
Model No. [SEE BELOW](#)

Allows you to maintain a tidy workstation with sockets always to hand. Accommodates both standard and deep sockets.


Model No:	Length:	Drive:	Capacity:	Socket Sizes:
D SH1414HV	230mm	1/4"Sq	28	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm
E SH3815HV	332mm	3/8"Sq	30	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm
F SH1217HV	515mm	1/2"Sq	34	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27mm



G - I Socket Holders
Model No. [SEE BELOW](#)

Allows you to maintain a tidy workstation with sockets always to hand. Accommodates both standard and deep sockets.


Model No:	Length:	Drive:	Capacity:	Socket Sizes:
G SH1411	230mm	1/4"Sq	26	1/8", 5/32, 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8" / 26
H SH3813	337mm	3/8"Sq	26	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" / 26
I SH1214	458mm	1/2"Sq	28	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" / 28



A - C Aluminium Socket Retaining Rails
Model No. **SEE BELOW**

Anodised aluminium socket rails with nylon clips. Can hold up to 14 sockets.

Model No:	Length:	Drive:	Socket Capacity:
A SR1414	220mm	1/4"Sq	14
B SR3814	305mm	3/8"Sq	14
C SR1214	430mm	1/2"Sq	14



E 1/4", 3/8" & 1/2" Sq Drive Socket Rail Tray - Hi-Vis Green
Model No. **AK27051HV**

Steel panel comprising of four composite 430mm rails and clips suitable for retaining 1/4", 3/8" and 1/2" Sq drive sockets. Fitted with carry handle.

Drive:	1/4", 3/8", 1/2"Sq
Socket Capacity:	80 (20 per Rail)
Tray Size:	440 x 150mm



G 1/4", 3/8" & 1/2" Sq Drive Socket Rail Tray
Model No. **AK271B**

Steel panel comprising of four 430mm rails and clips suitable for retaining 1/4", 3/8" and 1/2" Sq drive sockets. Fitted with carry handle.


Drive:	1/4", 3/8", 1/2"Sq
Socket Capacity:	80 (20 per Rail)
Tray Size:	430 x 157mm



D 1/4", 3/8" & 1/2" Sq Drive Socket Rail Tray
Model No. **AK272**

Steel tray comprising of five 430mm rails and clips suitable for retaining 1/4", 3/8" and 1/2" Sq drive sockets. Also includes two 10pc bit holders. Tray features carry handles and hanging holes for workshop storage.

Drive:	1/4", 3/8", 1/2"Sq
Socket Capacity:	90
Tray Size:	490 x 210mm



F 1/4", 3/8" & 1/2" Sq Drive Socket Rail Tray
Model No. **AK271**

Steel panel comprising of four 430mm rails and clips suitable for retaining 1/4", 3/8" and 1/2" Sq drive sockets. Fitted with carry handle.

Drive:	1/4", 3/8", 1/2"Sq
Socket Capacity:	80 (20 per Rail)
Tray Size:	430 x 157mm



H

I



H - I Ø150mm Magnetic Collectors
Model No. **SEE BELOW**

ABS Plastic trays with Ø80mm magnet in non-marking cover. Suitable for storing nuts, bolts, screws, washers and small parts during disassembly/assembly. Attaches to any ferrous surface and is ideal for use on toolboxes.

Model No:	Tray Size:	Colour:
H AK2319	Ø150mm	Red
I AK2319B	Ø150mm	Black



A 3pc 1/4" Sq Drive Extension Bar Set
Model No. S0718

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive: 1/4" Sq
Lengths: 50, 100, 150mm



B 3pc 1/4" Sq Drive Extension Bar Set
Model No. AK6330

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive: 1/4" Sq
Lengths: 100, 150, 225mm



C 5pc 1/4" Sq Drive Extension Bar Set
Model No. AK6331

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive: 1/4" Sq
Lengths: 50, 75, 100, 150, 225mm



D 5pc 1/4" Sq Drive Wobble Extension Bar Set
Model No. AK766

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive: 1/4" Sq
Lengths: 50, 75, 100, 150, 225mm



E 3/8" Sq Drive Extension Bars
Model No. SEE BELOW

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Spring-ball socket retainers.

Model No:	Drive:	Length:
S38E75	3/8" Sq	75mm
S38E150	3/8" Sq	150mm
S38E200	3/8" Sq	200mm



F 3pc 3/8" Sq Drive Extension Bar Set
Model No. S0719

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive: 3/8" Sq
Lengths: 75, 125, 150mm



G 3pc 3/8" Sq Drive Extension Bar Set
Model No. AK6340

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive: 3/8" Sq
Lengths: 75, 150, 225mm



H 5pc 3/8" Sq Drive Extension Bar Set
Model No. AK6341

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers. Supplied in storage tray.

Drive: 3/8" Sq
Lengths: 38, 75, 150, 250, 450mm



I 3pc 3/8" Sq Drive Wobble/Rigid Extension Bar Set
Model No. AK763

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of up to 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive: 3/8" Sq
Lengths: 75, 150, 200mm



A 5pc 3/8" Sq Drive Wobble Extension Bar Set
Model No. **AK767**

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers. Supplied in storage tray.

Drive:	3/8" Sq
Lengths:	38, 75, 150, 250, 450mm



B - C 3pc Wobble/Rigid Extension Bar Sets - Black Series
Model No. **SEE BELOW**

Heat treated and hardened Chrome Vanadium steel shafts. Fully polished black chrome finish with machined and lacquered heads. Cut-away tips allow sockets to be driven with shaft offset of up to 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Model No:	Drive:	Lengths:
B AK7691	3/8" Sq	75, 150, 250mm
C AK7692	1/2" Sq	75, 125, 250mm



D 6pc 3/8" Sq Drive Wobble/Rigid Extension Bar, Adaptor & Universal Joint Set
Model No. **AK7690**

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Extension bars feature cut-away tips allowing sockets to be driven with shaft offset of up to 10° and deep knurling on shafts for extra grip when spinning off fixings. Spring-ball socket retainers.

Drive:	3/8" Sq
Contents:	Extension Bars; 75, 125, 250mm, Adaptors; 3/8"(F) - 1/2"(M), 3/8"(F) - 1/4"(M), Universal Joint



E 1/2" Sq Drive Extension Bars
Model No. **SEE BELOW**

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Spring-ball socket retainers. Model No. AK6374 features deep knurling on the shaft allowing extra grip when spinning off fixings.

Model No:	Drive:	Length:
S12E75	1/2" Sq	75mm
S12E150	1/2" Sq	150mm
S12E200	1/2" Sq	200mm
AK6374	1/2" Sq	600mm



F 3pc 1/2" Sq Drive Extension Bar Set
Model No. **S0720**

Chrome Vanadium steel shafts with mirror finish. Spring-ball socket retainers.

Drive:	1/2" Sq
Lengths:	75, 150, 250mm



G 3pc 1/2" Sq Drive Extension Bar Set
Model No. **AK6350**

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive:	1/2" Sq
Lengths:	75, 150, 225mm



H 5pc 1/2" Sq Drive Extension Bar Set
Model No. **AK6351**

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive:	1/2" Sq
Lengths:	50, 125, 250, 375, 500mm



I 3pc 1/2" Sq Drive Wobble/Rigid Extension Bar Set
Model No. **AK764**

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of up to 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers.

Drive:	1/2" Sq
Lengths:	75, 150, 200mm



A 5pc 1/2"Sq Drive Wobble Extension Bar Set Model No. AK768

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers. Supplied in storage tray.

Drive:	1/2"Sq
Lengths:	50, 125, 250, 375, 500mm



B 7pc 1/4", 3/8" & 1/2"Sq Drive Wobble/Rigid Extension Bar Set Model No. AK770

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Dual feature allows off-centre driving of sockets at up to 10° from centre axis or at 0°. Supplied in storage tray.

Drive:	Lengths:
1/4"Sq	100, 150mm
3/8"Sq	75, 150, 250mm
1/2"Sq	125, 250mm



C 3/4"Sq Drive Extension Bars Model No. SEE BELOW

Forged Chrome Vanadium steel extensions. Hardened, tempered and chrome plated for corrosion resistance. Fitted with spring-ball socket retainer.

Model No:	Drive:	Length
S34/E150	3/4"Sq	150mm
S34/E200	3/4"Sq	200mm
S34/E400	3/4"Sq	400mm



D 3pc Power Tool Socket Adaptor Set Model No. AK4929

Manufactured from hardened and tempered Chrome Vanadium steel with 1/4" hexagon shanks. Ideal for use with all electric/air drills. Suitable for repetitive applications which require 1/4", 3/8" or 1/2"Sq drive sockets. Features spring-ball socket retainers.

Contents: Drive/Length; 1/4"Sq/65mm, 3/8"Sq/65mm, 1/2"Sq/75mm



E 2pc Flexible Extension Adaptor Sets Model No. SEE BELOW

High quality Chrome Vanadium steel ends with tough flexible spring shafts. For use where a traditional solid extension bar will not fit. Suitable for all hand ratchet applications.

Model No:	Drive x Length:
AK7341	1/4"Sq x 150mm 3/8"Sq x 200mm
AK7342	1/4"Sq x 254mm 3/8"Sq x 305mm



F 1/2"Sq Drive Locking Sliding T-Bar Model No. AK6378

Chrome Vanadium locking T-bar with polished chrome finish. Positive locking ball retains socket or extension until push-release button is pressed.

Drive:	1/2"Sq
Length:	250mm



G 3/4"Sq Drive Sliding T-Bar Model No. S34/TB

Manufactured from heat treated drop-forged Chrome Vanadium steel with chrome plating for corrosion resistance. Spring-ball socket retainer.

Drive:	3/4"Sq
Length:	500mm



A - B Speed Braces
Model No. [SEE BELOW](#)

Drop-forged, Chrome Vanadium steel speed braces. Hardened and tempered with a chrome plated, fully polished mirror finish. 360° Handle with deep knurling allows extra grip when spinning off fixings.

Model No:	Drive:	Length:
A AK5694	3/8"Sq	380mm
B AK5695	1/2"Sq	415mm



C - D Universal Joints
Model No. [SEE BELOW](#)

Hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Screw type universal joints. Fitted with spring-ball socket retainer.

Model No:	Drive:
C S38UJ	3/8"Sq
D S12UJ	1/2"Sq



E 3pc Universal Joint Set
Model No. [AK27371](#)

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Three universal joints with a spring-ball socket retainer. Unique design allows for smooth rotation and high torque.

Contents: 1/4", 3/8", 1/2"Sq Drive



F 7pc Universal Joint & Socket Adaptor Set
Model No. [AK2737](#)

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished finish. Comprising four socket adaptors and three universal joints each with a spring-ball socket retainer. Supplied in storage case.

Contents: Universal Joints; 1/4"Sq Drive, 3/8"Sq Drive, 1/2"Sq Drive, Socket Adaptors; 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 1/2"(F) x 3/8"(M), 3/8"(F) x 1/2"(M) Sq Drive



G - I Socket Adaptors
Model No. [SEE BELOW](#)

Forged Chrome Vanadium steel adaptors. Heat treated and chrome plated for corrosion resistance. Fitted with spring-ball socket retainer.


Model No:	Female(Drive):	Male:
G S38F-14M	3/8"Sq	1/4"Sq
H S38F-12M	3/8"Sq	1/2"Sq
I S12F-38M	1/2"Sq	3/8"Sq



J 6pc Socket Adaptor Set
Model No. [AK2736](#)

6-Piece Chrome Vanadium steel socket adaptor set. Hardened, tempered and chrome plated with spring-ball socket retainer. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 1/2"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 3/4"(F) x 1/2"(M), 1/2"(F) x 3/4"(M) Sq Drive



K 8pc Impact Socket Adaptor Set
Model No. [AK5900B](#)

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive

**A Micrometer Torque Wrenches**Model No. [SEE BELOW](#)


Heat treated steel ratchet heads. Fully hardened and tempered. Chrome plated for corrosion resistance. Micrometer type torque range adjustment. Twist-Reverse ratchet mechanism. Supplied in storage case.

Model No:	Drive:	Length:	Range:
S0455	3/8"Sq	365mm	19-110Nm(14-81lb.ft)
S0456	1/2"Sq	440mm	42-210Nm(31-155lb.ft)

**C Calibrated Micrometer Torque Wrenches**Model No. [SEE BELOW](#)

Heat treated steel ratchet heads. Fully hardened and tempered. Chrome plated for corrosion resistance. Calibration tolerance in accordance with BS EN ISO 6789:1:2017. Every wrench is tested and supplied with an individually numbered test certificate. Micrometer type torque range adjustment with scale graduated in both Nm and lb.ft. Flip reverse ratchet mechanism. Supplied in storage case.

Model No:	Drive:	Length:	Range:
AK623	3/8"Sq	275mm	27-108Nm(20-80lb.ft)
AK624	1/2"Sq	465mm	27-204Nm(20-150lb.ft)
AK628	3/4"Sq	660mm	68-407Nm(50-300lb.ft)

**E Calibrated Micrometer Torque Wrenches**Model No. [SEE BELOW](#)

Manufactured from hardened and tempered Chrome Vanadium steel with a polished satin finish. Smooth action ratchet heads with flip reverse. Easy-to-use torque adjustment, locks when required setting is selected. Calibration tolerance in accordance with BS EN ISO 6789:1:2017. Scales graduated in both Nm and lb.ft. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Supplied in storage case.

Model No:	Drive:	Length:	Range:
STW701	1/4"Sq	340mm	4-20Nm(2.9-14.8lb.ft)
STW702	3/8"Sq	440mm	20-100Nm(14.8-73.8lb.ft)
STW703	1/2"Sq	610mm	40-200Nm(29.5-148lb.ft)
STW704 NEW	1/2"Sq	610mm	60-330Nm(44-250lb.ft)

**B Micrometer Torque Wrenches**Model No. [SEE BELOW](#)

Heat treated steel ratchet heads. Fully hardened and tempered. Chrome plated for corrosion resistance. Calibration tolerance in accordance with BS EN ISO 6789:1:2017. Micrometer type torque range adjustment with scale graduated in both Nm and lb.ft. Flip reverse ratchet mechanism. Supplied in storage case.

Model No:	Drive:	Length:	Range:
AK223	3/8"Sq	275mm	27-108Nm(20-80lb.ft)
AK224	1/2"Sq	465mm	27-204Nm(20-150lb.ft)
AK228	3/4"Sq	660mm	68-407Nm(50-300lb.ft)

**D Calibrated Micrometer Torque Wrenches - Black Series**Model No. [SEE BELOW](#)

Heat treated steel ratchet heads. Fully hardened and tempered. Electrodeposition finish for corrosion resistance. Calibration tolerance in accordance with BS EN ISO 6789:1:2017. Every wrench is tested and supplied with an individually numbered test certificate. Micrometer type torque range adjustment with scale graduated in both Nm and lb.ft. Flip reverse ratchet mechanism. Supplied in storage case.

Model No:	Drive:	Length:	Range:
AK623B	3/8"Sq	365mm	7-112Nm(5-83lb.ft)
AK624B	1/2"Sq	465mm	27-204Nm(20-150lb.ft)

**F Calibrated Micrometer Torque Wrenches**Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet heads with smooth action mechanism. Calibration tolerance in accordance with BS EN ISO 6789:1:2017. Scales graduated in both Nm and lb.in/lb.ft. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Supplied in storage case.

Model No:	Drive:	Length:	Range:
STW101	1/4"Sq	275mm	5-25Nm(44-221lb.in)
STW1012	3/8"Sq	275mm	2-24Nm(1.47-17.70lb.ft)
STW1011	3/8"Sq	370mm	7-112Nm(5-83lb.ft)
STW102	1/2"Sq	460mm	40-210Nm(30-155lb.ft)
STW103	3/4"Sq	650mm	70-420Nm(52-310lb.ft)
STW104	3/4"Sq	1070mm	140-700Nm(103-516lb.ft)

A

NEW



Available Sizes

3/8" Sq. Drive

1/2" Sq. Drive





Made in Great Britain

60-Tooth

Premier

A Insulated Torque Wrenches
Model No. [SEE BELOW](#)

Chrome Vanadium steel reversible 60-tooth ratchet heads. Impact resistant polycarbonate tubing combined with injection moulded nylon thermoplastic for total insulation. Torques in both directions. Calibration tolerance in accordance with BS EN ISO 6789:2017. Accuracy of $\pm 1\%$ at 21°C . Easy-to-read dual scale graduated in both Nm and lb.ft. Cold and heat resistant -40°C to $+70^{\circ}\text{C}$. Fully insulated to BS EN IEC 60900:2018 to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Includes test and calibration certificate.

Model No:	Drive:	Length:	Range:
STW803	3/8"Sq	350mm	12-60Nm(9-44lb.ft)
STW804	1/2"Sq	350mm	12-60Nm(9-44lb.ft)
STW805	3/8"Sq	285mm	5-25Nm(4-18lb.ft)

C 3/4"Sq Drive Micrometer Torque Wrenches
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered Chrome Vanadium steel with a polished satin finish. Smooth action ratchet heads with flip reverse action to allow torquing in both directions. Easy-to-use torque adjustment, locks when required setting is selected. Calibration tolerance in accordance with BS EN ISO 6789-1:2017. Scales graduated in both Nm and lb.ft. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Supplied in storage case.

Model No:	Drive:	Length:	Range:
STW706	3/4"Sq	1230mm	150-800Nm (111-590lb.ft)
STW707	3/4"Sq	1230mm	200-1000Nm (147.51-737.56lb.ft)

D 3/4"Sq Push-Through Drive Micrometer Torque Wrench 237-983Nm
Model No. [STW601](#)

Manufactured from Chrome Vanadium steel. Hardened and tempered with a chrome plated polished finish. Ratchet head features flip reverse action and push-through drive to allow torquing either clockwise or anticlockwise. Comfort grip with easy-to-use torque adjustment, locks when required setting is selected. Calibration tolerance in accordance with BS EN ISO 6789:2017. Suitable for commercial and industrial applications. Scales graduated in both lb.ft and Nm. Individually tested for $\pm 4\%$ accuracy and issued with an individually numbered calibration certificate. Supplied in storage case with padlock.

Drive:	3/4"Sq
Length:	1225mm
Range:	237-983Nm(150-750lb.ft)

Push-Through Drive

Available Sizes

3/8" Sq. Drive

1/2" Sq. Drive





TORQUES IN BOTH DIRECTIONS

B Micrometer Torque Wrenches - Push-Through Drive
Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet heads with flip reverse action. Large composite handle grips with unique mechanism which locks adjustment in place once torque figure is selected. Calibration tolerance in accordance with BS EN ISO 6789:2017. Scales graduated in both Nm and lb.ft. Wrenches are individually tested for $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Supplied in storage case.


Model No:	Drive:	Length:	Range (Both Directions):
STW200	3/8"Sq	405mm	10-110Nm(10-80lb.ft)
STW201	1/2"Sq	490mm	40-210Nm(30-150lb.ft)

TORQUE WRENCH CALIBRATION


Our specialist QC torque calibration equipment gives us the facility to check or re-calibrate torque wrenches that have lost accuracy during normal workshop use. Contact our technical helpline for further information on 01284 757505 and quote the Model Number for the relevant torque wrench.


Model No:	Torque Wrench Type:
CAL14	1/4"Sq Drive
CAL38	3/8"Sq Drive
CAL12	1/2"Sq Drive
CAL34	3/4"Sq Drive
CALDIGITAL	All Digital Wrenches
CALADAPTOR	All Digital Adaptors





TORQUES IN BOTH DIRECTIONS





TORQUES IN BOTH DIRECTIONS



A 1/4" Sq Drive Micrometer Torque Wrench 5-25Nm
Model No. STW901

Flip reverse Chrome Vanadium steel ratchet head with smooth action mechanism. Scale graduated in both Nm and lb.ft. Calibration tolerance in accordance with BS EN ISO 6789-1:2017. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Aluminium knurled handle for comfort and control. Supplied in EVA tray.

Drive:	1/4"Sq
Length:	245mm
Range:	5-25Nm(3.7-18.5lb.ft)



C 1/2"Sq Drive Micrometer Torque Wrenches
Model No. SEE BELOW

Flip reverse Chrome Vanadium steel ratchet heads with smooth action mechanism. Scale graduated in both Nm and lb.ft. Calibration tolerance in accordance with BS EN ISO 6789-1:2017. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Aluminium knurled handle for comfort and control. Supplied in EVA tray.

Model No:	Drive:	Length:	Range:
STW904	1/2"Sq	520mm	40-220Nm(29.5-162.4lb.ft)
STW905	1/2"Sq	575mm	60-330Nm(44.3-243.5lb.ft)



B 3/8" Sq Drive Micrometer Torque Wrenches
Model No. SEE BELOW

Flip reverse Chrome Vanadium steel ratchet heads with smooth action mechanism. Scale graduated in both Nm and lb.ft. Calibration tolerance in accordance with BS EN ISO 6789-1:2017. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Aluminium knurled handle for comfort and control. Supplied in EVA tray.

Model No:	Drive:	Length:	Range:
STW902	3/8"Sq	245mm	5-25Nm(3.7-18.5lb.ft)
STW903	3/8"Sq	420mm	20-120Nm(14.8-88.6lb.ft)



D 3/4"Sq Drive Micrometer Torque Wrenches
Model No. SEE BELOW

Flip reverse Chrome Vanadium steel ratchet heads with smooth action mechanism. Scale graduated both Nm and lb.ft. Calibration tolerance in accordance with BS EN ISO 6789-1:2017. Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate. Aluminium knurled handle for comfort and control. Supplied in storage case.

Model No:	Drive:	Length:	Range:
STW906	3/4"Sq	1050mm	100-600Nm(73.8-442.8lb.ft)
STW907	3/4"Sq	1210mm	160-800Nm(118.1-590.4lb.ft)



A 3/8" Sq Drive Digital Torque Wrench 2-24Nm
Model No. **STW307**

Rugged and resilient digital torque wrench suitable for workshop and factory use. LCD read-out with LED, audible alarm and vibration indicating achieved and target torque levels. Selectable track or peak modes and up to five user preset memories available. Read-outs in Nm, lb.in, lb.ft or kgf.m. Reversible Chrome Vanadium 72-tooth ratchet allows torque reading in either direction. Accurate to $\pm 2\%$ of wrench's stated capacity. Supplied with test certificate and storage case.

Drive:	3/8" Sq
Length:	335mm
Range:	2-24Nm(1.4-17.7lb.ft, 17.7-212.4lb.in, 0.2-2.4kgf.m)
Battery:	2 x AAA (supplied)



B 3/8" Sq Drive Digital Torque Wrench 8-85Nm
Model No. **STW308**

Rugged and resilient digital torque wrench suitable for workshop and factory use. LCD read-out with LED, audible alarm and vibration indicating achieved and target torque levels. Selectable track or peak modes and up to five user preset memories available. Read-outs in Nm, lb.in, lb.ft or kgf.m. Reversible Chrome Vanadium 72-tooth ratchet allows torque reading in either direction. Accurate to $\pm 2\%$ of wrench's stated capacity. Supplied with test certificate and storage case.

Drive:	3/8" Sq
Length:	335mm
Range:	8-85Nm(5.9-62.7lb.ft, 70.8-752.3lb.in, 0.8-8.7kgf.m)
Battery:	2 x AAA (supplied)



C-D 1/2" Sq Drive Digital Torque Wrenches with Angle Function 20-200Nm
Model No. **SEE BELOW**

Rugged and resilient digital torque wrenches suitable for workshop and factory use. LCD read-out with LED, vibration and audible alarms to indicate achieved and target torque levels. Features angle mode, eliminating the need for angle gauges and protractors providing an accurate and fast way to measure torque plus angle tightening sequences. Will also accumulate angle measurement when multiple turns are required, ideal for use where access is limited. Selectable track or peak modes and up to five user preset memories available. Read-outs in Nm, lb.in, lb.ft, kgf.m or degrees. Reversible Chrome Vanadium 72-tooth ratchet allows torque reading in either direction. Accurate to $\pm 2\%$ of stated capacity. Supplied with test certificate and storage case.

	C	D
Model No:	STW306	STW306B
Drive:	1/2" Sq	1/2" Sq
Length:	610mm	610mm
Range:	20-200Nm(14.7-147.5lb.ft, 176.5-1770lb.in, 2-20.4kgf.m)	20-200Nm(14.7-147.5lb.ft, 176.5-1770lb.in, 2-20.4kgf.m)
Angle Range:	360°	360°
Battery:	4 x AAA (supplied)	4 x AAA (supplied)



E 1/2" Sq Drive Flexi-Head Digital Torque Wrench with Angle Function 20-200Nm
Model No. **STW309**

Rugged and resilient digital torque wrench suitable for workshop and factory use. LCD read-out with LED, audible alarm and vibration indicating achieved and target torque levels. 180° Flexi-head for increased access in hard-to-reach applications. Features angle mode, eliminating the need for angle gauges and protractors providing an accurate and fast way to measure torque plus angle tightening sequences. Will also accumulate angle measurement when multiple turns are required, ideal for use where access is limited. Selectable track or peak modes and up to five user preset memories available. Read-outs in Nm, lb.in, lb.ft, kgf.m or degrees. Reversible Chrome Vanadium 72-tooth ratchet allows torque reading in either direction. Accurate to $\pm 2\%$ of wrench's stated capacity. Supplied with test certificate and storage case.

Drive:	1/2" Sq
Length:	610mm
Range:	20-200Nm(14.7-147.5lb.ft, 176.5-1770lb.in, 2-20.4kgf.m)
Angle Range:	360°
Battery:	4 x AAA (supplied)



A 1/2" Sq Drive Digital Torque Adaptor 40-200Nm
Model No. STW290

Designed for use with a standard ratchet or breaker bar. Ideal for work around the engine bay and the tightening of wheel nuts to factory specifications. Large LCD display with LED/audible alarm indicating achieved and target torque levels. Selectable readings in Nm, lb.ft, lb.in, kgf.cm or kgf.m and accurate to $\pm 2\%$ of stated capacity. Memory stores up to 50 readings and features auto shut-off after 80 seconds. Supplied with certificate and storage case.

Drive:	1/2" Sq
Length:	75mm
Range:	40-200Nm (29.5-147.5lb.ft, 354-1770lb.in, 4.1-20.4kgf.m, 407.9-2039.4kgf.cm)
Battery:	2 x AAA (supplied)



C 1/2" Sq Drive Digital Torque Adaptor with Angle Function 20-200Nm
Model No. STW291

Designed for use with a standard ratchet or breaker bar. Ideal for work around the engine bay and the tightening of wheel nuts to factory specifications. Large LCD display with LED/audible alarm indicating achieved and target torque levels. Selectable readings in Nm, lb.ft, lb.in or kgf.m. Accurate to $\pm 2\%$ of stated capacity and operates in either direction. Features angle mode, eliminating the need for angle gauges and protractors providing an accurate and fast way to measure torque plus angle tightening sequences. Will also accumulate angle measurement when multiple turns are required, ideal for use where access is restricted. Includes auto shut-off. Supplied with test certificate and storage case.

Drive:	1/2" Sq
Length:	100mm
Range:	20-200Nm (14.7-147.5lb.ft, 354-1770lb.in, 2.04-20.4kgf.m)
Angle Range:	360°
Battery:	2 x CR2032 (supplied)



E 1/4" Hex Torque Screwdriver Digital 0-20Nm
Model No. STS104

Suitable for automotive, workshop and factory use. LCD read-out with LED, audible alarm and vibration indicating achieved and target torque levels. Preset track, peak or desired torque levels using simple push-button menu. Clockwise and anticlockwise operation. Selectable read-out in Nm or lb.ft. Accurate to $\pm 1\%$ of stated capacity. Textured, T-handle for added grip and comfort. Supplied with test certificate.

Drive:	1/4" Hex
Length:	170mm
Range:	0-20Nm
Battery:	2 x AAA (supplied)



B 3/4" Sq Drive Digital Torque Adaptor 200-1000Nm
Model No. STW292

Designed for use with a standard ratchet or breaker bar. Ideal for work around the engine bay and the tightening of wheel nuts to factory specifications. Large LCD display with LED/audible alarm indicating achieved and target torque levels. Selectable readings in Nm, lb.ft or kgf.m and accurate to $\pm 2\%$ of stated capacity. Memory stores up to 50 readings and features auto shut-off after 80 seconds. Supplied with certificate and storage case.

Drive:	3/4" Sq
Length:	110mm
Range:	200-1000Nm (147.5-737.5lb.ft, 20.39-101.97kgf.m)
Battery:	2 x AA (supplied)



D 1/4" Hex Drive Digital Torque Screwdriver 0.05-5Nm
Model No. STS103

Suitable for automotive, workshop and factory use. LCD read-out with LED, audible alarm and vibration indicating achieved and target torque levels. Preset track, peak or desired torque levels using simple push-button menu. Clockwise and anticlockwise operation. Selectable read-out in Nm or lb.ft. Accurate to $\pm 1\%$ of stated capacity. Textured, contoured handle for added grip and comfort. Supplied with test certificate.

Drive:	1/4" Hex
Length:	155mm
Range:	0.05-5Nm
Battery:	2 x AAA (supplied)



F 34pc 1/4" Sq Drive Torque Screwdriver Set 2-10Nm
Model No. STS100

Ideal for automotive based applications including replacement of airbag, crash sensor and inertia reel fixtures. Robust construction with easy-to-read window for precise torque setting. Includes popular size bits and adaptor. Textured, contoured handle for added grip and comfort. Supplied in storage case.

Drive:	1/4" Sq
Length:	240mm
Range:	2-10Nm
Contents:	Bits; Slotted - 3, 4, 5, 6, 7mm, Phillips - #0, #1 x 2, #2 x 3, #3 x 2, Pozi - #1 x 2, #2 x 3, #3 x 2, TRX-Star* - T10, T15, T20, T25, T30, T40, Hex - 2, 2.5, 3, 4, 5, 6mm, 1/4" Sq Drive Torque Driver, 1/4" Sq x 1/4" Hex Adaptor

Power Speed Ratchets

Sealey Power Speed Ratchets combine the high torque of traditional hand ratchets with the faster efficiency of an electric power tool, providing working speeds that are 10-20 times quicker when tightening/loosening fasteners. A no-load speed of 200rpm saves the time and fatigue of traditional hand ratchet wrenches. The clutch mechanism is designed so that when the maximum torque is reached (11Nm/0.74ft/lb) a tactile vibration indicates to change over to manual mode for continued tightening or loosening of fasteners. Includes a rechargeable lithium-ion battery which can be fully recharged in just 45 minutes, and is fully protected from over-charge, over-discharge or over-heating. Ultra-smooth 60-tooth ratchet action, twist-reverse and quick release with spring-ball socket retention, power button with LED indicator and locking switch. Fitted with a contoured, soft grip handle. Supplied with AC adaptor, charging base, magnetic socket insert set and storage case.



A 3/8\"Sq Drive Power Speed Ratchet
Model No. **SPR001**

Drive:	3/8\"Sq
Maximum Torque:	244Nm (Manual) 1Nm (Electric)
Overall Length:	295mm
Battery:	3.6V 2000mAh Li-ion



C Rechargeable 3.6V 2Ah Li-ion Battery for
SPR001 & SPR002
Model No. **SPR001B**

Rechargeable lithium-ion battery, full recharge in just 45 minutes and is fully protected from over-charge, over-discharge or over-heating. Suitable replacement for Model No's SPR001 & SPR002 Power Speed Ratchets.

Overall Length	110mm
Battery:	3.6V 2Ah Li-ion





A 1/4"Sq Drive Stainless Steel Micro Ratchet Wrench
Model No. **AK6960**

Manufactured from high quality stainless steel with a fully polished satin finish. 72-Tooth, ultra-smooth ratchet with slide reverse. Ideal for limited access applications.


Drive:	1/4"Sq
Ratchet:	72-Tooth
Length:	100mm
Repair Kit:	n/a



B Stubby Ratchet Wrenches - Flip Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel 48-tooth gear-to-gear ratchet wrenches with a fully polished mirror finish. Contoured handles for comfort and grip. Pear-heads with flip reverse and quick release. Stubby configuration gives improved access in confined spaces.

Model No:	AK660S	AK661S
Drive:	1/4"Sq	3/8"Sq
Ratchet:	48-Tooth	48-Tooth
Length:	90mm	120mm
Repair Kit:	AK660S.RK	AK661S.RK



C Flexi-Head Stubby Ratchet Wrenches - Flip Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel 72-tooth ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style contoured handles with pear-head design. Stubby configuration gives improved access in confined spaces. Features 180° flexi-head, flip reverse and quick release mechanism.

Model No:	AK660SF	AK661SF
Drive:	1/4"Sq	3/8"Sq
Ratchet:	72-Tooth	72-Tooth
Length:	110mm	140mm
Repair Kit:	AK660SF.RK	AK661SF.RK



D 5pc 1/4" & 3/8"Sq Drive Palm Ratchet Set
Model No. **AK6959**

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished finish. Features ultra-smooth 72-tooth ratchet action allowing ratcheting in increments of 5° for ease of use in restricted areas. Comprises two palm ratchets, two socket adaptors and bit adaptor. Supplied in storage case.

Drive:	1/4" & 3/8"Sq
Ratchet:	72-Tooth
Contents:	10mm Palm Ratchet, 13mm Palm Ratchet, 10mm x 1/4"Sq Drive Socket Adaptor, 13mm x 3/8"Sq Drive Socket Adaptor, 10mm x 1/4"Hex Bit Adaptor



E 3/8"Sq Drive Low Profile Ratchet Wrench - Flip Reverse
Model No. **AK5781**

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Low profile 60-tooth pear-head ratchet with super slim handle. Features flip reverse and quick release mechanism.


Drive:	3/8"Sq
Ratchet:	60-Tooth
Length:	190mm
Repair Kit:	AK5781.RK



F Ratchet Wrenches - Twist-Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel. Features include twist-reverse and quick release mechanism. Slim style contoured handle.

Model No:	S0506	S0507	S0508
Drive:	1/4"Sq	3/8"Sq	1/2"Sq
Ratchet:	40-Tooth	40-Tooth	40-Tooth
Length:	140mm	190mm	250mm



G 3/8"Sq Drive Flexi-Head Ratchet Wrench - Flip Reverse
Model No. **AK673**

Hardened and tempered Chrome Vanadium steel ratchet wrench with a fully polished mirror finish. Slim style contoured handle with pear-head design. 180° Flexi-head and handle offer increased access for hard-to-reach applications. Features flip reverse and quick release mechanism.

Drive:	3/8"Sq
Ratchet:	72-Tooth
Length:	235mm
Repair Kit:	AK673.RK

A

Available Sizes
1/4" Sq. Drive 3/8" Sq. Drive 1/2" Sq. Drive



45-Tooth **Siegen**

A Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened, tempered and finished in deep polished high chrome. Slim style contoured handle with pear-head design. Features include 45-tooth ratchet flip reverse and push-button quick release mechanism.

Model No:	Drive:	Ratchet:	Length:
S0704	1/4"Sq	45-Tooth	140mm
S0705	3/8"Sq	45-Tooth	200mm
S0706	1/2"Sq	45-Tooth	250mm

B

Available Sizes
3/8" Sq. Drive 1/2" Sq. Drive



Long
72-Tooth **Siegen**

B Long Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel 72-tooth ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style, contoured handle with pear-head design. Features include flip reverse and socket quick release mechanism.

Model No:	Drive:	Ratchet:	Length:
S01158	3/8"Sq	72-Tooth	300mm
S01159	1/2"Sq	72-Tooth	375mm

C

Gear 2 Gear
Available Sizes
1/4" Sq. Drive 3/8" Sq. Drive 1/2" Sq. Drive



48-Tooth **Premier**

C Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel gear-to-gear 48-tooth ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style contoured handle with pear-head design. Features flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK660	1/4"Sq	48-Tooth	140mm	AK660.V2.RK
AK661	3/8"Sq	48-Tooth	200mm	AK661.V2.RK
AK662	1/2"Sq	48-Tooth	265mm	AK662.V2.RK

D

Available Sizes
1/4" Sq. Drive 3/8" Sq. Drive 1/2" Sq. Drive



108-Tooth **Premier**

D Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Ultra-smooth 108-tooth ratchet action allowing ratcheting in increments of 3.33° for ease of use in restricted areas. Slim style contoured handle with pear-head design. Features flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8970	1/4"Sq	108-Tooth	130mm	AK8970.RK
AK8971	3/8"Sq	108-Tooth	180mm	AK8971.RK
AK8972	1/2"Sq	108-Tooth	260mm	AK8972.RK

E

Gear 2 Gear
Available Sizes
3/8" Sq. Drive 1/2" Sq. Drive



Long
48-Tooth **Premier**

E Long Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel 48-tooth gear-to-gear ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style, contoured handle with pear-head design. Features include flip reverse and socket quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK661L	3/8"Sq	48-Tooth	300mm	AK661.V2.RK
AK662L	1/2"Sq	48-Tooth	375mm	AK662.V2.RK

F

Flexi-Head Gear 2 Gear
Available Sizes
3/8" Sq. Drive 1/2" Sq. Drive



Long
48-Tooth **Premier**

F Long Flexi-Head Ratchet Wrenches - Flip Reverse
Model No. [SEE BELOW](#)

Chrome Vanadium steel 48-tooth gear-to-gear ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Slim style contoured handle with pear-head design. Features 180° flexi-head, with flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK661F	3/8"Sq	48-Tooth	300mm	AK661F.RK
AK662F	1/2"Sq	48-Tooth	445mm	AK662F.RK



A 3pc Ratchet Wrench Set
Flip Reverse
Model No. **AK6672**

1/4", 3/8" & 1/2"Sq Drive Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Pear-head design with slim style contoured handles. 72-Tooth ratchet action with flip reverse and quick release mechanism. Supplied in EVA storage tray.

Drive:	1/4"Sq	3/8"Sq	1/2"Sq
Ratchet:	72-Tooth	72-Tooth	72-Tooth
Length:	145mm	200mm	250mm
Repair Kit:	AK667214.RK	AK667238.RK	AK667212.RK



B 5pc 3/8"Sq Drive Master Ratchet
Wrench Set - Flip Reverse
Model No. **AK667238M**

Hardened and tempered Chrome Vanadium steel ratchet wrenches. Pear-head design with slim style contoured handles. 72-Tooth ratchet action with quick release and flip reverse. Aluminium body 72-tooth palm ratchet features ultra-smooth reversible ratchet mechanism with quick release and twist-reverse. Supplied in EVA storage tray.

Drive:	3/8"Sq
Ratchet:	72-Tooth
Contents:	120mm Stubby Ratchet Wrench, 200mm Regular Ratchet Wrench, 300mm Long Ratchet Wrench, 295mm Long Flexi-Head Ratchet Wrench, Palm Ratchet
Repair Kit:	AK667238.RK



C Dust-Free Ratchet Wrenches - Flip Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel ratchet wrenches. Hardened, tempered and finished in deep polished high chrome. Slim style contoured handle. 72-Tooth gear-to-gear ratchet with flip reverse. Sealed head keeps dirt and other contaminants out of the ratchet mechanism.

Model No:	Drive:	Ratchet:	Length:
AK660DF	1/4"Sq	72-Tooth	125mm
AK661DF	3/8"Sq	72-Tooth	195mm
AK662DF	1/2"Sq	72-Tooth	250mm



D 1/4", 3/8" & 1/2"Sq Drive
Dust-Free Ratchet Wrenches
Flip Reverse - Display Box of 9
Model No. **AK6672DB**

1/4", 3/8" & 1/2"Sq Drive Chrome Vanadium steel ratchet wrenches. Supplied in point of sale display box of nine.


Drive:	1/4"Sq (x3)	3/8"Sq (x3)	1/2"Sq (x3)
Ratchet:	72-Tooth	72-Tooth	72-Tooth
Length:	130mm	180mm	250mm



E Gearless Ratchet Wrenches - Push-Through Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Super smooth gearless ratchet with slim style contoured handle and pear-head design. Features include push-through reverse and silent action.

Model No:	Drive:	Ratchet:	Length:
AK561	1/4"Sq	Gearless	125mm
AK562	3/8"Sq	Gearless	185mm
AK563	1/2"Sq	Gearless	245mm



F Comfort Grip Ratchet Wrenches - Flip Reverse
Model No. **SEE BELOW**

Chrome Vanadium steel ratchet wrenches. Hardened, tempered and finished in deep polished high chrome. Comfort grip handle with pear-head design. Features include 45-tooth ratchet, flip reverse and push-button quick release mechanism.

Model No:	Drive:	Ratchet:	Length:
S0851	1/4"Sq	45-Tooth	150mm
S0852	3/8"Sq	45-Tooth	210mm
S0853	1/2"Sq	45-Tooth	260mm

A

NEW

Siegen

72-Tooth

Available Sizes

1/4" Sq. Drive

3/8" Sq. Drive

1/2" Sq. Drive



A Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel, 72-tooth ratchet wrenches, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
S01200	1/4"Sq	72-Tooth	150mm	n/a
S01201	3/8"Sq	72-Tooth	200mm	n/a
S01202	1/2"Sq	72-Tooth	250mm	n/a

B

NEW

Siegen


72-Tooth

Available Sizes

1/4" Sq. Drive

3/8" Sq. Drive

1/2" Sq. Drive



B Offset Handle Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel, 72-tooth ratchet wrenches, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
S01203	1/4"Sq	72-Tooth	150mm	AK966.V3.RK
S01204	3/8"Sq	72-Tooth	200mm	n/a
S01205	1/2"Sq	72-Tooth	250mm	n/a

C

NEW

Extra-Long


72-Tooth

Siegen

Available Sizes

3/8" Sq. Drive

1/2" Sq. Drive



C Extra-Long Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel, 72-tooth ratchet wrenches, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
S01206	3/8"Sq	72-Tooth	457mm	n/a
S01207	1/2"Sq	72-Tooth	609mm	n/a

D

NEW

Extra-Long

72-Tooth


Siegen

Flexi-Head

Available Sizes

3/8" Sq. Drive

1/2" Sq. Drive



D Extra-Long Flexi-Head Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel, 72-tooth ratchet wrenches, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
S01208	3/8"Sq	72-Tooth	457mm	n/a
S01209	1/2"Sq	72-Tooth	609mm	n/a

E

Available Sizes

1/4" Sq. Drive

3/8" Sq. Drive

1/2" Sq. Drive



72-Tooth

Premier

E Ratchet Wrenches - Twist-Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened, tempered and satin chrome finished. Features include ultra-smooth 72-tooth ratchet action, twist-reverse and quick release with spring-ball socket retention. Fitted with comfortable rubber grip handle.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK5761	1/4"Sq	72-Tooth	145mm	AK5761.RK
AK5762	3/8"Sq	72-Tooth	195mm	AK5762.RK
AK5763	1/2"Sq	72-Tooth	250mm	AK5763.RK

F

Available Sizes

1/4" Sq. Drive

3/8" Sq. Drive

1/2" Sq. Drive



48-Tooth

Push-Through Reverse

Premier

F Speed Ratchet Wrenches - Push-Through Reverse

Model No. [SEE BELOW](#)

Dual action push-through reverse ratchet wrenches. Twisting the handle backwards and forwards rotates the drive in one direction allowing for use where space is at a premium. Can also be used as a regular ratchet. Fitted with a soft grip handle for comfort and control.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK66389	1/4"Sq	48-Tooth	185mm	n/a
AK6639	3/8"Sq	48-Tooth	240mm	n/a
AK66390	1/2"Sq	48-Tooth	295mm	n/a



A Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel 48-tooth gear-to-gear ratchet wrenches, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and dual material handle with anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8946	1/4"Sq	48-Tooth	135mm	AK660.V2.RK
AK8947	3/8"Sq	48-Tooth	200mm	AK661.V2.RK
AK8948	1/2"Sq	48-Tooth	250mm	AK662.V2.RK



C Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel 48-tooth gear-to-gear ratchet wrenches, hardened, tempered and with a fully polished mirror finish. Features pear-head with flip reverse, push-button quick release and dual material handle with anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK591	1/4"Sq	48-Tooth	135mm	AK591.RK
AK592	3/8"Sq	48-Tooth	200mm	AK592.RK
AK593	1/2"Sq	48-Tooth	250mm	AK593.RK



E Offset Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel gear-to-gear ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Ultra-smooth 72-tooth ratchet action, ideal for use in confined areas. Features pear-head with flip reverse, push-button quick release and offset handle with anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK7946	1/4"Sq	72-Tooth	140mm	AK7946.RK
AK7947	3/8"Sq	72-Tooth	195mm	AK7947.RK
AK7948	1/2"Sq	72-Tooth	245mm	AK7948.RK



B Dust-Free Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished micro satin finish. Textured soft grip handle for comfort and control. 72-tooth gear-to-gear ratchet with flip reverse and quick release mechanism. Sealed head keeps dirt and other contaminants out of the ratchet mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8976	1/4"Sq	72-Tooth	140mm	AK8976.RK
AK8977	3/8"Sq	72-Tooth	200mm	AK8977.RK
AK8978	1/2"Sq	72-Tooth	255mm	AK8978.RK



D Offset Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Ultra-smooth 108-tooth ratchet action allowing ratcheting in increments of 3.33° for ease of use in restricted areas. Features pear-head with flip reverse, push-button quick release and offset handle with anti-slip comfort grip.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8973	1/4"Sq	108-Tooth	135mm	AK8970.RK
AK8974	3/8"Sq	108-Tooth	195mm	AK8971.RK
AK8975	1/2"Sq	108-Tooth	260mm	AK8972.RK



F Offset Handle Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Ergonomically designed, Chrome Vanadium steel, reversible ratchet wrenches with offset handle and anti-slip grip. Hardened, tempered with polished chrome finish. Features ultra-smooth 72-tooth ratchet action allowing ratcheting in increments of 5° for ease of use in restricted areas, quick release with spring-ball socket retention and flip reverse.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK966	1/4"Sq	72-Tooth	155mm	AK966.V3.RK
AK967	3/8"Sq	72-Tooth	198mm	AK967.V3.RK
AK968	1/2"Sq	72-Tooth	255mm	AK968.V3.RK




A Ratchet Wrenches Flip Reverse - Platinum Series

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished micro satin finish. Compact head design and ultra-smooth 72-tooth ratchet action allowing ratcheting in increments of 5° for ease of use in restricted areas. Textured soft grip handle for comfort and control. Features flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8980	1/4"Sq	72-Tooth	145mm	n/a
AK8981	3/8"Sq	72-Tooth	195mm	n/a
AK8982	1/2"Sq	72-Tooth	250mm	n/a




C Low Profile Ratchet Wrenches - Flip Reverse

Model No. [SEE BELOW](#)

Manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Low profile 90-tooth ratchets with super slim head and handle. Features flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK5782	1/4"Sq	90-Tooth	130mm	n/a
AK5784	3/8"Sq	90-Tooth	200mm	n/a
AK5786	1/2"Sq	90-Tooth	250mm	n/a



E Locking Flexi-Head Extendable Ratchet Wrenches - Platinum Series

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished micro satin finish. Extension retained at set increments with a quick release locking ring for different shaft lengths. Features 180° locking flexi-head. Compact head design and ultra-smooth 72-tooth ratchet action allowing ratcheting in increments of 5° for ease of use in restricted areas. Textured soft grip handle for comfort and control. Features flip reverse and quick release mechanism.

Note: These tools are manufactured in accordance with DIN standards and are designed for improved access, not excessive torque. Misuse will invalidate guarantee.

Model No:	Drive:	Ratchet:	Length:	Increments:	Repair Kit:
AK8983	3/8"Sq	72-Tooth	260-375mm	23mm	n/a
AK8984	1/2"Sq	72-Tooth	295-435mm	23mm	n/a



B Compact Head Ratchet Wrenches

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrench. Hardened and tempered with a fully polished micro satin finish. Compact head design and ultra-smooth 72-tooth ratchet action, allowing ratcheting in increments of 5° for ease of use in restricted areas. Textured soft grip handle for comfort and control. Features integrated socket spinner, flip reverse and quick release mechanism.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK8987	1/4"Sq	72-Tooth	130mm	AK8987.RK
AK8988	3/8"Sq	72-Tooth	195mm	AK8988.RK
AK8989	1/2"Sq	72-Tooth	250mm	AK8989.RK




D Extendable Ratchet Wrenches

Model No. [SEE BELOW](#)

Ratchet wrenches with forged Chrome Vanadium steel inner and outer shafts, heat treated and chrome plated with a fully polished mirror finish. Quick release locking ring retains extension at set increments, giving different shaft lengths. Soft grip handle for added comfort and control. Pear-head design with flip reverse mechanism and spring loaded socket retaining ball.

Note: These tools are manufactured in accordance with DIN standards and are designed for improved access, not excessive torque. Misuse will invalidate guarantee.

Model No:	Drive:	Ratchet:	Length:	Increments:	Repair Kit:
AK6687	3/8"Sq	72-Tooth	215-315mm	25mm	AK6687.RK
AK6688	1/2"Sq	72-Tooth	305-445mm	28mm	AK6688.RK




F Locking Flexi-Head Extendable Ratchet Wrenches

Model No. [SEE BELOW](#)

Chrome Vanadium steel ratchet wrenches. Hardened and tempered with a fully polished mirror finish. Extension retained at set increments with a quick release locking ring giving different shaft lengths. Features 180° locking flexi-head, flip reverse, spring-ball socket retention and soft grip handle.

Note: These tools are manufactured in accordance with DIN standards and are designed for improved access, not excessive torque. Misuse will invalidate guarantee.

Model No:	Drive:	Ratchet:	Length:	Increments:	Repair Kit:
AK6681	3/8"Sq	72-Tooth	240-340mm	32mm	AK6687.RK
AK6682	1/2"Sq	72-Tooth	340-480mm	28mm	AK6688.RK



A Extra-Long Ratchet Wrenches
Model No. [SEE BELOW](#)

Hardened and tempered Chrome Vanadium steel ratchet wrenches with a fully polished mirror finish. Ultra-smooth 72-tooth pear-head ratchet and soft grip handle for added comfort and control. Extra-long shaft improves access for hard-to-reach applications. Features flip reverse and spring-ball socket retention.

Note: These tools are manufactured in accordance with DIN standards and are designed for improved access, not excessive torque. Misuse will invalidate guarantee.

Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK6694	3/8"Sq	72-Tooth	435mm	AK6687.RK
AK6695	1/2"Sq	72-Tooth	600mm	AK6688.RK



B Extra-Long Locking Flexi-Head Ratchet Wrenches
Model No. [SEE BELOW](#)

Hardened and tempered Chrome Vanadium steel ratchet wrenches with a fully polished mirror finish. Ultra-smooth 72-tooth pear-head ratchet and soft grip handle for added comfort and control. 180° Locking flexi-head and extra-long shaft improves access for hard-to-reach applications. Features flip reverse and spring-ball socket retention.

Note: These tools are manufactured in accordance with DIN standards and are designed for improved access, not excessive torque. Misuse will invalidate guarantee.


Model No:	Drive:	Ratchet:	Length:	Repair Kit:
AK6697	3/8"Sq	72-Tooth	455mm	AK6687.RK
AK6698	1/2"Sq	72-Tooth	600mm	AK6688.RK



C 3/4"Sq Drive Ratchet Wrench - Twist-Reverse
Model No. [AK6690](#)

Manufactured from Chrome Vanadium steel. Hardened and tempered with a polished satin finish. Up to 30% lighter than a traditional ratchet wrench. Ultra-smooth 72-tooth ratchet action, ideal for use in confined areas. Twist-reverse, quick release with spring-ball socket retention. Fitted with comfortable rubber grip handle.

Drive:	3/4"Sq
Length:	500mm
Repair Kit:	AK6690.RK



D 3/4"Sq Drive Extendable Ratchet Wrench
Model No. [AK6691](#)

Ratchet wrench with forged Chrome Vanadium steel inner and outer shafts, heat treated with a fully polished mirror finish. Quick release locking ring retains extension at set increments, giving different shaft lengths. Soft grip handle for added comfort and control. Pear-head design with flip reverse mechanism and spring-loaded socket retaining ball.

Drive:	3/4"Sq
Ratchet:	24-Tooth
Length:	600-1000mm
Increments:	80mm
Repair Kit:	AK6691.RK



E 3/4"Sq Drive Ratchet Wrench - Flip Reverse
Model No. [AK669](#)

Hardened and tempered steel ratchet wrench. Contoured handle shaft. Flip reverse and chemically blackened ratchet head for corrosion resistance.


Drive:	3/4"Sq
Length:	500mm
Repair Kit:	AK669.RK



F 3/4"Sq Drive Ratchet Wrench - Twist-Reverse
Model No. [AK6692](#)

Chrome Vanadium steel ratchet wrench. Hardened, tempered and finished in deep polished high chrome. Twist-Reverse and quick release. Knurled handle for added grip.

Drive:	3/4"Sq
Length:	500mm
Repair Kit:	AK6692.RK



A 1/2"-3/4"Sq Drive Torque Multiplier
Model No. AK629

Robust construction with 1/2"Sq drive female input and 3/4"Sq drive male output. Multiplication achieved by planetary gear train with a gear ratio of 1:3.3. Compatible with a wide range of drive tools including torque and ratchet wrenches. Adjustable length reaction arm makes it ideal for limited access use.

Input Drive:	1/2"Sq (Female)
Output Drive:	3/4"Sq (Male)
Maximum Rated Input:	300Nm(225lb.ft)
Maximum Rated Output:	1000Nm(750lb.ft)
Gear Ratio:	1:3.3
Length:	420-450mm



B 7pc 1/2"-3/4"Sq Drive Torque Multiplier Set
Model No. AK6290

Robust construction with 1/2"Sq drive female input and 3/4"Sq drive male output. Accurately delivered torque multiplication factor of 1:6.5. Compatible with a wide range of drive tools including torque and ratchet wrenches. Includes straight and 90° reaction bars, reaction base, two breakaway adaptors* and L-type hex key. Supplied in storage case.

Input Drive:	1/2"Sq (Female)
Output Drive:	3/4"Sq (Male)
Maximum Rated Input:	231Nm(170lb.ft)
Maximum Rated Output:	1500Nm(1100lb.ft)
Gear Ratio:	1.9
Torque Ratio:	1:6.5



C 7pc 1/2"-1"Sq Drive Torque Multiplier Set
Model No. AK6291

Robust construction with 1/2"Sq drive female input and 1"Sq drive male output. Accurately delivered torque multiplication factor of 1:12. Compatible with a wide range of drive tools including torque and ratchet wrenches. Includes straight and 90° reaction bars, reaction base, two breakaway adaptors* and L-type hex key. Supplied in storage case.

Input Drive:	1/2"Sq (Female)
Output Drive:	1"Sq (Male)
Maximum Rated Input:	208Nm(153lb.ft)
Maximum Rated Output:	2500Nm(1850lb.ft)
Gear Ratio:	1:16
Torque Ratio:	1:12

*Note: Breakaway adaptors are not covered by the lifetime guarantee and are treated as consumable items.

A - G Long Breaker Bars

Model No. [SEE BELOW](#)

Hardened and tempered Chrome Vanadium steel bars with high chrome finish. Long, slim style handles with spring loaded socket retention. Fully replaceable knuckle joint*.

Model No:	Drive:	Length:
A AK729	3/8"Sq	450mm
B AK7301	1/2"Sq	450mm
C AK730	1/2"Sq	600mm
D AK7302	1/2"Sq	750mm
E AK731	3/4"Sq	600mm
F AK7314	3/4"Sq	750mm
G AK7311	1"Sq	600mm

Replacement Knuckle Joints*:

Model No:	Application:
AK729/RK	AK729
AK7301RK	AK7301
AK730/RK	AK730, AK7302
AK731/RK	AK731, AK7314
AK7311RK	AK7311

*Note: Knuckle joints are not covered by the lifetime guarantee and are treated as consumable items.

H - I Extra-Long Breaker Bars

Model No. [SEE BELOW](#)

Hardened and tempered Chrome Vanadium steel bars with high chrome finish. Extra-long, slim style handles with spring loaded socket retention. Fully replaceable knuckle joints*.

Model No:	Drive:	Length:
H AK7312	3/4"Sq	1000mm
I AK7313	1"Sq	1000mm

Replacement Knuckle Joints*:

Model No:	Application:
AK7312RK	AK7312
AK7313/RK	AK7313

*Note: Knuckle joints are not covered by the lifetime guarantee and are treated as consumable items.

J 1/2"Sq Drive Ratchet Adaptor

Model No. [AK737](#)

Ratchet adaptor capable of transmitting torque of up to 512Nm. Suitable for use with breaker bars, T-bars, extension bars and lug wrenches. 3-Position control ring gives anticlockwise ratchet, clockwise ratchet and locked. 24-Tooth ratchet needs only 15° rotation to engage the next tooth. Phosphate finish for corrosion resistance.

Drive:	1/2"Sq
Maximum Torque:	512Nm(376lb.ft)

K 3/4"Sq Drive Ratchet Adaptor

Model No. [AK7371](#)

Ratchet adaptor capable of transmitting torque of up to 1412Nm. 3-Position control ring gives anticlockwise ratchet, clockwise ratchet and locked. 24-Tooth ratchet needs only 15° rotation to engage the next tooth. Phosphate finish for corrosion resistance.

Drive:	3/4"Sq
Maximum Torque:	1412Nm(1038lb.ft)



Premier

Available Sizes

3/8" Sq. Drive	1/2" Sq. Drive	3/4" Sq. Drive	1" Sq. Drive
-------------------	-------------------	-------------------	-----------------



A 600mm 1/2"Sq Drive Breaker Bar Black Series

Model No. **AK730BL**

Hardened and tempered Chrome Vanadium steel. Fully polished black chrome finish with machined and lacquered surface. Long, slim style handles and spring loaded socket retention. Fully replaceable knuckle joint*.

Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK730/RK

B - D 600mm 1/2"Sq Drive Breaker Bars

Model No. **SEE BELOW**

Hardened and tempered Chrome Vanadium steel bars with a coloured high chrome finish. Long, slim style handles and spring loaded socket retention. Fully replaceable knuckle joint*.

B Model No:	AK730G
Colour:	Gold
Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK730B.RK

C Model No:	AK730B
Colour:	Blue
Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK730B.RK

D Model No:	AK730R
Colour:	Red
Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK730B.RK

E 600mm 1/2"Sq Drive Breaker Bar Platinum Series

Model No. **AK7303**

Platinum Series, manufactured from hardened and tempered Chrome Vanadium steel. High torque, slim profile handle with a fully polished micro satin finish. Multi-position head and spring loaded socket retention. Knurled non-slip handle design. Hanging hole for easy storage. Fully replaceable knuckle joint*.

Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK7303RK

F - G 1/2"Sq Drive Breaker Bars Platinum Series

Model No. **SEE BELOW**

Platinum Series, manufactured from hardened and tempered Chrome Vanadium steel with a micro satin finish. Long slim style handles and spring loaded socket retention. Features anti-slip comfort grip. Fully replaceable knuckle joint*.

F Model No:	AK7304
Drive:	1/2"Sq
Length:	600mm
Replacement Knuckle Joint*:	AK730B.RK

G Model No:	AK7305
Drive:	1/2"Sq
Length:	750mm
Replacement Knuckle Joint*:	AK730B.RK

A

**Premier
Black**

1/2"
Sq. Drive

600mm
Length



B - D

1/2"
Sq. Drive

600mm
Length



Premier



E

**Premier
Platinum series**

1/2"
Sq. Drive

600mm
Length



**Premier
Platinum series**

F

1/2"
Sq. Drive

600mm
Length



1/2"
Sq. Drive

750mm
Length

**Premier
Platinum series**

G



F

*Note: Knuckle joints are not covered by the lifetime warranty and are treated as consumable items.

A 1/2" Sq Drive Extendable Breaker Bar Model No. AK7315

Manufactured from Chrome Vanadium steel. Hardened and tempered with a chrome plated mirror finish. Extension retained at set increments with a quick release locking ring giving four different shaft lengths. Soft grip handle for added comfort and fully replaceable knuckle joint*.

Drive:	1/2" Sq
Minimum Length:	450mm
Maximum Length:	600mm
Increments:	50mm
Replacement Knuckle Joint*:	AK7315/RK

*Note: Knuckle joints are not covered by the lifetime guarantee and are treated as consumable items.



B 1/2" Sq Drive Extendable Ratcheting Breaker Bar Model No. AK7316

Manufactured from Chrome Vanadium steel. Hardened and tempered with a chrome plated mirror finish. 36-Tooth ratchet needs only 10° rotation to engage next tooth. 180° Flexible head with 3-position control ring gives anticlockwise/clockwise ratchet and locked. Extension retained at set increments with a quick release locking ring giving different shaft lengths. Soft grip handle for added comfort and fully replaceable ratchet knuckle joint*.

Drive:	1/2" Sq
Minimum Length:	460mm
Maximum Length:	600mm
Increments:	30mm
Replacement Ratchet Knuckle Joint*:	AK7316RK

*Note: Knuckle joints are not covered by the lifetime guarantee and are treated as consumable items.

C 3/4" Sq Drive Extendable Breaker Bar Model No. AK7318


Hardened and tempered Chrome Vanadium steel breaker bar with a fully polished mirror finish. Handle extension retained at set increments with a quick release locking ring giving three different shaft lengths from 540-800mm. Spring loaded socket retention. Fully replaceable knuckle joint*.

Drive:	3/4" Sq
Minimum Length:	540mm
Maximum Length:	800mm
Replacement Knuckle Joint*:	AK7318/RK

*Note: Knuckle joints are not covered by the lifetime guarantee and are treated as consumable items.

D 3pc 1/2" Sq Drive Extendable L-Bar Wrench Set Model No. S0472

High quality steel construction with rubber grip. 1/2" Sq Drive L-bar extends from 355-520mm and gives extra leverage for stubborn fixings. Supplied with two double end sockets, 17 x 19mm and 21 x 23mm.





A Individual 3/8" Sq Drive Impact Sockets Model No. SEE BELOW

Model No:	Size:	Depth:
IS3808	8mm	Standard
IS3810	10mm	Standard
IS3811	11mm	Standard
IS3812	12mm	Standard
IS3813	13mm	Standard
IS3814	14mm	Standard
IS3815	15mm	Standard
IS3816	16mm	Standard
IS3817	17mm	Standard
IS3818	18mm	Standard
IS3819	19mm	Standard
IS3808D	8mm	Deep
IS3810D	10mm	Deep
IS3811D	11mm	Deep
IS3812D	12mm	Deep
IS3813D	13mm	Deep
IS3814D	14mm	Deep
IS3815D	15mm	Deep
IS3816D	16mm	Deep
IS3817D	17mm	Deep
IS3818D	18mm	Deep
IS3819D	19mm	Deep



B Individual 1/2" Sq Drive Impact Sockets Model No. SEE BELOW

Model No:	Size:	Depth:
IS1210	10mm	Standard
IS1211	11mm	Standard
IS1212	12mm	Standard
IS1213	13mm	Standard
IS1214	14mm	Standard
IS1215	15mm	Standard
IS1216	16mm	Standard
IS1217	17mm	Standard
IS1218	18mm	Standard
IS1219	19mm	Standard
IS1220	20mm	Standard
IS1221	21mm	Standard
IS1222	22mm	Standard
IS1224	24mm	Standard
IS1227	27mm	Standard
IS1230	30mm	Standard
IS1232	32mm	Standard
IS1210D	10mm	Deep
IS1211D	11mm	Deep
IS1212D	12mm	Deep
IS1213D	13mm	Deep
IS1214D	14mm	Deep
IS1215D	15mm	Deep
IS1216D	16mm	Deep
IS1217D	17mm	Deep
IS1218D	18mm	Deep
IS1219D	19mm	Deep
IS1220D	20mm	Deep

Individual Impact Sockets

Drop-forged, WallDrive® impact sockets. Hardened and tempered for added strength, with a phosphate finish for greater corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive. Chrome Molybdenum steel used on 3/4" and 1" Sq drive.

B Individual 1/2" Sq Drive Impact Sockets Model No. SEE BELOW

Model No:	Size:	Depth:
IS1221D	21mm	Deep
IS1222D	22mm	Deep
IS1224D	24mm	Deep
IS1227D	27mm	Deep
IS1230D	30mm	Deep
IS1232D	32mm	Deep
SX0041	33mm	12pt Deep
SX005	35mm	Deep
SX006	36mm	12pt Deep
SX009	40mm	Deep
SX007	41mm	Deep



C Individual 3/4" Sq Drive Impact Sockets Model No. SEE BELOW

Model No:	Size:	Depth:
IS3417	17mm	Standard
IS3419	19mm	Standard
IS3421	21mm	Standard
IS3424	24mm	Standard
IS3427	27mm	Standard
IS3430	30mm	Standard
IS3432	32mm	Standard
IS3433	33mm	Standard
IS3434	34mm	Standard
IS3435	35mm	Standard
IS3436	36mm	Standard
IS3438	38mm	Standard
IS3441	41mm	Standard
SX012	45mm	Standard
IS3446	46mm	Standard
SX013	46mm	Standard
IS3450	50mm	Standard
SX014	50mm	12pt Standard
IS3455	55mm	Standard
IS3460	60mm	Standard
IS3465	65mm	Standard
SX015	65mm Thin Wall	Standard
IS3470	70mm	Standard
IS3417D	17mm	Deep
IS3419D	19mm	Deep
IS3421D	21mm	Deep
IS3424D	24mm	Deep
IS3427D	27mm	Deep
SX017	28mm	Deep
IS3430D	30mm	Deep
IS3432D	32mm	Deep
IS3433D	33mm	Deep
IS3434D	34mm	Deep
IS3435D	35mm	Deep
IS3436D	36mm	Deep
IS3438D	38mm	Deep
IS3441D	41mm	Deep
IS3446D	46mm	Deep
IS3450D	50mm	Deep
IS3455D	55mm	Deep
IS3460D	60mm	Deep
IS3465D	65mm	Deep
IS3470D	70mm	Deep



D Individual 1" Sq Drive Impact Sockets Model No. SEE BELOW

Model No:	Size:	Depth:
IS124	24mm	Standard
IS127	27mm	Standard
IS130	30mm	Standard
IS132	32mm	Standard
IS133	33mm	Standard
IS134	34mm	Standard
IS135	35mm	Standard
IS136	36mm	Standard
IS141	41mm	Standard
IS146	46mm	Standard
IS150	50mm	Standard
IS152	52mm	Standard
IS155	55mm	Standard
IS160	60mm	Standard
IS165	65mm	Standard
IS170	70mm	Standard
IS175	75mm	Standard
IS180	80mm	Standard
IS185	85mm	Standard
IS190	90mm	Standard
IS192	92mm	Standard
IS195	95mm	Standard
IS1100	100mm	Standard
IS1105	105mm	Standard
IS1110	110mm	Standard
IS1115	115mm	Standard
IS1120	120mm	Standard
IS124D	24mm	Deep
IS127D	27mm	Deep
IS130D	30mm	Deep
IS132D	32mm	Deep
IS133D	33mm	Deep
IS134D	34mm	Deep
IS135D	35mm	Deep
IS136D	36mm	Deep
IS141D	41mm	Deep
IS146D	46mm	Deep
IS150D	50mm	Deep
IS152D	52mm	Deep
IS155D	55mm	Deep
IS160D	60mm	Deep
IS165D	65mm	Deep
IS170D	70mm	Deep
IS175D	75mm	Deep
IS180D	80mm	Deep
IS185D	85mm	Deep
IS190D	90mm	Deep
IS192D	92mm	Deep
IS195D	95mm	Deep
IS1100D	100mm	Deep
IS1105D	105mm	Deep
IS1110D	110mm	Deep
IS1115D	115mm	Deep
IS1120D	120mm	Deep

Impact Sockets

Model No. [SEE BELOW](#)

Our Premier series of high quality impact sockets is one of the most comprehensive ranges available to the automotive technician. All sockets are manufactured from the very highest quality materials, with either manganese phosphate or electrodeposition finish for corrosion resistance. Chrome Vanadium steel used on 3/8" and 1/2" Sq drive sockets. Chrome Molybdenum steel used on 3/4" and 1" Sq drive sockets. All models are supplied in storage case or tray and are suitable for use with air/electric impact guns and ratchet wrenches.



WallDrive® sockets are designed to grip the flats of the fixing and not the corners. This allows up to 30% more torque to be applied without causing damage. WallDrive® sockets can grip fasteners with rounded off and damaged corners too.




Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects.




A - B 3/8" Sq Drive Impact Socket Sets

Model No. [SEE BELOW](#)



A Model No:	AK682
Quantity of Sockets:	12
Type:	3/8" Sq Drive - Standard
Contents:	8, 10, 11, 13, 14, 16, 17, 19mm, 3/8", 1/2", 9/16", 11/16"




B Model No:	AK683
Quantity of Sockets:	12
Type:	3/8" Sq Drive - Deep
Contents:	8, 10, 11, 13, 14, 16, 17, 19mm, 3/8", 1/2", 9/16", 11/16"

C - F 1/2" Sq Drive Impact Socket Sets


Model No. [SEE BELOW](#)




C Model No:	AK56/11M
Quantity of Sockets:	10
Type:	1/2" Sq Drive - Standard
Contents:	9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm



D Model No:	AK684
Quantity of Sockets:	16
Type:	1/2" Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27mm, 1/2", 9/16", 5/8", 11/16", 13/16"




E Model No:	AK58/11M
Quantity of Sockets:	10
Type:	1/2" Sq Drive - Deep
Contents:	9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm



F Model No:	AK685
Quantity of Sockets:	16
Type:	1/2" Sq Drive - Deep
Contents:	10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27mm, 1/2", 9/16", 5/8", 11/16", 13/16"

A - D 3/4" Sq Drive Impact Socket Sets
Model No. **SEE BELOW**




A Model No:	AK77/9M
Quantity of Sockets:	8
Type:	3/4" Sq Drive - Standard
Contents:	26, 27, 29, 30, 32, 35, 36, 38mm



B Model No:	AK885
Quantity of Sockets:	8
Type:	3/4" Sq Drive - Deep
Contents:	24, 27, 29, 30, 32, 35, 36, 38mm



C Model No:	AK686
Quantity of Sockets:	13
Type:	3/4" Sq Drive - Standard
Contents:	22, 24, 27, 30, 32, 33, 34, 36, 38mm, 1", 1-1/8", 1-3/8", 1-7/16"



D Model No:	AK80/9M
Quantity of Sockets:	8
Type:	3/4" Sq Drive - Deep
Contents:	26, 27, 29, 30, 32, 35, 36, 38mm



E - H 3/4" Sq Drive Impact Extension Bars
Model No. **SEE BELOW**

Drop-forged Chrome Molybdenum steel extension bars. Suitable for use on all types of impact tool. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin.

Model No:	Drive:	Length:	Material:
E AK5505	3/4" Sq	100mm	CrM
F AK5506	3/4" Sq	150mm	CrM
G AK5507	3/4" Sq	200mm	CrM
H AK5508	3/4" Sq	250mm	CrM

Premier


Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.

LIFETIME GUARANTEE*


All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.

A - D Impact Socket Sets
Model No. SEE BELOW

Sockets are manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance.



A Model No:	AK687
Quantity of Sockets:	13
Type:	3/4\"Sq Drive - Deep
Contents:	22, 24, 27, 30, 32, 33, 34, 36, 38mm, 1\", 1-1/8\", 1-3/8\", 1-7/16"




C Model No:	AK888M
Quantity of Sockets:	8
Type:	1\"Sq Drive - Deep
Contents:	24, 27, 30, 32, 33, 34, 36, 41mm


Socket Size Conversion Table

Metric:	Imperial:	Metric:	Imperial:
8mm	5/16"	24mm	15/16"
10mm	3/8"	25mm	1"
11mm	7/16"	27mm	1-1/16"
12mm	15/32"	28mm	1-1/8"
13mm	1/2"	30mm	1-3/16"
14mm	9/16"	32mm	1-1/4"
15mm	19/32"	33mm	1-5/16"
16mm	5/8"	35mm	1-3/8"
17mm	11/16"	36mm	1-7/16"
19mm	3/4"	38mm	1-1/2"
20mm	25/32"	41mm	1-5/8"
22mm	7/8"		

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.



B Model No:	AK688
Quantity of Sockets:	10
Type:	1\"Sq Drive - Standard
Contents:	24, 27, 30, 32, 33, 36, 38, 41mm, 1\", 1-1/8"



D Model No:	AK689
Quantity of Sockets:	10
Type:	1\"Sq Drive - Deep
Contents:	24, 27, 30, 32, 33, 36, 38, 41mm, 1\", 1-1/8"



A 17pc 3/8" Sq Drive Impact Socket Set
Model No. AK68217

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Supplied in storage case.

Quantity of Sockets:	13
Drive:	3/8" Sq Drive - Standard
Contents:	Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Extension Bars; 75, 150mm, 3/8" Sq Drive Universal Joint, 3/8" Sq(F) x 1/2" Sq(M) Adaptor



B 13pc 1/2" Sq Drive Low Profile Impact Socket Set
Model No. AK5613LP

Hardened and heat treated Chrome Molybdenum steel impact sockets with a phosphate finish for corrosion resistance. WallDrive® sockets allow a transfer of up to 30% more torque to the fixing. Low profile sockets with a depth of just 28mm, ideal for use in any application where access is restricted. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Drive:	1/2" Sq Drive - Low Profile
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



C 6pc 1/2" Sq Drive Impact Adaptor & Extension Bar Set
Model No. AK5514

Chrome Vanadium steel extension bars and adaptors. Chrome Molybdenum steel universal joint. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Spring-ball socket retainer. Supplied in storage case.

Drive:	1/2" Sq
Contents:	Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), Universal Joint



D 32pc 3/8" & 1/2" Sq Drive Impact Socket Set
Standard/Deep - Metric/Imperial
Model No. AK681

Manufactured from Chrome Vanadium steel with an electrodeposition finish for added corrosion resistance. Suitable for use with impact tools. Supplied in storage case.

Contents:	
3/8" Sq Drive Sockets:	8, 9, 10, 11, 12, 14, 15, 16, 17mm
1/2" Sq Drive Sockets:	17, 19, 22, 30mm, 1/2", 9/16", 11/16", 13/16", 1", 1-1/8"
1/2" Sq Drive Deep Sockets:	13, 15, 17, 18, 19, 21, 22, 24, 27, 30mm
Extension Bars:	3/8" x 75mm, 1/2" x 75mm
Adaptor:	1/2"(F)-3/8"(M)

LIFETIME
GUARANTEE*

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



A 15pc 1/2"Sq Drive Impact Socket & Wheel Nut Remover Set
Model No. AK5615M

Comprehensive impact socket set. Consists of three Chrome Molybdenum locking wheel nut removal sockets. Three Chrome Molybdenum colour-coded alloy wheel impact sockets with protective sleeve. Nine hardened and tempered Chrome Vanadium steel impact sockets with a phosphate finish for greater corrosion resistance. All impact sockets are WallDrive®, which allows a transfer of up to 30% more torque to the fixing. Supplied in storage case.


Drive: 1/2"Sq
Contents: Wheel Nut Removers; 18.5, 21.5, 26mm, Alloy Wheel Impact Sockets; 17, 19, 21mm, Impact Sockets; 10, 11, 13, 14, 17, 19, 22, 24, 27mm



C 3pc 1/2"Sq Drive Alloy Wheel Ultra-Power Impact Socket Set
Model No. SX039

Five times stronger than the conventional design and tested to 500Nm. Innovative design features a protective metal colour-coded ring that prevents the socket wall spreading. Each socket is sleeved and has an insert to prevent damage to alloy wheels and nuts.

Contents: 17, 19, 21mm



E 15pc 1/2"Sq Drive Deep Impact Socket Set
Model No. AK5815M

Deep WallDrive® sockets manufactured from Chrome Vanadium steel with electrodeposition finish for added corrosion resistance. Set includes extension bars and universal joint. Suitable for use with impact tools and supplied in metal storage case.

Drive: 1/2"Sq
Contents: Sockets; 10, 12, 13, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, Extension Bars; 125, 250mm, 1/2"Sq Universal Joint



B 19pc 1/2"Sq Drive Impact Socket Set
Model No. AK5619M

Standard depth WallDrive® sockets manufactured from Chrome Vanadium steel with electrodeposition finish for added corrosion resistance. Set includes three extension bars, 3/4"Sq drive adaptor and universal joint. Suitable for use with impact tools and supplied in metal storage case.

Drive: 1/2"Sq
Contents: Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, Extension Bars; 50, 150, 250mm, 1/2"Sq(F) x 3/4"Sq(M) Adaptor, 1/2"Sq Universal Joint



D 8pc Impact Socket Adaptor Set
Model No. AK5900B

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive






A 13pc 1/2"Sq Drive Impact Socket Set
Model No. AK5613M

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Standard depth WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	13
Type:	1/2"Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



B 13pc 1/2"Sq Drive 12-point Impact Socket Set
Model No. AK5614M

Hardened and heat treated Chrome Molybdenum steel 12-point impact sockets with a phosphate finish for corrosion resistance. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets:	13
Type:	1/2"Sq Drive - Standard
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



C 16pc 1/2"Sq Drive Deep Impact Socket Set
Model No. AK5816M

Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance. Deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	16
Type:	1/2"Sq Drive - Deep
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm



D 34pc 1/2"Sq Drive Impact Socket Set
Model No. AK5634M

Master set of impact sockets manufactured from Chrome Vanadium steel. Hardened and tempered with a phosphate finish for added corrosion resistance. Standard and deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets:	32
Type:	1/2"Sq Drive
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm (1 of each standard & deep), 125mm Extension Bar, Universal Joint



LOCK-ON™
Premier

10-24mm

A 13pc 1/2" Sq Drive Lock-On™ Impact Socket Set

Model No. AK5616M

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added corrosion resistance. Features specially machined flutes in the walls of the socket to enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents damage to worn or rusted fixings. Suitable for use with air/electric impact guns. Supplied in storage case.

Quantity of Sockets: 13
Type: 1/2" Sq Drive - Standard
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



Our Total Drive® Socket Series can be used on a wide range of fasteners. All are suitable for Spline, Metric Hex and Bi-Hex and many are equivalent to TRX-Star®, Whitworth, Imperial Hex and Imperial Bi-Hex.



Total Drive	6pt	12pt	AF	E-TRX	Spline	WW
10mm	✓	✓	3/8"	E12	M10	-
11mm	✓	✓	7/16"	E14	M11	-
12mm	✓	✓	15/32"	E16	M12	3/16"
13mm	✓	✓	1/2"	-	-	-
14mm	✓	✓	9/16"	E18	M14	1/4"
15mm	✓	✓	19/32"	-	-	-
16mm	✓	✓	5/8"	E20	M16	5/16"
17mm	✓	✓	-	-	-	-
18mm	✓	✓	-	E22	M18	-
19mm	✓	✓	3/4"	E24	-	3/8"
21mm	✓	✓	-	-	-	7/16"
22mm	✓	✓	7/8"	-	M22	-
24mm	✓	✓	15/16"	-	M24	1/2"



A 4pc 1/2"Sq Drive Impact Extension Bar Set
Model No. AK5513

Drop-forged Chrome Vanadium steel extension bars. Suitable for use on all types of impact tool. Phosphate finish for added corrosion resistance and spring-ball socket retainer. Supplied in storage tray.

Drive:	1/2"Sq
Lengths:	75, 125, 150, 250mm



C 6pc 1/2"Sq Drive Impact Adaptor & Extension Bar Set
Model No. AK5514

Chrome Vanadium steel extension bars and adaptors. Chrome Molybdenum steel universal joint. Phosphate finish for added corrosion resistance. Spring-ball socket retainer. Suitable for use with any impact tool.

Drive:	1/2"Sq
Contents:	Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), Universal Joint



B Impact Extension Bars
Model No. SEE BELOW

Drop-forged steel extension bars. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8" and 1/2"Sq drive sizes. Chrome Molybdenum steel used on 3/4" and 1"Sq drive sizes, which demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Drive:	Length:	Material:
AK5503	3/8"Sq	75mm	CrV
AK5504	3/8"Sq	150mm	CrV
AK5501	1/2"Sq	75mm	CrV
AK55012	1/2"Sq	125mm	CrV
AK5502	1/2"Sq	150mm	CrV
AK55022	1/2"Sq	250mm	CrV
AK5505	3/4"Sq	100mm	CrM
AK5506	3/4"Sq	150mm	CrM
AK5507	3/4"Sq	200mm	CrM
AK5508	3/4"Sq	250mm	CrM
AK5510	1"Sq	150mm	CrM
AK5511	1"Sq	200mm	CrM
AK5512	1"Sq	250mm	CrM



E 42pc Impact Wrench, Sockets & Tyre Tool Set with Tool Tray
Model No. TBTP08

Contents: 1/2"Sq Drive Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, 1/2"Sq Drive Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm, 1/2"Sq Drive Locking Wheel Nuts; 19, 21, 22mm, 1/2"Sq Drive Air Impact Wrench with Twin Hammer, Air Blow Gun, 1/2"Sq Drive Extension Bars; 75, 125, 150, 250mm, Jumbo Tyre with Clip-On Connector, 1/2"Sq Drive Alloy Wheel Ultra-Power Impact Socket Set (3pc), Digital Depth Gauge, Pressure Gauge

Tray Size (W x D x H):	530 x 397 x 55mm
------------------------	------------------



D 5pc 1/2"Sq Drive Wobble Extension Bar Set
Model No. AK768

Forged Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Cut-away tips allow sockets to be driven with shaft offset of 10°. Deep knurling on shafts allows extra grip when spinning off fixings. Spring-ball socket retainers. Supplied in storage tray. Not for use with impact tools.

Drive:	1/2"Sq
Lengths:	50, 125, 250, 375, 500mm





A 8pc Impact Socket Adaptor Set
Model No. **AK5900**

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



C - H Impact Adaptors
Model No. **SEE BELOW**

Drop-forged steel adaptors. Suitable for use on all types of impact tool. Chrome Vanadium steel used on Model No's AK5400 and AK5401. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Male:	Length:	Material:
C AK5400	3/8"Sq	1/2"Sq	36mm	CrV
D AK5401	1/2"Sq	3/8"Sq	38mm	CrV
E AK5402	1/2"Sq	3/4"Sq	48mm	CrM
F AK5403	3/4"Sq	1/2"Sq	58mm	CrM
G AK5404	3/4"Sq	1"Sq	63mm	CrM
H AK5405	1"Sq	3/4"Sq	70mm	CrM

M 34pc 1/2"Sq Drive Impact Socket Set
Model No. **AK5634M**

Master set of impact sockets manufactured from Chrome Vanadium steel. Hardened and tempered with a phosphate finish for added corrosion resistance. Standard and deep WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.

Quantity of Sockets: 32

Type: 1/2"Sq Drive

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm (1 of each standard & deep), 125mm Extension Bar, Universal Joint



10-32mm

Deep

Standard

1/2"
Sq. Drive

MM



Premier



IMPORTANT SAFETY WARNING!

Always wear eye protection when using these tools. For our full range of safety equipment, see pages 1237 to 1264.



B 8pc Impact Socket Adaptor Set
Model No. **AK5900B**

Comprehensive set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance. Supplied in storage case.

Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M) Sq Drive



I - L Impact Universal Joints
Model No. **SEE BELOW**

Drop-forged steel universal joints. Suitable for use on all types of impact tool. Chrome Vanadium steel used on 3/8"Sq drive size. Chrome Molybdenum steel used where applications demand higher torque rates. Phosphate finish for added corrosion resistance. Spring-ball socket retainer and drilled head to accept retaining pin where applicable.

Model No:	Female:	Length:	Material:
I AK5497	3/8"Sq	50mm	CrV
J AK5500	1/2"Sq	70mm	CrM
K AK5498	3/4"Sq	110mm	CrM
L AK5499	1"Sq	130mm	CrM



N 4pc Impact Socket Adaptor Set
Model No. **AK5523**

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome Molybdenum steel with a manganese phosphate finish for corrosion resistance.

Contents: 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M) Sq Drive

1/4"
Sq. Drive
3/8"
Sq. Drive
1/2"
Sq. Drive



A 3pc Impact Socket Adaptor Set Model No. AK5521

Manufactured from Chrome Vanadium steel with manganese phosphate finish for added resistance from corrosion. Turns any power drill into a power nut driver with added reach. Contains 1/4", 3/8" and 1/2" Sq drive adaptors.

Contents: 65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive



B 7pc Impact Socket Adaptor Set Model No. AK5522

Manufactured from Chrome Vanadium and Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Includes three hex shank power tool socket adaptors and four square drive socket adaptors.

Contents: 65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive, 3/8"(F) x 1/4"(M), 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/8"(M)



C 3pc Low Profile Impact Socket Adaptor Set Model No. AK5524

Set of impact adaptors for use on all types of impact tools. Manufactured from drop-forged Chrome molybdenum steel with manganese phosphate finish for added corrosion resistance. Low profile design to get to spaces that would otherwise be inaccessible.


Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/2"(M), 1/2"(F) x 3/4"(M)



D 8pc 3/8"Sq Drive Hex Impact Socket Bit Set Model No. AK5620

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8" Sq Drive impact hex socket bits with an additional locking 1/2" Sq Drive quick change adaptor. Supplied in an EVA storage tray.


Contents: 3/8" Sq Drive Hex Socket Bits; 5, 6, 8, 10, 12, 14, 17mm, 1/2" Sq Drive Quick Change Adaptor



E 9pc 1/4" & 3/8"Sq Drive Low Profile Hex Impact Socket Bit Set Model No. AK5525

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Low profile for use in areas that may otherwise be inaccessible. Supplied in EVA storage tray.

Drive: 1/4" & 3/8" Sq Drive
Minimum/Maximum Length: 25/40mm
Contents: 1/4" Sq Drive; 6, 7, 8, 10mm, 3/8" Sq Drive; 12, 14, 17, 18, 19mm



F 9pc 1/2"Sq Drive Impact Hex Bit & Holder Set Model No. AK5609

1/2" Sq Drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.


Drive: 1/2" Sq
Length: 35mm
Contents: 1/2" Sq Drive Bit Holder, Bits; 6, 7, 8, 10, 12, 14, 17, 19mm



G 8pc 1/2"Sq Drive Impact Hex Socket Bit Set Model No. AK5601

Chrome Molybdenum steel impact sockets with 1/2" Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2" Sq
Length: 78mm
Contents: 5, 6, 8, 10, 12, 14, 17, 19mm



A 6pc 3/4"Sq Drive Impact Hex Socket Bit Set
Model No. AK5586

Durable Chrome Molybdenum steel gives optimum balance between hardness and flexibility. Suitable for use with any impact tool. Supplied in storage case.

Drive:	3/4"Sq
Length:	108mm
Contents:	14, 17, 19, 22, 24, 27mm



B 8pc 3/8"Sq Drive Impact TRX-Star* Socket Bit Set
Model No. AK5621

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq Drive TRX-Star* impact socket bits with an additional locking 1/2"Sq Drive quick change adaptor. Supplied in an EVA storage tray.


Contents: 3/8"Sq Drive TRX-Star* Socket Bits; T30, T40, T45, T50, T55, T60, T70, 1/2"Sq Drive Quick Change Adaptor



C 10pc 1/4" & 3/8"Sq Drive Low Profile Impact TRX-Star* Socket Bit Set
Model No. AK5526

Manufactured from Chrome Molybdenum steel with manganese phosphate finish for added resistance from corrosion. Low profile for use in areas that may otherwise be inaccessible. Supplied in EVA storage tray.


Drive:	1/4", 3/8"Sq Drive
Minimum Length:	25mm
Maximum Length:	40mm
Contents:	1/4"Sq Drive; T10, T15, T20, T25, T27, T30, 3/8"Sq Drive; T40, T45, T47, T50



D 9pc 1/2"Sq Drive Impact TRX-Star* Bit & Holder Set
Model No. AK5610

1/2"Sq Drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive:	1/2"Sq
Length:	35mm
Contents:	1/2"Sq Drive Bit Holder, Bits; T30, T40, T45, T47, T50, T55, T60, T70



E 6pc 1/2"Sq Drive Low Profile Impact TRX-Star* Socket Bit Set
Model No. AK5607

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.


Drive:	1/2"Sq
Length:	40mm
Contents:	T55, T60, T70, T80, T90, T100



F 8pc 1/2"Sq Drive Impact TRX-Star* Socket Bit Set
Model No. AK5602

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Length:	78mm
Contents:	T30, T40, T45, T50, T55, T60, T70, T80



A 10pc 1/2"Sq Drive Impact TRX-Star* Female Socket Set
Model No. AK2301

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2"Sq
Contents: E10, E11, E12, E14, E16, E18, E20, E22, E24, 3/8"Sq(F) x 1/2"Sq(M) Adaptor



C 25pc 1/2"Sq Drive Impact TRX-Star*/Hex/Spline Bit Set
Model No. AK5612

Comprehensive set of TRX-Star*, Hex and Spline bits in Chrome Molybdenum steel, including a 1/2"Sq Drive bit holder with 2mm grub screw. Phosphate finish for corrosion resistance.

Drive: 1/2"Sq
Length: 35mm
Contents: Bits; TRX-Star* - T30, T40, T45, T47, T50, T55, T60, T70, Hex - 6, 7, 8, 10, 12, 14, 17, 19mm, Spline - M6, M8, M9, M10, M12, M14, M16, M18, 1/2"Sq Drive Bit Holder



E 6pc 1/2"Sq Drive Impact Spline Socket Bit Set
Model No. AK5608

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case with EVA foam tray.


Drive: 1/2"Sq
Length: 40mm
Contents: M8, M10, M12, M14, M16, M18



B 8pc 3/8"Sq Drive Spline Impact Socket Bit Set
Model No. AK5622

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq Drive impact spline socket bits with an additional locking 1/2"Sq Drive quick change adaptor. Supplied in an EVA storage tray.

Contents: 3/8"Sq Drive Sockets; M6, M8, M10, M12, M14, M16, M18, 1/2"Sq Drive Quick Change Adaptor



D 9pc 1/2"Sq Drive Impact Spline Bit & Holder Set
Model No. AK5611

1/2"Sq Drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive: 1/2"Sq
Length: 35mm
Contents: Bits; M6, M8, M9, M10, M12, M14, M16, M18, 1/2"Sq Drive Bit Holder



F 8pc 1/2"Sq Drive Impact Spline Socket Bit Set
Model No. AK5604

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive: 1/2"Sq
Length: 78mm
Contents: M5, M6, M8, M10, M12, M14, M16, M18



A **NEW**
3/8" & 1/2" Sq. Drive **MM**
A 28pc 3/8" & 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Set
Model No. AK21902

High quality impact grade S2 steel satin finish 36mm(L) bits. Specially heat treated CNC machined tips reduce stress and prevent cam-out under load. Torsion bits absorb impact and transfer maximum torque to the fixing. Hardened (58-62 HRC) and tempered for added strength. Colour-coded for fast identification. Supplied in storage case.



Drive:	3/8" & 1/2" Sq
Length:	65mm
Contents:	TRX-Star* Bits; T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, Hex Bits; 4, 5, 6, 7, 8, 10, 12mm, Spline Bits; M5, M6, M8, M10, M12, M14, M16, M18, Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex



C **NEW**
3/4" Sq. Drive
C 12pc 3/4" Sq Drive Impact Socket Bit & Accessories Set
Model No. AK5617

Chrome Molybdenum steel impact socket, bits and accessories. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	3/4" Sq
Length:	65mm
Contents:	Bits; TRX-Star* - T70, T80, T90, T100, Hex - 14, 17, 19, 21, 22mm, Adaptor; 1/2"(M) x 3/4"(F) Sq Drive, 3/4" Sq Drive Extension Bar; 165mm, 3/4" Sq Drive Bit Holder



B **NEW**
3/8" & 1/2" Sq. Drive
B 42pc 3/8" & 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Set
Model No. AK21901

High quality impact grade S2 steel satin finish bits, each size in 36 and 75mm lengths. Heat treated CNC machined tips reduce stress and prevent cam-out under load. Torsion bits absorb impact and transfer maximum torque to the fixing. Hardened (58-62 HRC) and tempered for added strength. Colour-coded for fast identification. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive:	3/8" & 1/2" Sq
Contents:	TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 36 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 36 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 36 & 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex



A-H

Siegen



For stubby version,
order Model No. S01170

A-H Slotted Screwdrivers

Model No. **SEE BELOW**

Designed for light trade or DIY use. Chrome Vanadium satin finish shafts with shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Model No:	Type:	Size:
A S01170	Slotted	6 x 38mm
B S01171	Slotted	3 x 75mm
C S01172	Slotted	5 x 100mm
D S01173	Slotted	5 x 125mm
E S01174	Slotted	6 x 100mm
F S01175	Slotted	6 x 150mm
G S01176	Slotted	8 x 150mm
H S01177	Slotted	8 x 200mm

I-M

Siegen



For stubby version,
order Model No. S01178

I-M Phillips Screwdrivers

Model No. **SEE BELOW**

Designed for light trade or DIY use. Chrome Vanadium satin finish shafts with shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Model No:	Type:	Size:
I S01178	Phillips	#2 x 38mm
J S01179	Phillips	#0 x 75mm
K S01180	Phillips	#1 x 75mm
L S01181	Phillips	#2 x 100mm
M S01182	Phillips	#3 x 150mm

N-R

Siegen



For stubby version,
order Model No. S01183

N-R Pozi Screwdrivers

Model No. **SEE BELOW**

Designed for light trade or DIY use. Chrome Vanadium satin finish shafts with shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Model No:	Type:	Size:
N S01183	Pozi	#2 x 38mm
O S01184	Pozi	#0 x 75mm
P S01185	Pozi	#1 x 75mm
Q S01186	Pozi	#2 x 100mm
R S01187	Pozi	#3 x 150mm

Siegen

Colour-coded handles for fast identification.



Slotted



Phillips



Pozi



Hanging hole for alternative storage.



Chrome Vanadium steel satin finish shafts & soft grip handles.



Shot blasted and magnetized tips.



A - F Soft Grip Screwdriver SetsModel No. **SEE BELOW**

Selection of popular sized screwdrivers. Chrome Vanadium shafts with satin finish. Shot blasted with magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

**A 6pc Soft Grip Screwdriver Set**Model No. **S0615****Contents:** Slotted; 4 x 100, 5.5 x 125, 6.5 x 150mm, Pozi; #0 x 75, #1 x 80, #2 x 100mm**B 12pc Soft Grip Screwdriver Set**Model No. **S0616****Contents:** Slotted; 6 x 38, 5 x 100, 6 x 100, 6 x 150, 8 x 200mm, Phillips; #1 x 75, #2 x 38, #2 x 100mm, TRX-Star*; T10 x 100, T15 x 100, T20 x 100, T25 x 100mm**C 23pc Soft Grip Screwdriver & Bit Set**Model No. **S0598****Contents:** Slotted; 2 x 50, 2.5 x 50, 3 x 50, 4 x 75mm (Insulated), 5 x 75, 6 x 100, 8 x 150mm, Phillips; #00 x 50, #0 x 50, #1 x 50mm, #1 x 75, #2 x 100mm, Bit Holder & Bits; Pozi - #1, #2, TRX-Star* - T10, T15, T20, T25, T30, Hex - 3, 4, 6mm**D 60pc Screwdriver Bit Set**Model No. **S01110****Contents:** Standard Screwdrivers; Slotted - 6 x 38, 3 x 75, 5 x 75, 6 x 100, 8 x 150mm, Phillips - #2 x 38, #0 x 75, #1 x 75, #2 x 100mm, Precision Screwdrivers; Slotted - 2 x 50, 2.5 x 50, 3 x 50mm, Phillips - #000 x 50, #00 x 50, #0 x 50mm, TRX-Star* - T8 x 50mm, T10 x 50mm, Bits; Slotted - 3 (x2), 4 (x2), 5 (x2), 6mm (x2), Phillips - #0 (x2), #1 (x2), #2 (x2), #3 (x2), Pozi - #0 (x2), #1 (x2), #2 (x2), #3 (x2), TRX-Star* - T8, T10, T15, T20 (x2), T25, T30, T40, 1/4" Sq Drive 6pt Socket Set - 5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" Socket Adaptor, Bit Driver**E 24pc Soft Grip Screwdriver Set**Model No. **S0617****Contents:** Slotted; 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 100, 5 x 150, 6 x 150, 8 x 200mm, Phillips; #0 x 75, #1 x 75, #2 x 38, #2 x 100, #3 x 150mm, Pozi; #0 x 75, #2 x 100mm, TRX-Star*; T10 x 100, T15 x 100, T20 x 100, T25 x 100, T30 x 100mm, Tack Puller, Scratch Awl, Bit Driver, Magnetizer/Demagnetizer**F 21pc Screwdriver Set**Model No. **S0923****Contents:** Slotted; 6 x 150, 8 x 150mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm, Bit Holder, Bits; Slotted - 4, 5mm, Phillips - #3, Pozi - #3, Hex - 2, 2.5, 3, 4, 5, 5.5, 6mm, TRX-Star* - T15, T20, T25



A 8pc TRX-Star® Screwdriver Set
Model No. S0897

Hardened and tempered Chrome Vanadium steel shafts with a satin finish. Shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Contents: T8 x 75, T10 x 75, T15 x 100, T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 125mm



C 44pc Screwdriver, Hex Key & Bit Set
Model No. S01090

Contents: Screwdrivers: Slotted - 3 x 75, 4 x 100, 5 x 100, 6 x 125, 8 x 150mm, Phillips - #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, Pozl - #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, TRX-Star® - T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, T20, Hex - 3, 4, 5, 6mm, Hex Keys: Metric - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm, Imperial - 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"



E 61pc Screwdriver, Bit & Nut Driver Set
Model No. S01152

Contents: Screwdrivers: Slotted - 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 100, 6 x 150, 8 x 200mm, Phillips - #0 x 75, #2 x 38, #1 x 100, #2 x 100, #3 x 150mm, Pozl - #0 x 75, #1 x 100, #2 x 100, #3 x 150mm, VDE: Slotted - 3 x 75mm, Phillips - 0 x 75, 1 x 80, 2 x 100mm, TRX-Star® - T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, Slotted - 4, 6mm, Phillips - #1, #2 (x2), #3, Pozl - #1, #2 (x2), #3, Hex - 3, 4, 5, 6, 7, 8mm, Square - 1, 2, 3mm, Nut Drivers: Metric - 6, 7, 8, 10, 12mm, Imperial - 3/16", 1/4", 5/16", 3/8", 7/16", Magnetizer/Demagnetizer



B 3pc Extra-Long Screwdriver Set
Model No. S0895

Hardened and tempered 450mm extra-long Chrome Vanadium steel shafts with a satin polished finish. Shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Contents: Slotted: 8 x 450mm, Phillips: #2 x 450, #3 x 450mm



D 44pc Hammer-Thru Screwdriver, Hex Key & Bit Set
Model No. S01106

Contents: Screwdrivers: Slotted - 3 x 75, 4 x 100, 5 x 100, 6 x 125, 8 x 150mm, Phillips - #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, Pozl - #0 x 75, #1 x 75, #2 x 100, #3 x 150, TRX-Star® - T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, T20, Hex - 3, 4, 5, 6mm, Hex Keys: Metric - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm, AF - 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"



F 61pc Hammer-Thru Screwdriver, Bit & Nut Driver Set
Model No. S01153

Contents: Screwdrivers: Slotted - 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 100, 6 x 150, 8 x 200mm, Phillips - #0 x 75, #2 x 38, #1 x 100, #2 x 100, #3 x 150mm, Pozl - #0 x 75, #1 x 100, #2 x 100, #3 x 150mm, VDE: Slotted - 3 x 75mm, Phillips - 0 x 75, 1 x 80, 2 x 100mm, TRX-Star® - T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, Slotted - 4, 6mm, Phillips - #1, #2 (x2), #3, Pozl - #1, #2 (x2), #3, Hex - 3, 4, 5, 6, 7, 8mm, Square - 1, 2, 3mm, Nut Drivers: Metric - 6, 7, 8, 10, 12mm, Imperial - 3/16", 1/4", 5/16", 3/8", 7/16", Magnetizer/Demagnetizer

PowerMAX®

Trade Screwdrivers

High quality S2 steel, satin finished shafts with shot blasted and magnetized tips. Ergonomically shaped handles minimize roll and maximize power transfer from hand to fixing. Features distinctive driver type marking for fast identification and hanging hole for alternative storage.



Hanging hole.



Magnetized tip.

APowerMAX®
Trade Screwdrivers

Premier

A 7pc PowerMAX® Screwdriver Set
Model No. AK4330

Contents: Slotted; 3 x 75, 5 x 100, 6 x 150, 8 x 150mm, Phillips; #0 x 75, #1 x 75mm, #2 x 100mm

BPowerMAX®
Trade Screwdrivers

Premier

B 8pc PowerMAX® Screwdriver Set
Model No. AK4331

Contents: Slotted; 3 x 75, 5 x 100, 6 x 150, 8 x 150mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm

CPowerMAX®
Trade Screwdrivers

Extra-Long



Premier

C 3pc PowerMAX® Extra-Long Screwdriver Set
Model No. AK4334

Contents: Slotted; 8 x 450mm, Phillips; #2 x 450, #3 x 450mm

D

Premier

D 7pc Screwdriver Set - VDE Approved
Model No. AK6125

High quality S2 steel shafts with magnetic and corrosion resistant tips. Fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V. Contoured, textured handles with non-slip comfort grip. Features hanging holes for easy storage.

Contents: Slotted; 3 x 75, 4 x 100, 5.5 x 125, 6.5 x 150mm, Phillips; #0 x 75, #1 x 80, #3 x 100mm

EPowerMAX®
Trade Screwdrivers

Premier

**E 11pc PowerMAX® Screwdriver Set**
Model No. AK4332

Contents: Slotted; 3 x 75, 5 x 125, 6 x 150, 8 x 150mm, Phillips; #1 x 80, #2 x 100mm, Pozi; #1 x 80, #2 x 100mm, VDE Screwdrivers - Slotted; 4 x 100mm, Phillips; #1 x 80mm, 110-480mm Telescopic Magnetic Pick-Up Tool

FPowerMAX®
Trade Screwdrivers

Premier

F 21pc PowerMAX® Screwdriver & Bit Set
Model No. AK4333

Contents: Slotted; 6 x 150, 8 x 150mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm, Bit Holder, Bits - Slotted; 4, 5mm, Phillips; #3, Pozi; #3, TRX-Star*; T15, T20, T25, Hex; 2, 2.5, 3, 4, 5, 5.5, 6mm



A 8pc PowerMAX® TRX-Star* Screwdriver Set
Model No. AK4335

Contents: T9 x 75, T10 x 75, T15 x 75, T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 150mm



B 6pc PowerMAX® Long Security TRX-Star* Screwdriver Set
Model No. AK4336

Contents: T10H, T15H, T20H, T25H, T30H, T40H x 250mm



C 8pc Screwdriver Set
Hi-Vis Green
Model No. HV001

High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomically shaped handles maximize power transfer from hand to fixing. Feature hi-visibility handles with hanging holes for easy storage.

Contents: Slotted; 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm



D 8pc Screwdriver Set
Hi-Vis Orange
Model No. HV003

High quality Chrome Vanadium steel satin finished shafts with shot blasted and magnetized tips. Ergonomically shaped handles maximize power transfer from hand to fixing. Feature hi-visibility handles with hanging holes for easy storage.

Contents: Slotted; 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm



E 7pc GripMAX®
Long Security
TRX-Star* Screwdriver Set
Model No. AK4307

250mm Long Chrome Molybdenum shafts with satin finish. Ideal for use where access is restricted. Shot blasted and magnetized tips. Hexagonal profile design with ribbed handle for maximum power transfer from hand to fixing. Impact resistant handle with hanging hole.

Contents: T10H, T15H, T20H, T25H, T27H, T30H, T40H x 250mm



F 4pc JIS
Screwdriver Set
Model No. AK4314

High quality Chrome Vanadium steel satin finished shafts with shot blasted and magnetized tips. Soft grip handles maximize power transfer from hand to fixing. JIS Screwdrivers for Japanese Industrial Standard Screws. Commonly found on Japanese manufactured cars and motorcycles. Using the correct JIS Screwdrivers will prevent cam out, therefore preventing the damage to JIS fixings that Phillips screwdrivers can cause.

Contents: #2 x 38, #1 x 75, #2 x 100, #3 x 150mm



Each size clearly marked for quick and easy identification.



Includes hanging hole for alternative storage.



Chrome Vanadium steel shafts.



Shot blasted and magnetized tips.

A - H

Premier



For stubby version,
order Model No. AK4350

A - H GripMAX® Slotted Screwdrivers Model No. SEE BELOW

High quality Chrome Vanadium steel satin finished shafts with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Includes hanging hole for alternative storage.

Model No:	Type:	Size:
A AK4350	Slotted	6 x 38mm
B AK4351	Slotted	3 x 75mm
C AK4352	Slotted	4 x 100mm
D AK4353	Slotted	5 x 125mm
E AK4354	Slotted	6 x 100mm
F AK4355	Slotted	6 x 150mm
G AK4356	Slotted	8 x 150mm
H AK4357	Slotted	8 x 200mm

I - M

Premier



For stubby version,
order Model No. AK4358

I - M GripMAX® Phillips Screwdrivers Model No. SEE BELOW

High quality Chrome Vanadium steel satin finished shafts with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Includes hanging hole for alternative storage.

Model No:	Type:	Size:
I AK4358	Phillips	#2 x 38mm
J AK4359	Phillips	#0 x 75mm
K AK4360	Phillips	#1 x 75mm
L AK4361	Phillips	#2 x 100mm
M AK4362	Phillips	#3 x 150mm

N - R

Premier



For stubby version,
order Model No. AK4363

N - R GripMAX® Pozi Screwdrivers Model No. SEE BELOW

High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Includes hanging hole for alternative storage.

Model No:	Type:	Size:
N AK4363	Pozi	#2 x 38mm
O AK4364	Pozi	#0 x 75mm
P AK4365	Pozi	#1 x 75mm
Q AK4366	Pozi	#2 x 100mm
R AK4367	Pozi	#3 x 150mm

S NEW




S 66pc Countertop Display GripMAX® Individual Screwdrivers Model No. AK4369DS

Supplied with a strong and compact countertop display stand.

Contents: Slotted; 6 x 38, 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips; #2 x 38, #1 x 75, #2 x 100mm, Pozi; #2 x 38, #1 x 75, #2 x 100mm (6 of each)


High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Includes hanging holes for alternative storage.



A-B 7pc GripMAX® Screwdriver Sets
Model No. **SEE RIGHT**

Contents: Slotted; 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips; #0 x 75, #1 x 75, #2 x 100mm

Model No:	Colour:
A AK4321	Red
B AK4321HV	Hi-Vis Green



C-D 7pc GripMAX® Screwdriver Sets
Model No. **SEE RIGHT**

Contents: Slotted; 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Pozi; #0 x 75, #1 x 75, #2 x 100mm

Model No:	Colour:
C AK4325	Red
D AK4325HV	Hi-Vis Green

LIFETIME GUARANTEE*

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



E-F GripMAX® Bottle Openers
Model No. **SEE BELOW**

GripMAX® bottle openers. Ergonomic polypropylene and TPV rubber soft grip handle. Includes hanging hole for alternative storage.

Model No:	Colour:
E AK4368	Red
F AK4368HV	Hi-Vis Green



G 3pc GripMAX® Stubby Screwdriver Set
Model No. **AK4328**

High quality Chrome Vanadium satin finished shaft with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Ideal for use in tight spaces. Includes hanging holes for alternative storage.

Contents: Slotted; 6 x 38mm, Phillips; #2 x 38mm, Pozi; #2 x 38mm




H 21pc GripMAX® Screwdriver & Bit Set
Model No. **AK4329**

High quality Chrome Vanadium satin finished shaft with magnetic bit retention. Supplied with a popular range of Chrome Vanadium steel bits. Ergonomic polypropylene and TPV rubber soft grip handle maximizes power transfer from hand to fixing. Includes hanging hole for alternative storage.

Contents: Bits; Slotted - 3, 4, 5, 6mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, TRX-Star* - T10, T15, T20, T25, T30, Hex - 3, 4, 5mm

High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomic polypropylene and TPV rubber soft grip handles maximize power transfer from hand to fixing. Includes hanging holes for alternative storage.



A - B 8pc GripMAX® Screwdriver Sets

Model No. [SEE RIGHT](#)

Contents: Slotted; 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips; #1 x 75, #2 x 100mm, Pozi; #1 x 75, #2 x 100mm

Model No:	Colour:
A AK4322	Red
B AK4322HV	Hi-Vis Green



C - D 8pc GripMAX® Security TRX-Star® Screwdriver Sets

Model No. [SEE RIGHT](#)

Contents: Security TRX-Star®; T8H x 60, T10H x 80, T15H x 80, T20H x 100, T25H x 100, T27H x 100, T30H x 100, T40H x 125mm

Model No:	Colour:
C AK4323	Red
D AK4323HV	Hi-Vis Green



E - F 10pc GripMAX® TRX-Star® Screwdriver Sets

Model No. [SEE RIGHT](#)

Contents: TRX-Star®; T7 x 75, T8 x 75, T9 x 75, T10 x 100, T15 x 100, T20 x 100, T25 x 100, T27 x 100, T30 x 100, T40 x 125mm

Model No:	Colour:
E AK4324	Red
F AK4324HV	Hi-Vis Green



A 44pc Hammer-Thru Screwdriver, Hex Key & Bit Set
Model No. S01106

Contents: Screwdrivers: Slotted - 3 x 75, 4 x 100, 5 x 100, 6 x 125, 8 x 150mm, Phillips - #0 x 75, #1 x 75, #2 x 100, #3 x 150, Pozzi - #0 x 75, #1 x 75, #2 x 100, #3 x 150mm, TRX-Star® - T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, T20, Hex - 3, 4, 5, 6mm, Hex Keys: Metric - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm, Imperial - 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"



C 6pc Hammer-Thru Screwdriver Set
Model No. S0753

Chrome Vanadium steel hammer-thru hex shafts with satin finish. Screwdrivers are shot blasted and have magnetized tips. Contoured handles with soft grips for added comfort and control.

Contents: Slotted: 5.5 x 100, 6.5 x 150, 8 x 175mm, Phillips: #1 x 75, #2 x 100, #3 x 150mm



E 6pc Hammer-Thru Screwdriver Set
Model No. S0535

Chrome Vanadium steel hammer-thru shafts, fully hardened, tempered and chrome plated. Shot blasted and magnetized tips. Classic type handles manufactured from high impact resistant material.

Contents: Slotted: 5 x 75, 6 x 100, 8 x 150mm, Phillips: #1 x 80, #2 x 100, #3 x 150mm



B 61pc Hammer-Thru Screwdriver, Bit & Nut Driver Set
Model No. S01153

Contents: Screwdrivers: Slotted - 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 100, 6 x 150, 8 x 200mm, Phillips - #0 x 75, #2 x 38, #1 x 100, #2 x 100, #3 x 150mm, Pozzi - #0 x 75, #1 x 100, #2 x 100, #3 x 150mm, VDE: Slotted - 3 x 75mm, Phillips - 0 x 75, 1 x 80, 2 x 100mm, TRX-Star® - T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits: TRX-Star® - T7, T8, T9, T10, T15, Slotted - 4, 6mm, Phillips - #1, #2 (x2), #3, Pozzi - #1, #2 (x2), #3, Hex - 3, 4, 5, 6, 7, 8mm, Square - 1, 2, 3mm, Nut Drivers: Metric - 6, 7, 8, 10, 12mm, Imperial - 3/16", 1/4", 5/16", 3/8", 7/16", Magnetizer/Demagnetizer



D 13pc Hammer-Thru Screwdriver Set
Model No. S0754

Chrome Vanadium steel hammer-thru hex shafts with satin finish. Screwdrivers are shot blasted and have magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Contents: Slotted: 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 125, 8 x 150, 8 x 200mm, Phillips: #0 x 75, #1 x 75, #2 x 38, #2 x 100, #3 x 150, #3 x 200mm



F 12pc Hammer-Thru Screwdriver Set
Model No. S0641

Chrome Vanadium steel hammer-thru shafts, fully hardened, tempered and chrome plated. Shot blasted and magnetized tips. Classic type handles manufactured from high impact resistant material.

Contents: Slotted: 6 x 38, 3 x 75, 5 x 75, 6 x 100, 8 x 150, 9 x 200mm, Phillips: #2 x 38, #0 x 75, #1 x 75, #2 x 100, #3 x 150, #3 x 200mm
*not hammer-thru



A 2pc Hammer-Thru Screwdriver Set
Model No. AK4938

Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish. Feature hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted; 8 x 150mm, Phillips; #3 x 150mm



C 9pc Hammer-Thru Screwdriver Set
Model No. AK4934

Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish. Feature hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted; 5 x 100, 6 x 150, 8 x 175mm, Phillips; #1 x 75, #2 x 100, #3 x 150mm, Pozzi; #1 x 75, #2 x 100, #3 x 150mm



E 6pc Hammer-Thru Screwdriver Set with Tool Tray
Model No. TBT29

Tool Tray with Hammer-Thru Screwdriver Set. Suitable for selected Superline PRO® and Premier tool chests.

Contents: Slotted; 5.5 x 100, 6.5 x 150, 8 x 175mm, Phillips; #1 x 75, #2 x 100, #3 x 150mm

Tray Size (W x D x H): 176.5 x 397 x 55mm



B 6pc Hammer-Thru Screwdriver Set
Model No. AK4932

Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish. Features hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted; 5 x 100, 6 x 150, 8 x 175mm, Phillips; #1 x 75, #2 x 100, #3 x 150mm



D 11pc Hammer-Thru Screwdriver Set
Model No. AK4933

Hardened and tempered Chrome Vanadium steel shafts with a satin polished finish. Feature hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted; 6 x 38, 5 x 100, 6 x 125, 8 x 150, 8 x 200, 10 x 200mm, Phillips; #2 x 38, #1 x 75, #2 x 100, #2 x 150, #3 x 150mm



F 2pc Screwdriver Rack
Model No. SR01

Durable composite screwdriver rack. Holds up to 14 screwdrivers. 395mm Long 2-piece set with adhesive strips.

A 8pc Hammer-Thru Screwdriver Set Hi-Vis Green Model No. HV002

High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomically shaped handles maximize power transfer from hand to fixing. Hi-visibility textured handles with hammer cap.

Contents: Slotted: 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips: #1 x 75, #2 x 100mm, Pozzi: #1 x 75, #2 x 100mm

B 8pc Hammer-Thru Screwdriver Set Hi-Vis Orange Model No. HV004

High quality Chrome Vanadium satin finished shafts with shot blasted and magnetized tips. Ergonomically shaped handles maximize power transfer from hand to fixing. Hi-visibility textured handles with hammer cap.

Contents: Slotted: 3 x 75, 4 x 100, 6 x 150, 8 x 200mm, Phillips: #1 x 75, #2 x 100mm, Pozzi: #1 x 75, #2 x 100mm



C 3pc 450mm Extra-Long Hammer-Thru Screwdriver Set Model No. S0843

Hardened and tempered 450mm extra-long Chrome Vanadium steel hammer-thru hex shafts with satin polished finish. Shot blasted and magnetized tips. Contoured soft grip handles with colour-coding for fast identification.

Contents: Slotted: 8 x 450mm, Phillips: #2 x 450, #3 x 450mm

D 3pc 450mm Extra-Long Hammer-Thru Screwdriver Set Model No. AK4935

Hardened and tempered Chrome Vanadium extra-long steel shafts with a satin polished finish. Feature hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted: 8 x 450mm, Phillips: #2 x 450, #3 x 450mm

E 5pc 450mm Extra-Long Hammer-Thru Screwdriver Set Model No. AK4936

Hardened and tempered Chrome Vanadium extra-long steel shafts with a satin polished finish. Feature hexagonal bolsters for use with a wrench. Contoured, textured handles with hammer caps. Shot blasted and blackened tips.

Contents: Slotted: 8 x 450mm, Phillips: #2 x 450, #3 x 450mm, Pozzi: #2 x 450, #3 x 450mm



IMPORTANT SAFETY WARNING!
Always wear eye protection when using these tools.
For our full range of safety equipment, see pages
1237 to 1264 of this catalogue.



A 4pc Screwdriver Set
VDE Approved
Model No. S01155

Chrome Vanadium shafts with magnetic and corrosion resistant precision tips. Insulated and VDE approved for use up to 1500V DC and 1000V AC. Contoured handles with soft rubber grip for comfort and control. Features hanging holes for easy storage.

Contents: Phillips; #1 x 80, #2 x 100mm, Slotted; 5.5 x 125mm, Mains Tester; 3 x 140mm



B 7pc Screwdriver Set - VDE Approved
Model No. S0756

Chrome Vanadium shafts with magnetic and corrosion resistant precision tips. Insulated and VDE approved for use up to 1500V DC and 1000V AC. Impact resistant handles with contoured, comfort grip for added torque transfer. Features hanging holes for easy storage.

Contents: Slotted; 3 x 75, 4 x 100, 5.5 x 125, 6.5 x 150mm, Phillips; #0 x 75, #1 x 80, #2 x 100mm



C 7pc Screwdriver Set - VDE Approved
Model No. AK6125

High quality S2 steel shafts with magnetic and corrosion resistant tips. Fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V. Contoured, textured handles with non-slip comfort grip. Features hanging holes for easy storage.

Contents: Slotted; 3 x 75, 4 x 100, 5.5 x 125, 6.5 x 150mm, Phillips; #0 x 75, #1 x 80, #3 x 100mm



D 8pc Screwdriver Set - VDE Approved
Model No. AK6124

Chrome Vanadium shafts with magnetic and corrosion resistant tips. Fully insulated to VDE and EN 60900 standards to protect up to 1500V DC and 1000V AC. Contoured, textured handles with non-slip comfort grip. Features hanging holes for easy storage.

Contents: Slotted; 3.5 x 100, 4 x 100, 5.5 x 125, 6.5 x 150mm, Phillips; #1 x 80, #2 x 100mm, Pozi; #1 x 80, #2 x 100mm



E 61pc Screwdriver, Bit & Nut Driver Set
Model No. S01152

Contents: Screwdrivers; Slotted - 6 x 38, 3 x 75, 4 x 100, 5 x 100, 6 x 100, 6 x 150, 8 x 200mm, Phillips - #0 x 75, #2 x 38, #1 x 100, #2 x 100, #3 x 150mm, Pozi - #0 x 75, #1 x 100, #2 x 100, #3 x 150mm, VDE; Slotted - 3 x 75mm, Phillips - 0 x 75, 1 x 80, 2 x 100mm, TRX-Star* - T20 x 100, T25 x 100, T27 x 100, T30 x 125, T40 x 125mm, Bit Driver, 1/4" Hex Bits; TRX-Star* - T7, T8, T9, T10, T15, Slotted - 4, 6mm, Phillips - #1, #2 (x2), #3, Pozi - #1, #2 (x2), #3, Hex - 3, 4, 5, 6, 7, 8mm, Square - 1, 2, 3mm, Nut Drivers; Metric - 6, 7, 8, 10, 12mm, Imperial - 3/16", 1/4", 5/16", 3/8", 7/16", Magnetizer/Demagnetizer



A 6pc Electrical VDE Tool Kit
Model No. S01218

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working).

Contents: Screwdrivers; Slotted - 5.5 x 125mm, Phillips - #0 x 75mm, #2 x 100mm, 175mm Combination Pliers, 150mm Side Cutters, 200mm Long Nose Pliers.



B 11pc Electrical VDE Tool Kit
Model No. S01219

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working).

Contents: Screwdrivers: Slotted - 3 x 75mm, 4 x 100mm, 5.5 x 125mm, 6.5 x 150mm, Phillips - #0 x 75mm, #1 x 80mm, #2 x 100mm, 175mm Combination Pliers, 150mm Side Cutters, 200mm Long Nose Pliers, Voltage Tester.



C 12pc Nut Driver Set
Model No. AK4911

Set of popular sized nut drivers. Chrome Vanadium steel shafts, heat treated and chrome plated with mirror finish. Contoured, textured handles for added grip and comfort. Supplied in storage tray.

Length:	240mm
Sizes:	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm



D 4pc Flexible Hose Clip Nut Driver Set
Model No. VS063

150mm Flexible shaft driver with 5, 6 and 7mm sockets. Comfortable, high-grip, textured handle.

Shaft Length:	150mm
Length:	275mm
Sizes:	5, 6, 7mm



E 7mm Flexible Hose Clip Nut Driver
Model No. VS062

150mm Flexible shaft driver with 7mm socket. Comfortable, high-grip, textured handle.

Shaft Length:	150mm
Length:	260mm
Size:	7mm



F Double End Screw Starter
Model No. AK4318

Compact, double end tool with pocket-clip. Slim, lightweight, aluminium design ideal for limited access applications. Suitable for ferrous/non-ferrous Phillips and slotted screws. A simple twist of the spring loaded head firmly grips the screw which then automatically releases at a set level of torque. Heavily knurled body for sure handling.

Length:	150mm
----------------	-------



A 8pc Fine Tooth Stubby Ratchet Screwdriver Set - Platinum Series
Model No. **AK64908**

Fine 45-tooth reversible stubby ratchet driver with textured soft grip handle for comfort and control. Twist-reverse and ratchet lock mechanism. Stainless steel shaft with magnetic bit retention. Supplied with 7pc S2 steel bit set. Colour-coded for fast identification.

Contents: Reversible Stubby Ratchet Driver, 25mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, Pozi - #1, #2 (x2)
Length: 100mm



B 12pc Ratchet Screwdriver Set
Model No. **AK64909**

Twist-reverse and ratchet lock mechanism. Chrome Vanadium steel shaft with magnetic bit retention. Features spring loaded integral bit storage. Supplied with 12pc S2 steel bit set.

S2 Steel Bits: Slotted; 4, 5, 6mm, Phillips; #1, #2, Pozi; #2, Hex; 3, 4, 5mm, TRX-Star*; T15, T20, T25



C 34pc Gearless Ratchet Screwdriver Set
Model No. **AK6498**

Stepless, super smooth ratchet driver with twist-reverse mechanism. Large diameter grip with integral bit storage. Chrome Vanadium steel shaft with magnetic bit retention. Supplied with 33pc S2 steel bit and adaptor set.

Contents: Reversible Ratchet Driver, Bits; Slotted - 3, 4, 5, 6, 7mm, Phillips - #0, #1 (x2), #2 (x3), #3 (x2), Pozi - #1 (x2), #2 (x3), #3 (x2), TRX-Star* - T10, T15, T20, T25, T30, T40, Hex - 2, 2.5, 3, 4, 5, 6mm, Magnetic Drive Adaptor/Extension
Length: 225mm



D 8pc Fine Tooth Ratchet Screwdriver Set - Platinum Series
Model No. **AK64907**

Fine 45-tooth reversible ratchet driver with textured soft grip handle for comfort and control. Twist-reverse and ratchet lock mechanism. Chrome Vanadium steel shaft with magnetic bit retention. Features spring loaded integral bit storage. Supplied with 7pc S2 steel bit set. Colour-coded for fast identification.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, Pozi - #1, #2 (x2)
Length: 265mm



E 11pc Fine Tooth Ratchet Screwdriver Set
Model No. **AK64902**

Fine 48-tooth reversible ratchet driver with soft grip handle for comfort and control. Twist-reverse and ratchet lock mechanism. Chrome Molybdenum steel shaft with magnetic bit retention. Features spring loaded integral bit storage. Supplied with 10pc S2 steel impact grade torsion bit set. Colour-coded for fast identification.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, Pozi - #1, #2, TRX-Star* - T15, T20, T25, T30
Length: 235mm

F 51pc Fine Tooth Ratchet Screwdriver Socket & Bit Set
Model No. **AK64903**

High quality ratchet screwdriver and accessory set. Fine 48-tooth reversible ratchet driver with soft comfort grip handle and spring loaded integral bit storage. Twist-reverse and ratchet lock mechanism. Chrome Molybdenum steel shaft with magnetic bit retention. Features popular range of 25mm and 75mm impact grade torsion bits for the professional user, colour-coded for fast identification. 75mm Bits feature no shoulder for easier access to recessed fixings. Includes sockets from 4-13mm, 1/4" Sq drive socket adaptor and 1/4" Hex quick release bit holder. Supplied in storage case.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 3, 4, 5, 6, Phillips - #1, #2 (x2), #3, Pozi - #1, #2 (x2), #3, TRX-Star* - T10, T15, T20, T25, T30, T40, Security TRX-Star* - T10H, T15H, T20H, T25H, T30H, T40H, Hex - 3, 4, 5, 6mm, 75mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, #3, Pozi; #1, #2, TRX-Star* - T20, T25, 1/4" Sq Drive Adaptor, 65mm Quick Release Bit Holder, 1/4" Sq Drive Sockets; 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Length: 235mm



Impact Grade
Torsion Bits

Premier



All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



A 38pc Fine Tooth Ratchet Screwdriver Socket & Bit Set
Model No. AK64905

Fine tooth reversible ratchet driver with soft comfort grip handle and integral bit storage. Twist-reverse and ratchet lock mechanism. Includes 75mm and 125mm 1/4"Hex bit holders with magnetic bit retention. Features popular range of 25mm bits, sockets from 4 to 13mm and 1/4"Sq drive socket adaptor. Supplied in storage case.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 3, 4, 5, 6, 8mm, Phillips - #0, #1, #2 x 2, #3, Pozi - #1 (x2), #2 (x3), #3, TRX-Star* - T10, T15, T20, T25, T30, Hex - 3, 4, 5mm, 1/4"Hex Bit Holders; 75, 125mm, 1/4"Sq Drive Adaptor, 1/4"Sq Drive Sockets; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm



C 12pc Ratchet Driver Bit Set
Model No. S0775

1/4"Hex bit driver with flip reverse mechanism. Composite grip covering shaft for added comfort and control. Includes popular bits in holder and a magnetic extension bar/bit holder. Supplied in a composite storage case.

Contents: Reversible Ratchet Driver, 1/4"Hex Bits; Slotted - 5, 6mm, Phillips - #1, #2, #3, TRX-Star* - T15, T20, Hex - 4, 5, 5.5mm, Magnetic Extension Bar/Bit Holder



E 46pc Ratchet Screwdriver Socket & Bit Set
Model No. S0978

Selection of popular size high grade steel sockets and Chrome Vanadium steel bits. Ratchet screwdriver with button operation to tilt driver 60° from vertical. Includes integral bits storage and comfort grip handle. Supplied in storage case.

Contents: Reversible Ratchet Driver, Bits; Slotted - 3, 4 (x2), 5 (x2), 6, 7mm, Phillips - #0, #1, #2, #3, Pozi - #0, #1, #2, #3, TRX-Star* - T10, T15, T20, T25, T27, T30, Hex - 3, 4, 5, 6mm, Square - #0, #1, #2, #3, 1/4"Sq Drive Socket Adaptor, Magnetic Bit Holder, Sockets - 5, 6, 7, 8, 9, 10, 11mm, 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"



B 24pc Fine Tooth Stubby Ratchet Screwdriver Socket & Bit Set
Model No. AK64906

Fine tooth reversible stubby ratchet driver with soft comfort grip handle and integral bit storage. Twist-reverse and ratchet lock mechanism. Features popular range of 25mm bits, sockets from 4 to 10mm and 1/4"Sq drive socket adaptor. Supplied in storage case.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 3, 4, 5, 6mm, Phillips - #0, #1, #2, #3, Pozi - #1, #2, #3, TRX-Star* - T15, T20, T25, T30, 75mm 1/4"Hex Bit Holder, 1/4"Sq Drive Adaptor, 1/4"Sq Drive Sockets; 4, 5, 6, 7, 8, 10mm



D 45pc Ratchet Screwdriver Socket & Bit Set
Model No. S0979

Selection of popular size high grade steel sockets and Chrome Vanadium steel bits. Ratchet screwdriver with twist-reverse and ratchet lock mechanism. Contoured comfort grip handle. Supplied in storage case.

Contents: Reversible Ratchet Driver, 25mm Bits; Slotted - 3, 4, 5, 6, 7mm, Phillips - #1, #2, #3, Pozi - #1, #2, #3, TRX-Star* - T10, T15, T20, T25, T27, T30, Hex - 2, 2.5, 3, 4, 5, 6mm, Square - #0 (x2), #1 (x2), #2, #3, 50mm Bits; Slotted - 5mm, Phillips - #1, #2, Pozi - #1, #2, 1/4"Sq Drive Socket Adaptor, Sockets - 5, 6, 7, 8, 9, 10, 11, 12, 13mm



F 20-in-1 Screwdriver Set
Model No. S0777

2-Position driver handle can be used as standard screwdriver or as T-handle for extra leverage. Features soft grip for added comfort and control. Supplied with 10 Chrome Vanadium double end driver bits in storage case.

Contents: Bits; Slotted - 4 x 6mm, 5 x 7mm, Phillips - #1 x #2, Pozi - #1 x #2, TRX-Star* - T10 x T15, T20 x T25, T30 x T40, Hex x Ball-End Hex - 4, 5, 6mm, Driver Handle



A 15pc Impact Driver Set
Model No. **S0844**

1/2"Sq Drive impact driver with Chrome Vanadium steel bits. Chrome plated impact body with twist-reverse function. Heavy knurling allows grip by oily hands.

Contents: 1/2"Sq Drive Impact Driver, Bits; Slotted - 5, 6, 8, 10, 11mm, Phillips - #1, #2, #3, #4, Hex - 4, 5, 6, 8mm, Adaptor; 1/2"Sq Drive x 8mm Hex




C 10pc Impact Driver Set with Protection Grip
Model No. **S0855**

1/2"Sq Drive impact driver with comfort grip and knuckle guard. Features twist-reverse for operation in either direction. Includes 8pc Chrome Vanadium steel driver bit set and 8mm hex drive adaptor. Supplied in storage case.

Contents: 1/2"Sq Drive Impact Driver, 8mm Bits (36mm & 80mm Long); Slotted - 8, 10mm, Phillips - #2, #3, Adaptor; 1/2"Sq Drive x 8mm Hex



A



B 15pc Impact Driver Set
Model No. **AK208**

Heavy-duty 1/2"Sq drive impact driver with Chrome Vanadium steel bits. Chrome plated impact body with twist-reverse function. Heavy knurling allows grip by oily hands. Supplied in composite storage case.

Contents: 1/2"Sq Drive Impact Driver, Bits; Slotted - 5, 6, 8, 10, 12mm, Phillips - #1, #2, #3, #4, Hex - 4, 5, 6, 8mm, 1/2"Sq Drive x 8mm Hex Adaptor



D 10pc Impact Driver Set with Protection Grip
Model No. **AK2082**

Heavy-duty 1/2"Sq drive impact driver with composite handle and integral knuckle guard. Features twist-reverse for operation in either direction. Supplied with 8pc Chrome Vanadium steel driver bit set and 8mm hex drive adaptor.

Contents: 1/2"Sq Drive Impact Driver, 8mm Bits (35mm & 80mm Long); Slotted - 8, 10mm, Phillips - #2, #3, 1/2"Sq Drive x 8mm Hex Adaptor



E 3lb Club Hammer - Graphite
Model No. **CHG30**

Manufactured from drop-forged fine grained carbon steel. Graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and approved to BS 876.

Weight: 1.36kg(3lb)



A 8pc Impact Driver Set
Model No. AK2085

Professional 1/2"Sq drive impact driver with contoured grip and phosphate finish. Features twist-reverse for operation in either direction. Supplied with 6pc Chrome Vanadium steel driver bit set and 8mm hex drive adaptor.

Contents: 1/2"Sq Drive Impact Driver, 8mm Bits (35mm Long); Slotted - 8, 10mm, Phillips - #2, #3, 8mm Bits (80mm Long); Phillips - #2, #3, 1/2"Sq Drive x 8mm Hex Adaptor



B 15pc Impact Driver Set
Model No. AK2081

Heavy-duty 1/2"Sq drive impact driver with composite handle and integral knuckle guard. Supplied with 13pc Chrome Vanadium steel driver bit set and 1/2"Sq drive adaptor. Supplied in storage case.

Contents: 1/2"Sq Drive Impact Driver, Bits; Slotted - 5, 6, 8, 10, 12mm, Phillips - #1, #2, #3, #4, Hex - 4, 5, 6, 8mm, 1/2"Sq Drive x 8mm Hex Adaptor



C 10pc Heavy-Duty Impact Driver Set with Protection Grip
Model No. AK2084

Heavy-duty 1/2"Sq drive impact driver with composite handle and integral knuckle guard. Features twist-reverse for operation in either direction. Supplied with 8pc Chrome Vanadium steel driver bit set and 8mm hex drive adaptor. Supplied in storage case.

Contents: 1/2"Sq Drive Impact Driver, 8mm Bits (36mm & 80mm Long); Slotted - 8, 10mm, Phillips - #2, #3, 1/2"Sq Drive x 8mm Hex Adaptor



D 34pc 1/4"Sq Drive Torque Screwdriver Set 2-10Nm
Model No. STS100

Ideal for automotive based applications including replacement of airbag, crash sensor and inertia reel fixtures. Robust construction with easy-to-read window for precise torque setting. Includes popular size bits and adaptor. Textured, contoured handle for added grip and comfort. Supplied in storage case.

Contents: Bits; Slotted - 3, 4, 5, 6, 7mm, Phillips - #0, #1 (x2), #2 (x3), #3 (x2), Pozi - #1 (x2), #2 (x3), #3 (x2), TRX-Star* - T10, T15, T20, T25, T30, T40, Hex - 2, 2.5, 3, 4, 5, 6mm, 1/4"Sq Drive Torque Driver, 1/4"Sq x 1/4"Hex Adaptor
Drive: 1/4"Sq
Range: 2-10Nm
Length: 240mm

Premier

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.

IMPORTANT SAFETY WARNING!

Always wear eye protection when using these tools. For our full range of safety equipment, see pages 1237 - 1264 of this catalogue.



A 15pc Precision Screwdriver Set
Model No. **S0898**

Siegen

Chrome Vanadium steel shafts with blackened tips. Contoured handles with soft grips for added comfort. Spinner top enables fingertip control of driver. Supplied in storage case.

Contents: Slotted; 1.5, 2, 2.5, 3mm, Phillips; #000, #00, #0, #1, TRX-Star*; T5, T6, Security TRX-Star*; T7H, T8H, T9H, T10H, T15H



C 8pc Microtip Screwdriver Set
Model No. **S0618**

Siegen

Chrome Vanadium steel shafts with blackened tips. Contoured handles with soft grips for added comfort. Spinner top enables fingertip control of driver. Supplied in storage case.

Contents: Slotted; 2 x 50, 2.5 x 50, 3 x 50mm, Phillips; #00 x 50, #0 x 50, #1 x 50mm, TRX-Star*; T10 x 50, T15 x 50mm




D 6pc Mini Pick & Screwdriver Set
Model No. **S0774**

Siegen

Chrome Vanadium shafts and contoured soft grip handles with colour-coding for fast identification. Picks suitable for removal of bushings, cotter-pins, O-rings and seals. Also features mini Phillips and slotted screwdrivers.

Contents: Picks; Straight, 45°, 90° 135°, Screwdrivers; Slotted 3mm, Phillips #0



B 31pc Precision Screwdriver Set
Model No. **S0899**

Siegen

Chrome Vanadium steel shafts with blackened tips. Contoured handles with soft grips for added comfort and control. Spinner top enables fingertip control. Supplied in storage case.

Contents: Slotted; 1, 2, 2.5, 3, 3.5, 4mm, Phillips; #000, #00, #0, #1 (x2), TRX-Star*; T5, T6, Security TRX-Star*; T7H, T8H, T9H, T10H, T15H, Hex; 1.5, 2, 2.5, 3, 3.5, 4, 4.5mm, Nut Drivers; 3, 3.5, 4, 4.5, 5, 5.5mm



E 12pc Precision Screwdriver & Pick Set
Model No. **S0772**

Siegen

Chrome Vanadium steel shafts with blackened tips. Contoured handles with soft grips for added comfort. Spinner top enables fingertip control of driver. Supplied with storage pouch.

Contents: Slotted; 2, 3.5mm, Phillips; #000, #00, TRX-Star*; T5, T7, T8, T10, Picks; Straight, Offset Straight, Round Hook, 90° Hook

Length: 170mm



A 6pc Precision Screwdriver Set
Model No. **AK97302**

High quality Chrome Molybdenum driver shafts. Contoured handle with soft rubber grip for added control, includes hanging holes. Spinner top enables fingertip control of driver. Shot blasted and blackened tips.


Contents: Slotted; 1.5 x 50, 2 x 50, 3 x 50mm, Phillips; #00 x 50, #0 x 50, #1 x 50mm



B 6pc Precision TRX-Star* Driver Set
Model No. **AK97303**

High quality Chrome Molybdenum driver shafts. Contoured handle with soft rubber grip for added control, includes hanging holes. Spinner top enables fingertip control of driver. Shot blasted and blackened tips.

Contents: T5 x 50, T6 x 50, T7 x 50, T8 x 50, T10 x 50, T15 x 50mm



C 6pc Precision Security TRX-Star* Driver Set
Model No. **AK97304**

High quality Chrome Molybdenum driver shafts. Contoured handle with soft rubber grip for added control, includes hanging holes. Spinner top enables fingertip control of driver. Shot blasted and blackened tips.


Contents: T5H x 50, T6H x 50, T7H x 50, T8H x 50, T10H x 50, T15H x 50mm



D 32pc Precision Extendable Screwdriver Set
Model No. **AK97322**

High quality Chrome Molybdenum steel bits with satin finish. Contoured handle with soft rubber grip and spinner top for fingertip control. 30 X 4mm Hex bits plus extension bar.


Contents: Bits; Slotted - 1, 1.5, 2, 2.5, 3, 3.5, 4mm, Phillips - #000, #00, #0, #1, Pozi - #0, #1, TRX-Star* - T4, T5, T6, T7, T8, T9, T10, T15, T20, Hex - 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4mm, 115mm Extension Bar, Spinner Top Screwdriver



E 6pc Extra-Long Pick & Hook Set
Model No. **S01104**

Six long reach picks with black finished steel shafts. Suitable for pin/clip picking and the removal of O-rings and seals.

Contents: Straight, Right Angle, Half-Round, Swan Neck, 45°/ 90° Tip, 40°/45° Tip



F 9pc Scraper & Hook Set
Model No. **S01103**

Four short picks with knurled, satin finish steel shafts. Four long picks and one scraper with black finished steel shafts. Suitable for pin/clip picking, hose removal and gasket scraping. Ergonomically styled handles for comfort, grip and accuracy. Lengths 165mm and 260mm.

Contents: Picks (165 & 260mm); Straight, Right Angle, Half-Round, Swan Neck, Scraper 260 x 25mm

A Individual Combination Spanners
Model No. SEE BELOW

Manufactured from Chrome Vanadium steel with a fully polished finish. Hardened, tempered and nickel chrome plated for corrosion resistance. Open-end and 12-point WallDrive® ring combination.


Model No:	Size:	Length:
S01006	6mm	100mm
S01007	7mm	110mm
S01008	8mm	120mm
S01009	9mm	130mm
S01010	10mm	140mm
S01011	11mm	150mm
S01012	12mm	160mm
S01013	13mm	170mm
S01014	14mm	180mm
S01015	15mm	190mm
S01016	16mm	200mm
S01017	17mm	210mm
S01018	18mm	220mm
S01019	19mm	230mm
S01020	20mm	240mm
S01021	21mm	250mm
S01022	22mm	260mm
S01023	23mm	270mm
S01024	24mm	280mm
S01025	25mm	285mm
S01026	26mm	300mm
S01027	27mm	310mm
S01028	28mm	320mm
S01029	29mm	330mm
S01030	30mm	340mm
S01032	32mm	360mm



B 8-19mm Spanners with Display Panel
Model No. SIEGEN PAC 1

Manufactured from Chrome Vanadium steel with a fully polished finish. Hardened and tempered and nickel chrome plated for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied with display panel.

Contents:			
Model No:	Description:	Length:	Qty:
S01008	8mm	120mm	10
S01009	9mm	130mm	6
S01010	10mm	140mm	10
S01011	11mm	150mm	6
S01012	12mm	160mm	6
S01013	13mm	170mm	10
S01014	14mm	180mm	6
S01015	15mm	190mm	6
S01016	16mm	200mm	6
S01017	17mm	210mm	10
S01018	18mm	220mm	6
S01019	19mm	230mm	10



Siegen

Our most competitively priced hand tools intended for light trade or serious DIY use, which are still covered by a lifetime guarantee*. See www.sealey.co.uk for full details

WALLDRIVE®

WallDrive® grips the flats of the hex so rounded corners are no problem. The WallDrive® system allows you to apply up to 30% more torque without damaging the fixing. See our WallDrive® Socket Sets on pages 16 to 61.

C 50pc Multipurpose Spanner Set
Model No. S0565

Multipurpose Chrome Vanadium steel spanners, fully polished with mirror finish. Hardened and tempered for corrosion resistance. The set consists of 19 combination spanners with open-ends and WallDrive® rings; 5 offset ring spanners with bi-hex rings; 10 mini combination spanners with open-ends and WallDrive® rings; 6 stubby combination spanners for improved access in confined spaces with WallDrive® rings; 5 double end half-moon spanners with 12-point WallDrive® rings; 5 S-spanners with WallDrive® rings. Supplied in heavy-duty tool wrap.

Contents: Combination Spanners; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 25, 27, 30, 32mm, Offset Ring Spanners; 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15mm, Mini Combination Spanners; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11mm, Combination Stubby Spanners; 10, 12, 13, 14, 17, 19mm, Double End Half-Moon Spanners; 8 x 10, 11 x 13, 14 x 15, 17 x 19, 21 x 22mm, S-Spanners; 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm



A 9pc Stubby Combination Spanner Set
Model No. **S01157**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents:	6, 7, 8, 9, 10, 11, 12, 13, 14mm
Minimum/Maximum Length:	76/115mm



B 10pc Stubby Combination Spanner Set
Model No. **S0561**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum/Maximum Length:	100/137mm



C 14pc Stubby Combination Spanner Set
Model No. **S01232**

Drop-forged Chrome Vanadium steel combination spanners heat treated and chrome plated for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in EVA storage tray.


Contents:	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum/Maximum Length:	75/140mm



D 7pc Stubby Combination Spanner Set - Imperial
Model No. **S01190**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.


Contents:	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Minimum/Maximum Length:	95/140mm



E 12pc Combination Spanner Set
Model No. **S0563**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum/Maximum Length:	120/225mm



F 11pc Combination Spanner Set Imperial
Model No. **S0857**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents:	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Minimum/Maximum Length:	100/260mm



A 8pc Combination Spanner Set - Whitworth
Model No. **S0870**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Popular sizes for the classic car enthusiast.

Contents: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"



B 11pc Combination Spanner Set
Model No. **S0562**

Drop-forged Chrome Vanadium steel combination spanners heat treated and chrome plated for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm



C 11pc Combination Spanner Set
Model No. **S0400**

Manufactured from Chrome Vanadium steel. Fully polished heads. Made to DIN standard. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



D 14pc Combination Spanner Set
Model No. **S0402**

Manufactured from Chrome Vanadium steel. Fully polished heads. Made to DIN standard. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32mm



E 14pc Combination Spanner Set - Imperial
Model No. **S0714**

Manufactured from Chrome Vanadium steel. Fully polished heads. Made to DIN standard. Supplied in storage/carry rack.

Contents: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



F 22pc Combination Spanner Set - Metric/Imperial
Model No. **S0404**

Manufactured from Chrome Vanadium steel. Fully polished heads. Made to DIN standard. Supplied in storage/carry rack.

Contents: Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm, Imperial: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"



A 18pc Combination Spanner Set
Model No. S01052

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage rack.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm



C 50pc Multipurpose Spanner Set
Model No. S01084

Drop-forged Chrome Vanadium steel spanners, fully polished with a mirror finish. Hardened and tempered for corrosion resistance. Comprises 20 combination spanners with WallDrive® rings, 10 stubby combination spanners with WallDrive® rings, 5 double end half-moon spanners with WallDrive® rings, 5 S-spanners with WallDrive® rings, 5 deep offset spanners with 12-point rings and 5 double open-end spanners. Supplied in storage rack.

Contents: Combination Spanners; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm, Deep Offset Ring Spanners; 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15mm, Stubby Combination Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, Double End Half-Moon Spanners; 8 x 10, 11 x 13, 14 x 15, 17 x 19, 21 x 22mm, S-Spanners; 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm, Double Open-End Spanners; 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15mm



B 33pc Combination Spanner Set - Metric/Imperial
Model No. S01063

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents: Combination Spanners; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", Stubby Combination Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



D 25pc Combination Spanner Set
Model No. S0564

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage rack.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

The Premier range of combination spanners is manufactured from Chrome Vanadium steel and is heat treated and hardened for durability. The spanners are chrome plated for corrosion resistance and tested in accordance to DIN standards.



A Individual Combination Spanners
Model No. [SEE BELOW](#)

Our high quality Premier WallDrive® combination spanners are available individually.

Model No:	Size:	Length:
CW06	6mm	125mm
CW07	7mm	129mm
CW08	8mm	136mm
CW09	9mm	149mm
CW10	10mm	161mm
CW11	11mm	168mm
CW12	12mm	174mm
CW13	13mm	180mm
CW14	14mm	193mm
CW15	15mm	200mm
CW16	16mm	207mm
CW17	17mm	227mm
CW18	18mm	239mm
CW19	19mm	250mm
CW20	20mm	260mm
CW21	21mm	271mm
CW22	22mm	295mm
CW23	23mm	295mm
CW24	24mm	317mm
CW27	27mm	362mm
CW30	30mm	394mm
CW32	32mm	429mm

B 11pc Combination Spanner Set - Imperial
Model No. [AK630AF](#)

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage/hanging rack.

Contents: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

C 12pc Combination Spanner Set
Model No. [AK63012](#)

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage/hanging rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

D 15pc Combination Spanner Set
Model No. [AK63015](#)

Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage pouch.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm

A



MM

Individual Spanners





B



1/4"-7/8"

IMP







C



8-19mm



MM





D



6-22mm



MM





A 10pc Stubby Combination Spanner Set Model No. AK633

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and chrome plated for corrosion resistance. Fully polished mirror finish and WallDrive® rings. Stubby configuration gives improved access in confined spaces. Supplied in storage tray.

Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	96mm
Maximum Length:	138mm

B 8pc Combination Spanner Set Model No. AK63252

Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents:	8, 9, 10, 11, 13, 14, 17, 19mm
------------------	--------------------------------

C 12pc Combination Spanner Set Model No. AK6325

Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in storage/hanging pouch.

Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
------------------	--

D 25pc Combination Spanner Set Model No. AK63253

Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in storage/hanging pouch.

Contents:	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm
------------------	--





A 12pc Combination Spanner Set - Black Series Model No. AK63263B

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a black electrodeposition finish for corrosion resistance. 15° Offset open-end and WallDrive® ring combination with long slim shafts. Supplied in an EVA storage tray.

Minimum Length:	120mm
Maximum Length:	230mm
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

B 25pc Combination Spanner Set - Black Series Model No. AK63264B

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a black electrodeposition finish for corrosion resistance. 15° Offset open-end and WallDrive® ring combination with long slim shafts. Supplied in an EVA storage tray.

Minimum Length:	100mm
Maximum Length:	360mm
Contents:	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

C-D Combination Spanner Sets Model No. SEE BELOW




Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in EVA storage tray.

C 11pc Combination Spanner Set - Imperial Model No. AK63254

Contents:	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Minimum Length:	100mm
Maximum Length:	260mm
Overall Size (W x D x H):	285 x 175 x 50mm

D 8pc Offset Double End Ring Spanner Set Model No. AK63257

Contents:	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm
Minimum Length:	180mm
Maximum Length:	300mm
Overall Size (W x D x H):	332 x 175 x 35mm



A - C Combination Spanner Sets

Model No. [SEE BELOW](#)

Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in EVA storage tray.

A 16pc Combination Spanner Set

Model No. [AK63255](#)

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm

Minimum Length: 100mm

Maximum Length: 260mm

Overall Size (W x D x H): 285 x 227 x 50mm

B 23pc Combination Spanner Set

Metric/Imperial

Model No. [AK63256](#)

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Minimum Length: 100mm

Maximum Length: 250mm

Overall Size (W x D x H): 375 x 284 x 40mm

C 25pc Combination Spanner Set

Model No. [AK63258](#)

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm.

Minimum Length: 100mm

Maximum Length: 360mm

Overall Size (W x D x H): 400 x 285 x 70mm




A

Premier

MM



6-22mm



B

Premier



MM IMP

1/4"-7/8"

8-19mm



C NEW

Premier

MM



6-32mm



A 12pc Combination Spanner Set

Model No. AK63920

Drop-forged, Chrome Vanadium steel combination spanners. Hardened and tempered with a hard chrome finish for corrosion resistance. 15° Offset WallDrive® rings keep knuckles clear of obstructions. 35° Angled offset open-end allows for improved access. Supplied in a folding rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

B 12pc Lock-On™ Combination Spanner Set

Model No. AK63921

Drop-forged, Chrome Vanadium steel combination spanners. Hardened and tempered with a hard chrome finish for corrosion resistance. 15° Offset ring ends keep knuckles clear of obstructions. 35° Angled offset open-end allows for improved access. Feature specially machined flutes in the walls of the ring end which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents further damage to worn or rusted fixings. Supplied in folding storage rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

C 12pc Lock-On™ Combination Spanner Set


Model No. AK63925

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Feature long shafts and specially machined flutes in the walls of the ring end which enable use on up to 85% rounded fasteners. This not only provides added strength but also prevents further damage to worn or rusted fixings. Supplied in storage tray.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Minimum Length: 145mm

Maximum Length: 280mm



D 12pc Anti-Slip Combination Spanner Set


Model No. AK63946

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a fully polished micro satin finish. Anti-slip hex configuration on the open-ends. Supplied in storage rack.

Minimum Length: 141mm

Maximum Length: 247mm

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



A 12pc Multi-Coloured Combination Spanner Set Model No. S01074



Multi-coloured, drop-forged, Chrome Vanadium steel combination spanners. Hardened, tempered and chrome plated for corrosion resistance. Fully polished with a coloured mirror finish. Open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

B 14pc Multi-Coloured Combination Spanner Set Model No. AK6314

Multi-coloured, drop-forged, Chrome Vanadium steel combination spanners. Hardened, tempered and chrome plated for corrosion resistance. Fully polished with a coloured mirror finish. WallDrive® rings. Supplied in storage/hanging pouch.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm




C 12pc Multi-Coloured Combination Ratchet Spanner Set Model No. AK63917

Multi-coloured, drop-forged, Chrome Vanadium steel combination spanners. 72-Tooth ratchet requires only 5° rotation to pick up the next tooth. Hardened and tempered for corrosion resistance with a coloured satin chrome finish. WallDrive® rings. Supplied in storage rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm


Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.



A 7pc Insulated Open-End Spanner Set
VDE Approved
Model No. AK63171

Manufactured from hardened and tempered Chrome Vanadium steel. Each spanner is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Covers sizes from 8 to 19mm. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.


Contents: 8, 10, 12, 13, 14, 17, 19mm



C 6pc Super Jumbo Combination Spanner Set
Model No. AK63259

Slim style Chrome Vanadium steel spanners with a satin polished finish for corrosion resistance. Open-end and 12-point WallDrive® ring combination. Supplied in storage tray.

Contents: 34, 36, 38, 41, 46, 50mm



B 18pc Insulated Open-End Spanner Set - VDE Approved
Model No. AK63172

Manufactured from hardened and tempered Chrome Vanadium steel. Each spanner is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Covers sizes from 7 to 24mm. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm
Minimum/Maximum Length: 90/225mm



D 5pc Jumbo Combination Spanner Set
Model No. AK6329

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage/hanging pouch.

Contents: 22, 24, 27, 30, 32mm

A 25pc Jumbo Combination Spanner Set
Model No. S0401

Drop-forged Chrome Vanadium steel, hardened, tempered and chrome plated for corrosion resistance. Polished heads and 12-point rings. Supplied in storage/hanging pouch.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

B 6pc Super Jumbo Combination Spanner Set
Model No. S0751

Drop-forged steel spanners. Hardened, tempered and chrome plated with fully polished heads and 12-point ring. Super Jumbo sizes suitable for agricultural and industrial use. Supplied in storage/hanging pouch.

Contents: 33, 34, 36, 41, 46, 50mm

C Individual Combination Spanners
Model No. SEE BELOW


Manufactured from Chrome Vanadium steel. Fully polished heads. Packed individually.

Model No:	Size:	Length:
S0406	6mm	100mm
S0407	7mm	110mm
S0408	8mm	120mm
S0409	9mm	130mm
S0410	10mm	140mm
S0411	11mm	150mm
S0412	12mm	160mm
S0413	13mm	170mm
S0414	14mm	180mm
S0415	15mm	190mm
S0416	16mm	200mm
S0417	17mm	210mm
S0418	18mm	220mm
S0419	19mm	230mm
S0420	20mm	240mm
S0421	21mm	250mm
S0422	22mm	260mm
S0423	23mm	270mm
S0424	24mm	280mm
S0425	25mm	290mm
S0426	26mm	300mm
S0427	27mm	310mm
S0428	28mm	320mm
S0429	29mm	330mm
S0430	30mm	340mm
S0432	32mm	360mm

D Individual Super Jumbo Combination Spanners
Model No. SEE BELOW

Drop-forged steel spanners. Hardened, tempered and chrome plated with fully polished jaws and 12-point ring. Super Jumbo sizes suitable for agricultural and industrial use. Packed individually.

Model No:	Size:	Length:
S0732	32mm	415mm
S0733	33mm	415mm
S0734	34mm	415mm
S0735	35mm	430mm
S0736	36mm	430mm
S0738	38mm	460mm
S0741	41mm	500mm
S0742	42mm	500mm
S0744	44mm	500mm
S0746	46mm	500mm
S0748	48mm	565mm
S0750	50mm	565mm



A 12pc Jumbo Combination Spanner Set
Model No. AK6082

Drop-forged Chrome Vanadium steel spanners. Hardened and tempered with a fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage/hanging pouch.

Contents: 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm



WallDrive® grips the flats of the hex so rounded corners are no problem.

The WallDrive® system allows you to apply up to 30% more torque without damaging the fixing.

See our WallDrive® Socket Sets on pages 16 to 61.

B 21pc Jumbo Combination Spanner Set
Model No. AK6083

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and chromed with fully polished, mirror finish. Open-end and WallDrive® ring combination with long slim shaft. Supplied in storage/hanging pouch.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm

C Individual Super Jumbo Combination Spanners
Model No. SEE BELOW


Manufactured from Chrome Vanadium steel, heat treated and hardened for durability. Open jaw and WallDrive® ring combination. Super Jumbo sizes suitable for agricultural and industrial use. Chrome polished with mirror finish for corrosion resistance.

Model No:	Size:	Length:
AK632434	34mm	375mm
AK632436	36mm	390mm
AK632438	38mm	390mm
AK632441	41mm	440mm
AK632446	46mm	490mm
AK632450	50mm	530mm

D 6pc Super Jumbo Combination Spanner Set
Model No. AK6324

Manufactured from Chrome Vanadium steel, heat treated and hardened for durability. Chrome polished with mirror finish for corrosion resistance. Super Jumbo sizes suitable for agricultural and industrial use. Supplied in storage/hanging pouch.

Contents: 34, 36, 38, 41, 46, 50mm



A Extra-Long Combination Spanners

Model No. **SEE BELOW**

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and chrome plated with fully polished, mirror finish. Open-end and WallDrive® ring combination with extra-long shaft.

Model No:	Sizes:	Length:
AK631010	10mm	189mm
AK631011	11mm	207mm
AK631012	12mm	225mm
AK631013	13mm	243mm
AK631014	14mm	261mm
AK631015	15mm	279mm
AK631016	16mm	297mm
AK631017	17mm	314mm
AK631018	18mm	333mm
AK631019	19mm	349mm

B 10pc Extra-Long Combination Spanner Set

Model No. **AK6310**

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and chrome plated with fully polished, mirror finish. Open-end and WallDrive® ring combination with extra-long shaft. Supplied in storage tray.

Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	189mm
Maximum Length:	349mm

C 10pc Extra-Long Combination Spanner Set

Model No. **S0832**

Drop-forged Chrome Vanadium steel combination spanners. Hardened, tempered and nickel chrome plated for corrosion resistance with a fully polished mirror finish. Extra-long shaft with open-end and 12-point WallDrive® ring combination. Supplied in storage/carry rack.


Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	190mm
Maximum Length:	320mm

D 7pc Extra-Long Double End Ring Spanner Set

Model No. **AK6311**

Extra-long, drop-forged, Chrome Vanadium steel 12-point WallDrive® ring spanners. Hardened, tempered and chrome plated with a fully polished mirror finish. Covers 14 sizes. Supplied in storage tray.

Contents:	8 x 10, 11 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 21, 22 x 24mm
Minimum Length:	235mm
Maximum Length:	430mm



E 7pc Extra-Long Double Ring Ratchet/Fixed Spanner Set

Model No. **AK6319**

For full details see page 140.

Contents:	8, 10, 12, 13, 14, 17, 19mm
Minimum Length:	240mm
Maximum Length:	420mm



A Combination Ratchet Spanners
Model No. [SEE BELOW](#)

Chrome Vanadium steel combination spanners with 72-tooth, WallDrive®, ratchet ring. Ultra-smooth ratchet action requires only 5° rotation to pick up the next tooth. Ideal for awkward applications.

Model No:	Size:	Length:
RCW06	6mm	139mm
RCW07	7mm	139mm
RCW08	8mm	146mm
RCW10	10mm	165mm
RCW11	11mm	171mm
RCW12	12mm	177mm
RCW13	13mm	184mm
RCW14	14mm	197mm
RCW15	15mm	203mm
RCW16	16mm	211mm
RCW17	17mm	230mm
RCW18	18mm	242mm
RCW19	19mm	253mm
RCW21	21mm	275mm
RCW22	22mm	286mm
RCW24	24mm	298mm
RCW27	27mm	330mm
RCW30	30mm	422mm
RCW32	32mm	424mm

B 12pc Stubby Combination Ratchet Spanner Set
Model No. [S0633](#)

Chrome Vanadium steel stubby ratchet combination spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage rack.

Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	95mm
Maximum Length:	138mm

C 7pc Combination Ratchet Spanner Set
Model No. [S01142](#)

Chrome Vanadium steel ratchet combination spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage rack.



Contents:	8, 10, 12, 13, 14, 17, 19mm
------------------	-----------------------------


D 12pc Combination Ratchet Spanner Set
Model No. [S0634](#)

Chrome Vanadium steel ratchet combination spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage rack.


Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
------------------	--




A   72-Tooth 6-32mm Individual Spanners **MM**




B 72-Tooth 8-19mm Stubby **Siegen** **MM**



C **MM** 8-19mm 72-Tooth **Siegen**



D **MM** 8-19mm 72-Tooth **Siegen**



A 8pc Combination Ratchet Spanner Set - Imperial
Model No. S0984

Chrome Vanadium steel combination ratchet spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up next ratchet tooth, ideal for applications where space is limited. Supplied in storage rack.

Contents: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

B 16pc Combination Ratchet Spanner Set
Model No. S0869

Chrome Vanadium steel ratchet combination spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24mm

C 17pc Combination Ratchet Spanner Set
Model No. S01156

Chrome Vanadium steel ratchet combination spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage/hanging pouch.


Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm



D 5pc Combination Ratchet Spanner Set
Model No. S0985

Chrome Vanadium steel ratchet combination spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up the next tooth. Supplied in storage/hanging pouch.

Contents: 22, 24, 27, 30, 32mm



A - B Combination Ratchet Spanner Sets Platinum Series

Model No. **SEE BELOW**

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a fully polished micro satin finish. Ultra-smooth 100-Tooth WallDrive® ratchet ring. Ideal for use where space is limited. Supplied in storage/carry rack.

A Model No:	AK63941
Contents:	8, 10, 12, 13, 14, 17, 19mm
Minimum Length:	135mm
Maximum Length:	245mm
B Model No:	AK63940
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	135mm
Maximum Length:	245mm



C 12pc Multi-Coloured Combination Ratchet Spanner Set

Model No. **S01075**

Multi-coloured, Chrome Vanadium steel ratchet combination spanner set. Hardened, tempered and chrome plated for corrosion resistance. Fully polished with a coloured mirror finish. Open-end and 12-point WallDrive® ring combination. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up next ratchet tooth, ideal for applications where space is limited. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

D 12pc Multi-Coloured Combination Ratchet Spanner Set

Model No. **AK63917**

Multi-coloured, drop-forged, Chrome Vanadium steel combination spanners. 72-Tooth ratchet requires only 5° rotation to pick up the next tooth. Hardened and tempered for corrosion resistance with a coloured satin chrome finish. WallDrive® rings. Supplied in storage rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



A 10pc Extra-Long Combination Ratchet Spanner Set
Model No. AK63914

High quality slim style Chrome Vanadium steel spanners. Hardened, tempered with a mirror polished finish for corrosion resistance. 144-Tooth WallDrive® ratchet ring giving ultra-smooth action, requiring only 2.5° rotation to pick up the next tooth. Covers sizes 10 to 19mm. Open-end of the spanners have hex profiles with serrated jaws for extra grip. Supplied in storage/carry rack.

Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	180mm
Maximum Length:	305mm



144-Tooth


10-19mm

Extra-Long

B 10pc Extra-Long Combination Ratchet Spanner Set
Model No. AK63910

High quality slim style Chrome Vanadium steel spanners. Hardened, tempered and mirror finished for corrosion resistance. 72-Tooth WallDrive® ratchet ring giving ultra-smooth action requiring only 5° rotation to pick up the next tooth. Covers sizes 10 to 19mm. Supplied in storage/carry rack.

Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Minimum Length:	180mm
Maximum Length:	305mm



72-Tooth

10-19mm

Extra-Long

C 12pc Combination Ratchet Spanner Set - Platinum Series
Model No. AK63922

Drop-forged, Chrome Vanadium steel combination spanners. Hardened and tempered with a hard chrome finish for corrosion resistance. 72-Tooth ratchet requires only 5° rotation to pick up the next tooth. WallDrive® rings. Supplied in a folding rack.

Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
------------------	--



72-Tooth

8-19mm

Premier

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.

LIFETIME
GUARANTEE*

A 7pc Combination Ratchet
Spanner Set - Black Series
Model No. AK7978

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a black chrome finish for resistance to corrosion. 72-Tooth ultra-smooth WallDrive® ratchet ring requiring only 5° rotation to pick up the next tooth. Supplied on storage rack.

Contents: 8, 10, 12, 13, 14, 17, 19mm



B Flexi-Head Combination Ratchet Spanners
Model No. SEE BELOW

Chrome Vanadium steel combination spanners with 72-tooth, WallDrive® ratchet ring. Ultra-smooth ratchet action requires only 5° rotation to pick up the next tooth. Flexible ring head is ideal for awkward applications.

Model No:	Size:	Length:
FHRCW08	8mm	137mm
FHRCW10	10mm	159mm
FHRCW11	11mm	175mm
FHRCW12	12mm	175mm
FHRCW13	13mm	186mm
FHRCW16	16mm	216mm
FHRCW17	17mm	232mm
FHRCW18	18mm	250mm
FHRCW19	19mm	250mm

C 7pc Flexi-Head Combination Ratchet
Spanner Set
Model No. S01143

Chrome Vanadium steel flexi-head ratchet combination spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage/carry rack.

Contents: 8, 10, 12, 13, 14, 17, 19mm

D 12pc Flexi-Head Combination Ratchet
Spanner Set
Model No. S0635

Chrome Vanadium steel flexi-head ratchet combination spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm




A

MM



72-Tooth

8-19mm



B

8-19mm

72-Tooth

Flexi-Head

Individual
Spanners

MM



Premier



C

MM

Flexi-Head

72-Tooth

8-19mm



D

MM

Flexi-Head

8-19mm

72-Tooth

Siegen

A - B Flexi-Head Combination Ratchet Spanner Sets - Premier Platinum

Model No. SEE BELOW

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a fully polished micro satin finish. Ultra-smooth 100-Tooth WallDrive® ratchet ring. Ideal for use where space is limited. Supplied in storage/carry rack.

A Model No:	AK63942
Minimum Length:	135mm
Maximum Length:	249mm
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
B Model No:	AK63943
Minimum Length:	135mm
Maximum Length:	249mm
Contents:	8, 10, 12, 13, 14, 17, 19mm



C Individual Reversible Ratchet Combination Spanners

Model No. SEE BELOW

High quality slim style Chrome Vanadium steel spanners. Hardened, tempered and mirror finished for corrosion resistance. 72-Tooth Chrome Molybdenum WallDrive® ratchet ring with slide reverse. 15° Offset keeps knuckles clear of obstructions. Ideal for use where space is limited.


Model No:	Size:	Length:
RRCW10	10mm	160mm
RRCW11	11mm	165mm
RRCW12	12mm	170mm
RRCW13	13mm	175mm
RRCW17	17mm	225mm
RRCW19	19mm	245mm

D 12pc Reversible Combination Ratchet Spanner Set

Model No. S0840

Chrome Vanadium steel reversible ratchet combination spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited.

Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
------------------	--






A 7pc Reversible Combination Ratchet Spanner Set - Platinum Series
Model No. AK63945

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a fully polished micro satin finish. Ultra-smooth 100-Tooth WallDrive® ratchet ring with slide reverse. 15° Offset keeps knuckles clear of obstructions. Ideal for use where space is limited. Supplied in storage/carry rack.

Contents: 8, 10, 12, 13, 14, 17, 19mm



B 12pc Reversible Combination Ratchet Spanner Set - Platinum Series
Model No. AK63944

High quality slim style Chrome Vanadium steel spanners. Hardened and tempered with a fully polished micro satin finish. Ultra-smooth 100-Tooth WallDrive® ratchet ring with slide reverse. 15° Offset keeps knuckles clear of obstructions. Ideal for use where space is limited. Supplied in storage/carry rack.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



C 6pc Double End Ratchet Ring Spanner Set
Model No. S0636

Chrome Vanadium steel double end ratchet spanner set. 72-Tooth, ratchet ring and gear set requiring only 5° rotation to pick up next ratchet tooth, ideal for applications where space is limited. Supplied in storage rack.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm



D 6pc Flexi-Head Double End Ratchet Ring Spanner Set
Model No. S0806

Chrome Vanadium steel, flexible, double end, ratchet spanner set. 72-Tooth ratchet ring and gear set requiring only 5° rotation to pick up next ratchet tooth. Flexible ring head is ideal for awkward applications. Supplied in storage rack.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm



E 7pc Extra-Long Double Ring Ratchet/Fixed Spanner Set
Model No. AK6319

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. 12-Point ratchet/fixed WallDrive® ring ends. 72-Tooth ratchet requires only 5° rotation to pick up the next tooth. WallDrive® rings grip the wall, not the corners, giving up to 30% more torque. Supplied in storage tray.

Contents: 8, 10, 12, 13, 14, 17, 19mm
Minimum Length: 240mm
Maximum Length: 420mm



F 6pc Flexi-Head Extra-Long Double End Ratchet Ring Spanner Set
Model No. AK63832

Manufactured from high quality Chrome Vanadium steel. Hardened and tempered with a fully polished mirror finish. 72-Tooth WallDrive® rings give ultra-smooth ratchet action requiring only 5° rotation to pick up the next tooth. Feature extra-long shafts and flexible ring heads, ideal for awkward applications. Supplied in storage tray.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 18, 17 x 19mm
Minimum Length: 240mm
Maximum Length: 415mm



A 8-in-1 Reversible Ratchet Ring Spanner Model No. AK6391

High quality slim style Chrome Vanadium steel ratchet ring spanner. Hardened and tempered with a mirror polished finish for corrosion resistance. Eight different sizes on one spanner. 90-Tooth WallDrive® rings give ultra-smooth ratchet action requiring only 4° rotation to pick up the next tooth, ideal for applications where space is limited.

Size Coverage: 8 x 12, 10 x 14, 13 x 17, 15 x 19mm
Length: 242mm

LIFETIME

GUARANTEE*

*Lifetime replacement warranty on all Premier and Siegen Hand Tools. Our no-quibble guarantee covers individual items within sets. Excludes TRX-Star® T40 bits, breaker bar knuckles, drill bits, cutting blades and taps and dies. Repair kits will be sent out for most ratchet wrenches.

Premier

Our top-of-the-range hand tools suitable for the professional user. Designed and manufactured from the highest quality components, these tools are made to last a lifetime*.

F 4-in-1 Reversible Ratchet Ring Spanner Black Series Model No. AK7979

Manufactured from Chrome Vanadium steel, hardened and tempered with a fully polished black chrome finish. Innovative ring design allows four different sizes on one spanner. 72-Tooth ratchet rings require only 5° rotation to pick up the next tooth, ideal for applications where space is limited.

Size Coverage: 10 x 13, 17 x 19mm
Length: 200mm



B 4-in-1 Reversible Ratchet Ring Spanner Model No. S0983

Manufactured from Chrome Vanadium steel, hardened and tempered with a fully polished finish. Innovative ring design allows four different sizes on one spanner. 72-Tooth ratchet rings require only 5° rotation to pick up the next tooth, ideal for applications where space is limited.


Size Coverage: 10 x 13, 17 x 19mm
Length: 205mm



D 4-in-1 Reversible Ratchet Ring Spanner Platinum Series Model No. AK63948

Manufactured from Chrome Vanadium steel, hardened and tempered with a fully polished micro satin finish. Innovative ring design allows four different sizes on one spanner. 100-Tooth ratchet rings require only 3.6° rotation to pick up the next tooth. Ideal for applications where space is limited.

Size Coverage: 10 x 13, 17 x 19mm
Length: 205mm



C 4-in-1 Reversible Ratchet Ring Spanner Model No. AK6389

High quality slim style Chrome Vanadium steel ratchet ring spanner. Hardened and tempered with a mirror polished finish for corrosion resistance. Four different sizes on one spanner. 72-Tooth WallDrive® rings give ultra-smooth ratchet action requiring only 5° rotation to pick up the next tooth, ideal for applications where space is limited. Features innovative ratchet head design, simply tilt the ratchet head left or right to achieve the desired drive.

Size Coverage: 10 x 13, 17 x 19mm
Length: 250mm



E 4-in-1 Reversible Flexi-Head Ratchet Ring Spanner - Platinum Series Model No. AK63947

Manufactured from Chrome Vanadium steel, hardened and tempered with a fully polished micro satin finish. Innovative ring design allows four different sizes on one spanner. 100-Tooth ratchet rings require only 3.6° rotation to pick up the next tooth. Ideal for applications where space is limited.

Size Coverage: 10 x 13, 17 x 19mm
Length: 235mm





A 4pc TRX-Star* Double End Spanner Set
Model No. **S0850**

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished and mirror finished. Four spanners covering eight sizes of TRX-Star* fixings. Supplied in storage/carry rack.

Contents: E6 x E8, E10 x E12, E14 x E18, E20 x E24



B 6pc TRX-Star* Double End Spanner Set
Model No. **S01107**

Drop-forged Chrome Vanadium steel spanners. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished and mirror finished. Six spanners covering 12 sizes of TRX-Star* fixings. Supplied in storage/carry rack.

Contents: E6 x E8, E7 x E11, E10 x E12, E14 x E18, E16 x E22, E20 x E24



C 5pc TRX-Star* Double End Spanner Set
Model No. **AK5481**

Manufactured from drop-forged Chrome Vanadium steel. Hardened and tempered with a fully polished mirror finish for resistance to corrosion. Five spanners covering 10 sizes of TRX-Star* fixings. Supplied in EVA storage tray.

Contents: E6 x E8, E10 x E12, E14 x E16, E18 x E20, E22 x E24



D 14pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Set
E4-E24 - Black Series
Model No. **AK618B**

Professional Chrome Vanadium steel socket set. Fully polished black chrome finish with machined and lacquered surfaces. Knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	14
1/4"Sq Drive:	E4, E5, E6, E7, E8
3/8"Sq Drive:	E10, E11, E12, E14
1/2"Sq Drive:	E16, E18, E20, E22, E24



E 30pc Specialised Spanner Set with Tool Tray
Model No. **S01125**

Contents: Stubby Combination Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm, TRX-Star* Double Ended Spanners; E6 x E8, E10 x E12, E14 x E18, E20 x E24, Flare Nut Spanners; 8 x 10, 9 x 11, 10 x 12, 13 x 14, 15 x 17, 16 x 18mm, 3/8"Sq Drive Crow's Foot Spanners; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Tray Size (W x D x H): 510 x 270 x 40mm



F 16pc 3/8" Sq Drive TRX-Star* Socket & Spanner Set
Model No. **AK61801**

Manufactured from Chrome Vanadium steel with a fully polished finish for corrosion resistance. Four double end spanners and 12 3/8"Sq drive sockets covering TRX-Star* fixings E6-E24. Knurled ring on sockets for extra grip with oily fingers. Supplied in storage tray.

TRX-Star* Sockets: 3/8"Sq Drive; E6, E7, E8, E10, E11, E12, E14, E16, E18, E20, E22, E24
TRX-Star* Spanners: E6 x E8, E10 x E12, E14 x E18, E20 x E24



A 10 x 13mm Stubby Offset Double End Ring Spanner
Model No. **AK63221**

Manufactured from drop-forged Chrome Vanadium steel. Hardened and tempered with a fully polished mirror finish. Stubby, compact configuration and 45° offset WallDrive® rings give improved access in confined spaces. Combines the most common fastener sizes (10 x 13mm). Essential for rowers as a rigger jigger, undoes every nut in a European boat - 10mm for riggers and 13mm for top nuts.

Sizes: 10 x 13mm
Length: 120mm



B Dog Bone 8-in-1 Wrench
Model No. **S0875**

Manufactured from high quality drop-forged steel with a fully polished finish. Eight sizes on one wrench with go-through swivel heads. Features magnet for easy storage, also serves as oil drain plug and nut holder.

Sizes: 12, 13, 14, 15, 16, 17, 18, 19mm



C 9pc Box Spanner Set
Model No. **S01053**

Manufactured from carbon steel. Zinc plated for corrosion protection. Eight Spanners cover 16 sizes. Includes tommy bar. Supplied in storage/hanging pouch.


Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm, Tommy Bar



D 12pc Flexi-Head Socket/Open-End Spanner Set
Model No. **AK6352**

Drop-forged Chrome Vanadium steel spanners with flexible socket and open-ends. Hardened and tempered for strength and with a fully polished chrome finish for corrosion resistance. Supplied in storage/hanging pouch.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



E 6pc Double Flexi-Head Socket Spanner Set
Model No. **AK635**

Drop-forged Chrome Vanadium steel flexi-head socket spanners with slim style shafts. Hardened and tempered with a fully polished finish for strength and corrosion resistance. Supplied in storage case.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm





A 8pc Offset Double End Ring Spanner Set

Model No. AK6321

Mirror finished, Chrome Vanadium steel spanners with deep offset WallDrive® rings. Heat treated and hardened for professional long-life and durability. Supplied in storage/wall rack.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm



C 8pc Offset Double End Ring Spanner Set

Model No. AK6327

Manufactured from heat treated and hardened Chrome Vanadium steel. Deep offset WallDrive® rings with a satin polished finish for resistance to corrosion. Supplied in storage/hanging pouch.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm



E 8pc Deep Offset Ring Spanner Set

Model No. S0405

Chrome Vanadium steel spanners with deep offset WallDrive® rings. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Supplied in storage/carry rack.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm



F 12pc Deep Offset Ring Spanner Set

Model No. S0847

Chrome Vanadium steel spanners with deep offset WallDrive® rings. Hardened, tempered and nickel chrome plated for corrosion resistance. Fully polished mirror finish. Supplied in storage/carry rack.


Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32mm



A 10pc 3/8"Sq Drive Torque Adaptor Spanner Set
Model No. **AK59895**

Heat treated and hardened with a fully polished mirror finish. Chrome Vanadium steel 3/8"Sq Drive x 12-Point WallDrive® rings. Minimum/Maximum Length: 65/70mm. Ideal for use with torque wrenches (please note: a setting adjustment is required to compensate for the increased length of leverage when using these torque adaptors). Suitable for limited access applications. Supplied in an EVA storage tray.


Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



B 12pc Double Open-End Spanner Set
Model No. **S0849**

Drop-forged Chrome Vanadium steel double open-end spanners. Hardened, tempered and chrome plated with fully polished mirror finish for added corrosion resistance. Supplied in storage/carry rack.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32mm



C 5pc Obstruction Spanner Set
Model No. **S0716**


Chrome Vanadium steel obstruction spanners with 12-point WallDrive® rings. Heat treated and fully polished with mirror finish. Supplied in storage/carry rack.

Contents: 8 x 10, 11 x 13, 14 x 15, 17 x 19, 21 x 22mm



D 50pc Multipurpose Spanner Set
Model No. **S01084**


For full details, see page 123.



E 5pc S-Spanner Set
Model No. **S0717**

Chrome Vanadium steel spanners with S-profile. Heat treated and fully polished with mirror finish. 12-Point WallDrive® rings. Supplied in storage/hanging pouch.

Contents: 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm



F 6pc S-Spanner Set
Model No. **AK6315**

Drop-forged Chrome Vanadium steel spanners with S-profile. Heat treated and chrome plated with fully polished mirror finish. 12-Point WallDrive® rings.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm



A 6pc Flare Nut Spanner Set
Model No. S0767

Drop-forged steel spanners with contoured shafts. Fully hardened, tempered and chrome plated for resistance to corrosion. Flare type jaw suitable for most common sizes of compression joint fittings. Six double end spanners cover 12 sizes. Supplied in storage/hanging pouch.

Contents: 6 x 8, 10 x 12, 13 x 14, 15 x 17, 19 x 21, 22 x 24mm



B 3pc Flare Nut Spanner Set
Model No. AK600

Drop-forged Chrome Vanadium steel with contoured shafts. Fully hardened, tempered, chrome plated and fully polished for resistance to corrosion. Flare type spanner jaw suitable for most common sizes of compression joint fittings. Three spanners covering six sizes.


Contents: 10 x 11, 13 x 14, 15 x 17mm



C 5pc Flare Nut Spanner Set
Model No. AK2651

Drop-forged Chrome Vanadium steel with contoured shafts. Fully hardened, tempered and chrome plated with a polished mirror finish for resistance to corrosion. Flare type spanner jaw suitable for most common sizes of compression joint fittings. Five spanners covering 10 sizes. Supplied in storage/hanging pouch.

Contents: 9 x 11, 10 x 12, 13 x 14, 15 x 17, 19 x 21mm



D 5pc Flexi-Head Flare Nut Spanner Set
Model No. AK2652

Manufactured from high quality Chrome Vanadium steel. Hardened and tempered with a fully polished mirror finish. Flare type spanner jaw suitable for most common sizes of compression joint fitting. Flexible head is ideal for awkward applications. Supplied in EVA storage tray.

Contents: 9 x 11, 10 x 12, 13 x 14, 15 x 17, 19 x 21mm



E 10 x 11mm Flexi-Head Flare Nut Spanner
Model No. AK26521

Manufactured from Chrome Vanadium steel, hardened and tempered with a fully polished satin finish. Flare type spanner jaw suitable for compression joint fittings. Flexible heads for working in hard-to-access areas.

Size: 10 x 11mm



F 12mm Long-Arm Ratchet Spanner - 370mm
Model No. AK6611

Professional long-arm ratchet spanner for easy-access into small confined areas. T-shaped handle for added control and stability. Ideal for automotive applications where space and access are limited.

Size: 12mm
Length: 370mm



G 21mm Ratchet Podger
Model No. S01068

High grade carbon steel with a satin finish. 21mm Ratchet head for scaffolding. Tapered end for hole alignment.

Size: 21mm
Length: 240mm



A 10pc 3/8" Sq Drive Flare Nut Crow's Foot Spanner Set
Model No. S0845
 Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished finish. Suitable for limited access applications. Supplied on storage rail.
Drive: 3/8" Sq
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



B 10pc 3/8" Sq Drive Crow's Foot Spanner Set
Model No. AK598
 Chrome Molybdenum steel jaws with 3/8" Sq drives suitable for limited access applications. Heat treated and hardened with fully polished mirror finish. Supplied on storage rail.
Drive: 3/8" Sq
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



C 10pc 3/8" Sq Drive Open-End Crow's Foot Spanner Set
Model No. S0866
 Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished finish. Suitable for limited access applications. Sizes 10-19mm inclusive. Supplied on storage rail.
Drive: 3/8" Sq
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



D 10pc 3/8" Sq Drive Crow's Foot Spanner Set
Model No. AK5989
 Manufactured from hardened and tempered Chrome Molybdenum steel with a fully polished mirror finish. Suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited. Supplied on storage rail.
Drive: 3/8" Sq
Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



E 8pc 3/8" Sq Drive Crow's Foot Spanner Set - Imperial
Model No. AK599
 Chrome Vanadium steel jaws with 3/8" Sq drives suitable for limited access applications. Heat treated and hardened with chrome finish. Supplied on storage rail.
Drive: 3/8" Sq
Contents: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"




F 8pc 1/2" Sq Drive Crow's Foot Spanner Set
Model No. AK5981
 Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Bi-hex jaws with 1/2" Sq drives, suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited. Supplied in storage tray.
Drive: 1/2" Sq
Contents: 20, 21, 22, 23, 24, 27, 30, 32mm



A 3/8"Sq Drive Adjustable Crow's Foot Wrench - 6-30mm
Model No. AK5987

Manufactured from hardened and tempered Chrome Molybdenum steel. Fully polished micro-satin finish. Adjustable from 6-30mm. Designed for use with an extension or breaker bar. Suitable for limited access applications. Ideal for use on track-rod ends.

Drive:	3/8"Sq
Range:	6-30mm



B 1/2"Sq Drive Adjustable Crow's Foot Wrench - 6-45mm
Model No. AK5988

Manufactured from hardened and tempered Chrome Molybdenum steel. Fully polished micro-satin finish. Large jaw range adjustable from 6-45mm. Designed for use with an extension or breaker bar. Suitable for limited access applications. Ideal for use on track-rod ends.

Drive:	1/2"Sq
Range:	6-45mm

C 10pc 3/8"Sq Drive Flexible Crow's Foot Spanner Set
Model No. S01043

Chrome Vanadium, flexible head crow's foot spanners. Suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited and various angles are needed. Heat treated, hardened and chrome plated with a fully polished finish. Supplied on storage rail.

Drive:	3/8"Sq
Contents:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



D 12pc 3/8"Sq Drive Flexible Crow's Foot Spanner Set
Model No. AK5982

Chrome Vanadium, flexible head crow's foot spanners. Suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited and various angles are needed. Heat treated, hardened and chrome plated with a fully polished mirror finish. Supplied on storage rail.

Drive:	3/8"Sq
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



E 9pc 1/2"Sq Drive Flexible Crow's Foot Spanner Set
Model No. AK5985

Chrome Vanadium, flexible head crow's foot spanners. Suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited and various angles are needed. Heat treated, hardened and chrome plated with a fully polished mirror finish. Supplied in storage tray.

Drive:	1/2"Sq
Contents:	17, 18, 19, 21, 22, 24, 27, 30, 32mm



A

Crow's Foot

27-50mm

1/2" Sq. Drive

MM

Siegen

A 14pc 1/2" Sq Drive Crow's Foot Spanner Set
Model No. S01109
 Manufactured from carbon steel with a fully polished finish. Covers sizes 27-50mm. Suitable for limited access applications. Supplied in storage tray.

Drive:	1/2" Sq
Contents:	27, 29, 30, 32, 33, 34, 36, 38, 42, 43, 44, 46, 48, 50mm

B

Crow's Foot

8-24mm

3/8" Sq. Drive

MM

Premier

B 15pc 3/8" Sq Drive Crow's Foot Spanner Set
Model No. AK5983
 Manufactured from hardened and heat treated Chrome Molybdenum steel. Suitable for limited access applications. Phosphate finish for corrosion resistance.

Drive:	3/8" Sq
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

C

Crow's Foot

8-24mm

3/8" Sq. Drive

MM

Premier

C 15pc 3/8" Sq Drive Crow's Foot Spanner Set
Model No. AK59891
 Manufactured from hardened and tempered Chrome Molybdenum steel with a fully polished mirror finish. Suitable for use with extension bars and ratchet wrenches. Ideal for applications where access is limited.

Drive:	3/8" Sq
Contents:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

D

Crow's Foot

27-50mm


1/2" Sq. Drive

MM

Premier

D 14pc 1/2" Sq Drive Crow's Foot Spanner Set
Model No. AK59831
 Manufactured from hardened and heat treated Chrome Molybdenum steel. Suitable for limited access applications. Phosphate finish for corrosion resistance.


Drive:	1/2" Sq
Contents:	27, 29, 30, 32, 33, 34, 35, 36, 38, 41, 43, 46, 48, 50mm



A 2pc Sharks Teeth Spanner Rack
Model No. **WR01**

Durable composite sharks teeth spanner rack helps maintain an organized topchest/rollcab. Two adhesive strips included.


Spanner Capacity:	20
Length:	425mm



B 2pc Magnetic Sharks Teeth Spanner Rack
Model No. **WR02**

Durable composite sharks teeth spanner rack with magnetic strips, helps to maintain an organized topchest/rollcab. Ingenious design gives one straight edge enabling maximum drawer use, saving space.


Spanner Capacity:	20
Length:	385, 425mm



C Magnetic Spanner Rack
Model No. **WR03**

Magnetic spanner rack with protective foam backing, ideal for tool chests or any ferrous surface. Can also be wall mounted.



Spanner Capacity:	12
Length:	190mm



D-E Reversible Spanner Racks
Model No. **SEE BELOW**

Reversible side rails with quick change design. Spanners always face forward for easy selection and size identification. Holds up to 16 spanners.

Model No:	Capacity:	Colour:
D WR11	16	Black
E WR11HV	16	Hi-Vis Green



F-G Spanner Racks
Model No. **SEE BELOW**

Durable composite spanner racks help maintain an organized toolbox or workstation. Holds up to 12 or 15 spanners (dependent on model) for easy size identification. Can also be carried or hung on a wall.


Model No:	WR04	WR05
Spanner Capacity:	12	15



H Magnetic Spanner Rack
Model No. **WR06**

Durable composite spanner rack with strong magnetic backing. Ideal for tool chests or any ferrous surface.

Spanner Capacity:	10
Length:	235mm



A - C Spanner Racks
Model No. **SEE BELOW**

Soft, non-marking TPR material spanner racks help maintain an organized toolbox or workstation. Securely holds up to 12 or 15 spanners (dependant on model) for easy size identification. Can also be carried or hung on a wall. Solvent and fuel resistant.

	A	B	C
Model No:	WR07	WR08	WR08HV
Colour:	Red	Red	Hi-Vis Green
Spanner Capacity:	12	15	15



F - G Reverse Spanner Racks
Model No. **SEE BELOW**

Soft, non-marking TPR material spanner racks help maintain an organized toolbox or workstation. Securely holds up to 15 spanners for easy size identification. Can also be carried or hung on a wall. Solvent and fuel resistant.

	F	G
Model No:	WR09	WR09HV
Colour:	Red	Hi-Vis Green
Spanner Capacity:	15	15



D - E Spanner Racks - Stubby
Model No. **SEE BELOW**


Soft, non-marking TPR material spanner racks help maintain an organized toolbox or workstation. Securely holds up to 10 spanners for easy size identification. Can also be carried or hung on a wall. Solvent and fuel resistant.

	D	E
Model No:	WR10	WR10HV
Colour:	Red	Hi-Vis Green
Spanner Capacity:	10 (Stubby)	10 (Stubby)

H - I 9pc Tool Storage Organizer Sets
Model No. **SEE BELOW**

A wide range of storage solutions to help maintain an organized toolbox or workstation. Securely holds spanners, sockets, screwdrivers, pliers and small parts for easy identification.

Model No:	Colour:
H TSK01	Red
I TSK01HV	Hi-Vis Green
Contents:	15pc
Spanner Rack, 15pc Reverse Spanner Rack, 3/8" Sq Drive Socket Rail (6-19mm), Screwdriver Rack (x2), Pliers Rack, Drawer Dividers (x2), Parts Tray	





A 5pc Magnetic Bowl & Tool Holder Set
Model No. S0773

Stainless steel trays with Ø90mm magnets in non-marking composite cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface such as toolboxes and even works upside-down. Wall mounting magnetic tool holders are ideal for holding spanners, screwdrivers etc. Heavy-duty, 5-section magnetic pick-up tool with Ø12mm magnet.

Contents: Magnetic Collection Trays; Ø150mm (1 Magnet), 240 x 140mm (2 Magnets), 460 x 25mm Magnetic Tool Holders (x2), 125-520mm Magnetic Pick-Up Tool

B 600mm Magnetic Tool Holder
Model No. S0703

Wall or toolbox mounting tool holder. Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers. Supplied with fixing screws.

Length: 600mm
Width: 25mm



C 450mm Magnetic Tool Holder
Model No. S0905

Wall mounting magnetic tool holder. Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers. Supplied with fixing screws.

Length: 450mm
Width: 25mm

D 600mm Magnetic Tool Holder
Model No. S0906

Wall or toolbox mounting magnetic tool holder. Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers. Supplied with fixing screws.

Length: 600mm
Width: 25mm

E 500mm Magnetic Tool Holder
Model No. AK211

Wall or toolbox mounting magnetic rack. Suitable for retaining frequently used steel tools such as screwdrivers, spanners and pliers. Supplied with fixing screws. Tools not included.

Length: 500mm
Width: 40mm



F Blank Tool Tray - 176.5 x 397 x 55mm
Model No. TBTB

Add-on tray ideal for storing personal items (e.g. keys, mobile phones etc.), additional tools or small components. Suitable for AP24 Series and selected Superline PRO® Tool Chests.

Tray Size (W x D x H): 176.5 x 397 x 55mm

G Tool & Parts Organizer - Hi-Vis Green
Model No. SPT01HV

Tool and parts organizer tray ideal for storing personal items (e.g. keys, mobile phones etc.), additional tools or small components.

Tray Size (W x D x H): 405 x 280 x 40mm



A Ø110mm Magnetic Collector
Model No. S0488
Ø110mm Stainless steel tray with Ø60mm magnet in non-marking cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down.



B Ø150mm Magnetic Collector
Model No. S0489
Ø150mm Stainless steel tray with Ø80mm magnet in non-marking cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down.



C Magnetic Collector with 2 Magnets
Model No. S0490
240 x 140mm Stainless steel tray with 2 x Ø80mm magnets in non-marking covers. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down. Ideal for dismantlers, recovery vehicles and engine rebuilders.



D - F Magnetic Collection Trays
Model No. SEE TABLE
Stainless steel trays with Ø80mm magnets in non-marking cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down.



E Magnetic Collection Tray
Model No. SEE TABLE
Stainless steel trays with Ø80mm magnets in non-marking cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down.



F Magnetic Collection Tray
Model No. SEE TABLE
Stainless steel trays with Ø80mm magnets in non-marking cover. Ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly. Attaches to any ferrous surface and even works upside-down.

Model No:	Tray Size:	Number of Magnets:
D AK231	Ø150mm	1
E AK2312	240 x 140mm	2
F AK2314	290 x 275mm	4



G - H Ø150mm Magnetic Collectors
Model No. SEE BELOW
ABS Plastic trays with Ø80mm magnet in non-marking cover. Suitable for storing nuts, bolts, screws, washers and small parts during disassembly/assembly. Attaches to any ferrous surface and is ideal for use on toolboxes.

Model No:	Tray Size:	Colour:
G AK2319	Ø150mm	Red
H AK2319B	Ø150mm	Black



Non-Slip Flexible Tool Trays
See our full range of Flexible Tool Trays on page 994.



A Telescopic Magnetic Pick-Up Tool - 1kg Capacity
Model No. AK651

Chromed metal body with pocket-clip for safe storage. 1kg Pick-up capacity from Ø10mm magnet.


Minimum/Maximum Length: 130/650mm



D Heavy-Duty Telescopic Magnetic Pick-Up Tool
3.6kg Capacity
Model No. AK6515

Magnetic pick-up tool with pocket-clip. 3.6kg Pick-up capacity from Ø12mm magnet.


Minimum/Maximum Length: 140/655mm



B Telescopic Magnetic Pick-Up Tool
1.5kg Capacity
Model No. AK6511

Metal bodied pick-up tool with pocket-clip and magnetic retainer. 1.5kg Pick-up capacity from Ø10mm magnet.


Minimum/Maximum Length: 130/650mm



E Magnetic Pick-Up Tool
2.2kg Capacity
Model No. AK6516

Chromed metal body with telescopic and flexible shaft pick-up tool. Features a scribed/washer jet tool, pocket-clip and knurled cap. 2.2kg Pick-up capacity from Ø8mm magnet.

Minimum/Maximum Length: 160/590mm



C Telescopic Magnetic Pick-Up Tool
1.6kg Capacity
Model No. AK6514

7-Section magnetic pick-up tool with textured grip and pocket-clip. 1.6kg Pick-up capacity from Ø10mm magnet.

Minimum/Maximum Length: 175/880mm



F Flexible Magnetic Pick-Up Tool - 1.5kg Capacity
Model No. AK6531

Flexible chromed shaft with classic styled composite handle. Use with or without magnet protection cap. 1.5kg Pick-up capacity from Ø10mm magnet.

Length: 560mm



G-H Heavy-Duty Flexible Magnetic Pick-Up Tools
Model No. SEE BELOW

Chrome plated flexible shafts fitted with high quality strong magnet. Contoured and textured handle fits perfectly in the hand providing comfort and control.

Model No:	Length:	Lifting Capacity:
G AK6532	510mm	1kg
H AK6534	510mm	3kg



I-J Heavy-Duty Magnetic Pick-Up Tool
3.6kg Capacity
Model No. SEE BELOW

Heavy-duty 5-section magnetic pick-up tool with textured handle for added grip plus pocket-clip. Ø13mm Magnet gives 3.6kg capacity. Supplied individually or in point of sale counter top display box of 16.

Minimum/Maximum Length:	165/635mm
Model No:	Pack Quantity:
I S0823DB	16
J S0823	1



K-L Heavy-Duty Magnetic Pick-Up Tool with LED - 3.6kg Capacity
Model No. SEE BELOW

Heavy-duty 6-section telescopic pick-up tool. Large Ø14mm magnet with 3.6kg capacity and recessed LED to illuminate target area. Textured, contoured handle for added comfort. Knurled twist on/off switch for ease of use. Supplied individually or in point of sale counter top display box of 16.

Minimum/Maximum Length:	195/800mm
Battery:	3 x LR44 (supplied)
Model No:	Pack Quantity:
K S0903DB	16
L S0903	1



A 075mm Telescopic Inspection Mirror with LED Light
Model No. S0947

5-Section stainless steel inspection tool. 075mm Mirror with built-in LED mounted on twin ball joints for maximum articulation. Ideal for use in low light areas. Contoured and textured comfort grip handle. Supplied with batteries.

Minimum/Maximum Length:	290/870mm
Battery:	2 x CR2016 (supplied)



B 65 x 40mm Telescopic Inspection Mirror with 2 LED Lights
Model No. S0948

5-Section stainless steel inspection tool. 65 x 40mm Mirror with built-in LEDs mounted on twin ball joints for maximum articulation. Ideal for use in low light areas. Contoured and textured comfort grip handle. Supplied with batteries.


Minimum/Maximum Length:	290/870mm
Battery:	2 x CR2032 (supplied)



C 2pc Telescopic Magnetic LED Pick-Up Tool & Inspection Mirror Set
Model No. S0941

6-Section stainless steel magnetic pick-up tool with textured grip and pocket-clip. 013mm Magnet with 3.6kg capacity and recessed LED to illuminate target area. Knurled twist on/off switch for ease of use. 5-Section stainless steel inspection mirror with textured grip and pocket-clip. 050mm Mirror is mounted on twin ball joints for maximum articulation. Contoured handles for added comfort.


Pick-Up Minimum/Maximum Length:	190/800mm
Lifting Capacity:	3.6kg
Mirror Minimum/Maximum Length:	245/710mm
Battery:	3 x LR44 (supplied)



D 2pc Telescopic Magnetic Pick-Up Tool & Inspection Mirror Set
Model No. S0940

5-Section stainless steel magnetic pick-up tool with textured grip and pocket-clip. 013mm Magnet with 3.6kg capacity. 5-Section stainless steel inspection mirror with textured grip and pocket-clip. 050mm Mirror is mounted on twin ball joints for maximum articulation.


Pick-Up Minimum/Maximum Length:	160/630mm
Lifting Capacity:	3.6kg
Mirror Minimum/Maximum Length:	245/710mm



F 2pc Pick-Up Tool Set
Model No. S0610

Set of two flexible, lightweight pick-up tools. One with spring loaded claw grab and Bowden cable construction, the other with magnetic head to suit different applications.

Length (x2):	610mm
--------------	-------



E 3pc Magnetic Pick-Up, Flexible Claw & Inspection Tool Set
Model No. S0949

5-Section stainless steel magnetic pick-up tool with pocket-clip. 010mm Magnet with 2.25kg capacity. 5-Section stainless steel inspection mirror with pocket-clip. 050mm Mirror is mounted on twin ball joints for maximum articulation. Flexible pick-up tool with Bowden cable construction and spring loaded claw grab.

Pick-Up Minimum/Maximum Length:	150/680mm
Lifting Capacity:	2.25kg
Mirror Minimum/Maximum Length:	200/550mm
Flexible Claw Length:	600mm



G 4pc Magnetic Pick-Up & Inspection Tool Kit
Model No. S0556

Two heavy-duty 5-section telescopic extending shafts with textured grip for comfort and control. Supplied with fully adjustable inspection mirror and interchangeable magnetic pick-ups suitable for most jobs.

Minimum/Maximum Length:	175/655mm
Magnet Capacity:	1.5kg, 2.3kg Fixed, 2.3kg Fully Adjustable
Mirror Size:	50 x 80mm



A Ø30mm Extending
Articulated Inspection Mirror
Model No. AK6523

Chromed metal 5-section body with pocket-clip for safe storage. Ø30mm Inspection mirror is mounted on twin ball joints for maximum articulation.


Minimum/Maximum Length: 180/530mm



B Ø32mm Extending
Articulated Inspection Mirror
Model No. AK6524

7-Section extending mirror with textured grip and pocket-clip. Ø32mm Inspection mirror is mounted on twin ball joints for maximum articulation.

Minimum/Maximum Length: 200/875mm



C Ø40mm Telescopic
Articulated Inspection Mirror
Model No. AK652

Chromed metal body with pocket-clip for safe storage. Ø40mm Inspection mirror mounted on ball joint permitting full 360° rotation.


Minimum/Maximum Length: 125/690mm



D 50 x 25mm Extending
Articulated Inspection Mirror
Model No. AK6525

Chromed metal 5-section body with pocket-clip for safe storage. 50 x 25mm Inspection mirror is mounted on twin ball joints for maximum articulation.

Minimum/Maximum Length: 195/535mm



E Ø60mm Flexible Shaft Inspection Mirror
Model No. AK6503

Rubber grip and strong, sprung steel flexible shaft. Ø60mm Mirror suitable for use in confined areas.

Length: 485mm




F 2pc Telescopic Magnetic
Pick-Up & Mirror Set
Model No. AK6527

7-Section stainless steel magnetic pick-up tool with textured grip and pocket-clip. Ø10mm Magnet with 1.6kg capacity. Energy ring around magnet reduces side pull aiding retrieval of objects at full reach. 5-Section stainless steel inspection mirror with textured grip and pocket-clip. Ø40mm Mirror is mounted on twin ball joints for maximum articulation.

Pick-Up Minimum/Maximum Length: 175/885mm


Mirror Minimum/Maximum Length: 225/700mm



G 610mm Flexible Claw Pick-Up Tool
Model No. AK653

Bowden cable construction with spring loaded claw grab.

Length: 610mm



H 700mm Flexible Magnetic Pick-Up & Claw Tool
Model No. AK6536

Bowden cable construction enables access to confined areas. 0.7kg Magnetic pick-up with energy ring, reduces side pull aiding the retrieval of objects at full reach. Handle allows effortless control over expandable/retractable claw. Features anodised aluminium housing.

Length: 700mm



A Flexible Inspection Mirror with Light
Model No. AK650

Strong flexible metal element with illuminated tip and fully articulated inspection mirror. Suitable for automotive and industrial applications.

Length:	520mm
Battery:	2 x AA (not included)



B Flexible Inspection Torch with LED Light
Model No. AK6505

Test light with super-flexible element. High power cool-white LED bulb for bright illumination of the working area and long battery life. Supplied with batteries.

Length:	550mm
Battery:	2 x AA (supplied)



C Magnetic Pick-Up & Claw with LED Light
Model No. AK6540

Chrome plated flexible shaft enables access to confined areas. Handle allows effortless control over expandable/retractable claw and magnetic extension. Pick-up capable of lifting 1.3kg. Fitted with LED to illuminate poorly lit areas. Supplied with batteries.

Length (Claw/Pick-Up):	460/535mm
Battery:	3 x LR1130 (supplied)

D Telescopic Magnetic Pick-Up Tool with LED Light, Inspection Mirror & Washer Jet Tool
Model No. AK6537

High quality metal bodied seven section telescopic LED inspection/pick-up tool with pocket-clip. Features removable Ø40mm mirror mounted on twin ball joints for maximum articulation, ideal for inspections in low light areas. Features 1kg capacity magnetic pick-up and handy scribe. Includes scribe/washer jet tool.

Minimum/Maximum Length:	165/600mm
Mirror Size:	Ø40mm
Battery:	3 x LR41 (supplied)



E 5pc Telescopic Magnetic Pick-Up & LED Inspection Tool Kit
Model No. AK6521

Heavy-duty 6-section telescopic extending shaft with textured grip for comfort and control. Quick release adaptor for easy fitting of individual accessories. Kit includes Ø35mm inspection mirror, which is mounted on twin ball joints for maximum articulation, 50 x 80mm hinged rectangular mirror, Ø10mm magnet with 1kg capacity. Magnet features recessed LED to illuminate pick-up area.

Minimum/Maximum Length:	170/765mm
Mirror Sizes:	Ø35mm, 50 x 80mm
Battery:	3 x LR44 (supplied)



F Telescopic Magnetic Pick-Up Tools & Inspection Mirrors - Display Box of 20
Model No. S0946

Comprises a variety of popular pick-up tools and inspection mirrors, four of each type. Textured grip for added user comfort. Pick-up tools are also supplied with convenient pocket-clip. Supplied in point of sale counter top display box of 20.

2.25kg Pick-Up Minimum/Maximum Length:	125/635mm
3.6kg Pick-Up Minimum/Maximum Length:	160/630mm
Ø50mm Mirror Minimum/Maximum Length:	245/710mm
45 x 65mm Mirror Minimum/Maximum Length:	215/685mm
50 x 90mm Mirror Minimum/Maximum Length:	290/760mm



A 10pc Hex Key Set on Ring
Model No. AK6148
Chemically blackened Chrome Vanadium steel hex keys. Supplied on ring.
Contents: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm



B 9pc Hex Key Set
Model No. S0493
Chrome Vanadium steel. Set of Metric hex keys supplied in retainer.
Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



C 9pc Ball-End Hex Key Set
Model No. S0494
Chrome Vanadium steel. Set of Metric ball-end hex keys supplied in retainer.
Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



D 25pc Hex Key Set - Metric/Imperial
Model No. S0465
Hex key set with long-arm Imperial sizes and short-arm Metric sizes. Chrome Vanadium steel. Supplied in tool roll.
Contents: Long-Arm; 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Short-Arm; 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm



E 30pc Long/Short-Arm Hex Key Set - Metric/Imperial
Model No. S0484
Chrome Vanadium steel key set in folding storage case. Comprises 15 long-arm Imperial keys and 15 short-arm Metric keys.
Contents: Long-Arm; 0.028", 0.035", 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Short-Arm; 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm



F T-Handle Nut Drivers
Model No. SEE BELOW
Heat treated Chrome Vanadium steel shafts with deep profile sockets. WallDrive® socket with hex flats for extra driving power.

Model No:	Size:	Length:
AK5821	8mm	300mm
AK5823	10mm	300mm
AK5826	13mm	300mm
AK5828	17mm	300mm
AK5830	19mm	300mm



A

1.5-10mm

Long

MM

HEX

Siegen

A 9pc Long Hex Key Set
Model No. S01091

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 75mm to 180mm and in size from 1.5mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	75-180mm

B

1.5-10mm

Extra-Long

MM

HEX

Siegen

B 9pc Extra-Long Hex Key Set
Model No. S01092

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 90mm to 230mm and in size from 1.5mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	90-230mm

C

1.5-10mm

Long

MM

HEX

BALL-END HEX

Siegen

C 9pc Long Ball-End Hex Key Set
Model No. S01093

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 75mm to 180mm and in size from 1.5mm to 10mm. Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	75-180mm

D

1.5-10mm

Extra-Long

MM

HEX

BALL-END HEX

Siegen

D 9pc Extra-Long Ball-End Hex Key Set
Model No. S01094

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 90mm to 230mm and in size from 1.5mm to 10mm. Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	90-230mm

E

T10 - T50

Long

TRX-Star*

Siegen

E 9pc Long TRX-Star* Key Set
Model No. S01095

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 85mm to 160mm and in size from T10 to T50. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths:	85-160mm

F

T10 - T50

Extra-Long

TRX-Star*

Siegen

F 9pc Extra-Long TRX-Star* Key Set
Model No. S01096

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 90mm to 230mm and in size from T10 to T50. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths:	90-230mm

G

1/16"-3/8"

Long

IMP

HEX

BALL-END HEX

Siegen

G 9pc Long Ball-End Hex Key Set - Imperial
Model No. S01098

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 75mm to 180mm and in size from 1/16" to 3/8". Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1/16", 5/64", 1/8", 5/32", 3/16", 3/32", 1/4", 5/16", 3/8"
Lengths:	75-180mm

H

1/16"-3/8"

Extra-Long

IMP

HEX

BALL-END HEX

Siegen

H 9pc Extra-Long Ball-End Hex Key Set - Imperial
Model No. S01099

Manufactured from heat treated and hardened Chrome Vanadium steel with a blackened finish. Keys range in length from 90mm to 230mm and in size from 1/16" to 3/8". Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1/16", 5/64", 1/8", 5/32", 3/16", 3/32", 1/4", 5/16", 3/8"
Lengths:	90-230mm

I

HEX

BALL-END HEX

TRX-Star*

Siegen

I 3pc Folding Key Set
Model No. S01072

Comprises three 8pc folding key sets. Hex and ball-end hex from 1.5mm to 8mm and TRX-Star* from T9 to T40. Manufactured from high grade steel with soft grip handles. Colour-coded for fast identification.


Contents:	Hex; 1.5, 2, 2.5, 3, 4, 5, 6, 8mm, Ball-End Hex; 1.5, 2, 2.5, 3, 4, 5, 6, 8mm, TRX-Star*; T9, T10, T15, T20, T25, T27, T30, T40
Length Folded:	130mm
Maximum Length Unfolded:	240mm



A 10pc Extra-Long Hex Key Set
Model No. **S0639**

Manufactured from hardened and tempered high grade steel with blackened finish. Jumbo keys suitable for industrial and agricultural applications. Supplied in storage pouch.

Contents:	3, 4, 5, 5.5, 7, 8, 10, 12, 14, 17mm
Lengths:	130-335mm



B 9pc Long Hex Key Set
Model No. **AK7136**

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 79mm to 180mm and in size from 1.5mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.


Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	79-180mm



C 9pc Extra-Long Hex Key Set
Model No. **AK7137**

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 92mm to 235mm and in size from 1.5mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	92-235mm



D 10pc Extra-Long Jumbo Hex Key Set
Model No. **AK6143**

Manufactured from heat treated and hardened Chrome Vanadium steel with matt chrome finish. Jumbo sizes suitable for industrial and agricultural applications. Keys range in length from 130mm to 340mm and in size from 3mm to 17mm. Supplied in tough storage case.


Contents:	3, 4, 5, 6, 7, 8, 10, 12, 14, 17mm
Lengths:	130-340mm



F 9pc Stubby Element Extra-Long Hex Key Set
Model No. **AK7174**

Manufactured from heat treated and hardened Chrome Vanadium steel with satin polished finish. Keys range in length from 90mm to 230mm and in size from 1.5mm to 10mm. Stubby offset hex elements allow access in confined spaces. Supplied in easy-access case for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	90-230mm



E 10pc Fully Polished Extra-Long Hex Key Set
Model No. **AK7167**

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 100mm to 230mm and in size from 2mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents:	2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm
Lengths:	100-230mm





A 9pc Long Ball-End Hex Key Set
Model No. AK7139

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 79mm to 180mm and in size from 1.5mm to 10mm. Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 79-180mm



B 10pc Fully Polished Long Ball-End Hex Key Set
Model No. AK7168

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 70mm to 180mm and in size from 2mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm
Lengths: 70-180mm



C 11pc Anti-Slip Extra-Long Ball-End Hex Key Set
Model No. AK7164

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 79mm to 230mm and in size from 1.27mm to 10mm. Anti-slip coating for comfort and control. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 1.27, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm
Lengths: 79-230mm



D 9pc Extra-Long Ball-End Hex Key Set
Model No. AK7140

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 92mm to 230mm and in size from 1.5mm to 10mm. Ball-end allows key to drive fixing at up to 30°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 92-230mm



E 10pc Fully Polished Extra-Long Ball-End Hex Key Set
Model No. AK7169

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 100mm to 230mm and in size from 2mm to 10mm. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm
Lengths: 100-230mm

F - G 8pc Lock-On™ Hex Socket Bit Sets
Model No. SEE BELOW

Professional heat treated Chrome Vanadium steel sockets. S2 Steel hex bits with a zinc phosphate finish. Removes rusted, damaged and severely rounded hex head fasteners with ease. Patented twist design grips tighter as they turn preventing fasteners from rounding. Supplied on a metal socket rail.

F Model No: AK65600
Contents: 1/4" Sq Drive; 3, 4, 5, 6mm 3/8" Sq Drive; 7, 8, 9, 10mm

Minimum Length: 38mm

Maximum Length: 48mm

Drive: 1/4" & 3/8" Sq

G Model No: AK65601

Contents: 3, 4, 5, 6, 7, 8, 9, 10mm

Drive: 3/8" Sq

Length: 48mm



F **NEW**

1/4" & 3/8"
Sq. Drive

3-10mm

MM



G **NEW**

3/8"
Sq. Drive

3-10mm

MM



A 13pc Anti-Slip Extra-Long Jumbo Ball-End Hex Key Set
Model No. AK7187

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 83 to 280mm and in size from 2 to 19mm. Anti-slip coating for comfort and control. Includes magnets on the long element. Supplied in easy-access case for safe storage and quick key selection.

Contents: 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17, 19mm
Lengths: 83-280mm



B 9pc Lock-On™ Ball-End Hex Key Set
Model No. AK7180

Manufactured from Chrome Molybdenum steel with a polished satin finish. Removes rusted, damaged and severely rounded hex head fasteners with ease. Patented twist design on short arm grips tighter as they turn preventing fasteners from rounding. Keys range in length from 88mm to 225mm and in size from 1.5mm to 10mm. Ball-end allows key to drive fixing at up to 25°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 88-225mm



C 9pc Lock-On™ Ball-End Hex Key Set - Imperial
Model No. AK7181

Manufactured from Chrome Molybdenum steel with a polished satin finish. Removes rusted, damaged and severely rounded hex head fasteners with ease. Patented twist design on short arm grips tighter as they turn preventing fasteners from rounding. Keys range in length from 88mm to 225mm and in size from 1/16" to 3/8". Ball-end allows key to drive fixing at up to 25°. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
Lengths: 88-225mm



D 13pc Anti-Slip Extra-Long Jumbo Ball-End Hex Key Set - Imperial
Model No. AK71870

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 83 to 280mm and in size from 5/64" to 3/4". Anti-slip coating for comfort and control. Includes magnets on the long element (1/8" key upwards). Supplied in easy-access case for safe storage and quick key selection.

Contents: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2", 9/16", 5/8", 3/4"
Lengths: 83-280mm



E 9pc Anti-Slip Extra-Long Ball-End Hex Key Set - Display Box of 10
Model No. AK7183

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 90 to 230mm and in size from 1.5 to 10mm. Anti-slip coating for comfort and control. Supplied in easy-access case for safe storage and quick key selection.


Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 90-230mm



F 8pc Long Ball-End Hex Key Set with Power Bar - Display Box of 10
Model No. AK7185

Manufactured from heat treated and hardened Chrome Vanadium steel with a satin chrome finish. Keys range in length from 85 to 180mm and in size from 2 to 10mm. Includes power bar to aid comfort whilst driving stubborn fixings.

Contents: 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 85-180mm



A 9pc Long TRX-Star* Key Set
Model No. AK7142

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 90mm to 160mm and in size from T10 to T50. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 90-160mm




D 9pc Extra-Long TRX-Star* Key Set
Model No. AK7148

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 92mm to 235mm and in size from T10 to T50. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 92-235mm



Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 135-215mm



B 9pc Fully Polished Long TRX-Star* Key Set
Model No. AK7170

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 70mm to 180mm and in size from T10 to T50. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 70-180mm



E 18pc Anti-Slip Long TRX-Star* & Ball-End Hex Key Set
Model No. AK7176

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Ball-end hex from 1.5 to 10mm with hex short element and TRX-Star* from T10 to T50 with security short element. Keys range in length from 75mm to 180mm and feature an anti-slip coating for comfort and control. Supplied in composite case for safe storage and quick key selection.

Contents: Ball-End Hex (Hex Short Element); 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm, TRX-Star* (Security Short Element); T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 75-180mm

G 9pc Extra-Long TRX-Star* Key Set
VDE Approved
Model No. AK7178

Manufactured from heat treated and hardened S2 steel with a chemically blackened finish for resistance to corrosion. Fitted with PP/TPR handles, keys are fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and carpenters (1000V AC safe live working). Supplied in storage case.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 135-215mm



C 13pc Anti-Slip Extra-Long TRX-Star* Key Set
Model No. AK7165

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 70mm to 225mm and in size from T6 to T50. Anti-slip coating for comfort and control. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths: 70-225mm



F 13pc Anti-Slip Extra-Long Jumbo TRX-Star* Key Set
Model No. AK7188

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 75 to 270mm and in size from T10 to T80. Anti-slip coating for comfort and control. Includes magnets on the long element. Supplied in easy-access case for safe storage and quick key selection.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, T70, T80
Lengths: 75-270mm



A 9pc Long Security TRX-Star* Key Set Model No. AK7162

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 90 to 160mm and in size from T10H to T50H. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

Lengths: 90-160mm




B 9pc Fully Polished Long Security TRX-Star* Key Set Model No. AK7172

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished mirror finish. Keys range in length from 70 to 180mm and in size from T10H to T50H. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

Lengths: 70-180mm



C 9pc Extra-Long Security TRX-Star* Key Set Model No. AK7163

Manufactured from heat treated and hardened Chrome Vanadium steel with satin chrome finish. Keys range in length from 92 to 232mm and in size from T10H to T50H. Supplied in easy-access case with hanging tag for safe storage and quick key selection.

Contents: T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

Lengths: 92-232mm



D 9pc Long Anti-Slip Jumbo Spline Key Set Model No. AK7189

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 95 to 228mm and in size from M4 to M18. Anti-slip coating for comfort and control. Includes magnets on the long element. Supplied in easy-access case for safe storage and quick key selection.

Contents: M4, M5, M6, M8, M10, M12, M14, M16, M18

Lengths: 95-228mm



E 9pc Anti-Slip Extra-Long TRX-Star* Key Sets - Display Box of 10 Model No. AK7184

Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish. Keys range in length from 90 to 235mm and in size from T10 to T50. Anti-slip coating for comfort and control. Supplied in easy-access case for safe storage and quick key selection.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

Lengths: 90-235mm



F 8pc Long TRX-Star* Key Sets with Power Bar - Display Box of 10 Model No. AK7186

Manufactured from heat treated and hardened Chrome Vanadium steel with a satin chrome finish. Keys range in length from 88 to 160mm and in size from T10 to T50. Includes power bar to aid comfort whilst driving stubborn fixings.

Contents: T10, T15, T20, T25, T30, T40, T45, T50

Lengths: 88-160mm

A

1.5-10mm

Long

Anti-Slip

MM



HEX

BALL-END HEX

Premier

A 9pc Anti-Slip Long Ball-End Hex Key Set
Model No. AK7190
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 65mm to 175mm and in size from 1.5mm to 10mm. Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	65-175mm

B

1.5-10mm

Extra-Long

Anti-Slip

MM



HEX

BALL-END HEX

Premier

B 9pc Anti-Slip Extra-Long Ball-End Hex Key Set
Model No. AK7191
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 90mm to 230mm and in size from 1.5mm to 10mm. Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	90-230mm

C

T10 - T50

Long

Anti-Slip



TRX-Star*

Premier

C 9pc Anti-Slip Long TRX-Star* Key Set
Model No. AK7193
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 65mm to 175mm and in size from T10 to T50. Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths:	65-175mm

D

T10 - T50

Extra-Long

Anti-Slip



TRX-Star*

Premier

D 9pc Anti-Slip Extra-Long TRX-Star* Key Set
Model No. AK7194
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 90mm to 230mm and in size from T10 to T50. Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths:	90-230mm

E

NEW

1/16"-3/8"

Long

Anti-Slip

IMP



HEX

BALL-END HEX

Premier

E 9pc Anti-Slip Long Ball-End Hex Key Set - Imperial
Model No. AK7197
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 65mm to 175mm and in size from 1/16" to 3/8". Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
Lengths:	65-175mm

F

NEW

1/16"-3/8"

Extra-Long

Anti-Slip

IMP



HEX

BALL-END HEX

Premier

F 9pc Anti-Slip Extra-Long Ball-End Hex Key Set - Imperial
Model No. AK7198
 Manufactured from hardened and heat treated Chrome Vanadium steel with a fully polished finish. Keys range in length from 90mm to 230mm and in size from 1/16" to 3/8". Colour-coded anti-slip coating for comfort, control and fast identification. Supplied in easy-access case for safe storage and quick key selection.

Contents:	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
Lengths:	90-230mm



A 8pc T-Handle Ball-End Hex Key Set
Model No. **AK7195**

Manufactured from heat treated and hardened S2 steel with a fully polished satin finish. Keys range in length from 100 to 200mm. Tough, composite, comfort grip handle allows extra torque to be applied to the fixing. Each handle incorporates a long ball-end hex and short hex element. Includes metal stand suitable for wall mounting.

Contents:	2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	100-200mm



B 9pc T-Handle TRX-Star* Key Set
Model No. **AK7196**

Manufactured from heat treated and hardened S2 steel with a fully polished satin finish. Keys range in length from 100 to 200mm. Tough, composite, comfort grip handle allows extra torque to be applied to the fixing. Each handle incorporates a long TRX-Star* and short security TRX-Star* element. Includes metal stand suitable for wall mounting.

Contents:	T10, T15, T20, T25, T27, T30, T40, T45, T50
Lengths:	100-200mm



**C 8pc T-Handle
Hex Key Set**
Model No. **AK7143**

Hardened and tempered Chrome Vanadium steel shafts with a fully polished satin finish. Tough, composite handle with rubberised comfort grip. Long and short elements for each size. Includes hanging holes and storage stand.

Contents:	2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	125-220mm



**D 8pc T-Handle
Ball-End Hex Key Set**
Model No. **AK7144**

Hardened and tempered Chrome Vanadium steel shafts with a fully polished satin finish. Tough, composite handle with rubberised comfort grip. Long shaft has ball-end, allowing fixing to be driven at up to 30° from its axis. Short element is standard hex. Includes hanging holes and storage stand.


Contents:	2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths:	125-220mm



E 8pc T-Handle TRX-Star* Key Set
Model No. AK7145

Hardened and tempered Chrome Vanadium steel shafts with a fully polished satin finish. Tough, composite handles with rubberised comfort grip. Long and short elements for each size. Includes hanging holes and storage stand.

Contents:	T10, T15, T20, T25, T27, T30, T40, T50
Lengths:	125-220mm



F 16pc T-Handle
TRX-Star* & Hex Key Set
Model No. **AK7147**

Hardened and tempered Chrome Vanadium steel shafts with satin finish. Tough, composite, comfort grip handle allows extra torque to be applied to the fixing. Each handle incorporates either a long TRX-Star* and short security TRX-Star* element, or a long ball-end hex and short hex element. Supplied in storage case.

Contents: Security TRX-Star*/TRX-Star*; T10, T15, T20, T25, T30, T40, T45, T50, Hex/Ball-End Hex; 2, 2.5, 3, 4, 5, 6, 8, 10mm
Lengths: 75-200mm

Individual Socket Bits

Model No. **SEE BELOW AND RIGHT**

Forged Chrome Vanadium steel sockets with S2 steel bits. Sockets are heat treated and chrome plated with a fully polished mirror finish. Knurled ring for extra grip with oily fingers.



A 1/4\"Sq Drive Individual Hex Socket Bits

Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBH001	3mm	1/4\"Sq
SBH002	4mm	1/4\"Sq
SBH003	5mm	1/4\"Sq
SBH004	6mm	1/4\"Sq
SBH005	7mm	1/4\"Sq
SBH006	8mm	1/4\"Sq



B 3/8\"Sq Drive Individual Hex Socket Bits

Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBH007	4mm	3/8\"Sq
SBH008	5mm	3/8\"Sq
SBH009	6mm	3/8\"Sq
SBH010	7mm	3/8\"Sq
SBH011	8mm	3/8\"Sq
SBH012	9mm	3/8\"Sq
SBH013	10mm	3/8\"Sq
SBH014	11mm	3/8\"Sq
SBH015	12mm	3/8\"Sq



C 1/2\"Sq Drive Individual Hex Socket Bits

Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBH016	4mm	1/2\"Sq
SBH017	5mm	1/2\"Sq
SBH018	6mm	1/2\"Sq
SBH019	7mm	1/2\"Sq
SBH020	8mm	1/2\"Sq
SBH021	9mm	1/2\"Sq
SBH022	10mm	1/2\"Sq
SBH023	12mm	1/2\"Sq
SBH024	14mm	1/2\"Sq
SBH025	17mm	1/2\"Sq
SBH026	19mm	1/2\"Sq



D 3/8\"Sq Drive Individual Ball-End Hex Socket Bits

Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBBH001	3mm	3/8\"Sq
SBBH002	4mm	3/8\"Sq
SBBH003	5mm	3/8\"Sq
SBBH004	6mm	3/8\"Sq
SBBH005	7mm	3/8\"Sq
SBBH006	8mm	3/8\"Sq
SBBH007	9mm	3/8\"Sq
SBBH008	10mm	3/8\"Sq
SBBH009	12mm	3/8\"Sq



E 1/2\"Sq Drive Individual Ball-End Hex Socket Bits

Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBBH010	12mm	1/2\"Sq
SBBH011	14mm	1/2\"Sq
SBBH012	17mm	1/2\"Sq
SBBH013	19mm	1/2\"Sq



G 8pc 3/8\"Sq Drive Lock-On™ Hex Socket Bit Set

Model No. **AK65601**

See page 174 for full details.

F 9pc 3/8\"Sq Drive Hex Key Socket Bit Set

Model No. **AK6240**

One of a comprehensive range of Premier Hand Tools, suitable for daily professional use. Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets are heat treated and chrome plated with a fully polished mirror finish. Knurled rings assist the gripping of the sockets with oily fingers. Supplied in EVA storage tray.

Contents: 3/8\"Sq Drive Hex Key Socket Bits: 4, 5, 6, 7, 8, 9, 10, 11, 12mm

**LIFETIME
GUARANTEE***



A 1/4\"Sq Drive Individual TRX-Star® Socket Bits
Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBT001	T8	1/4\"Sq
SBT002	T10	1/4\"Sq
SBT003	T15	1/4\"Sq
SBT004	T20	1/4\"Sq
SBT005	T25	1/4\"Sq
SBT006	T27	1/4\"Sq



B 3/8\"Sq Drive Individual TRX-Star® Socket Bits
Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBT007	T10	3/8\"Sq
SBT008	T15	3/8\"Sq
SBT009	T20	3/8\"Sq
SBT010	T25	3/8\"Sq
SBT011	T27	3/8\"Sq
SBT012	T30	3/8\"Sq
SBT013	T40	3/8\"Sq
SBT014	T45	3/8\"Sq
SBT015	T47	3/8\"Sq
SBT016	T50	3/8\"Sq



C 1/2\"Sq Drive Individual TRX-Star® Socket Bits
Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBT017	T20	1/2\"Sq
SBT018	T25	1/2\"Sq
SBT019	T27	1/2\"Sq
SBT020	T30	1/2\"Sq
SBT021	T40	1/2\"Sq
SBT022	T45	1/2\"Sq
SBT023	T47	1/2\"Sq
SBT024	T50	1/2\"Sq
SBT025	T55	1/2\"Sq
SBT026	T60	1/2\"Sq
SBT027	T70	1/2\"Sq
SBT028	T80	1/2\"Sq



D 3/8\"Sq Drive Individual Spline Socket Bits
Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBS001	M3	3/8\"Sq
SBS002	M4	3/8\"Sq
SBS003	M5	3/8\"Sq
SBS004	M6	3/8\"Sq
SBS005	M7	3/8\"Sq
SBS006	M8	3/8\"Sq
SBS007	M9	3/8\"Sq
SBS008	M10	3/8\"Sq
SBS009	M12	3/8\"Sq

F 1/2\"Sq Drive Individual Spline Socket Bits
Model No. **SEE BELOW**

Model No:	Size:	Drive:
SBS010	M5	1/2\"Sq
SBS011	M6	1/2\"Sq
SBS012	M7	1/2\"Sq
SBS013	M8	1/2\"Sq
SBS014	M9	1/2\"Sq
SBS015	M10	1/2\"Sq
SBS016	M12	1/2\"Sq
SBS017	M14	1/2\"Sq
SBS018	M16	1/2\"Sq
SBS019	M18	1/2\"Sq



E 22pc 3/8\"Sq Drive TRX-Star®/Hex/Spline Socket Bit Set
Model No. **AK6243**

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets are heat treated and chrome plated with a fully polished mirror finish. Knurled rings assist the gripping of the sockets with oily fingers. Supplied in EVA storage tray.

Contents: 3/8\"Sq Drive (50mm) Socket Bits; Spline - M4, M5, M6, M8, M10, M12, TRX-Star® - T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, Hex - 4, 5, 6, 7, 8, 10



G 7pc 3/8\"Sq Drive Lock-On™ TRX-Star® Socket Bit Set
Model No. **AK62263**

See page 174 for full details.



A 11pc 1/4" Sq Drive Hex Socket Bit Set

Model No. AK62251

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive:	1/4" Sq
Contents:	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 11mm
Length:	38mm



B 6pc 3/8" Sq Drive Hex Key Socket Bit Set

Model No. AK656

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets are heat treated, chrome plated and satin finished. Knurled rings assist the gripping of the sockets with oily fingers. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	4, 5, 6, 7, 8, 10mm
Length:	50mm



C 7pc 3/8" Sq Drive Hex Socket Bit Set

Model No. AK62253

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Bits feature no shoulder for easier access to recessed fixings. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	48mm



D 9pc 3/8" Sq Drive Hex Key Socket Bit Set - Black Series

Model No. AK7986

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel hex bits with a phosphate finish. Knurled rings assist the gripping of the sockets with oily fingers. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	4, 5, 6, 7, 8, 9, 10, 11, 12mm
Length:	45mm



E 6pc 3/8" Sq Drive Hex Socket Bit Set

Model No. AK6209

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets are heat treated, chrome plated and satin finished. Knurled rings assist the gripping of the sockets with oily fingers. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 8, 10mm
Lengths:	50-85mm



F 7pc 3/8" Sq Drive 110mm Hex Socket Bit Set

Model No. AK62254

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Bits feature no shoulder for easier access to recessed fixings. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	110mm



A 10pc 1/4", 3/8" & 1/2" Sq Drive Stubby Hex Socket Bit Set - Black Series
Model No. AK6229B

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel stubby hex bits with a phosphate finish. Ideal for limited access applications. Knurled ring for extra grip with greasy fingers. Supplied on socket rail.


1/4"Sq Drive:	4, 5, 6, 7, 8mm
3/8"Sq Drive:	10, 12, 14mm
1/2"Sq Drive:	17, 19mm
Minimum/Maximum Length:	30/50mm



C 16pc 1/4" & 3/8" Sq Drive Hex Socket Bit Set
Model No. AK6219

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

1/4"Sq Drive:	3, 4, 5, 6mm
3/8"Sq Drive:	7, 8, 9, 10mm
Minimum/Maximum Length:	38/95mm



E 7pc 3/8" Sq Drive Hex Socket Bit Set
Model No. AK2187

Forged Chrome Vanadium steel heat treated sockets with S2 steel extra-long hex bits. Fully polished finish with knurled ring to assist gripping socket with oily fingers. Supplied in tough storage case.

Drive:	3/8"Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	200mm



F 6pc 1/2" Sq Drive Stubby Hex Socket Bit Set
Model No. AK6561

One-piece Chrome Vanadium steel socket bits. Sockets are heat treated, chrome plated and satin finished. Knurled ring to assist gripping socket with oily fingers. Supplied on socket rail.

Drive:	1/2"Sq
Contents:	8, 10, 12, 14, 17, 19mm
Minimum/Maximum Length:	40/42mm



B 10pc 1/4", 3/8" & 1/2" Sq Drive Stubby Hex Socket Bit Set
Model No. AK6229

Drop-forged Chrome Vanadium steel sockets, heat treated and chrome plated with a fully polished mirror finish for corrosion resistance. S2 Steel stubby hex bits with a zinc phosphate finish. Ideal for limited access applications. Knurled ring for extra grip with greasy fingers. Supplied on socket rail.

1/4"Sq Drive:	4, 5, 6, 7, 8mm
3/8"Sq Drive:	10, 12, 14mm
1/2"Sq Drive:	17, 19mm
Minimum/Maximum Length:	28/45mm



D 7pc 3/8" Sq Drive Hex Socket Bit Set
Model No. AK62255

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Bits feature no shoulder for easier access to recessed fixings. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied in storage case.

Drive:	3/8"Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	150mm



G 8pc 1/2" Sq Drive Hex Socket Bit Set
Model No. AK62258

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive:	1/2"Sq
Contents:	6, 7, 8, 10, 12, 14, 17, 19mm
Length:	55mm



A 9pc 1/2"Sq Drive Hex Socket Bit Set
Model No. AK620

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Satin finish with knurled ring to assist gripping socket with oily fingers. Supplied in steel storage case.

Drive:	1/2"Sq
Contents:	5, 6, 7, 8, 9, 10, 12, 14, 17mm
Lengths:	55-70mm



B 8pc 1/2"Sq Drive Hex Socket Bit Set
Model No. AK9310

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Satin finish with knurled ring to assist gripping socket with oily fingers. Supplied in steel storage case.

Drive:	1/2"Sq
Contents:	5, 6, 7, 8, 10, 12, 14, 17mm
Length:	110mm



C 30pc 1/2"Sq Drive Hex Socket Bit Set
Model No. S01077

Chrome Vanadium steel sockets and hex bits. Sockets are heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/2"Sq
Length 55mm:	5, 6, 7, 8, 10, 12, 14, 17, 19mm
Length 100mm:	5, 6, 7, 8, 10, 11, 12, 13mm
Length 140mm:	5, 6, 7, 8, 10, 12, 14mm
Length 200mm:	5, 6, 7, 8, 10, 12mm



D 30pc 1/2"Sq Drive Hex Socket Bit Set
Model No. AK2196

Forged Chrome Vanadium steel sockets with CrV steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished chrome finish with knurled ring to assist gripping with oily fingers. Supplied in composite storage case.

Drive:	1/2"Sq
Length 55mm:	5, 6, 7, 8, 10, 12, 14, 17, 19mm
Length 100mm:	5, 6, 7, 8, 10, 11, 12, 13mm
Length 140mm:	5, 6, 7, 8, 10, 12, 14mm
Length 200mm:	5, 6, 7, 8, 10, 12mm



E 6pc 3/4"Sq Drive Hex Socket Bit Set
Model No. AK6217

One-piece Chrome Molybdenum steel sockets. Satin finish gives added corrosion resistance. Supplied in steel storage case.

Drive:	3/4"Sq
Contents:	14, 17, 19, 21, 22, 23mm
Length:	60mm



F 6pc 3/4"Sq Drive Impact Hex Socket Bit Set
Model No. AK5586

Durable Chrome Molybdenum steel gives optimum balance between hardness and flexibility. Suitable for use with any impact tool. Supplied in storage case.

Drive:	3/4"Sq
Contents:	14, 17, 19, 22, 24, 27mm
Length:	108mm



A 7pc 3/8" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK621

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Ball-end bits allow fixings to be driven with the hex shaft up to 30°. Satin finish with knurled ring to assist gripping socket with oily fingers. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	62mm



B 7pc 3/8" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK6212

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Ball-end bits allow fixings to be driven with the hex shaft up to 30°. Satin finish with knurled ring to assist gripping socket with oily fingers. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	100mm



C 7pc 3/8" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK62256

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Bits feature no shoulder for easier access to recessed fixings. Ball-end bits allow fixings to be driven with the hex shaft up to 30°. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	110mm



D 7pc 3/8" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK62257

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel hex bits with a blackened finish for resistance to corrosion. Bits feature no shoulder for easier access to recessed fixings. Ball-end bits allow fixings to be driven with the hex shaft up to 30°. Sockets include 2mm hex setscrew allowing easy replacement of individual bits.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	150mm



E 7pc 3/8" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK2188

Forged Chrome Vanadium steel heat treated sockets with S2 steel extra-long hex bits. Features ball-end bits allowing fixings to be driven with the hex shaft up to 30° out of alignment. Fully polished finish with knurled ring to assist gripping socket with oily fingers.

Drive:	3/8" Sq
Contents:	3, 4, 5, 6, 7, 8, 10mm
Length:	200mm



F 7pc 1/2" Sq Drive Ball-End Hex Socket Bit Set
Model No. AK622

Forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Ball-end bits allow fixings to be driven with the hex shaft up to 30°. Satin finish with knurled ring to assist gripping socket with oily fingers.

Drive:	1/2" Sq
Contents:	5, 6, 7, 8, 9, 10, 12mm
Length:	100mm



G 30pc 3/8" Sq Drive Hex Socket Bit Set - Platinum Series
Model No. AK89000

Drop-forged Chrome Vanadium steel sockets with S2 steel hex bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished micro satin finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	3/8" Sq
Length 48mm:	5, 6, 7, 8, 10, 12, 14, 17, 19mm,
Length 93mm:	5, 6, 7, 8, 10, 11, 12, 13mm,
Length 140mm:	5, 6, 7, 8, 10, 12, 14mm,
Length 200mm:	5, 6, 7, 8, 10, 12mm



A - D 8pc Lock-On™ Hex Socket Bit SetsModel No. **SEE BELOW**

Professional heat treated Chrome Vanadium steel sockets. S2 Steel hex bits with a zinc phosphate finish. Removes rusted, damaged and severely rounded hex head fasteners with ease. Patented twist design grips tighter as they turn. Prevents fasteners from rounding. Supplied on a metal socket rail.



A Model No: AK65600
 Drive: 1/4" & 3/8" Sq
 Minimum Length: 38mm
 Maximum Length: 48mm
 Contents: 1/4" Sq Drive: 3, 4, 5, 6mm, 3/8" Sq Drive: 7, 8, 9, 10mm



B Model No: AK65601
 Drive: 3/8" Sq
 Length: 48mm
 Contents: 3, 4, 5, 6, 7, 8, 9, 10mm



C Model No: AK65602
 Drive: 1/4" & 3/8" Sq
 Minimum Length: 38mm
 Maximum Length: 48mm
 Contents: 1/4" Sq Drive: 1/8", 9/64", 5/32", 3/16", 3/8" Sq Drive: 7/32", 1/4", 5/16", 3/8"



D Model No: AK65603
 Drive: 3/8" Sq
 Length: 48mm
 Contents: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

E - F 8pc Lock-On™ TRX-Star® Socket Bit SetsModel No. **SEE BELOW**

Professional heat treated Chrome Vanadium steel sockets. S2 Steel bits with a satin chrome finish. Designed for extracting TRX-Star® screw heads and fasteners that have become damaged, cross-threaded or jammed. Supplied on a metal socket rail.



E Model No: AK62262
 Drive: 1/4" & 3/8" Sq
 Minimum Length: 38mm
 Maximum Length: 48mm
 Contents: 1/4" Sq Drive: T10, T15, T20, 3/8" Sq Drive: T25, T27, T30, T40




F Model No: AK62263
 Drive: 3/8" Sq
 Length: 48mm
 Contents: T10, T15, T20, T25, T27, T30, T40

A - H Socket Bit Sets

Model No. SEE BELOW


Forged Chrome Vanadium steel sockets with S2 steel hex bits suitable for daily professional use. Sockets are heat treated and chrome plated with a fully polished mirror finish. Knurled rings assist the gripping of the sockets with oily fingers. Supplied in EVA storage tray. Covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.




A 9pc 3/8" Sq Drive Hex Key Socket Bit Set
Model No. AK6240
Contents: 3/8" Sq Drive Hex Key Socket Bits; 4, 5, 6, 7, 8, 9, 10, 11, 12mm




B 7pc 3/8" Sq Drive Hex Socket Bit Set - Imperial
Model No. AK6246
Contents: 3/8" Sq Drive Hex Socket Bits; 1/8", 5/16", 5/32", 3/8", 1/4", 7/32", 3/16"




C 10pc 3/8" Sq Drive TRX-Star* Socket Bit Set
Model No. AK6242
Contents: 3/8" Sq Drive 50mm TRX-Star* Socket Bits; T10, T15, T20, T25, T27, T30, T40, T45, T47, T50



D 12pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Bit Set - Stubby
Model No. AK6245
Contents: 1/4" Sq Drive; T8, T10, T15, T20, T25, T27, 3/8" Sq Drive; T30, T40, T45, T50, T55, 1/2" Sq Drive; T60




E 10pc 1/4", 3/8" & 1/2" Sq Drive Hex Socket Bit Set - Stubby
Model No. AK6244
Contents: 1/4" Sq Drive (28mm); 4, 5, 6, 7, 8, 3/8" Sq Drive (34mm); 10, 12, 14, 1/2" Sq Drive (45mm); 17, 19mm



F 8pc 1/4", 3/8" & 1/2" Sq Drive Spline Socket Bit Set
Model No. AK6241
Contents: 1/4" Sq Drive (30mm); M4, M5, M6, 3/8" Sq Drive (38mm); M8, M10, M12, 1/2" Sq Drive (52mm); M14, M16



G 22pc 3/8" Sq Drive TRX-Star*/Hex/Spline Socket Bit Set
Model No. AK6243
Contents: 3/8" Sq Drive (50mm) Socket Bits; Spline - M4, M5, M6, M8, M10, M12, TRX-Star* - T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, Hex - 4, 5, 6, 7, 8, 10mm



H 14pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Set
Model No. AK61807
Socket Quantity:

1/4" Sq Drive:	E4, E5, E6, E7, E8
3/8" Sq Drive:	E10, E11, E12, E14
1/2" Sq Drive:	E16, E18, E20, E22, E24



A 7pc 3/8"Sq Drive Ribe Socket Bit Set
Model No. AK6232

Forged Chrome Vanadium steel 3/8"Sq drive sockets with S2 steel ribe bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	3/8"Sq
Contents:	M4, M5, M6, M7, M8, M9, M10
Length:	50mm



B 7pc 3/8"Sq Drive Ribe Socket Bit Set
Model No. AK6233

Forged Chrome Vanadium steel 3/8"Sq drive sockets with S2 steel ribe bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	3/8"Sq
Contents:	M4, M5, M6, M7, M8, M9, M10
Length:	95mm



D 7pc 1/2"Sq Drive Ribe Socket Bit Set
Model No. AK6234

Forged Chrome Vanadium steel 1/2"Sq drive sockets with S2 steel ribe bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	1/2"Sq
Contents:	M8, M9, M10, M11, M12, M13, M14
Length:	55mm



E 7pc 1/2"Sq Drive Ribe Socket Bit Set
Model No. AK6235

Forged Chrome Vanadium steel 1/2"Sq drive sockets with S2 steel ribe bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	1/2"Sq
Contents:	M8, M9, M10, M11, M12, M13, M14
Length:	100mm



C 22pc 3/8" & 1/2"Sq Ribe Bit Set
Model No. AK2190

S2 Steel bits with 10mm hex drive. Chrome Vanadium 1/2" and 3/8"Sq drive adaptor sockets, hardened and heat treated for strength and with a satin finish.


Drive:	3/8" & 1/2"Sq
Contents:	30mm Bits; M5, M6, M7, M8, M9, M10, M11, M12, M13, M14, 75mm Bits; M5, M6, M7, M8, M9, M10, M11, M12, M13, M14, Drive Adaptors; 3/8" & 1/2"Sq Drive x 10mm



F 22pc 3/8" & 1/2"Sq Drive Ribe Bit Set
Model No. SX105

Chrome Vanadium steel sockets with high strength S2 steel bits. Ribe profile suitable for work on Italian vehicles including Alfa Romeo, Fiat and Lancia.

Drive:	3/8" & 1/2"Sq
Contents:	30mm & 75mm Bits; M4, M5, M6, M7, M8, M9, M10, M12, M13, M14, Bit Holders; 3/8" & 1/2"Sq Drive



G 32pc 1/2"Sq Drive Ribe Socket Bit Set
Model No. AK2198

Forged Chrome Vanadium steel sockets and bits. Sockets heat treated and chrome plated with a fully polished mirror finish. Knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/2"Sq
Length 55mm:	M5, M6, M7, M8, M9, M10, M12, M13, M14
Length 100mm:	M5, M6, M7, M8, M9, M10, M12, M13, M14
Length 140mm:	M8, M9, M10, M11, M12, M13, M14
Length 200mm:	M8, M9, M10, M11, M12, M13, M14



H 10-19mm 3/8"Sq Drive Multi-Fit Socket
Model No. SP38MFS

Chrome Vanadium body, oxidised Chrome Molybdenum pawl and adjustment mechanism. 20 Sizes covered in one socket making it ideal for any recovery tool kit. Smooth, fast and precise adjustment between sizes. Knurled ring for extra grip with oily fingers.

Drive:	3/8"Sq
Size:	Variable 10-19mm(3/8"-3/4")
Depth:	55mm



A 26pc 3/8"Sq Drive Spline Socket Bit Set - Platinum Series
Model No. **AK89002**

Forged Chrome Vanadium steel sockets with S2 steel spline bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished micro satin finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	3/8"Sq
Length 48mm:	M5, M6, M8, M9, M10, M12, M14, M16
Length 93mm:	M5, M6, M8, M9, M10, M12, M14
Length 140mm:	M5, M6, M8, M9, M10, M12, M14
Length 200mm:	M8, M10, M12, M14



C-E 1/2"Sq Drive Extra-Long Spline Socket Bits
Model No. **SEE BELOW**

Save valuable time and loosen drive shaft screws from the outside. Suitable for VAG vehicles. Hardened and tempered Chrome Vanadium steel sockets. Chrome plated with satin finish. Knurled ring on socket to assist gripping with oily fingers. S2 Steel spline bit extension with phosphate coating.

Model No:	Size:	Drive:	Length:
C AK5535	M8	1/2"Sq	800mm
D AK5536	M10	1/2"Sq	800mm
E AK5537	M12	1/2"Sq	800mm



F M14 x 30mm Spline Bit - Pack of 2
Model No. **AK5532**

Manufactured from Chrome Vanadium steel. Specially designed for use on Ford bell housings. Use with 10mm spanner to access restricted areas.

Drive:	10mm Hex
Size:	M14
Length:	30mm



G M16 x 55mm 1/2"Sq Drive Security Spline Socket Bit
Model No. **SX107**

1/2"Sq Drive Chrome Vanadium steel socket with knurled ring and S2 steel bit. Suitable for gearbox drain plugs on Audi; A3, A4, A6, VW; Golf IV and LT.

Drive:	1/2"Sq
Size:	M16
Length:	55mm



H M14 x 100mm 1/2"Sq Drive Spline Socket Bit
Model No. **AK5531**

1/2"Sq Drive satin finish Chrome Vanadium steel socket with knurled ring. 100mm S2 Steel shaft. Suitable for Rover 800 2.5D cylinder head bolts and VW Type 4 Transporter bottom wishbone bolts.

Drive:	1/2"Sq
Size:	M14
Length:	100mm



A 10pc 3/8"Sq Drive Spline Socket Bit Set
Model No. AK6216

Forged Chrome Vanadium steel 3/8"Sq drive sockets with S2 steel spline bits and fully polished finish. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	3/8"Sq
Length 48mm:	M5, M6, M8, M10, M12
Length 100mm:	M5, M6, M8, M10, M12



B 10pc 1/2"Sq Drive Spline Socket Bit Set
Model No. AK6215

Forged Chrome Vanadium steel 1/2"Sq drive sockets with S2 steel spline bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

Drive:	1/2"Sq
Length 55mm:	M5, M6, M8, M10, M12
Length 100mm:	M5, M6, M8
Length 120mm:	M10, M12



C 8pc 1/4", 3/8" & 1/2"Sq Drive Spline Socket Bit Set
Model No. AK6214

Forged Chrome Vanadium steel 1/4", 3/8" and 1/2"Sq drive sockets with S2 steel spline bits. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.


1/4"Sq Drive 36mm:	M4, M5, M6
3/8"Sq Drive 50mm:	M8, M10, M12
1/2"Sq Drive 57mm:	M14, M16



D 8pc 1/4", 3/8" & 1/2"Sq Drive Spline Socket Bit Set - Black Series
Model No. AK6214B

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel spline bits with a phosphate finish. Knurled ring to assist gripping of socket with oily fingers. Supplied on socket rail.

1/4"Sq Drive 36mm:	M4, M5, M6
3/8"Sq Drive 50mm:	M8, M10, M12
1/2"Sq Drive 57mm:	M14, M16



E 22pc 1/2"Sq Drive TRX-Star*/Spline/Hex/Ribe Socket Bit Set
Model No. AK2197

Forged Chrome Vanadium steel sockets and extra-long bits. Sockets heat treated and chrome plated for resistance to corrosion with a fully polished finish. Specialist set designed for the automotive technician. Knurled ring to assist gripping with oily fingers. Supplied in a storage case.

Drive:	1/2"Sq
Contents:	Hex - 5, 6, 7, 8, 10, 12mm, Ribe - M8, M9, M10, M12, M13, M14, Spline - M8, M10, M12, M14, TRX-Star* - T40, T45, T50, T55, T60, T70
Length:	200mm



F 22pc 3/8"Sq Drive TRX-Star*/Hex/Spline Socket Bit Set - Black Series
Model No. AK7985

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel TRX-Star*, Hex and Spline bits with a phosphate finish. Knurled ring to assist gripping of socket with oily fingers. Supplied in an EVA storage tray.

Contents:	3/8"Sq Drive Socket Bits; Spline - M4, M5, M6, M8, M10, M12, TRX-Star* - T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, Hex - 4, 5, 6, 7, 8, 10
------------------	--

TRX-P* Fixings are now commonplace on modern vehicles and if a TRX-Star* bit is used on a TRX-P* fixing it can result in damage to the fastener and tool. Always ensure the correct bit is used for each application. Note TRX-P* bits do not fit regular TRX-Star* fixings.

A

3/8" Sq. Drive

TRX-P*

TP10 - TP50

Premier

A 9pc 3/8" Sq Drive TRX-P* Socket Bit Set
Model No. AK6222

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-P* bits. Sockets are hardened and heat treated with a fully polished finish for resistance to corrosion. Knurled ring for extra grip. Supplied on socket rail.

Drive: 3/8" Sq
Contents: TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP50
Length: 50mm

B

3/8" Sq. Drive

TRX-P*

TP10 - TP50

Premier

B 9pc 3/8" Sq Drive TRX-P* Socket Bit Set
Model No. AK6223

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-P* bits. Sockets are hardened and heat treated with a fully polished finish for resistance to corrosion. Knurled ring for extra grip. Supplied on socket rail.

Drive: 3/8" Sq
Contents: TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP50
Length: 100mm

C

1/2" Sq. Drive

TP45 - TP80

TRX-P*

Premier

C 6pc 1/2" Sq Drive TRX-P* Socket Bit Set
Model No. AK6224

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-P* bits. Sockets are hardened and heat treated with a fully polished finish for resistance to corrosion. Knurled ring for extra grip. Supplied on socket rail.

Drive: 1/2" Sq
Contents: TP45, TP50, TP55, TP60, TP70, TP80
Length: 55mm

D

1/4" Sq. Drive

SECURITY TRX-TS*

TS10H - TS40H

Premier

D 7pc 1/4" Sq Drive TRX-TS* Security Socket Bit Set
Model No. SX106

Chrome Vanadium steel sockets and bits. Knurled ring on sockets to assist gripping with oily fingers. 5-Spline security TRX-TS* bits suitable for a range of fuel injection applications. Supplied on socket rail.

Drive: 1/4" Sq
Contents: TS10H, TS15H, TS20H, TS25H, TS27H, TS30H, TS40H

E

1/4" & 3/8" Sq. Drive

TRX-Star*

T10 - T60

Premier

E 13pc 1/4" & 3/8" Sq Drive TRX-Star* Socket Bit Set
Model No. AK5584

Drop-forged one-piece Chrome Vanadium steel, specially hardened and tempered. Finished in black oxide for corrosion resistance. Supplied on two rails.

Drive: 1/4" & 3/8" Sq
Contents: 1/4" Sq Drive; T10, T15, T20, T25, T27, T30, 3/8" Sq Drive; T40, T45, T47, T50, T55, T60, 3/8" Sq (F) x 1/4" Sq (M) Adaptor
Minimum/Maximum Length: 25/40mm

F

1/4" & 3/8" Sq. Drive

SECURITY TRX-Star*

T10H - T60H

Premier

F 13pc 1/4" & 3/8" Sq Drive TRX-Star* Security Socket Bit Set
Model No. AK5585

Drop-forged one-piece Chrome Vanadium steel, specially hardened and tempered. Security TRX-Star* type head. Finished in black oxide for corrosion resistance. Supplied on two rails.

Drive: 1/4" & 3/8" Sq
Contents: 1/4" Sq Drive; T10H, T15H, T20H, T25H, T27H, T30H, 3/8" Sq Drive; T40H, T45H, T47H, T50H, T55H, T60H, 3/8" Sq (F) x 1/4" Sq (M) Adaptor
Minimum/Maximum Length: 25/40mm

G

TP10 - TP60

TS10H - TS60H

1/4" & 3/8" Sq. Drive

TRX-P*

SECURITY TRX-TS*

Premier

G 23pc 1/4" & 3/8" Sq Drive TRX-P* & Security TRX-TS* Bit Set
Model No. AK6226

Set comprises 6-sided TRX-P* and 5-sided security TRX-TS* bits manufactured from S2 steel. TRX-TS* bits are suitable for a range of applications such as fuel injection pumps and air conditioning units. Includes 1/4" Sq x 1/4" Hex, 3/8" Sq x 10mm and magnetic quick chuck bit adaptors. Supplied in storage case.

Drive: 1/4" & 3/8" Sq
Contents: TRX-P* Bits; TP10, TP15, TP20, TP25, TP30, TP40, TP45, TP50, TP55, TP60, Security TRX-TS* Bits; TS10H, TS15H, TS20H, TS25H, TS30H, TS40H, TS45H, TS50H, TS55H, TS60H, Drive Adaptors; 1/4" Sq x 1/4" Hex, 3/8" Sq x 10mm Hex, Magnetic Quick Chuck

H

T70H - T100H

M16 - M18

3/4" Sq. Drive

SECURITY TRX-Star*

SECURITY SPLINE

Premier

H 6pc 3/4" Sq Drive Security TRX-Star* & Security Spline Socket Bit Set
Model No. AK6218

One-piece Chrome Molybdenum steel security bit sockets. Satin finish giving added corrosion resistance. Supplied in steel storage case.

Drive: 3/4" Sq
Contents: Security TRX-Star*; T70H, T80H, T90H, T100H, Security Spline; M16, M18
Length: 60mm



A 10pc 1/4" Sq Drive TRX-Star* Socket Bit Set Model No. AK62252

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel TRX-Star* bits with a blackened finish for resistance to corrosion. Sockets include 2mm hex setscrew allowing easy replacement of individual bits. Supplied on socket rail.

Drive: 1/4" Sq
Contents: T5, T6, T7, T8, T10, T15, T20, T25, T27, T30
Length: 38mm



D 10pc 3/8" Sq Drive TRX-Star* Socket Bit Set Model No. AK6236

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Dual satin/chrome finish with knurled ring to assist gripping with oily fingers.

Drive: 3/8" Sq
Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50
Length: 100mm



G 10pc 1/2" Sq Drive TRX-Star* Socket Bit Set Model No. AK6208

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Dual satin/chrome finish with knurled ring to assist gripping with oily fingers. Supplied on socket rail.


Drive: 1/2" Sq
Contents: T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length: 55mm



B 10pc 3/8" Sq Drive TRX-Star* Socket Bit Set Model No. AK6207

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Dual satin/chrome finish with knurled ring to assist gripping with oily fingers. Supplied on socket rail.

Drive: 3/8" Sq
Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50
Length: 50mm



E 9pc 3/8" Sq Drive TRX-Star* Socket Bit Set Model No. AK62261

Drop-forged Chrome Vanadium steel sockets, hardened and heat treated with a fully polished mirror finish. S2 Steel TRX-Star* bits with a blackened finish for resistance to corrosion. Smaller sizes feature reduced shoulder for easier access to recessed fixings. Sockets include 2mm hex setscrew allowing easy replacement of individual bits.

Drive: 3/8" Sq
Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Length: 150mm



H 10pc 1/2" Sq Drive TRX-Star* Socket Bit Set Model No. AK6237

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Dual satin/chrome finish with knurled ring to assist gripping with oily fingers. Supplied on socket rail.

Drive: 1/2" Sq
Contents: T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length: 100mm



C 10pc 3/8" Sq Drive TRX-Star* Socket Bit Set Model No. AK6207B

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel TRX-Star* bits with a phosphate finish. Knurled ring to assist gripping with oily fingers. Supplied on socket rail.

Drive: 3/8" Sq
Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50
Length: 50mm



F 9pc 3/8" Sq Drive TRX-Star* Socket Bit Set Model No. AK2186

Drop-forged Chrome Vanadium steel sockets with S2 steel extra-long bits. Heat treated and chrome plated with a fully polished finish for resistance to corrosion. Knurled ring for extra grip. Supplied in tough storage case.

Drive: 3/8" Sq
Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50
Length: 200mm



I 6pc 1/2" Sq Drive TRX-Star* Socket Bit Set Model No. AK627

Chrome Vanadium steel sockets hardened and tempered with dual satin/chrome finish and knurled ring. TRX-Star* bits manufactured from Chrome Vanadium steel, except T55 and T60 which are S2. Supplied on socket rail.

Drive: 1/2" Sq
Contents: T55, T60, T70, T80, T90, T100
Length: 100mm



A 12pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Bit Set
Model No. **AK6213**

Drop-forged Chrome Vanadium steel sockets and TRX-Star* bits. Knurled ring on sockets to assist gripping with oily fingers. Satin finish sockets give additional corrosion resistance. Supplied on socket rail.

1/4"Sq Drive:	T10, T15, T20, T25, T27, T30
3/8"Sq Drive:	T40, T45, T47, T50, T55
1/2"Sq Drive:	T60
Minimum/Maximum Length:	38/55mm



B 12pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Bit Set
Model No. **AK6221**

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Dual satin/chrome finish with knurled ring to assist gripping with oily fingers. Supplied on socket rail.

1/4"Sq Drive:	T10, T15, T20, T25, T27, T30
3/8"Sq Drive:	T40, T45, T47, T50, T55
1/2"Sq Drive:	T60
Length:	100mm



C 12pc 1/4", 3/8" & 1/2" Sq Drive Stubby TRX-Star* Socket Bit Set
Model No. **AK6228**

Drop-forged Chrome Vanadium steel sockets, heat treated and chrome plated with a fully polished mirror finish for corrosion resistance. S2 Steel stubby TRX-Star* bits with a zinc phosphate finish. Ideal for limited access applications. Knurled ring for extra grip with oily fingers. Supplied on socket rail.

1/4"Sq Drive:	T8, T10, T15, T20, T25, T27
3/8"Sq Drive:	T30, T40, T45, T50, T55
1/2"Sq Drive:	T60
Minimum/Maximum Length:	29/44mm



D 12pc 1/4", 3/8" & 1/2" Sq Drive Stubby TRX-Star* Socket Bit Set
Model No. **AK6228B**

Professional heat treated Chrome Vanadium steel sockets. Fully polished black chrome finish with machined and lacquered surfaces. S2 Steel TRX-Star* stubby bits with a phosphate finish. Ideal for limited access applications. Knurled ring for extra grip with oily fingers. Supplied on socket rail.


1/4"Sq Drive:	T8, T10, T15, T20, T25, T27
3/8"Sq Drive:	T30, T40, T45, T50, T55
1/2"Sq Drive:	T60
Minimum/Maximum Length:	29/44mm



E 32pc 1/2" Sq Drive TRX-Star* Socket Bit Set
Model No. **S01076**

Chrome Vanadium steel sockets and CrV steel TRX-Star* bits. Sockets are heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/2"Sq
Length 55mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 100mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 140mm:	T40, T45, T50, T55, T60, T70
Length 200mm:	T40, T45, T50, T55, T60, T70



F 32pc 1/2" Sq Drive TRX-Star* Socket Bit Set
Model No. **AK2194**

Drop-forged Chrome Vanadium steel sockets with CrV steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/2"Sq
Length 55mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 100mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 140mm:	T40, T45, T50, T55, T60, T70
Length 200mm:	T40, T45, T50, T55, T60, T70



A 1/4" Sq Drive Individual TRX-Star* Sockets Model No. [SEE BELOW](#)

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished mirror finish with knurled ring for extra grip with oily fingers.

Model No:	Size:	Drive:
SET001	E4	1/4" Sq
SET002	E5	1/4" Sq
SET003	E6	1/4" Sq
SET004	E7	1/4" Sq
SET005	E8	1/4" Sq



B 3/8" Sq Drive Individual TRX-Star* Sockets Model No. [SEE BELOW](#)

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished mirror finish with knurled ring for extra grip with oily fingers.

Model No:	Size:	Drive:
SET006	E10	3/8" Sq
SET007	E11	3/8" Sq
SET008	E12	3/8" Sq
SET009	E14	3/8" Sq



C 1/2" Sq Drive Individual TRX-Star* Sockets Model No. [SEE BELOW](#)

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished mirror finish with knurled ring for extra grip with oily fingers.

Model No:	Size:	Drive:
SET010	E16	1/2" Sq
SET011	E18	1/2" Sq
SET012	E20	1/2" Sq
SET013	E22	1/2" Sq
SET014	E24	1/2" Sq



D 32pc 3/8" Sq Drive TRX-Star* Socket Bit Set - Platinum Series Model No. [AK89001](#)

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished micro satin finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	3/8" Sq
Length 48mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 93mm:	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
Length 140mm:	T40, T45, T50, T55, T60, T70
Length 200mm:	T40, T45, T50, T55, T60, T70



E 14pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Set Model No. [AK618](#)

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	14
1/4" Sq Drive:	E4, E5, E6, E7, E8
3/8" Sq Drive:	E10, E11, E12, E14
1/2" Sq Drive:	E16, E18, E20, E22, E24



F 14pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket Set - Black Series Model No. [AK618B](#)

Professional Chrome Vanadium steel socket set. Fully polished black chrome finish with machined and lacquered surfaces. Knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	14
1/4" Sq Drive:	E4, E5, E6, E7, E8
3/8" Sq Drive:	E10, E11, E12, E14
1/2" Sq Drive:	E16, E18, E20, E22, E24



A 9pc 1/4" & 3/8" Sq Drive TRX-Star* Socket Set
Model No. AK616

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Satin finish with knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	9
1/4"Sq Drive:	E4, E5, E6, E7, E8
3/8"Sq Drive:	E10, E11, E12, E14



B 9pc 3/8" & 1/2" Sq Drive TRX-Star* Socket Set
Model No. AK617

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Satin finish with knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	9
3/8"Sq Drive:	E10, E11, E12, E14
1/2"Sq Drive:	E16, E18, E20, E22, E24



C 12pc 3/8" Sq Drive TRX-Star* Socket Set
Model No. AK61806

Drop-forged Chrome Vanadium steel sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	12
Drive:	3/8"Sq
Sizes:	E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18, E20



D 14pc 1/4", 3/8" & 1/2" Sq Drive Deep TRX-Star* Socket Set
Model No. AK6114

Drop-forged Chrome Vanadium steel deep sockets. Heat treated and chrome plated for resistance to corrosion. Fully polished finish with knurled ring for extra grip with oily fingers. Supplied on socket rail.

Socket Quantity:	14
1/4"Sq Drive:	E4, E5, E6, E7, E8 x 50mm
3/8"Sq Drive:	E10, E11, E12, E14, E16 x 63mm
1/2"Sq Drive:	E18, E20, E22, E24 x 78mm



E 14pc 1/4", 3/8" & 1/2" Sq Drive Multi-Coloured TRX-Star* Socket Set
Model No. AK61800

Multi-coloured Chrome Vanadium steel sockets. Hardened and tempered with a fully polished finish for resistance to corrosion. Knurled ring for extra grip with oily fingers. Supplied with socket rail.


Socket Quantity:	14
1/4"Sq Drive:	E4, E5, E6, E7, E8
3/8"Sq Drive:	E10, E11, E12, E14
1/2"Sq Drive:	E16, E18, E20, E22, E24



F 16pc 3/8" Sq Drive TRX-Star* Socket & Spanner Set
Model No. AK61801

Manufactured from Chrome Vanadium steel with a fully polished finish for corrosion resistance. Four double end spanners and 12 3/8"Sq drive sockets covering TRX-Star* fixings E6-E24. Knurled ring on sockets for extra grip with oily fingers. Supplied in storage tray.

TRX-Star* Sockets 3/8"Sq Drive:	E6, E7, E8, E10, E11, E12, E14, E16, E18, E20, E22, E24
TRX-Star* Spanners:	E6 x E8, E10 x E12, E14 x E18, E20 x E24



A 9pc 1/2"Sq Drive TRX-Star* Female Socket Set
Model No. AK230

Chrome Vanadium steel sockets with 1/2"Sq drive. Heat treated and fully hardened with half chrome, half satin finish and knurled ring for extra grip. Supplied in a steel storage case.

Drive:	1/2"Sq
Contents:	E10, E11, E12, E14, E16, E18, E20, E22, E24



C 30pc 1/4", 3/8" & 1/2"Sq Drive TRX-Star* Socket & Bit Set
Model No. AK619

Drop-forged Chrome Vanadium steel sockets. Hardened, tempered and dual satin/chrome finish with knurled ring. Bits manufactured from S2 steel. Supplied in storage case.


Drive:	1/4", 3/8" & 1/2"Sq
Contents:	TRX-Star* Sockets; 1/4"Sq Drive - E4, E5, E6, E7, E8, 3/8"Sq Drive - E10, E11, E12, E14, 1/2"Sq Drive - E16, E18, E20, E22, E24, Male TRX-Star* Bits, Standard & Long; T20, T25, T30, T40, T45, T50, T55, Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex



E - F TRX-Star* T40 Bits - Packs of 5
Model No. SEE BELOW

Chrome Vanadium 6150 steel bits hardened to 52-53 HRC and tempered for extra strength.

Model No:	Size:	Length:	Pack Qty:
E TX40S5	T40	30mm	5
F TX40L5	T40	75mm	5



G - H 10mm Quick Release Bit Adaptors
Model No. SEE BELOW

Chrome Vanadium steel quick release adaptors. Suitable for use with 10mm hex drive bits. Insert bit firmly into holder to lock in position. Simply push the sleeve forward to release.

Model No:	Drive:
G AK2738	3/8"Sq (F) x 10mm Hex (F)
H AK2739	1/2"Sq (F) x 10mm Hex (F)



B 19pc 3/8"Sq Drive TRX-Star* Socket & Bit Set
Model No. AK6191

S2 Steel bits with 3/8"Sq drive to 8mm hex drive adaptor. Chrome Vanadium steel sockets, hardened and heat treated for strength. Dual satin/chrome finish with knurled ring for corrosion resistance and extra grip - even with oily fingers. Supplied in storage case.

Drive:	3/8"Sq
Contents:	3/8"Sq Drive TRX-Star* Sockets; E7, E8, E10, E11, E12, E14, E16, E18, E20, TRX-Star* Bits x 8mm Hex; T15, T20, T25, T27, T30, T40, T45, T50, T55, 3/8"Sq Drive x 8mm Hex Drive Adaptor



D 9pc 3/8" & 1/2"Sq Drive TRX-Star* Bit & Holder Set
Model No. AK6210

Forged Chrome Vanadium steel drive adaptors with spring-ball bit retention. S2 Steel TRX-Star* bits. Sockets heat treated and chrome plated for corrosion resistance. Supplied in steel storage case.

Drive:	3/8" & 1/2"Sq
Contents:	TRX-Star* Bits x 30mm; T20, T25, T30, T40, T45, T50, T55, Bit Adaptors; 3/8"Sq Drive x 10mm Hex, 1/2"Sq Drive x 10mm Hex





A 29pc 1/4" & 3/8" Sq Drive TRX-Star* Socket & Security Bit Set
Model No. AK6193

Drop-forged Chrome Vanadium steel sockets hardened, tempered and fully polished finish with knurled ring. Bits manufactured from S2 steel. Includes male and female TRX-Star* sockets, security TRX-Star* bits and 3/8" Sq drive bit adaptor. Supplied in storage case.

Drive:	1/4" & 3/8" Sq
Contents:	TRX-Star* Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E12, E14, E16, E18, E20, TRX-Star* Socket Bits; T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, Security TRX-Star* Bits; T10H, T15H, T20H, T25H, T27H, T30H, T40H, 3/8" Sq Drive x 1/4" Hex Drive Adaptor



B 38pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket & Security Socket Bit Set
Model No. AK6197

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished mirror finish with knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/4", 3/8" & 1/2" Sq
Contents:	TRX-Star* Socket Bits; 1/4" Sq Drive - T8, T10, T15, T20, T25, T27, T30, 3/8" Sq Drive - T40, T45, T47, T50, T55, 1/2" Sq Drive - T60, Security TRX-Star* Socket Bits; 1/4" Sq Drive - T7H, T8H, T9H, T10H, T15H, T20H, T25H, T30H, 3/8" Sq Drive - T40H, T45H, T50H, T55H, TRX-Star* Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E12, E14, E16, 1/2" Sq Drive - E18, E20, E22, E24



C 38pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Socket & Security Socket Bit Set - Black Series
Model No. AK6197B

Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits. Sockets heat treated and chrome plated for resistance to corrosion. Fully polished black chrome finish with machined and lacquered surface. Knurled ring to assist gripping with oily fingers. Supplied in storage case.

Drive:	1/4", 3/8" & 1/2" Sq
Contents:	TRX-Star* Socket Bits; 1/4" Sq Drive - T8, T10, T15, T20, T25, T27, T30, 3/8" Sq Drive - T40, T45, T47, T50, T55, 1/2" Sq Drive - T60, Security TRX-Star* Socket Bits; 1/4" Sq Drive - T7H, T8H, T9H, T10H, T15H, T20H, T25H, T30H, 3/8" Sq Drive - T40H, T45H, T50H, T55H, TRX-Star* Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E12, E14, E16, 1/2" Sq Drive - E18, E20, E22, E24
Minimum Length:	36mm
Maximum Length:	55mm



D 52pc 1/4", 3/8" & 1/2" Sq Drive TRX-Star* Master Socket Set
Model No. AK6199

Comprehensive range of Chrome Vanadium steel sockets with S2 steel TRX-Star* and TRX-Plus* bits. Zinc phosphate finish for resistance to corrosion. Supplied in storage case.

Drive:	1/4", 3/8" & 1/2" Sq
Contents:	TRX-Star* Socket Bits; 1/4" Sq Drive; T6, T8, T10, T15, T20, T25, T27, T30, 3/8" Sq Drive; T40, T45, T47, T50, T55, 1/2" Sq Drive; T60, T70, Security TRX-Star* Socket Bits; 1/4" Sq Drive - T8H, T10H, T15H, T20H, T25H, T27H, T30H, 3/8" Sq Drive - T40H, T45H, T50H, T55H, 1/2" Sq Drive - T60H, TRX-P* Socket Bits; 1/4" Sq Drive - TP8, TP10, TP15, TP20, TP25, TP27, TP30, 3/8" Sq Drive - TP40, TP45, TP50, TP55, 1/2" Sq Drive - TP60, TRX-Star* Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E12, E14, E16, 1/2" Sq Drive - E18, E20, E22, E24

A

3/8" & 1/2"
Sq. Drive

Premier

A 42pc 3/8" & 1/2" Sq Drive TRX-Star*/Hex/Spline Bit Set Model No. AK219

Chrome Vanadium 6150 steel bits hardened to 52-53 HRC and tempered for added strength. Set includes 3/8" and 1/2" Sq drive to 10mm hex Chrome Vanadium steel bit adaptors. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq
Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex

B

3/8" & 1/2"
Sq. Drive

Premier

B 56pc 3/8" & 1/2" Sq Drive Security TRX-Star*/Hex/Ribe/Spline Bit Set Model No. AK21956

Chrome Vanadium 6150 steel bits, each size in 30 and 75mm lengths. Set includes 3/8" and 1/2" Sq drive to 10mm hex Chrome Vanadium steel adaptors. Supplied in storage case with inclined trays for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq
Contents: Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits; M5, M6, M7, M8, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex

C



Premier

3/8" & 1/2"
Sq. Drive

C 74pc 3/8" & 1/2" Sq Drive TRX-Star*/Security TRX-Star*/Hex/Ribe/Spline Bit Set Model No. AK21974

Chrome Vanadium 6150 steel bits, each size in 30 and 75mm lengths. Hardened and tempered for added strength. Set includes 3/8" and 1/2" Sq drive to 10mm hex Chrome Vanadium steel bit adaptors. Supplied in storage case with inclined trays for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq
Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex

D

Premier
Platinum series

1/4", 3/8" & 1/2" Sq. Drive

D 177pc Specialised Bit & Socket Set with Tool Tray - Platinum Series Model No. TBTP07

Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T47, T50, T55, T60, T70 (1 each 30 & 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T47H, T50H, T55H, T60H, T70H (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12, 14, 17, 19mm (1 each 30 & 75mm), Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M13, M14, M16 (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12, M14, M16 (1 each 30 & 75mm), Quick Release Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex, TRX-Star* Sockets; 1/4" Sq Drive - E4, E5, E6, E7, E8, 3/8" Sq Drive - E10, E11, E12, E14, 1/2" Sq Drive - E16, E18, E20, E22, E24, TRX-Star* Socket Bits; 1/4" Drive - T8, T9, T10, T15, T20, T25, T27, T30, TRX-Star* Socket Bits; 3/8" Drive - T40, T45, T47, T50, T55, 1/2" Drive - T60, T70, Hex Socket Bits; 1/4" Drive - 3, 4, 5, 6, 7, 8mm, Hex Socket Bits; 3/8" Drive - 9, 10, 12, 14mm, 1/2" Drive - 17, 19mm, Driver Socket Bits; 1/4" Drive - Slotted; 3, 4, 4.5, 5, 5.5, 6, 6.5, 7mm, Phillips; #0, #1, #2, #3, Pozi; #0, #1, #2, #3, TRX-Star* Hex Keys; T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, Ball-End Hex; 1.27, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm

Tray Size (W x D x H): 530 x 397 x 55mm



A 42pc 3/8" & 1/2" Sq Drive TRX-Star*/Hex/Spline Bit Set Model No. AK21942P

High quality S2 steel bits with a zinc phosphate finish, each size in 30 and 75mm lengths. Hardened (58-62 HRC) and tempered for added strength. Includes 3/8" and 1/2" Sq drive to 10mm hex Chrome Vanadium steel bit adaptors. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq
Minimum/Maximum Length: 30/75mm
For detailed contents see www.sealey.co.uk.



C-D 3/8" & 1/2" Sq Drive Impact TRX-Star*/Hex/Spline Bit Sets Model No. SEE BELOW

High quality impact grade S2 steel satin finish bits. Heat treated CNC machined tips reduce stress and prevent cam-out under load. Torsion bits absorb impact and transfer maximum torque to the fixing. Hardened (58-62 HRC) and tempered for added strength. Colour-coded for fast identification. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive:	3/8" & 1/2" Sq
Model No:	Quantity:
C AK21901	42pc
Minimum/Maximum Length:	36/75mm
Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 36 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 36 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 36 & 75mm), Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex	
D AK21902	28pc
Length:	36mm
Contents: TRX-Star* Bits; T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, Hex Bits; 4, 5, 6, 7, 8, 10, 12mm, Spline Bits; M5, M6, M8, M10, M12, M14, M16, M18, Drive Adaptors; 3/8" Sq x 10mm Hex, 1/2" Sq x 10mm Hex	



B 74pc 3/8" & 1/2" Sq Drive TRX-Star*/ Security TRX-Star*/Hex/Ribe/Spline Bit Set Model No. AK21974P

High quality S2 steel bits with a zinc phosphate finish, each size in 30 and 75mm lengths. Hardened (58-62 HRC) and tempered for added strength. Includes 3/8" and 1/2" Sq drive to 10mm hex Chrome Vanadium steel bit adaptors. Supplied in storage case with inclined tray for quick and easy bit selection.

Drive: 3/8" & 1/2" Sq
Minimum/Maximum Length: 30/75mm
For detailed contents see www.sealey.co.uk.





A

3/8" & 1/2"
Sq. Drive


Siegen



A 40pc 3/8" & 1/2"Sq Drive TRX-Star*/Hex/Spline Bit Set Model No. S0982

Chrome Vanadium steel bits hardened and tempered for added strength. Set includes 3/8" and 1/2"Sq drive to 10mm hex Chrome Vanadium steel bit adaptors. Supplied in storage case.

Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, (1 each 30 & 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 & 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 & 75mm), Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex



A



B

MM


3/8"
Sq. Drive

Siegen

B 15pc 3/8"Sq Drive Hex Bit & Holder Set Model No. S0533

Chrome Vanadium steel, 3/8"Sq drive bit holder. Heat treated Chrome Vanadium steel bits. 10mm Hex shaft. Supplied in storage case.

Contents: Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 of each in 30 & 75mm lengths), 3/8"Sq Drive Bit Holder



C

3/8"
Sq. Drive

Siegen

C 15pc 3/8"Sq Drive TRX-Star* Bit & Holder Set Model No. S0532

Chrome Vanadium steel, 3/8"Sq drive bit holder. Heat treated Chrome Vanadium steel bits. 10mm Hex shaft. Supplied in storage case.

Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55 (1 of each in 30 & 75mm lengths), 3/8"Sq Drive Bit Holder



D

3/8"
Sq. Drive

Siegen

D 11pc 3/8"Sq Drive Spline Bit & Holder Set Model No. S0534

Chrome Vanadium steel, 3/8"Sq drive bit holder. Heat treated Chrome Vanadium steel bits. 10mm Hex shaft. Supplied in storage case.

Contents: Spline Bits; M5, M6, M8, M10, M12 (1 of each in 30 & 75mm lengths), 3/8"Sq Drive Bit Holder



E

3/8"
Sq. Drive

Siegen

E 15pc 3/8"Sq Drive Ribe Bit & Holder Set Model No. S0871

Chrome Vanadium steel, 3/8"Sq drive bit holder. Heat treated Chrome Vanadium steel bits. 10mm Hex shaft. Supplied in storage case.

Contents: Ribe Bits; M6, M7, M8, M10, M12, M13, M14 (1 of each in 30 & 75mm lengths), 3/8"Sq Drive Bit Holder



A 8pc 1/2"Sq Drive Hex Impact Socket Bit Set
Model No. **AK5601**

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	5, 6, 8, 10, 12, 14, 17, 19mm
Length:	78mm



C 8pc 1/2"Sq Drive Spline Impact Socket Bit Set
Model No. **AK5604**

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	M5, M6, M8, M10, M12, M14, M16, M18
Length:	78mm



E 8pc 3/8"Sq Drive TRX-Star* Impact Socket Bit Set
Model No. **AK5621**

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq Drive TRX-Star* impact socket bits with an additional locking 1/2"Sq Drive quick change adaptor. Supplied in an EVA storage tray.

Contents:	3/8"Sq Drive TRX-Star* Socket Bits; T30, T40, T45, T50, T55, T60, T70, 1/2"Sq Drive Quick Change Adaptor
------------------	--



B 8pc 1/2"Sq Drive TRX-Star* Impact Socket Bit Set
Model No. **AK5602**

Chrome Molybdenum steel impact sockets with 1/2"Sq drive. Phosphate finish for added corrosion resistance. Suitable for use with any impact tool. Supplied in storage case.

Drive:	1/2"Sq
Contents:	T30, T40, T45, T50, T55, T60, T70, T80
Length:	78mm



D 8pc 3/8"Sq Drive Hex Impact Socket Bit Set
Model No. **AK5620**

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq Drive impact hex socket bits with an additional locking 1/2"Sq Drive quick change adaptor. Supplied in an EVA storage tray.


Contents:	3/8"Sq Drive Hex Socket Bits; 5, 6, 8, 10, 12, 14, 17mm, 1/2"Sq Drive Quick Change Adaptor.
------------------	---



F 8pc 3/8"Sq Drive Spline Impact Socket Bit Set
Model No. **AK5622**

Manufactured from hardened and tempered Chrome Molybdenum steel with a manganese phosphate finish for resistance to corrosion. 3/8"Sq Drive impact spline socket bits with an additional locking 1/2"Sq Drive quick change adaptor. Supplied in an EVA storage tray.


Contents:	3/8"Sq Drive Sockets; M6, M8, M10, M12, M14, M16, M18, 1/2"Sq Drive Quick Change Adaptor
------------------	--



A 9pc 1/2"Sq Drive Impact Hex Bit & Holder Set
Model No. AK5609

1/2"Sq Drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive:	1/2"Sq
Length:	35mm
Contents:	1/2"Sq Drive Bit Holder, Impact Hex Bits; 6, 7, 8, 10, 12, 14, 17, 19mm.



C 9pc 1/2"Sq Drive Impact Spline Bit & Holder Set
Model No. AK5611

1/2"Sq Drive Chrome Molybdenum steel bit holder with S2 steel bits. Phosphate finish for corrosion resistance. Suitable for use with any impact tool. Supplied in storage tray.

Drive:	1/2"Sq
Length:	35mm
Contents:	1/2"Sq Drive Bit Holder, Impact Spline Bits; M6, M8, M9, M10, M12, M14, M16, M18



E 3pc Impact Socket Adaptor Set
Model No. AK5521

Manufactured from Chrome Vanadium steel with manganese phosphate finish for added resistance from corrosion. Turns any power drill into a power nut driver with added reach. Contains 1/4", 3/8" and 1/2"Sq drive adaptors.

Contents:	65mm 1/4"Hex x 1/4"Sq Drive, 65mm 1/4"Hex x 3/8"Sq Drive, 75mm 1/4"Hex x 1/2"Sq Drive
-----------	---



F 3pc Power Tool Socket Adaptor Set
Model No. AK4929

Manufactured from hardened and tempered Chrome Vanadium steel with 1/4" hexagon shanks. Ideal for use with all electric/air drills. Suitable for repetitive applications which require 1/4", 3/8" or 1/2"Sq drive sockets. Features spring-ball socket retention.

Contents:	65mm 1/4"Sq Drive, 65mm 3/8"Sq Drive, 75mm 1/2"Sq Drive
-----------	---



A - B HSS Fully Ground Drill Bit Sets

Model No. [SEE BELOW](#)

Fully ground HSS drill bits designed to reduce friction and heat. 135° Split point enables bits to bite workpiece to start drilling. Efficient clog-free swarf clearance. Ideal for use on high carbon steels, copper and plastics. Supplied in storage case.

Model No:	Description:
A AK47191	Ø1-10mm in 0.5mm increments, 19pc
B AK47251	Ø1-13mm in 0.5mm increments, 25pc



C - D HSS Fully Ground Drill Bit Sets

Model No. [SEE BELOW](#)

Manufactured to DIN 338. 135° Split point tip is self-centering, making for easier penetration. Efficient clog-free swarf clearance. Ideal for use on stainless steel and copper. Supplied in storage case.

Model No:	Description:
C AK4719	Ø1-10mm in 0.5mm increments, 19pc
D AK4725	Ø1-13mm in 0.5mm increments, 25pc



E - F HSS Tri-Point M2 Drill Bit Sets

Model No. [SEE BELOW](#)

Tri-point, self-centring tip allows for a quicker cut. Three flatted shank for improved chuck grip in sizes 5.5mm and above. Engineered design allows drilling on curved surfaces. Supplied in a plastic storage case with rubber corner protectors.

Model No:	Description:
E AK4705	Ø1-10mm in 0.5mm increments, 19pc
F AK4706	Ø1-13mm in 0.5mm increments, 25pc




G - H HSS Cobalt Fully Ground Drill Bit Sets

Model No. [SEE BELOW](#)

Fully ground HSS with 5% Cobalt makes these ideal for drilling extra hard materials. 135° Split point tip enables bits to bite workpiece quickly, reducing the need for centre mark. Drills can be resharpened without affecting their performance. Supplied in metal storage case.


Model No:	Description:
G AK4701	Ø1-10mm in 0.5mm increments, 19pc
H AK4702	Ø1-13mm in 0.5mm increments, 25pc



A 33pc Security Bit & Magnetic Adaptor Set Model No. AK614

Chrome Vanadium steel bits. Includes popular security fixing bits and supplied with magnetic bit holder and rubber case.


Contents: Security TRX-Star*; T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H, Imperial Security Hex; 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", Metric Security Hex; 2, 2.5, 3, 4, 5, 6mm, Spanner; 4, 6, 8, 10mm, Torq; 6, 8, 10mm, Tri-Wing; #1, #2, #3, #4, Magnetic Bit Holder



B 33pc Bit & Magnetic Adaptor Set Model No. AK110

Chrome Vanadium steel driver and bit set. Includes magnetic bit holder with 1/4"Hex shank. Suitable for use with power tools and supplied in rubber storage case.

Contents: Slotted; 3, 4, 5, 6, 7mm, Phillips; #0, #1 (x2), #2 (x3), #3 (x2), Pozi; #1 (x2), #2 (x3), #3 (x2), TRX-Star*; T10, T15, T20, T25, T30, T40, Hex; 2, 2.5, 3, 4, 5, 6mm, Magnetic Drive Adaptor



C 32pc Power Tool Bit Set Model No. AK112

Manufactured from hardened and tempered Chrome Vanadium steel. Popular range of 75mm extra-long bits. Supplied in storage case.

Contents: Slotted; 4, 5, 6, 7mm, Phillips; #1, #2 (x3), #3 (x2), Pozi; #1 (x2), #2 (x4), #3 (x3), TRX-Star*; T10, T15, T20, T25, T27, T30, T40, Hex; 2, 2.5, 3, 4, 5, 6mm



D 62pc Power Tool/Security Bit Set Model No. AK2108

One of the most comprehensive driver and security bit sets available. High quality Chrome Vanadium steel bits. Includes automatic quick release chuck. Suitable for a wide variety of applications. Supplied in storage case.


Contents: Bits; Slotted Driver (x9), Phillips Screwdriver (x5), Pozi Screwdriver (x5), TRX-Star* (x9), Security TRX-Star* (x9), Security Hex - Metric (x6), Butterfly (x3), Spanner (x4), Spline (x3), Torq (x3), Tri-Wing (x4), Automatic Quick Release Bit Holder, 1/4"Sq Drive Socket Adaptor (x2)



E 100pc Power Tool/Security Bit Set Model No. AK2100

One of the most comprehensive driver and security bit sets available. High quality Chrome Vanadium steel bits. Suitable for a wide variety of applications. Supplied in storage case.

Contents: Bits; Slotted Screwdriver (x9), Phillips Screwdriver (x8), Pozi Screwdriver (x8), TRX-Star* (x9), Security TRX-Star* (x9), Hex - Metric (x9), Hex - Imperial (x9), Security Hex - Metric (x6), Security Hex - Imperial (x6), Butterfly (x3), Spanner (x4), Spline (x3), Square (x4), Torq (x3), Tri-Wing (x4), Special Hook Bit, Magnetic Extension/Bit Holder, 1/4"Sq Drive Extension, 1/4"Sq Drive Socket Adaptor (x2)



F 99pc Long & Short Power Tool/Security Bit Set Model No. AK2099

Comprehensive set of Chrome Vanadium steel driver and security bits. Set includes 1/4"Sq x 1/4"Hex male and female adaptors and 50mm magnetic extension/bit holder. Suitable for a wide variety of applications. Supplied in storage case for quick and easy bit selection.

Contents: Short Bits; Slotted Screwdriver (x9), Phillips Screwdriver (x5), Pozi Screwdriver (x5), TRX-Star* (x9), Security TRX-Star* (x9), Hex (x9), Security Hex (x12), Butterfly (x3), Square (x4), Spanner (x4), Spline (x3), Torq (x3), Tri-Wing (x4), Long Bits; Security TRX-Star* (x3), Security Hex (x3), Spanner (x4), Torq (x3), Tri-Wing (x4), 1/4"Sq x 1/4"Hex Male Adaptor, 1/4"Sq x 1/4"Hex Female Adaptor, 60mm Magnetic Extension/Bit Holder



A 32pc Colour-Coded S2 Power Tool Bit Set
Model No. S01035

Manufactured from S2 steel. Popular range of bits suitable for general workshop use. Colour-coded for guaranteed fast identification and includes automatic quick release chuck. Supplied in storage case with belt/hanging clip.

Contents: Slotted; 3, 4, 5, 6, Phillips; #1, #2 (x2), #3, Pozi; #1, #2 (x2), #3, TRX-Star*; T10, T15, T20, T25, T27, T30, T40, Security TRX-Star*; T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex; 3, 4, 5, 6, 1/4"Sq Drive Adaptor, 65mm Quick Release Bit Holder



B 31pc 1/4\"Sq Drive Socket & Colour-Coded Bit Set
Model No. S01036

Manufactured from Chrome Vanadium steel. Features a popular range of sockets and bits suitable for general workshop use. Sockets are hardened and tempered with a fully polished finish for resistance to corrosion. S2 Colour-coded bits for guaranteed fast identification. Includes 1/4"Sq drive ratchet, extension bar and bit adaptor. Supplied in storage case.

Contents: Bits; Slotted - 4, 5, 6, Phillips - #1, #2, #3, Pozi - #1, #2, #3, TRX-Star* - T10, T15, T20, T25, T27, T30, Hex - 4, 5, 6, 1/4"Sq Drive Sockets; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm, 50mm Extension Bar, 1/4"Sq Drive Ratchet Wrench, Bit Adaptor



C 62pc Colour-Coded S2 Power Tool Bit Set
Model No. S01037

Manufactured from S2 steel. Popular range of bits suitable for general workshop use. Colour-coded for guaranteed fast identification. Includes automatic quick release chuck and 60mm magnetic bit holder. Supplied in storage case.

Contents: 25mm Bits; Slotted - 4mm (x2), 5mm (x2), 6mm (x2), Phillips - #1 (x3), #2 (x6), #3 (x3), Pozi - #1 (x3), #2 (x6), #3 (x3), TRX-Star* - T10 (x2), T15 (x2), T20 (x2), T25 (x2), T27 (x2), T30 (x2), T40 (x2), Security TRX-Star* - T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex - 4mm (x3), 5mm (x3), 6mm (x3), 60mm Magnetic Bit Holder, 65mm Quick Release Bit Holder



D 71pc Colour-Coded S2 Power Tool Bit Set
Model No. S01038

Manufactured from S2 steel. Popular range of 25mm and 75mm bits suitable for general workshop use. 75mm Bits feature no shoulder for easier access to recessed fixings. Colour-coded for guaranteed fast identification. Includes automatic quick release chuck and 60mm magnetic bit holder. Supplied in storage case.

Contents: 25mm Bits; Slotted - 4mm (x2), 5mm (x2), 6mm (x2), Phillips - #1 (x3), #2 (x6), #3 (x3), Pozi - #1 (x3), #2 (x6), #3 (x3), TRX-Star* - T10 (x2), T15 (x2), T20 (x2), T25 (x2), T27 (x2), T30 (x2), T40 (x2), Security TRX-Star* - T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex - 4mm (x3), 5mm (x3), 6mm (x3), 75mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, #3, Pozi - #1, #2, Security TRX-Star* - T20H, T25H, 60mm Magnetic Bit Holder, 65mm Quick Release Bit Holder



E 100pc Power Tool/Security Bit Set
Model No. S0473

Comprehensive driver, security and tamper-proof bit set. Chrome Vanadium steel bits. Suitable for a wide variety of applications. Supplied in storage case.

Contents: Bits; Slotted Screwdriver (x9), Phillips Screwdriver (x8), Pozi Screwdriver (x8), TRX-Star* (x9), Security TRX-Star* (x9), Hex - Metric (x9), Hex - Imperial (x9), Security Hex - Metric (x6), Security Hex - Imperial (x6), Butterfly (x3), Spanner (x4), Spline (x3), Square (x4), Torq (x3), Tri-Wing (x4), Special Hook Bit, Magnetic Extension/Bit Holder, 1/4"Sq Drive Extension, 1/4"Sq Drive Socket Adaptor (x2)



F 113pc Power Tool Bit Set
Model No. S0934

Manufactured from hardened and tempered Chrome Vanadium steel. Popular range of 25mm and 90mm bits for the professional user. Includes magnetic bit holder and screw finder. Suitable for a wide variety of applications. Supplied in storage case.


Contents: 25mm Bits; Slotted - 3mm (x4), 4mm (x5), 6mm (x5), Phillips - #0 (x2), #1 (x4), #2 (x9), #3 (x6), Pozi - #0 (x2), #1 (x4), #2 (x9), #3 (x6), TRX-Star* - T10 (x2), T15 (x2), T20 (x2), T25 (x2), T27 (x2), T30 (x2), T40 (x2), Security TRX-Star* - T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex - 3mm (x3), 4mm (x4), 5mm (x4), 6mm (x4), 7mm (x3), 8mm (x3), 90mm Bits; Slotted - 4, 6mm, Phillips - #1, #2, #3, Pozi - #1, #2, #3, TRX-Star* - T20, T25, T27, T30, T40, 1/4"Sq Drive 60mm Bit Adaptor, 120mm Screw Finder



A - D Power Tool Bits with Magnetic Holders
Packs of 5
Model No. [SEE BELOW](#)

Forged from high quality S2 steel. Colour-coded for fast identification. Fitted with magnetic screw holder.

Model No:	Type:	Length:	Pack Quantity:
A AK210520	Phillips #2	25mm	5
B AK210522	Phillips #2	50mm	5
C AK210521	Pozi #2	25mm	5
D AK210523	Pozi #2	50mm	5



E - V Power Tool Bits - Packs of 3
Model No. [SEE BELOW](#)

Forged from high quality S2 steel. Colour-coded for fast identification.

Model No:	Type:	Length:	Pack Quantity:
E AK210501	Phillips #1	25mm	3
F AK210502	Phillips #2	25mm	3
G AK210503	Phillips #3	25mm	3
H AK210504	Pozi #1	25mm	3
I AK210505	Pozi #2	25mm	3
J AK210506	Pozi #3	25mm	3
K AK210507	Slotted 4mm	25mm	3
L AK210508	Slotted 5mm	25mm	3
M AK210509	Slotted 6mm	25mm	3
N AK210510	Phillips #1	75mm	3
O AK210511	Phillips #2	75mm	3
P AK210512	Phillips #3	75mm	3
Q AK210513	Pozi #1	75mm	3
R AK210514	Pozi #2	75mm	3
S AK210515	Pozi #3	75mm	3
T AK210516	Slotted 4mm	75mm	3
U AK210517	Slotted 5mm	75mm	3
V AK210518	Slotted 6mm	75mm	3



W 36 Bit Capacity
Magnetic Bit Holder
Model No. [BH36](#)

Storage for 1/4"Hex drive bits. Composite holder with strong magnetic base helps maintain a tidy workstation. Ideal for tool chests or any ferrous surface. Holds up to 36 bits.



X 42 Bit Capacity
Magnetic Bit Holder
Model No. [BH42](#)

Storage for 10mm hex drive bits. Composite holder with strong magnetic base helps maintain a tidy workstation. Ideal for tool chests or any ferrous surface. Holds up to 42 bits.



A Quick Chuck Bit Holder
Model No. AK4925

Chrome Vanadium steel quick release adaptor suitable for use with 1/4"Hex drive bits. Simply pull the colour sleeve to release bit.

Drive: 1/4"Hex(M) - 1/4"Hex(F)



B Magnetic Bit Holder
Model No. AK4927

Chrome Vanadium steel quick release adaptor suitable for use with 1/4"Hex drive bits. Push the colour sleeve forward to magnetize and retain fixing. Pull back to release bit.

Drive: 1/4"Hex(M) - 1/4"Hex(F)



C 300mm Magnetic Bit Holder
Model No. AK49252

Chrome Vanadium steel quick release adaptor suitable for use with 1/4"Hex drive bits. Simply push the colour sleeve to release bit. Features 265mm extended shaft, ideal for use in hard-to-reach areas.

Drive: 1/4"Hex(M) - 1/4"Hex(F)
Length: 300mm



D 1/4"Hex Stainless Steel Micro Ratchet Bit Driver
Model No. AK6962

Manufactured from high quality stainless steel with a fully polished satin finish. 72-Tooth, ultra-smooth ratchet with slide reverse. Additional drive at the base of handle. Ideal for limited access applications.

Drive: 1/4"Hex Bit
Ratchet: 72-Tooth
Length: 85mm



E 1/4"Hex Stainless Steel Micro Ratchet Bit Driver
Model No. AK6961

Manufactured from high quality stainless steel with a fully polished satin finish. 72-Tooth, ultra-smooth ratchet with slide reverse. Ideal for limited access applications.

Drive: 1/4"Hex Bit
Ratchet: 72-Tooth
Length: 100mm



F 2pc Quick Chuck Bit Holder Set
Model No. S0867

Two piece set in 60 and 150mm lengths suitable for use with 1/4"Hex drive bits. Simply pull the sleeve to release bit.

Drive: 1/4"Hex(M) - 1/4"Hex(F)
Lengths: 60, 150mm



G 1/4"Hex x 5/16"Hex Reversible Ratchet Spanner with 1/4"Sq Drive Adaptor
Model No. AK6967

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Double end ratchet spanner combining 1/4" and 5/16"Hex drives. Includes 5/16"Hex x 1/4"Sq Drive adaptor. The heads are fitted with a knurled ring to allow rapid tightening/loosening of fixings. Ultra-smooth 72-tooth ratchet action with flip reverse. Ideal for limited access applications.

Contents: 1/4"Hex x 5/16"Hex, 1/4"Sq Drive Adaptor
Ratchet: 72-Tooth



H 1/4"Hex x 10mm Hex Reversible Ratchet Spanner
Model No. AK6968

Manufactured from hardened and tempered Chrome Vanadium steel with a fully polished mirror finish. Double end ratchet spanner combining 1/4"Hex and 10mm Hex drives. The heads are fitted with a knurled ring to allow rapid tightening/loosening of fixings. Ultra-smooth 72-tooth ratchet action with flip reverse. Ideal for limited access applications.

Drive: 1/4"Hex x 10mm Hex
Ratchet: 72-Tooth



I 3/8"Sq Drive 10mm Quick Release Bit Adaptor
Model No. AK2738

Chrome Vanadium steel quick release adaptor. Suitable for use with 10mm hex drive bits. Insert bit firmly into holder to lock in position. Simply push the sleeve forward to release.


Drive: 3/8"Sq(F) x 10mm Hex(F)



J 1/2"Sq Drive 10mm Quick Release Bit Adaptor
Model No. AK2739

Chrome Vanadium steel quick release adaptor. Suitable for use with 10mm hex drive bits. Insert bit firmly into holder to lock in position. Simply push the sleeve forward to release.

Drive: 1/2"Sq(F) x 10mm Hex(F)



A - B Side Cutters - VDE Approved
Model No. **SEE BELOW**

VDE Approved side cutters manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

	A	B
Model No:	AK83458	AK83459
Type:	Side Cutters	Side Cutters
Length:	160mm	180mm

C - F Pliers - VDE Approved
Model No. **SEE BELOW**

VDE Approved pliers manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Ideal for technicians working on modern hybrid and electrical vehicles. Finely ground polished heads. Serrated jaws and induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

	C	D	E	F
Model No:	AK83454	AK83455	AK83456	AK83457
Type :	Combination	Combination	Long Nose	Long Nose
Length:	180mm	200mm	160mm	200mm



G 3pc Pliers Set - VDE Approved
Model No. **AK83452**

VDE Approved pliers with induction-hardened cutting edges in a polished finish. Supplied with soft grip handles for comfort and control. Cutting capacities according to DIN 5236/ISO 5748 and DIN 5238/ISO 5749. Combination pliers meet DIN 5244/ISO 5746 standards.

Contents:	Length/Cutting Capacity:
Long Nose Pliers	210mm/Ø1.8mm
Combination Pliers	180mm/Ø2mm
Side Cutters	160mm/Ø2mm



LIFETIME
GUARANTEE*

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



A 4pc Screwdriver Set
VDE Approved
Model No. S01155

Chrome Vanadium shafts with magnetic and corrosion resistant precision tips. Insulated and VDE approved for use up to 1000V AC and 1500V DC. Contoured handles with soft rubber grip for comfort and control.

Contents: Slotted; 5.5 x 125mm, Phillips; #1 x 80, #2 x 100mm, Mains Tester; 3 x 140mm



C 7pc Screwdriver Set - VDE Approved
Model No. AK6125

High quality S2 steel shafts with magnetic and corrosion resistant tips. Fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V. Contoured, textured handles with non-slip comfort grip and hanging holes.

Contents: Slotted; 3 x 75, 4 x 100, 5.5 x 125, 6.5 x 150mm, Phillips; #0 x 75, #1 x 80, #3 x 100mm



E 6pc Electrical VDE Tool Set
Model No. S01218

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working).

Contents: Screwdrivers; Slotted - 5.5 x 125mm, Phillips - #0 x 75mm, #2 x 100mm, 175mm Combination Pliers, 150mm Side Cutters, 200mm Long Nose Pliers



F 11pc Electrical VDE Tool Set
Model No. S01219

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working).

Contents: Screwdrivers: Slotted - 3 x 75mm, 4 x 100mm, 5.5 x 125mm, 6.5 x 150mm, Phillips - #0 x 75mm, #1 x 80mm, #2 x 100mm, 175mm Combination Pliers, 150mm Side Cutters, 200mm Long Nose Pliers, Voltage Tester



A 7pc Insulated Open-End Spanner Set VDE Approved Model No. AK63171

Manufactured from hardened and tempered Chrome Vanadium steel. Each spanner is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Covers sizes from 8 to 19mm. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.


Contents: 8, 10, 12, 13, 14, 17, 19mm



B 18pc Insulated Open-End Spanner Set - VDE Approved Model No. AK63172

Manufactured from hardened and tempered Chrome Vanadium steel. Each spanner is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Covers sizes from 7 to 24mm. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm



C 13pc Interchangeable Screwdriver Set VDE Approved Model No. AK6128

Hardened and tempered Chrome Vanadium steel shafts. Magnetized tips with a phosphate finish for resistance to corrosion. Impact resistant handle with a contoured, comfortable grip and twist release mechanism. Interchangeable blades lock securely within the handle. Insulated and VDE approved for use up to 1000V AC and 1500V DC. Includes mains tester. Supplied in storage case.

Contents: Slotted; 3 x 100, 4 x 100, 5.5 x 100, 6.5 x 100mm, Phillips; #1 x 80, #2 x 100mm, Pozzi; #1 x 80, #2 x 100, TRX-Star*; T10 x 100, T15 x 100, T20 x 100, Mains Tester, Driver Handle



D 6pc Extra-Long Hex Key Set VDE Approved Model No. AK7177

Manufactured from heat treated and hardened S2 steel with a chemically blackened finish for resistance to corrosion. Keys range in length from 135mm to 215mm and in size from 2.5mm to 8mm. Fitted with PP/TPR handles, fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: 2.5, 3, 4, 5, 6, 8mm



E 9pc Extra-Long TRX-Star* Key Set VDE Approved Model No. AK7178

Manufactured from heat treated and hardened S2 steel with a chemically blackened finish for resistance to corrosion. Keys range in length from 135mm to 215mm and in size from T10 to T50. Fitted with PP/TPR handles, keys are fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1000V AC and 1500V DC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

A - B Insulated Socket Sets - VDE Approved
Model No. SEE BELOW

Hardened and tempered Chrome Vanadium steel sockets and accessories. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Sets include flip reverse comfort grip ratchet wrench with push-button quick release and an extension bar. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

A Model No: **AK7942**
Drive: 3/8" Sq

Contents: Sockets; 8, 10, 12, 13, 14, 17, 19mm, Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, 100mm Extension Bar

B Model No: **AK7943**
Drive: 1/2" Sq

Contents: Sockets; 10, 12, 13, 14, 17, 19, 22, 24mm, Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, 125mm Extension Bar



A

8-19mm



3/8" Sq. Drive

MM



Premier



B

NEW

10-24mm



1/2" Sq. Drive

MM



Premier



C

8-22mm



3/8" Sq. Drive

MM



Premier

D

10-32mm



1/2" Sq. Drive

MM



Premier

C - D Insulated Socket Sets - VDE Approved
Model No. SEE BELOW



Hardened and tempered Chrome Vanadium steel sockets and accessories. Chrome plated for resistance to corrosion. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Model No. AK7940 covers sizes from 8 to 22mm and Model No. AK7941 covers sizes from 10 to 32mm. Features 45-tooth flip reverse comfort grip ratchet wrench with push-button quick release, hex socket bits, locking extension bars and locking T-bar. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

C Model No: **AK7940**
Drive: 3/8" Sq

Contents: Sockets; 8, 10, 12, 13, 14, 17, 19, 22mm, 45-Tooth Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, Socket Bits (50mm); 4, 5, 6, 8mm, Locking Extension Bars; 150, 250mm, 200mm Locking T-Bar

D Model No: **AK7941**
Drive: 1/2" Sq

Contents: Sockets; 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32mm, 45-Tooth Flip Reverse Comfort Grip Ratchet Wrench with Push-Button Quick Release, Socket Bits (100mm); 4, 5, 6, 8, 10mm, Locking Extension Bars; 150, 250mm, 200mm Locking T-Bar



A - B Insulated Tool Kits - VDE Approved Model No. SEE BELOW

Hardened and tempered Chrome Vanadium steel sockets and accessories. Chrome plated for resistance to corrosion. Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Features 45-tooth flip reverse comfort grip ratchet wrench with push-button quick release, sockets, socket bits, extension bars, T-bar, open-end wrenches, pliers, cable knife, voltage tester, nut drivers, screwdrivers and hex keys. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.



A 50pc 3/8" Sq Drive 1000V Insulated Tool Kit Model No. AK7938

Drive: 3/8" Sq Drive
Contents: 3/8" Sq. Drive Sockets; 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22mm, Ratchet Wrench, Extension Bars; 100, 200mm, Socket Bits; 4, 5, 6, 7, 8mm, T-Handle, Cable Knife, Voltage Tester, 150mm Diagonal Pliers, 175mm Combination Pliers, 200mm Long Nose Pliers, 250mm Water Pump Pliers, Open-End Wrenches; 8, 10, 12, 13, 14, 17, 19mm, Nut Drivers; 6 x 125, 7 x 125, 8 x 125, 10 x 125, 13 x 125mm, Screwdrivers; Slotted - 3 x 75, 5.5 x 125, 6.5 x 150, Phillips - #0 x 75, #1 x 100, #2 x 100mm, Hex Keys; 2.5, 3, 4, 5, 6, 8mm

B 49pc 1/2" Sq Drive 1000V Insulated Tool Kit Model No. AK7939

Drive: 1/2" Sq Drive
Contents: 1/2" Sq. Drive Sockets; 10, 12, 13, 14, 16, 17, 18, 19, 22, 24mm, Ratchet Wrench, Extension bars; 125, 250mm, Socket Bits; 5, 6, 7, 8, 10mm, T-Handle, Cable Knife, Voltage Tester, 150mm Diagonal Pliers, 175mm Combination Pliers, 200mm Long Nose Pliers, 250mm Water Pump Pliers, Open-End Wrenches; 8, 10, 12, 13, 14, 17, 19mm, Nut Drivers; 6 x 125, 7 x 125, 8 x 125, 10 x 125, 13 x 125mm, Screwdrivers; Slotted - 3 x 75, 5.5 x 125, 6.5 x 150, Phillips - #0 x 75, #1 x 100, #2 x 100mm, Hex Keys; 2.5, 3, 4, 5, 6, 8mm





A 19pc Hybrid & Electric Vehicle Battery Tool Kit
Model No. AK7911

Hardened and tempered Chrome Vanadium steel sockets, ratchet wrench, spanners and accessories. Chrome plated for resistance to corrosion. Sockets, ratchet wrench, spanners and bit holder fully insulated to IEC 60900 and category C standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for use on hybrid and electric vehicles.

Contents: 1/4"Sq Drive Ratchet Wrench, Sockets; 8, 10, 13mm, Spanners; 8, 10, 13mm, Bit Adaptor, Bits; Phillips; #1, #2, Hex; 4, 5, 6mm, TRX-Star*; T10, T15, T20, T25, T30, T40



C 27pc Insulated Tool Kit - VDE Approved
Model No. AK7945

Manufactured from hardened and tempered Chrome Vanadium steel. Each tool is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.


Contents: 3/8"Sq Drive Sockets; 7, 8, 10, 12, 13, 14, 17, 19, 22mm, 3/8"Sq Drive Reversible Ratchet, 3/8"Sq Drive 100mm Extension Bar, 3/8"Sq Drive T-Handle, Open-End Spanners; 7, 8, 10, 12, 13, 14, 17, 19mm, Screwdrivers; Slotted - 4 x 100, 5.5 x 125mm, Phillips - #1 x 100, #2 x 100mm, Pliers; 200mm Combination, 160mm Diagonal Side Cutters, Cable Knife



B Insulated Torque Wrenches
Model No. SEE BELOW

Chrome Vanadium steel reversible 60-tooth ratchet head. Impact resistant polycarbonate tubing combined with injection moulded nylon thermoplastic for total insulation. Torques in both directions. Calibration tolerance in accordance with BS EN ISO 6789:2017. Accuracy of $\pm 1\%$ at 21°C. Easy-to-read dual scale graduated in both Nm and lb.ft. Cold and heat resistant – minus 40°C to 70°C. Fully insulated to BS EN IEC 60900:2018 to protect from electric shocks up to 1500V DC and 1000V AC. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Includes test and calibration certificate.

Model No:	Drive:	Length:	Range:
STW803	3/8"Sq	350mm	12-60Nm(9-44ft.lb)
STW804	1/2"Sq	350mm	12-60Nm(9-44ft.lb)
STW805	3/8"Sq	285mm	5-25Nm(4-18ft.lb)



D 29pc Insulated Tool Kit
Model No. AK7910

Hardened and tempered Chrome Vanadium steel sockets and accessories. Chrome plated for resistance to corrosion. Each component is fully insulated to IEC 60900 and Category C standards to protect from electric shocks up to 1500V DC and 1000V AC. 1/2" Sq Drive reversible ratchet, sockets, extensions, spanners, hex socket bits, screwdrivers, pliers, cable knife. Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working). Also suitable for electricians and other trades (1000V AC safe live working). Supplied in storage case.

Contents: 1/2"Sq Drive Ratchet Wrench, 1/2"Sq Drive Sockets; 10, 11, 12, 13, 14, 17 & 19mm, 1/2"Sq Drive Extensions; 125, 200mm, 1/2"Sq Drive Hex Socket Bits; 5, 6mm, Spanners; 10, 11, 12, 13, 14, 17, 19mm, Screwdrivers; Terminal 3 x 75mm, Slotted 4 x 75, 5 x 150, 8 x 150mm, Phillips #1 x 75, #2 x 100mm, 200mm Combination Pliers, 200mm Long Nose Pliers, 150mm Diagonal Cutting Pliers, Cable Knife

Non-Sparking Spanners

Model No. **SEE BELOW**

The Sealey range of Non-Sparking safety tools are intended for use in potentially explosive environments where accidental sparks can be created if regular steel tools are used. The risk of fire or possible explosion is caused by the presence of combustible or flammable vapours and liquids. Non-Sparking tools are essential in a wide range of industries such as oil and gas, petro-chemical plants, mining, marine, the armed forces or any other similar location where these risks are present. Manufactured from Beryllium Copper, heat treated and hardened to 30-39HRC and with a maximum working torque of 1117Nm. Special care and attention should be taken when maintaining Non-Sparking tools. Keep clean and free from ferrous and other contaminants which may impede the spark resistant properties of the tool.

A

NEW



MM

WALLDRIVE®

8-32mm

Premier

A

13pc Combination Spanner Set - Non-Sparking

Model No. **NS001**

Contents:	8, 10, 12, 13, 14, 16, 17, 19, 22, 24, 27, 30, 32mm
Minimum Length:	120mm
Maximum Length:	340mm

B

NEW



MM

5.5-32mm

Premier

B

13pc Double Open-End Spanner Set - Non-Sparking

Model No. **NS015**

Contents:	5.5 x 7, 6 x 7, 8 x 10, 9 x 11, 10 x 12, 12 x 14, 14 x 17, 17 x 19, 19 x 22, 22 x 24, 24 x 27, 27 x 30, 30 x 32mm
-----------	---

D

NEW



WALLDRIVE®

5.5-32mm

MM

Premier

D

13pc Combination Spanner Set Non-Sparking

Model No. **NS016**

Contents:	5.5 x 7, 6 x 7, 8 x 10, 9 x 11, 10 x 12, 12 x 14, 14 x 17, 17 x 19, 19 x 22, 22 x 24, 24 x 27, 27 x 30, 30 x 32mm
Minimum Length:	90mm
Maximum Length:	385mm



C

NEW



MM

12pt

WALLDRIVE®

Premier

C Combination Spanners Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Open-end and 12-point WallDrive® ring combination. Supplied in storage pouch.

Model No:	Size:	Length:
NS002	8mm	120mm
NS003	10mm	140mm
NS004	12mm	155mm
NS005	13mm	175mm
NS006	14mm	175mm
NS007	16mm	200mm
NS008	17mm	200mm
NS009	19mm	220mm
NS010	22mm	245mm
NS011	24mm	265mm
NS012	27mm	290mm
NS013	30mm	320mm
NS014	32mm	340mm



A Ring End Slogging Spanners - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Short profile handle with heavy-duty striking end. Used with a non-sparking hammer to tighten/loosen large nuts or bolts.

Model No:	Size:	Length:
NS028	22mm	155mm
NS029	24mm	165mm
NS030	27mm	175mm
NS031	30mm	185mm
NS032	32mm	185mm
NS033	36mm	205mm
NS034	41mm	225mm
NS035	46mm	235mm
NS036	50mm	250mm
NS037	55mm	265mm
NS038	60mm	275mm



D 1/2"Sq Drive WallDrive® Sockets
Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. WallDrive® socket configuration.

Model No:	Size:	Drive:
NS041	8mm	1/2"Sq
NS042	9mm	1/2"Sq
NS043	10mm	1/2"Sq
NS044	11mm	1/2"Sq
NS045	12mm	1/2"Sq
NS046	13mm	1/2"Sq
NS047	14mm	1/2"Sq
NS048	15mm	1/2"Sq
NS049	16mm	1/2"Sq
NS050	17mm	1/2"Sq
NS051	18mm	1/2"Sq
NS052	19mm	1/2"Sq
NS053	20mm	1/2"Sq
NS054	21mm	1/2"Sq
NS055	22mm	1/2"Sq
NS056	23mm	1/2"Sq
NS057	24mm	1/2"Sq
NS058	26mm	1/2"Sq
NS059	27mm	1/2"Sq
NS060	28mm	1/2"Sq
NS061	30mm	1/2"Sq
NS062	32mm	1/2"Sq



B Open-End Slogging Spanners - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Short profile handle with heavy-duty striking end. Used with a non-sparking hammer to tighten/loosen large nuts or bolts.

Model No:	Size:	Length:
NS017	22mm	130mm
NS018	24mm	150mm
NS019	27mm	180mm
NS020	30mm	190mm
NS021	32mm	190mm
NS022	36mm	210mm
NS023	41mm	230mm
NS024	46mm	250mm
NS025	50mm	270mm
NS026	55mm	310mm
NS027	60mm	320mm



E 1/2"Sq Drive Extension Bars - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Spring-ball socket retainer.

Model No:	Size:	Drive:
NS063	125mm	1/2"Sq
NS064	250mm	1/2"Sq



C 1/2"Sq Drive Ratchet Wrench - Non-Sparking
Model No. **NS040**

Manufactured from Beryllium Copper. Die forged. Twist-Reverse mechanism with knurled handle for added grip and control.


Drive:	1/2"Sq
Length:	245mm



F 1/2"Sq Drive Speed Brace - Non-Sparking
Model No. **NS065**

Manufactured from Beryllium Copper. Precision cast. 360° Handle with deep knurling to allow extra grip when spinning off fixings.


Drive:	1/2"Sq
Length:	400mm



G 32pc 1/2"Sq Drive Socket Set - Non-Sparking
Model No. **NS039**

Die forged Beryllium Copper. 8-32mm Socket set. Includes 1/2"Sq drive ratchet wrench, spark plug socket, extension bars, sliding T-bar, universal joint, offset handle and slotted socket bit accessories. Supplied in storage case.

Contents:	Standard Sockets; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm, Spark Plug Socket; 13/16", Extension Bars; 125, 250mm, 1/2"Sq Drive Ratchet Wrench, Universal Joint, Offset Handle, Speed Brace, Sliding T-Handle, Slotted Screwdriver Socket
-----------	---



A 17pc 1/2"Sq Drive Socket Set - Non-Sparking
Model No. **NS124**

Die forged Beryllium Copper. 10-32mm Socket set. Includes 1/2"Sq drive ratchet wrench, extension bars, speed brace and sliding T-bar. Supplied in storage case.

Drive:	1/2"Sq
Contents:	Standard Sockets; 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32mm, Extension Bars; 125, 250mm, 1/2"Sq Drive Ratchet Wrench, Speed Brace, Sliding T-Handle

BERYLLIUM COPPER

Beryllium copper is non-sparking but physically tough and non-magnetic, meeting the requirements of ATEX directive for Zones 0, 1 and 2. Beryllium copper hand tools are ideal for use in environments at risk of explosive hazards, such as oil rigs, coal mines, and grain elevators.

Beryllium copper is resistant to non-oxidizing acids such as hydrochloric acid and carbonic acid, to plastic decomposition products, abrasive wear, and to galling. It can be heat-treated for increased strength, durability, and electrical conductivity.

D 240 x 418 x 990mm
Square Shovel - Non-Sparking
Model No. **NS106**

Manufactured from cold rolled Beryllium Copper. Hardwood shaft with Wide D handle.

Length:	990mm
Shaft Type:	Hardwood
Head Dimensions:	240mm x 418mm



E 240 x 420 x 990mm
Round Point Shovel - Non-Sparking
Model No. **NS107**

Manufactured from cold rolled Beryllium Copper. Hardwood shaft with Wide D handle.

Length:	990mm
Shaft Type:	Hardwood
Head Dimensions:	240mm x 420mm



B Adjustable Wrenches - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Includes hanging hole.

Model No:	Length:	Jaw Capacity:
NS066	200mm	24mm
NS067	250mm	30mm
NS068	300mm	36mm



C Pipe Wrenches - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Includes hanging hole.

Model No:	Length:	Capacity:
NS069	250mm	Ø45mm
NS070	300mm	Ø60mm
NS071	350mm	Ø65mm



F 19 x 500mm Crowbar - Non-Sparking
Model No. **NS123**

Manufactured from Beryllium Copper. Die-cast. Cranked tips suitable for lining up components prior to assembly.

Size:	19 x 500mm
-------	------------

A NEW



Premier

A 200mm Combination Pliers - Non-Sparking
Model No. NS072

Manufactured from Beryllium Copper Die forged gripping and cutting combination pliers. Dual material handle for comfort and control.

Type:	Combination
Length:	200mm

B NEW



Premier

B 200mm Diagonal Cutting Pliers
Non-Sparking
Model No. NS073

Manufactured from Beryllium Copper. Die forged diagonal cutters. Hardened cutting jaws with dual material grip for improved comfort and control.

Type:	Diagonal Cutting
Length:	200mm

C NEW




Premier

C 250mm Water Pump Pliers - Non-Sparking
Model No. NS074

Manufactured from Beryllium Copper. Die Forged. Groove joint adjustable head with heavy-duty moulded, non-slip handles.

Type:	Water Pump
Length:	250mm
Maximum Jaw Capacity:	50mm

D NEW



Premier

D 200mm Long Nose Pliers - Non-Sparking
Model No. NS075

Manufactured from Beryllium Copper. Die Forged. Serrated jaw and hardened cutters. Dual material handle for greater comfort and control.

Type:	Long Nose
Length:	200mm

E NEW



Premier

E Claw Hammers - Non-Sparking
Model No. SEE BELOW

Precision cast Beryllium Copper heads. Fitted with fibreglass shaft and shock-absorbing grip for greater comfort and control. Manufactured in accordance with BS 876.

Model No:	Type:	Weight (Head):
NS076	Claw	450g(16oz)
NS077	Claw	680g(24oz)

F NEW



Premier

F Cross Pein Engineer's Hammers
Non-Sparking
Model No. SEE BELOW

Precision cast Beryllium Copper heads. Fitted with fibreglass shaft and shock-absorbing grip for greater comfort and control. Manufactured in accordance with BS 876.

Model No:	Type:	Weight (Head):
NS078	Cross Pein	500g(1.1lb)
NS079	Cross Pein	1kg(2.2lb)
NS080	Cross Pein	2kg(4.4lb)
NS081	Cross Pein	3kg(6.6lb)
NS082	Cross Pein	5kg(11lb)

G NEW




Premier

G Ball Pein Hammers - Non-Sparking
Model No. SEE BELOW

Precision cast Beryllium Copper heads. Fitted with fibreglass shaft and shock-absorbing grip for greater comfort and control. Manufactured in accordance with BS 876.

Model No:	Type:	Weight (Head):
NS083	Ball Pein	340g(12oz)
NS084	Ball Pein	450g(16oz)
NS085	Ball Pein	680g(24oz)

H NEW



Premier

H Sledge Hammers - Non-Sparking
Model No. SEE BELOW

Precision cast Beryllium Copper heads. Fitted with fibreglass shaft and shock-absorbing grip for greater comfort and control. Manufactured in accordance with BS 876.

Model No:	Type:	Weight (Head):
NS086	Sledge	450g(1lb)
NS087	Sledge	1kg(2.2lb)
NS088	Sledge	1.4kg(3lb)
NS089	Sledge	2kg(4.4lb)
NS090	Sledge	3kg(6.6lb)
NS091	Sledge	5kg(11lb)



A Phillips Screwdrivers - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Contoured handles with soft grip to maximize comfort and control. Hanging hole for safe storage.

Model No:	Type:	Size:
NS096	Phillips	#1 x 75mm
NS097	Phillips	#2 x 100mm
NS098	Phillips	#3 x 150mm
NS099	Phillips	#4 x 200mm



B Valve Handles - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Precision cast.

Model No:	Size:
NS100	35x250mm
NS101	40x300mm
NS102	45x350mm
NS103	50x400mm
NS104	55x450mm
NS105	60x500mm



C Slotted Screwdrivers - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die Forged. Contoured handles with soft grip to maximize comfort and control. Hanging hole for safe storage.

Model No:	Type:	Size:
NS092	Slotted	3 x 75mm
NS093	Slotted	4 x 100mm
NS094	Slotted	6 x 150mm
NS095	Slotted	8 x 200mm



D Scrapers - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Contoured soft grip handles. Hanging hole for safe storage.

Model No:	Size:
NS108	50 x 200mm
NS109	75 x 200mm



E Long Scrapers - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Die forged. Contoured soft grip handles. Hanging hole for safe storage.

Model No:	Size:
NS110	30 x 300mm
NS111	50 x 350mm



F Wedges - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Precision cast.

Model No:	Size (L x W x H):
NS119	80 x 13 x 6mm
NS120	150 x 25 x 13mm
NS121	180 x 50 x 19mm
NS122	200 x 40 x 40mm



G Long Handle Scrapers - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Precision cast.

Model No:	Size:
NS112	50 x 690mm
NS113	75 x 705mm
NS114	100 x 720mm
NS115	150 x 765mm



H Chisels - Non-Sparking
Model No. **SEE BELOW**

Manufactured from Beryllium Copper. Precision cast.

Model No:	Size:
NS116	22 x 200mm
NS117	24 x 250mm
NS118	25 x 300mm



A 150mm Long Nose Pliers
Model No. S0811

Induction heat treated and hardened steel components. Fully chromed and polished jaw head for corrosion resistance. Fitted with oversized grips for extra comfort.

Length: 150mm



B 200mm Long Nose Pliers
Model No. S0812

Induction heat treated and hardened steel components. Fully chromed and polished jaw head for corrosion resistance. Fitted with oversized grips for extra comfort.

Length: 200mm



C 150mm Side Cutters
Model No. S0813

Induction heat treated and hardened steel components. Fully chromed and polished jaw head for corrosion resistance. Fitted with oversized grips for extra comfort.

Length: 150mm



D 180mm Combination Pliers
Model No. S0814

Induction heat treated and hardened steel components. Fully chromed and polished jaw head for corrosion resistance. Fitted with oversized grips for extra comfort.

Length: 180mm



E 200mm Combination Pliers
Model No. S0815

Induction heat treated and hardened steel components. Fully chromed and polished jaw head for corrosion resistance. Fitted with oversized grips for extra comfort.

Length: 200mm



F 3pc Pliers Set
Model No. S0645

Induction heat treated and hardened steel components. Fully chromed and polished jaw heads for corrosion resistance. Fitted with oversized grips for extra comfort.

Contents: 180mm Combination Pliers, 150mm Diagonal Side Cutters, 150mm Long Nose Pliers



G 5pc Pliers Set
Model No. S0646

Induction heat treated and hardened steel components. Set includes water pump and slip-joint pliers. Fitted with oversized grips for extra comfort.

Contents: 180mm Combination Pliers, 150mm Diagonal Side Cutters, 150mm Long Nose Pliers, 200mm Slip Joint Pliers, 250mm Water Pump Pliers



H 7pc Pliers Set
Model No. S0757

Induction heat treated and hardened steel components. Set contains side cutters, long nose pliers, end cutters, combination pliers and water pump pliers. Fitted with oversized grips for extra comfort.

Contents: Side Cutters; 115mm, 195mm, Long Nose Pliers; 45° x 125mm, Straight x 205mm, 105mm End Cutters, 210mm Combination Pliers, 250mm Water Pump Pliers



A Combination Pliers
Model No. [SEE BELOW](#)

Manufactured from drop-forged, heat treated steel with induction-hardened cutting edges. Fully polished finish with non-slip foam cushion grip handles.

Model No:	Length:
S0445	180mm
S0446	200mm



B Long Nose Pliers
Model No. [SEE BELOW](#)

Manufactured from drop-forged, heat treated steel with induction-hardened cutting edges. Fully polished finish with non-slip foam cushion grip handles.

Model No:	Length:
S0442	150mm
S0443	200mm



C 150mm Side Cutters
Model No. [S0439](#)

Manufactured from drop-forged, heat treated steel with induction-hardened cutting edges. Fully polished finish with non-slip foam cushion grip handles.

Length:	150mm
---------	-------



D 3pc 150mm Pliers Set
Model No. [S0447](#)

Manufactured from drop-forged, heat treated steel with induction-hardened cutting edges. Fully polished finish with non-slip foam cushion grip handles.

Contents:	150mm Side Cutters, 150mm Long Nose Pliers, 150mm Combination Pliers
-----------	--



E 275mm Straight Needle Nose Pliers
Model No. [S0434](#)

Manufactured from drop-forged, heat treated steel. Fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	Straight
Length:	275mm



F 275mm 90° Needle Nose Pliers
Model No. [S0435](#)

Manufactured from drop-forged, heat treated steel. Fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	90° Angle
Length:	275mm



G 3pc 275mm Needle Nose Pliers Set
Model No. [S0433](#)

Manufactured from drop-forged, heat treated steel. Fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Contents:	275mm Straight Nose Pliers, 275mm 45° Angle Nose Pliers, 275mm 90° Angle Nose Pliers
-----------	--



H 275mm 45° Needle Nose Pliers
Model No. [S0436](#)

Manufactured from drop-forged, heat treated steel. Fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	45° Angle
Length:	275mm



I 275mm Offset Needle Nose Pliers
Model No. [S0437](#)

Manufactured from drop-forged, heat treated steel. Fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	Offset
Length:	275mm



A 400mm Extra-Long Straight Needle Nose Pliers
Model No. **S0925**

Manufactured from drop-forged, heat treated steel with a fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	Straight
Length:	400mm

B 400mm Extra-Long 45° Needle Nose Pliers
Model No. **S0926**


Manufactured from drop-forged, heat treated steel with a fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.

Type:	45° Angle
Length:	400mm

C 400mm Extra-Long 90° Needle Nose Pliers
Model No. **S0927**

Manufactured from drop-forged, heat treated steel with a fully polished finish. Ideal for use in areas with limited access. Non-slip foam cushion grip handles.


Type:	90° Angle
Length:	400mm



D 3pc Pliers Set Ni-Fe Finish
Model No. **AK9333**

Chrome Vanadium steel. Hardened and heat treated with Nickel-Ferrous finish for added corrosion resistance. Double dipped non-slip foam grip for added comfort and control - even with greasy hands.

Contents:	175mm Combination Pliers, 160mm Long Nose Pliers, 155mm Side Cutters
-----------	--



E 280mm Offset Needle Nose Pliers
Ni-Fe Finish
Model No. **AK935**

Ideally suited to applications with limited access. Double dipped non-slip foam grip for added comfort and control - even with greasy hands.

Type:	Offset
Length:	280mm



F 5pc Mini Pliers Set Ni-Fe Finish
Model No. **AK937**

Professional mini pliers set. Fitted with spring loaded handles. Suitable for engineering or modelling applications. Double dipped non-slip foam grip for added comfort and control - even with greasy hands.

Contents:	110mm Diagonal Side Cutter, 150mm Needle Nose Pliers, 105mm End Cutter, 125mm Snipe Nose Pliers, 125mm Long Nose Pliers
-----------	---



G 3pc 280mm Needle Nose Pliers Set - Ni-Fe Finish
Model No. **AK930**

Ideally suited to applications with limited access. Double dipped non-slip foam grip for added comfort and control - even with greasy hands.

Contents:	Straight Nose Pliers, 45° Angle Nose Pliers, 90° Angle Nose Pliers
Length:	280mm



A Combination Pliers
Model No. SEE BELOW

Drop-forged Chrome Vanadium steel gripping and cutting pliers. Finely ground heads with a fully polished finish. Serrated jaws and precision ground cutting edges, induction-hardened 55-60 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control.


Model No:	Length:
AK8560	175mm
AK8561	200mm



B 170mm Long Nose Pliers
Model No. AK8562

Drop-forged Chrome Vanadium steel long nose pliers. Finely ground heads with a fully polished finish. Serrated jaws and precision ground cutting edges, induction-hardened 55-60 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control.

Length:	170mm
----------------	-------



C 200mm Long Nose Pliers
Model No. AK8563

Drop-forged Chrome Vanadium steel long nose pliers. Finely ground heads with a fully polished finish. Serrated jaws and precision ground cutting edges, induction-hardened 55-60 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control.

Length:	200mm
----------------	-------



D 180mm Heavy-Duty Side Cutters
Model No. AK8566

Drop-forged Chrome Vanadium steel side cutters. Finely ground heads with a fully polished finish. Precision ground cutting edges, induction-hardened 55-60 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control.

Length:	180mm
----------------	-------



E 160mm Side Cutters
Model No. AK8565

Drop-forged Chrome Vanadium steel side cutters. Finely ground heads with a fully polished finish. Precision ground cutting edges, induction-hardened 55-60 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control.

Length:	160mm
----------------	-------



F 3pc Pliers Set
Model No. AK8564

Manufactured from hardened and heat treated Chrome Vanadium steel. Finely ground heads with a fully polished finish. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Vinyl dipped handles for comfort and control. Supplied in storage/hanging pouch.

Contents:	175mm Combination Pliers, 200mm Long Nose Pliers, 160mm Side Cutters
------------------	--



G 3pc 280mm
Needle Nose Pliers Set
Model No. AK8568

Manufactured from hardened and heat treated Chrome Vanadium steel. Finely ground heads with a fully polished finish. Serrated, machined jaws for a positive grip. Long, slim design ideal for use in areas with limited access. Vinyl dipped handles for comfort and control. Supplied in storage/hanging pouch.


Contents:	Straight Nose Pliers, 45° Angle Nose Pliers, 90° Angle Nose Pliers
Length:	280mm



H 3pc 400mm
Extra-Long Needle
Nose Pliers Set
Model No. AK8576

Manufactured from hardened and heat treated Chrome Vanadium steel. Finely ground heads with a fully polished finish. Serrated, machined jaws for a positive grip. Extra-long, slim design ideal for use in areas with limited access. Vinyl dipped handles for comfort and control. Supplied in storage tray.

Contents:	Straight Nose Pliers, 45° Angle Nose Pliers, 90° Angle Nose Pliers
Length:	400mm




A 335mm Double Joint Flat Nose Pliers
Model No. AK8590

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground head with a fully polished finish. Serrated, machined jaws for a positive grip. Long, slim, double joint design ideal for use in areas with limited access while keeping handle spread to a minimum. Vinyl dipped handles for comfort and control.

Length: 335mm




B 335mm Double Joint Needle Nose Pliers
Model No. AK8591

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground head with a fully polished finish. Serrated, machined jaws for a positive grip. Long, slim, double joint design ideal for use in areas with limited access while keeping handle spread to a minimum. Vinyl dipped handles for comfort and control.

Length: 335mm




C 335mm Double Joint 45° Needle Nose Pliers
Model No. AK8592

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground head with a fully polished finish. Serrated, machined jaws for a positive grip. Long, slim, double joint design ideal for use in areas with limited access while keeping handle spread to a minimum. Vinyl dipped handles for comfort and control.

Length: 335mm



D 290mm Double Joint Side Cutters
Model No. AK8593

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground head with a fully polished finish and precision ground cutting edges. Long, slim, double joint design ideal for use in areas with limited access while keeping handle spread to a minimum. Vinyl dipped handles for comfort and control.

Length: 290mm



E 3pc 335mm Double Joint Pliers Set
Model No. AK8580

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground heads with a fully polished finish. Serrated, machined jaws for a positive grip. Long, slim, double joint design ideal for use in areas with limited access while keeping handle spread to a minimum. Dual material comfort grip handles. Supplied in storage tray.

Contents: Needle Nose Pliers, 45° Angle Needle Nose Pliers, Flat Nose Pliers
Length: 335mm



F 10pc Mini Pliers Set
Model No. AK8578

Premier

Professional mini pliers set designed for a large range of precision applications. Manufactured from high carbon steel with a polished finish. Dual material comfort grip spring loaded handles. Supplied in storage tray.

Contents: 110mm Diagonal Side Cutter, 125mm Round Nose Pliers, 100mm End Cutter, 125mm Snipe Nose Pliers, 150mm Needle Nose Pliers, 115mm Combination Pliers, 125mm Long Nose Pliers, 120mm Flat Nose Pliers, 110mm Narrow Jaw Diagonal Side Cutter, 120mm Narrow Jaw Flat Nose Pliers



G 4pc Pliers Set
Model No. AK8579

Premier

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground heads with a fully polished finish. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles. Supplied in storage tray.

Contents: 175mm Combination Pliers, 200mm Long Nose Pliers, 160mm Side Cutters, 250mm Water Pump Pliers



A Combination Pliers
Model No. SEE BELOW

Drop-forged Chrome Vanadium steel gripping and cutting pliers with Ti-Chrome finish for improved durability. Dual material handles with anti-slip guard for comfort and control.

Model No:	Length:
AK8502	175mm
AK8503	190mm
AK8504	205mm



B Long Nose Pliers
Model No. SEE BELOW

Drop-forged Chrome Vanadium steel long nose pliers with Ti-Chrome finish for improved durability. Serrated jaws and hardened cutters. Dual material handles with anti-slip guard for comfort and control.

Model No:	Length:
AK8506	170mm
AK8508	215mm



C 160mm Side Cutters
Model No. AK8516

Drop-forged Chrome Vanadium steel side cutters with Ti-Chrome finish for improved durability. Hardened cutting jaws. Dual material handles with anti-slip guard for comfort and control.


Length:	160mm
---------	-------



D 190mm Heavy-Duty Side Cutters
Model No. AK8517

Drop-forged Chrome Vanadium steel side cutters with Ti-Chrome finish for improved durability. Hardened cutting jaws. Dual material handles with anti-slip guard for comfort and control.

Length:	190mm
---------	-------



E 165mm End Cutters
Model No. AK8519

Drop-forged Chrome Vanadium steel end cutters with Ti-Chrome finish for improved durability. Hardened cutting jaws. Dual material handles with anti-slip guard for comfort and control.

Length:	165mm
---------	-------



F 250mm Water Pump Pliers
Model No. AK8520

Drop-forged Chrome Vanadium steel water pump pliers with Ti-Chrome finish for improved durability. Groove joint adjustable head. Dual material handles with anti-slip guard for comfort and control.

Length:	250mm
---------	-------



G 3pc Pliers Set
Model No. AK8521

Drop-forged Chrome Vanadium steel gripping and cutting pliers with Ti-Chrome finish for improved durability. Dual material handles with anti-slip guard for comfort and control.

Contents:	Length:
Long Nose Pliers	215mm
Combination Pliers	175mm
Side Cutters	160mm



H 3pc Pliers Set - VDE Approved
Model No. AK83452

VDE Approved pliers with induction-hardened cutting edges in a polished finish. Supplied with soft grip handles for comfort and control. Cutting capacities according to DIN 5236/ISO 5748 and DIN 5238/ISO 5749. Combination pliers meet DIN 5244/ISO 5746 standards.

Contents:	Length:	Cutting Capacity:
Long Nose Pliers	210mm	Ø1.8mm
Combination Pliers	180mm	Ø2mm
Side Cutters	160mm	Ø2mm





A Combination Pliers - VDE Approved
Model No. [SEE BELOW](#)

VDE Approved pliers manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

Model No:	Length:
AK83454	175mm
AK83455	200mm



B Long Nose Pliers - VDE Approved
Model No. [SEE BELOW](#)

VDE Approved pliers manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

Model No:	Length:
AK83456	160mm
AK83457	200mm



C 160mm Side Cutters - VDE Approved
Model No. [AK83458](#)

VDE Approved side cutters manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

Length:	160mm
---------	-------



D 180mm Heavy-Duty Side Cutters - VDE Approved
Model No. [AK83459](#)

VDE Approved side cutters manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Induction-hardened cutting edges. Dual material comfort grip handles for comfort and control.

Length:	180mm
---------	-------



E High Leverage Combination Pliers
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles and black oxide finish for corrosion protection.

Model No:	Length:
AK8370	175mm
AK8371	200mm



F High Leverage Long Nose Pliers
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles and black oxide finish for corrosion protection.

Model No:	Length:
AK8372	160mm
AK8373	200mm



G 160mm High Leverage Side Cutters
Model No. [AK8374](#)

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles and black oxide finish for corrosion protection.

Length:	160mm
---------	-------




H 190mm Heavy-Duty High Leverage Side Cutters
Model No. [AK8375](#)

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles and black oxide finish for corrosion protection.

Length:	190mm
---------	-------



A



A 3pc High Leverage Pliers Set
Model No. AK8376

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles and black oxide finish for corrosion protection.

Contents: 200mm Long Nose Pliers, 175mm Combination Pliers, 160mm Side Cutters.

Premier

B

NEW



B 3pc High Leverage Pliers Set - Hi-Vis Green
Model No. AK8376HV

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material hi-visibility comfort grip handles and black oxide finish for corrosion resistance.

Contents: 200mm Long Nose Pliers, 175mm Combination Pliers, 160mm Side Cutters.

Premier

C

NEW



C 6pc Mini Pliers Set
Model No. AK8381

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Dual material comfort grip handles.

Contents: 105mm End Cutters, 115mm Side Cutters, 115mm Combination Pliers, 125mm Bent Nose Pliers, 125mm Long Nose Pliers, 145mm Needle Nose Pliers.

Premier

D

NEW



D 4pc High Leverage Pliers Set
Model No. AK8378

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Unique teeth and jaw design on water pump pliers increases torque and grips round, flat, square and hex profiles. Dual material comfort grip handles and black oxide finish for corrosion resistance.

Contents: 190mm Heavy Duty Side Cutters, 200mm Combination Pliers, 200mm Long Nose Pliers, 250mm Water Pump Pliers

Premier

E

NEW



E 3pc High Leverage Pliers Set
Model No. AK8377

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires. Specially designed jaws on water pump pliers give maximum grip on round, flat, square and hex profiles. Dual material comfort grip handles and black oxide finish for corrosion resistance.

Contents: 190mm Heavy Duty Side Cutters, 200mm Combination Pliers, 250mm Water Pump Pliers

Premier

D





A Water Pump Pliers
Model No. **SEE BELOW**

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Unique teeth design and diamond shape jaws increases torque and grip on round, flat, square and hex shapes. Induction-hardened to 55-65 HRC. Dual material comfort grip handles and black oxide finish for corrosion protection.

Model No:	Length:
AK83791	200mm
AK83792	250mm
AK83793	300mm



B 3pc Water Pump Pliers Set
Model No. **AK8379**

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Finely ground polished heads. Unique teeth and jaw design increases torque and grips round, flat, square and hex profiles. Induction-hardened 55-65 HRC. Dual material comfort grip handles and black oxide finish for corrosion resistance.

Lengths:	200, 250, 300mm
----------	-----------------



C Quick Release Water Pump Pliers
Model No. **SEE BELOW**

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Push-button quick adjustment/release. Serrated jaws, induction-hardened 55-65 HRC. Dual material comfort grip handles and black oxide finish for corrosion resistance.


Model No:	Length:
AK83801	200mm
AK83802	250mm
AK83803	300mm



D 3pc Quick Release Water Pump Pliers Set
Model No. **AK8380**

Manufactured from hardened and tempered drop-forged Chrome Vanadium steel. Push-button quick adjustment/release. Serrated jaws, induction-hardened 55-65 HRC. Dual material comfort grip handles and black oxide finish for corrosion resistance.

Lengths:	200, 250, 300mm
----------	-----------------



E - G Plier Racks
Model No. **SEE BELOW**

Adjustable rigid dividers for the organised storage of a wide variety of pliers. Manufactured from ABS plastic. Ideal for use in tool chest drawers.

Model No:	PR01	PR02	PR03
Plier Capacity:	10	12	24
Size:	250mm	300mm	520mm





A Water Pump Pliers
Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel. Hardened, tempered and chrome plated for corrosion resistance. Groove joint adjustable head. Heavy-duty moulded, non-slip handles.

Model No:	Jaw Capacity:	Length:
S0458	50mm	250mm
S0459	70mm	300mm
S0460	105mm	400mm



B Water Pump Pliers
Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel. Hardened and tempered with a blackened finish for corrosion resistance. Box joint adjustable head. Vinyl dipped handles for comfort and control.

Model No:	Jaw Capacity:	Length:
S01056	44mm	250mm
S01057	52mm	300mm



C Water Pump Pliers
Model No. [SEE BELOW](#)

Manufactured from Chrome Vanadium steel. Hardened, tempered and chrome plated for corrosion resistance. Groove joint adjustable head. Heavy-duty moulded, non-slip handles.

Model No:	Jaw Capacity:	Length:
AK368	55mm	250mm
AK369	70mm	300mm
AK370	105mm	400mm




Self-Adjusting

D

E

SELF-ADJUSTING PLIERS

Innovative mechanism allows the jaws to automatically adjust to any size, thick or thin.



D - E Self-Adjusting Water Pump Pliers
Model No. [SEE BELOW](#)

Drop-forged Chrome Vanadium steel water pump pliers with vinyl dipped handles. Innovative design allows the jaws to automatically adjust to any size enabling a one-handed operation. Features hardened jaws for extra strength and shock absorber spring for extra grip.

Model No:	Jaw Capacity:	Length:
D AK8531	50mm	250mm
E AK8532	60mm	300mm



F

G

H

I

F - I Water Pump Pliers Ni-Fe Finish
Model No. [SEE BELOW](#)

Hardened, tempered and finished with Nickel-Ferrous coating for corrosion resistance. Groove joint adjustable head. Features double dipped non-slip foam grip for added comfort and control - even with greasy hands.

Model No:	Jaw Capacity:	Length:
F AK9368	50mm	250mm
G AK9369	70mm	300mm
H AK9370	105mm	400mm
I AK9371	160mm	500mm



A - B Self-Adjusting Multi-Grip Pliers
Model No. [SEE BELOW](#)

Chrome Vanadium steel multi-grip pliers. Innovative design allows the jaws to automatically adjust to any size enabling a one-handed operation. Features straight and V-type jaws for hex, square and round objects. Phosphate finish for corrosion resistance and comfort grip handles for added control.

A Model No:	AK8535
Jaw Capacity:	35mm
Length:	175mm
B Model No:	AK8536
Jaw Capacity:	60mm
Length:	250mm



E 195mm L-Tip Axial Locking Grip
Model No. [AK6832](#)

Manufactured with rounded contours for smooth, secure handling. Grips feature linear jaw action which applies pressure perpendicular to the workpiece for secure clamping. Compact size with push-button jaw release is ideal for working in confined spaces. Thumb release action allows one-handed operation. Suitable for a wide variety of applications including welding, gluing and riveting.


Jaw Capacity:	18mm
Jaw Width:	25mm
Length:	195mm



F 6pc Axial Locking Grip Set
Model No. [AK68403](#)

Manufactured with rounded contours for smooth, secure handling. Grips feature linear jaw action which applies pressure perpendicular to the workpiece for secure clamping. Compact size with push-button jaw release is ideal for working in confined spaces. Thumb release action allows one-handed operation. Suitable for a wide variety of applications including welding, gluing and riveting. Supplied in storage case.


Type:	Jaw Capacity:	Jaw Width:	Throat Depth:	Lip Depth:	Length:
1 L-Tip Locking Grip:	18mm	25mm	-	-	195mm
2 J-Tip Locking Grip:	15mm	18mm	7mm	14mm	205mm
3 T-Tip Locking Grip:	12mm	50mm	-	-	194mm
4 LL-Tip Locking Tip:	15mm	40mm	9mm	-	210mm
5 W-Tip Locking Grip:	15mm	57mm	36mm	-	195mm
6 JJ-Tip Locking Grip:	15mm	40mm	27mm	12mm	230mm



C 250mm Extra-Wide Opening Locking Pliers
Model No. [AK6870](#)

Heat treated Chrome Molybdenum jaws and handle. Deeply serrated and hardened teeth on a contoured jaw offers secure grip on both flat and round material. Features a 4-position slide and lock joint allowing for an extra-wide opening of the jaws.

Jaw Capacity:	90mm
Length:	250mm



D 375mm Extra-Long Locking Pliers
Model No. [S0841](#)

Drop-forged and heat treated steel with a bright nickel-plate finish. Extra-long 375mm locking pliers for use where access is limited. Deeply serrated, adjustable grip jaws with lever release.

Jaw Capacity:	50mm
Length:	375mm

A

NEW

Available Sizes

195mm

235mm

35mm Capacity

50mm Capacity

Premier

A Locking Pliers
Model No. **SEE BELOW**

Heat treated Chrome Molybdenum steel construction with a nickel-plated smooth satin finish. Round jaw design suitable for the loosening of rusted or rounded nuts. Also ideal for use on track rod ends. Deeply serrated and hardened teeth for maximum grip. Spring-loaded locking mechanism prevents nipping fingertips when releasing. Heavily knurled adjustment screw for extra grip with greasy fingers.

Model No:	Jaw Capacity:	Length:
AK6871	35mm	195mm
AK6872	50mm	235mm



D

NEW

Premier

D 10pc Locking Pliers Set
Model No. **AK6800**

Hardened and tempered, drop-forged Chrome Vanadium steel jaws with a combination of profiles. Deep-cut jaw faces assist grip. Knurled jaw adjustment screw and flip release mechanism. Nickel-plated smooth satin finish. Supplied in a strong PS Tray.

Length:	125-275mm
---------	-----------

B

NEW

170mm

50mm Capacity

C

NEW

280mm

90mm Capacity

Premier

B - C Locking C-Clamps
Model No. **SEE BELOW**

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. Suitable for clamping material whilst marking, welding, brazing, gluing or soldering. Features one hand no-pinch quick release grip which provides comfort and control, reduces hand fatigue and are much easier to use than traditional style locking pliers. Heavily knurled adjustment screw for extra grip with greasy fingers.

Model No:	Jaw Capacity:	Length:
B AK6873	50mm	170mm
C AK6874	90mm	280mm

E

NEW

455mm

160mm Capacity

Premier



E 455mm Locking C-Clamp
Model No. **AK6875**

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. Suitable for clamping material whilst marking, welding, brazing, gluing or soldering. Features one hand no-pinch quick release grip which provides comfort and control, reduces hand fatigue and are much easier to use than traditional style locking pliers. Heavily knurled adjustment screw for extra grip with greasy fingers.

Jaw Capacity:	160mm
Length:	455mm



A Locking C-Clamps
Model No. [SEE BELOW](#)

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. One-handed operation allows free hand to position material whilst being clamped. Suitable for clamping material whilst marking, welding, brazing, gluing or soldering. Spring loaded locking mechanism prevents nipping fingertips when releasing. Heavily knurled adjustment screw for extra grip with greasy fingers.

Model No:	Jaw Capacity:	Length:
AK6826	45mm	165mm
AK6827	90mm	280mm



C 455mm Locking C-Clamp
Model No. [AK6841](#)

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. One-handed operation allows free hand to position material whilst being clamped. Suitable for clamping material whilst marking, welding, brazing, gluing or soldering. Spring loaded locking mechanism prevents nipping fingertips when releasing. Heavily knurled adjustment screw for extra grip with greasy fingers.

Jaw Capacity:	160mm
Length:	455mm



E 3pc C-Clamp & Welding Clamp Set
Model No. [AK67](#)

Heat treated steel grips and jaws with bright nickel-plated finish. C-Clamp features swivel pads. Knurled adjusting screw with lever type release. Supplied in tool roll.


Contents:	248mm Sheet Metal Clamp, 225mm Welding Clamp, 280mm Locking C-Clamp
------------------	---



B 200mm Locking U-Clamp
Model No. [AK6828](#)

U-Style jaw permits the clamping of adjacent joints, allowing good visibility to workpiece. Suitable for assembly and welding work. One-handed operation allows free hand to position material whilst being clamped.

Jaw Capacity:	60mm
Length:	200mm



D 200mm Sheet Metal Clamp
Model No. [AK6829](#)

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. Spring loaded locking mechanism prevents nipping fingertips when releasing. Heavily knurled adjustment screw for extra grip with greasy fingers.

Jaw Capacity:	30mm
Length:	200mm



F 3pc Locking C-Clamp Set
Model No. [AK66](#)

Heat treated steel jaws with bright nickel-plate finish. Knurled jaw adjustment screw with lever type release. Supplied in tool roll.

Lengths:	170, 275, 450mm
-----------------	-----------------



A 3pc Quick Release Locking Pliers Set
Model No. AK6863


Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a smooth satin finish. Deeply serrated and hardened teeth grip the workpiece from any angle. Curved jaw design applies maximum pressure to all four corners of nut or bolt heads making it ideal for high torque applications. Features one-hand, no-pinch, quick release grip which provides comfort and control, reducing hand fatigue and are much easier to use than traditional style locking pliers. Heavily knurled adjustment screw for extra grip with greasy fingers. Supplied in tool roll.

Contents:	Jaw Capacity/Length:
Curved Jaw Pliers #1:	30mm/140mm
Curved Jaw Pliers #2:	45mm/220mm
Long Nose Pliers:	60mm/210mm

B 3pc Quick Release Locking Pliers Set - Black Series
Model No. AK6863B

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a smooth black oxide finish for corrosion resistance. Deeply serrated and hardened teeth grip the workpiece from any angle. Curved jaw design applies maximum pressure to all four corners of nut or bolt heads making it ideal for high torque applications. One-hand, no-pinch, quick release grip which provides comfort and control, reducing hand fatigue and are much easier to use than traditional style locking pliers. Heavily knurled nickel-plated adjustment screw for extra grip with greasy fingers. Supplied in EVA storage tray.

Contents:	Jaw Capacity/Length:
Curved Jaw Pliers #1:	30mm/140mm
Curved Jaw Pliers #2:	45mm/220mm
Long Nose Pliers:	60mm/210mm



C 220mm Locking Pliers Quick Release Xtreme Grip
Model No. AK6869


Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a smooth satin finish. Deeply serrated and hardened teeth grip the workpiece from any angle. Unique non-slip jaw design offers up to three times more gripping power making it ideal for applications that require maximum torque. Features one-hand no-pinch quick release grip which provides comfort and control, reduces hand fatigue and are much easier to use than traditional style locking pliers. Heavily knurled adjustment screw for extra grip with greasy fingers.

Jaw Capacity:	45mm
Length:	220mm

E 3pc Locking Pliers Set
Model No. AK668

Hardened and tempered, drop-forged Chrome Vanadium steel jaws with combination profile for sheet or pipe. Deep-cut jaw faces assist grip. Knurled jaw adjustment screw and flip release mechanism. Black phosphate finish for long term corrosion resistance.

Contents:	Jaw Capacity	Length:
Pliers #1:	30mm	125mm
Pliers #2:	40mm	175mm
Pliers #3:	45mm	250mm



D 3pc Locking Pliers Set
Model No. S0463

Drop-forged steel jaws with bright, nickel-plate finish. Deeply serrated, adjustable grip jaws with lever release.

Jaw Capacity:	30, 40, 45mm
Lengths:	125, 175, 215mm



A

Available Sizes

175mm

215mm

40mm Capacity

45mm Capacity

Siegen



A Locking Pliers
Model No. [SEE BELOW](#)

Drop-forged steel jaws with bright, nickel-plate finish. Deeply serrated, adjustable grip jaws with lever release.

Model No:	Jaw Capacity:	Length:
S0486	40mm	175mm
S0487	45mm	215mm

B

225mm

50mm Capacity

Siegen



B 225mm Long Nose Locking Pliers
Model No. [S0462](#)

Drop-forged Chrome Vanadium steel jaws with bright nickel-plate finish. Deeply serrated, adjustable grip jaws with lever release.

Jaw Capacity:	Length:
50mm	225mm

C-F Locking Pliers

Heat treated Chrome Molybdenum and Chrome Vanadium steel construction with a nickel-plated smooth satin finish. Deeply serrated and hardened teeth grip the workpiece from any angle. Riveted handle construction provides extra rigidity and reduces deformation when grip is under load. Spring loaded locking mechanism prevents nipping fingertips when releasing. Heavily knurled adjustment screw for extra grip with greasy fingers.

C

Available Sizes

180mm

230mm

35mm Capacity

45mm Capacity

Premier



C Locking Pliers Curved Jaws
Model No. [SEE BELOW](#)

Curved jaw design applies maximum pressure to all four corners of nut or bolt heads making it ideal for high torque applications.

Model No:	Jaw Capacity:	Length:
AK6820	35mm	180mm
AK6821	45mm	230mm

D

Available Sizes

185mm

230mm

30mm Capacity

45mm Capacity

Premier



D Locking Pliers Straight Jaws
Model No. [SEE BELOW](#)

General purpose pliers with reinforced teeth for a range of applications.

Model No:	Jaw Capacity:	Length:
AK6822	30mm	185mm
AK6823	45mm	230mm

E

Available Sizes



170mm

210mm

50mm Capacity

60mm Capacity

Premier

E Long Nose Locking Pliers
Model No. [SEE BELOW](#)

Multipurpose locking pliers suitable for use where access is tight. Jaws incorporate long section for gripping flat material and curved section for pipes and tubes.

Model No:	Jaw Capacity:	Length:
AK6824	50mm	170mm
AK6825	60mm	210mm

F

225mm

45mm Capacity


Premier



F 225mm Optimum Grip Locking Pliers
Model No. [AK6830](#)

Versatile locking pliers with specially profiled jaws which combine curved and straight locking grips.

Jaw Capacity:	Length:
45mm	225mm



A - H 140 & 180mm Circlip Pliers
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered Chrome Vanadium steel. Spring loaded jaws and forged non-slip tips. Phosphate finish for corrosion resistance. Vinyl dipped handles for comfort and control.


Model No:	A AK84531	C AK84532	E AK84533	G AK84534
Nose Type:	Bent - External	Straight - External	Bent - Internal	Straight - Internal
Capacity:	10-25mm	10-25mm	8-25mm	8-25mm
Length:	140mm	140mm	140mm	140mm
Model No:	B AK84541	D AK84542	F AK84543	H AK84544
Nose Type:	Bent - External	Straight - External	Bent - Internal	Straight - Internal
Capacity:	19-60mm	19-60mm	19-60mm	19-60mm
Length:	180mm	180mm	180mm	180mm



I - L 170mm Circlip Pliers
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered high grade carbon steel. High quality jaws with heat treated internal spring. Non-slip induction hardened tips 60-64 HRC. Blackened finish for corrosion resistance. Dipped handles for comfort and control.

Model No:	I AK84551	J AK84552	K AK84553	L AK84554
Nose Type:	Bent - External	Straight - External	Bent - Internal	Straight - Internal
Capacity:	19-60mm	19-60mm	19-60mm	19-60mm
Length:	170mm	170mm	170mm	170mm



M - P 230mm Circlip Pliers
Model No. [SEE BELOW](#)

Manufactured from hardened and tempered Chrome Vanadium steel. Spring loaded jaws and forged non-slip tips. Phosphate finish for corrosion resistance. Vinyl dipped handles for comfort and control.

Model No:	M AK84561	N AK84562	O AK84563	P AK84564
Nose Type:	Bent - External	Straight - External	Bent - Internal	Bent - Internal
Capacity:	40-90mm	40-90mm	40-90mm	40-90mm
Length:	230mm	230mm	230mm	230mm



A 4pc 180mm Circlip Pliers Set
Model No. AK8457

Manufactured from hardened and tempered Chrome Vanadium steel. Spring loaded jaws and forged non-slip tips. Dual material comfort grip handles and black oxide finish for corrosion resistance.

Nose Type:	Capacity:
Bent - External:	19-60mm
Straight - External:	19-60mm
Bent - Internal:	19-60mm
Straight - Internal:	19-60mm



C 4pc Circlip Pliers Set
Model No. AK8440

Spring loaded jaw sets manufactured from hardened and tempered steel. Pliers are fully polished and fitted with non-slip polyfoam grips.


Capacity:	19-60mm
-----------	---------



B 4pc 180mm Circlip Pliers Set
Model No. AK8454

Manufactured from hardened and tempered Chrome Vanadium steel. Spring loaded jaws and forged non-slip tips. Phosphate finish for corrosion resistance. Vinyl dipped handles for comfort and control. Supplied in storage/hanging pouch.

Nose Type:	Capacity:
Bent - External:	19-60mm
Straight - External:	19-60mm
Bent - Internal:	19-60mm
Straight - Internal:	19-60mm



D 4pc 230mm Circlip Pliers Set
Model No. AK8456

Manufactured from hardened and tempered Chrome Vanadium steel. Spring loaded jaws and forged non-slip tips. Phosphate finish for corrosion resistance. Vinyl dipped handles for comfort and control. Supplied in storage/hanging pouch.

Nose Type:	Capacity:
Bent - External:	40-90mm
Straight - External:	40-90mm
Bent - Internal:	40-90mm
Straight - Internal:	40-90mm

**LIFETIME
GUARANTEE***

All Premier and Siegen Hand Tools are covered by a no-quibble lifetime guarantee* against manufacturing defects. See www.sealey.co.uk for full details.



A Internal/External Circlip Pliers Set
Model No. **S0457**

Hardened and tempered interchangeable steel jaws. Quick release mechanism allows six different internal/external applications. Spring loaded PVC handles.

Contents: 180° (x2), 90°, 45° Interchangeable Jaws



C 4pc 10-22mm Mini Circlip Pliers Set
Model No. **AK8449**

Internal and external pliers in straight and bent profiles. Manufactured from Chrome Molybdenum steel with spring loaded action and non-slip PVC grips. Tip diameter Ø1mm. Suitable for 10-22mm circlips.

Nose Type:	Tip Diameter:
70mm Bent - External	Ø1mm
75mm Straight - External	Ø1mm
70mm Bent - Internal	Ø1mm
75mm Straight - Internal	Ø1mm
Capacity:	10-22mm



D

D



B 10pc Internal/External Circlip Pliers Set
Model No. **S01064**

Heat treated steel construction with blackened finish for strength and resistance to corrosion. All circlip pliers feature reversible joints enabling use for either external or internal circlips. Fitted with comfortable vinyl grips. Set includes two 125mm picks for hard-to-reach or dropped clips. Supplied in storage case.

Contents:	Tip Diameter:
140mm Bent	Ø1mm
150mm Straight	Ø1mm
140mm Bent	Ø1.2mm
150mm Straight	Ø1.2mm
190mm Bent	Ø1.8mm
200mm Straight	Ø1.8mm
215mm Bent	Ø2.3mm
230mm Straight	Ø2.3mm
125mm Hook Tool	
125mm Pick Tool	



D Quick Change Internal/External Circlip Pliers Set
Model No. **AK8453**

Circlip pliers with quick change internal/external switch mechanism. Manufactured from Chrome Vanadium steel. Supplied with one set of double end straight tips (Ø1.2 and 1.8mm) and two sets of 90° tips (Ø1.2 and 1.8mm). Tips held securely in holders with grub screw. Comfort grip vinyl dipped handles with storage for spare tips and hex key for quick and easy selection.

Type:	Tip Diameter:
Straight:	Ø1.2, 1.8mm
90°:	Ø1.2, 1.8mm



A 265mm Internal/External Circlip Pliers Set
Model No. S0553

Internal and external circlip pliers with spring ratchet locking mechanism to securely hold against circlip tension. Includes eight pairs of tips, two sizes at various angles. Maximum spread 50mm. Fitted with chunky grip PVC handles. Supplied in storage case.

Contents:	Ø2.75mm Tips; 0°, 15°, 45°, 90° (2pc each), Ø3mm Tips; 0°, 15°, 45°, 90° (2pc each), Internal & External Circlip Pliers
Maximum Spread:	50mm
Length:	265mm



B 400mm Internal/External Circlip Pliers Set
Model No. S0554

Internal and external circlip pliers with spring ratchet locking mechanism to securely hold against circlip tension. Includes six pairs of tips at various angles. Maximum spread 85mm. Fitted with chunky grip PVC handles. Supplied in storage case.

Contents:	Ø3mm Tips; 0°, 45°, 90° (2pc each), Internal & External Circlip Pliers
Maximum Spread:	85mm
Length:	400mm



C 265mm Heavy-Duty Circlip Pliers Set
Model No. AK8500

Internal and external circlip pliers with spring ratchet locking mechanism to securely hold against circlip tension. Includes eight sets of tips in two sizes at various angles. Maximum spread 50mm. Fitted with chunky grip PVC handles. Supplied in storage case.


Maximum Spread:	50mm
Contents:	Ø2.75mm Tips; 0°, 15°, 45°, 90° (2pc each), Ø3mm Tips; 0°, 15°, 45°, 90° (2pc each), Internal & External Circlip Pliers



D 400mm Heavy-Duty Circlip Pliers Set
Model No. AK8501

Internal and external circlip pliers with spring ratchet locking mechanism to securely hold against circlip tension. Includes six sets of tips at various angles. Maximum spread 85mm. Fitted with chunky grip PVC handles. Supplied in storage case.

Maximum Spread:	85mm
Contents:	Ø3mm Tips; 0°, 45°, 90° (2pc each), Internal & External Circlip Pliers




E - F Internal/External Heavy-Duty Professional Circlip Pliers
Model No. SEE BELOW

Manufactured from Chrome Molybdenum steel. Precise screw action control. Contoured soft grip handles for comfort and control. Supplied with interchangeable tips.

	E	F
Model No:	AK8450	AK8451
Minimum/Maximum		
Tip Capacity:		
Internal:	15-49mm	9.5-43mm
External:	9-45mm	6.5-36mm
Contents:	Ø2.65mm Tips; 15°, 45°, Ø3mm Tips; 45°, Circlip Pliers	Ø1mm Tips; 15°, Ø1.2mm Tips; 15°, 90°, Ø1.8mm Tips; 15°, 90°, Circlip Pliers



A




Siegen

A Adjustable Wrenches
Model No. [SEE BELOW](#)

Hardened and heat treated steel with a chrome plated finish. Fully polished, offset jaws. Slim raised lip style handle with hanging hole.

Model No:	Jaw Capacity:	Length:
S0450	19mm	150mm
S0451	24mm	200mm
S0452	28mm	250mm
S0453	34mm	300mm
S0454	43mm	375mm
S0602	52mm	450mm
S0603	62mm	600mm

C



Siegen

C 3pc Adjustable Wrench Set
Model No. [S0448](#)

Hardened and heat treated steel with a chrome plated finish. Fully polished, offset jaws. Slim raised lip style handle with hanging holes.

Jaw Capacity:	19, 24, 28mm
Lengths:	150, 200, 250mm

D



Siegen

D 4pc Adjustable Wrench Set
Model No. [S0449](#)

Hardened and heat treated steel with a chrome plated finish. Fully polished, offset jaws. Slim raised lip style handle with hanging holes.

Jaw Capacity:	19, 24, 28, 34mm
Lengths:	150, 200, 250, 300mm

D 4pc Adjustable Wrench Set
Model No. [S0449](#)

Hardened and heat treated steel with a chrome plated finish. Fully polished, offset jaws. Slim raised lip style handle with hanging holes.

Jaw Capacity:	19, 24, 28, 34mm
Lengths:	150, 200, 250, 300mm

B

Reversible Jaw



40mm Extra-Wide Jaws

Siegen

B 200mm Extra-Wide Jaw Capacity Adjustable Wrench
Model No. [S0854](#)

Drop-forged Chrome Vanadium steel. Hardened and heat treated with fully polished head. Extra-wide jaw capacity with Metric calibration and reversible feature allows use as a pipe wrench. Anti-slip comfort grip with hanging hole.

Jaw Capacity:	40mm
Length:	200mm

B



Extra-Wide Jaw

E



E 10pc Adjustable Wrench & Pliers Set with Tool Tray
Model No. [S01130](#)

Tool tray with adjustable wrench, locking and circlip pliers set. Suitable for tool chest Model No's AP3503TB, AP3505TB, AP3508TB.

Contents:	Adjustable Wrenches; 150, 200, 250mm, Locking Pliers; 125, 175mm, 225mm Long Nose Locking Pliers, 180mm Circlip Pliers, Bent External, Straight External, Bent Internal, Straight Internal
Tray Size (W x D x H):	510 x 270 x 40mm

Siegen



A 4pc Adjustable Wrench Set

Model No. **AK9567**

Hardened and heat treated high quality drop-forged steel. Precision ground, fully polished offset jaws with metric calibration for accuracy. Black phosphate finish for long term corrosion resistance. Slim raised lip style handle with hanging holes for alternative storage. Set of four containing 150, 200, 250 and 300mm wrenches.

Jaw Capacity:	19, 24, 27, 34mm
Lengths:	150, 200, 250, 300mm



C 3pc Adjustable Wrench Set

Model No. **AK607**

Hardened and heat treated high quality drop-forged steel. Precision ground, fully polished offset jaws for accuracy and black phosphate finish for long term corrosion resistance.

Jaw Capacity:	19, 25, 30mm
Lengths:	150, 200, 250mm



F 4pc Locking Pliers & Adjustable Wrench Set Tool Tray

Model No. **TBT04**

Contents: 140mm Curved Jaw Locking Pliers (30mm Capacity), 190mm Curved Jaw Locking Pliers (42mm Capacity), 150mm Adjustable Wrench (20mm Capacity), 250mm Adjustable Wrench (30mm Capacity)

Tray Size (W x D x H):	176.5 x 397 x 55mm
-------------------------------	--------------------



B Adjustable Wrenches

Model No. **SEE BELOW**

Hardened and heat treated high quality drop-forged steel. Precision ground, fully polished offset jaws with metric calibration for accuracy. Black phosphate finish for long term corrosion resistance. Slim raised lip style handle with hanging hole for alternative storage.

Model No:	Jaw Capacity:	Length:
AK9560	19mm	150mm
AK9561	24mm	200mm
AK9562	27mm	250mm
AK9563	34mm	300mm
AK9564	41mm	375mm
AK9565	50mm	450mm
AK9566	60mm	600mm



D-E Adjustable Wrench Sets Ni-Fe Finish

Model No. **SEE BELOW**

Chrome Vanadium steel. Hardened and heat treated with Nickel-Ferrous finish for added corrosion resistance. Features smooth action precision machined jaws with Metric calibration. Double dipped non-slip foam grip for added comfort and control - even with greasy hands.

D	Model No:	AK907
	Type:	3pc Set
	Jaw Capacity:	20, 25, 30mm
	Lengths:	150, 200, 250mm
E	Model No:	AK9935
	Type:	4pc Set
	Jaw Capacity:	20, 25, 30, 34mm
	Lengths:	150, 200, 250, 300mm



A Copper Faced Hammers with Hickory Shaft
Model No. [SEE BELOW](#)

Malleable iron heads of extra heavy construction fitted with two pure electrolytic copper faces. Replacement copper faces available, see table.

Model No:	Weight:
CFH02	790g(1.75lb)
CFH03	1.24kg(2.75lb)
CFH04	1.95kg(4.3lb)



B Copper/Rawhide Faced Hammers with Hickory Shaft
Model No. [SEE BELOW](#)

Malleable iron heads fitted with one face of pure electrolytic copper and one face of compressed buffalo hide. Replacement faces available, see table.

Model No:	Weight:
CRF15	680g(1.5lb)
CRF25	1.02kg(2.25lb)
CRF35	1.59kg(3.5lb)



C Nylon Faced Hammers
Model No. [SEE BELOW](#)

Chrome plated zinc heads with two durable white nylon faces. Replacement faces available with alternative hardness, see table.

Model No:	Weight:
NFH10	450g(1lb)
NFH15	560g(1.25lb)
NFH175	790g(1.75lb)



D Nylon Faced Dead Blow Hammers
Model No. [SEE BELOW](#)

Coated die-cast aluminium alloy heads and handle with absorbent rubber grip. Fitted with two screw-in durable nylon faces. Head partially filled with steel shot for controlled blows. Replacement faces available with alternative hardness, see table.

Model No:	Weight:
DBHN20	790g(1.75lb)
DBHN275	1.13kg(2.5lb)

F Brass Faced Dead Blow Hammers
Model No. [SEE BELOW](#)

Brass faced shot-loaded heads produce non-sparking, controlled and effective blows without rebound. Features comfortable rubber grip.

Model No:	Weight:
BFH12	340g(12oz)
BFH24	680g(1.5lb)

Replacement Copper & Rawhide Faces

Model No. [SEE BELOW](#) Not Illustrated

Our copper and rawhide faced hammers feature changeable faces. This enables quick replacement should a face become pitted or damaged.

Model No:	Type:	Application:
342/310C	Copper	CFH02/CRF15
342/10R	Rawhide	CRF15
342/312C	Copper	CFH03/CRF25
342/12R	Rawhide	CRF25
342/314C	Copper	CFH04/CRF35
342/14R	Rawhide	CRF35

Replacement Nylon Faces

Model No. [SEE BELOW](#) Not Illustrated

Our nylon faced hammers feature changeable faces. enables quick replacement should a face become pitted or damaged.

Model No:	Type:	Application:
342/710VF	Soft/Grey	NFH10
342/712VF	Soft/Grey	NFH15
342/714VF	Soft/Grey	DBHN20/NFH175
342/716VF	Soft/Grey	DBHN275
342/714TF	Tough/Brown	DBHN20/NFH175
342/716TF	Tough/Brown	DBHN275
342/712PF	Medium/Red	NFH15
342/714PF	Medium/Red	DBHN20/NFH175
342/716PF	Medium/Red	DBHN275
342/710NF	Hard/White	NFH10
342/712NF	Hard/White	NFH15
342/714NF	Hard/White	DBHN20/NFH175
342/716NF	Hard/White	DBHN275
342/712AF	Extra Hard/Yellow	NFH10
342/714AF	Extra Hard/Yellow	DBHN20/NFH175
342/716AF	Extra Hard/Yellow	DBHN275



E Dead Blow Hammers
Model No. [SEE BELOW](#)

Shot-loaded heads produce heavy, controlled and effective blows without rebound.

Model No:	Weight:
DBH630	630g(1.3lb)
DBH1000	1kg(2.2lb)



G Dead Blow Hammers
Model No. [SEE BELOW](#)

A range of hammers with shot-loaded heads to produce heavy, controlled and effective blows without rebound.

Model No:	Weight:
S0541	450g(1lb)
S0542	680g(1.5lb)
S0543	900g(2lb)
S0545	1.36kg(3lb)

IMPORTANT SAFETY WARNING!

Always wear eye protection when using these tools. For our full range of safety equipment, see pages 1237 to 1264.



A 4oz Cross Pein Pin Hammer with Hickory Shaft
Model No. CPH04

Drop-forged carbon steel head. Induction hardened and tempered with polished face and cheek. Fitted with straight grain hickory shaft. Manufactured in accordance with BS 876.

Weight: 110g(4oz)



B 4oz Ball Pein Pin Hammer with Hickory Shaft
Model No. BPH04

Drop-forged carbon steel head. Induction hardened and tempered with polished face and cheek. Fitted with straight grain hickory shaft. Manufactured in accordance with BS 876.

Weight: 110g(4oz)



C 16oz Warrington/Joiners Hammer with Hickory Shaft
Model No. CPH16

Drop-forged high carbon steel head. Induction hardened and tempered with polished face and cheeks. Fitted with straight grain hickory shaft. Manufactured in accordance with BS 876.

Weight: 450g(1lb)



D Ball Pein Hammers with Hickory Shaft
Model No. SEE BELOW

Drop-forged steel heads. Fitted with straight grain hickory shaft. Manufactured in accordance with BS 876.

Model No:	Weight:
BPH08	225g(8oz)
BPH12	340g(12oz)
BPH16	450g(1lb)
BPH24	680g(1.5lb)
BPH32	900g(2lb)
BPH40	1130g(2.5lb)



E Ball Pein Hammers with Fibreglass Shaft Graphite Core
Model No. SEE BELOW

Manufactured from drop-forged carbon steel. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and tested to BS 876.

Model No:	Weight:
BPHG16	450g(16oz)
BPHG24	680g(24oz)
BPHG32	907g(32oz)



F One-Piece Ball Pein Hammers
Model No. SEE BELOW

Forged one-piece steel hammer head and shaft. Lightweight design yet incredibly strong. Shock reducing textured rubber grip. Manufactured and tested to BS 876.

Model No:	Weight:
BPHX16	450g(16oz)
BPHX24	680g(24oz)
BPHX32	907g(32oz)



G 3pc Ball Pein Hammer Set with Hickory Shafts
Model No. AK203

Drop-forged steel heads and fitted with straight grain hickory shafts. Manufactured in accordance with BS 876.

Contents: 340g(12oz), 450g(1lb), 680g(1.5lb)



H 3pc Ball Pein Hammer Set with Fibreglass Shafts
Model No. AK2031

Drop-forged steel heads and fitted with fibreglass shafts. Manufactured in accordance with BS 876.

Contents: 340g(12oz), 450g(1lb), 680g(1.5lb)



A Club Hammers
Model No. [SEE BELOW](#)

Forged carbon steel head. Quality hardwood shaft.

Model No:	Weight:
S0607	1.13kg(2.5lb)
S0608	1.8kg(4lb)



B Club Hammers with Hickory Shaft
Model No. [SEE BELOW](#)

Drop-forged carbon steel head. Premier quality hickory shaft. Manufactured in accordance with BS 876.

Model No:	Weight:
CHH25	1.13kg(2.5lb)
CHH40	1.8kg(4lb)



C 3lb Club Hammer with Hickory Shaft
Model No. [CHH301](#)

Manufactured from drop-forged fine grained carbon steel. Straight grain hickory handle. Manufactured and tested to BS 876.

Weight:	1.36kg(3lb)
---------	-------------



D Club Hammers with Fibreglass Shaft
Model No. [SEE BELOW](#)

Drop-forged carbon steel head. Fitted with fibreglass shaft. Contoured shock absorbing rubber grip. Manufactured in accordance with BS 876.

Model No:	Weight:
CHF251	1.13kg(2.5lb)
CHF401	1.8kg(4lb)



E 3lb Club Hammer with Fibreglass Shaft
Graphite Core
Model No. [CHG30](#)

Manufactured from drop-forged fine grained carbon steel. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and approved to BS 876.

Weight:	1.36kg(3lb)
---------	-------------



F 3lb Unbreakable Club Hammer
Model No. [CHU301](#)

Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Domed strike zone for power and efficiency. Fully welded steel core construction with four reinforced bars and fixing plates. Head to core separation can withstand up to 5 tonnes of force. Textured rubber grip for improved shock absorption. Manufactured and tested to BS 876.

Weight:	1.36kg(3lb)
---------	-------------



G Claw Hammers with Fibreglass Shaft
Graphite Core
Model No. [SEE BELOW](#)

Manufactured from drop-forged carbon steel. Magnetic nail starter for easy one-hand operation. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and tested to BS 876.

Model No:	Weight:
CLHG16	450g(16oz)
CLHG20	560g(20oz)



H One-Piece Steel Claw Hammers
Model No. [SEE BELOW](#)

Hammer head and shaft drop-forged from one-piece of steel. Lightweight yet incredibly strong. Manufactured in accordance with BS 876.

Model No:	Weight:
CLX16	450g(16oz)
CLX20	560g(20oz)



I 15oz Claw Hammer One-Piece
Model No. [CLHX15](#)

Forged one-piece steel for strength and durability. Magnetic nail starter for easy one hand operation. Lightweight design yet incredibly strong. Shock reducing textured rubber grip. Manufactured and tested to BS 876.

Weight:	425g(15oz)
---------	------------



A 4lb Short Handle Sledge Hammer with Hickory Shaft
Model No. SLH041
 Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Straight grain hickory shaft. Manufactured and tested to BS 876.
Weight: 1.8kg(4lb)



B Sledge Hammers with Hickory Shaft
Model No. SEE BELOW
 Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Straight grain hickory shaft. Manufactured and tested to BS 876.

Model No:	Weight:
SLH061	2.7kg(6lb)
SLH081	3.6kg(8lb)
SLH101	4.5kg(10lb)



C Sledge Hammers with Hickory Shaft
Model No. SEE BELOW
 Manufactured from fine grained alloy steel, heat treated, induction hardened and tempered with double precision ground polished striking face. Fitted with straight-grained hickory shaft. Manufactured in accordance with BS 876.

Model No:	Weight:
SLH07	3.2kg(7lb)
SLH10	4.5kg(10lb)
SLH14	6.4kg(14lb)



D 4lb Short Handle Sledge Hammer with Fibreglass Shaft - Graphite Core
Model No. SLHG04
 Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Domed strike zone for power and efficiency. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and tested to BS 876.
Weight: 1.8kg(4lb)



E 4lb Unbreakable Club Hammer
Model No. SLHU041
 Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Domed strike zone for power and efficiency. Fully welded steel core construction with four reinforced bars and fixing plates. Head to core separation can withstand up to 5tonnes of force. Textured rubber grip for improved shock absorption. Manufactured and tested to BS 876.
Weight: 1.8kg(4lb)



F Sledge Hammers with Fibreglass Shaft Graphite Core
Model No. SEE BELOW
 Manufactured from drop-forged fine grained carbon steel. Heat treated, hardened and tempered with precision ground polished striking face. Domed strike zone for power and efficiency. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling. Manufactured and tested to BS 876.

Model No:	Weight:
SLHG06	2.7kg(6lb)
SLHG08	3.6kg(8lb)
SLHG10	4.5kg(10lb)



G Sledge Hammers with Fibreglass Shaft
Model No. SEE BELOW
 Manufactured from fine grained carbon steel. Heat treated, induction hardened and tempered with precision ground polished striking face. Fitted with fibreglass shaft and contoured shock-absorbing rubber grip. Manufactured in accordance with BS 876.

Model No:	Weight:
SLHF071	3.2kg(7lb)
SLHF101	4.5kg(10lb)
SLHF141	6.4kg(14lb)



H Dead Blow Hammers
Model No. SEE BELOW
 Shot-loaded heads produce heavy, controlled and effective blows without rebound. TPR shaft and head with soft grip handle for comfort and control.

Model No:	Weight:
DBH01	794g(1.75lb)
DBH02	1.27kg(2.8lb)



I 500g Machinist Hammer with Hickory Shaft
Model No. MCH500
 High quality forged steel hammer head with blackened finish. Highly polished face with rounded edges. Curved straight grain hickory shaft with painted finish.
Weight: 500g(18oz)



A 1.5lb Hand Axe with Fibreglass Shaft Graphite Core

Model No. **AXG98**

Manufactured from drop-forged fine grained carbon steel. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip ensures a secure hold and over strike protection. Manufactured and tested to BS2945:1995. Includes blade cover.

Weight: 680g(1.5lb)




B 1.5lb Hand Axe with Hickory Shaft

Model No. **AXH98**

Manufactured from drop-forged fine grained carbon steel. Well-balanced, straight-grain hickory handle. Laser etched texture for secure handling. Manufactured and tested to BS2945:1995. Includes blade cover.

Weight: 680g(1.5lb)



C-D 1lb Rubber Mallets

Model No. **SEE BELOW**

General purpose mallets. Give a gentle but firm blow with little rebound. Available in black or non-marking white head. Features self-wedging wooden handle.

Model No:	Non-Marking:	Weight:
C RMW16	✓	450g(1lb)
D RMB16	✗	450g(1lb)



E 3.5lb Felling Axe with Fibreglass Shaft Graphite Core

Model No. **AXG99**

Manufactured from drop-forged fine grained carbon steel. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip ensures a secure hold and over strike protection. Manufactured and tested to BS2945:1995. Includes blade cover.

Weight: 1.59kg(3.5lb)



F 3.5lb Felling Axe with Hickory Shaft

Model No. **AXH99**

Manufactured from drop-forged fine grained carbon steel. Well-balanced, straight-grain hickory handle. Laser etched texture for secure handling. Manufactured and tested to BS2945:1995. Includes blade cover.

Weight: 1.59kg(3.5lb)



G Rubber Mallets

Model No. **SEE BELOW**

General purpose mallets. Give a gentle but firm blow with little rebound.

Model No:	Weight:
RMB125	560g(1.25lb)
RMB175	790g(1.75lb)
RMB250	1130g(2.5lb)



H Rubber Mallets with Fibreglass Shaft Graphite Core

Model No. **SEE BELOW**

Non-marking white rubber heads. Fibreglass shaft with graphite core for improved strength and durability. Textured rubber grip for secure handling.

Model No:	Weight:
RMG16	450g(1lb)
RMG24	680g(1.5lb)



I Rubber Mallets with Fibreglass Shaft

Model No. **SEE BELOW**

General purpose mallets with fibreglass shaft. Deliver a gentle but firm blow with little rebound.

Model No:	Weight:
RMB100	450g(1lb)
RMB150	680g(1.5lb)
RMB200	907g(2lb)



A-E Bolt Croppers
Model No. SEE BELOW

Chrome Molybdenum steel jaws with tubular steel handles (excluding Model No. AK507) and comfortable rubber grips. Suitable for materials up to 35 HRC hardness.

Model No:	Length:	Capacity:
A AK507	350mm	7mm-Soft Metals, 5mm-Medium Metals
B AK508	450mm	8mm-Soft Metals, 6mm-Medium Metals
C AK509	600mm	10mm-Soft Metals, 8mm-Medium Metals
D AK510	750mm	13mm-Soft Metals, 8mm-Medium Metals
E AK518	900mm	16mm-Soft Metals, 10mm-Medium Metals



G 17pc Punch Set
Model No. AK9130

Hardened, tempered and mirror polished Chrome Vanadium steel punches. Supplied with stand.

Contents: Long Pin Punches; Ø3 x 9.5 x 200, Ø4 x 9.5 x 200, Ø5 x 9.5 x 200, Ø6 x 9.5 x 200, Ø8 x 12.7 x 200, Ø10 x 12.7 x 200mm, Pin Punches; Ø2 x 8 x 115, Ø3 x 8 x 125, Ø4 x 9.5 x 150, Ø5 x 9.5 x 165, Ø6 x 12.7 x 180, Ø8 x 12.7 x 180mm, Taper Punches; Ø2 x 9.5 x 120, Ø3 x 9.5 x 120, Ø4 x 9.5 x 120, Ø5 x 9.5 x 120, Ø6 x 9.5 x 120mm, Stand



IMPORTANT SAFETY WARNING!
Always wear eye protection when using these tools. For our full range of safety equipment, see pages 1237 to 1264.



H 6pc Parallel Pin Punch Set
Model No. AK9123

Chrome Vanadium steel punches with knurled stock for added grip. Supplied in pouch.

Overall Length:	150mm
Pin Length:	50mm
Contents:	3, 4, 5, 6, 7, 8mm



J 5pc Long Pattern Parallel Pin Punch Set
Model No. AK9124


Chrome Vanadium steel stock hardened and heat treated. Chemically blackened for corrosion resistance. Supplied in pouch.

Overall Length:	200mm
Pin Length:	95mm
Contents:	1/8", 3/16", 1/4", 5/16", 3/8"




F 23pc Pry Bar, Hammer & Punch Set with Tool Tray
Model No. S01131

Contents: Pry Bars; 200, 300, 460mm, 400mm Heel Bar, 16oz Ball Pein Hammer, Cold Chisels; 10 x 140, 13 x 150, 16 x 170mm, Taper Punch; 1.5 x 140, 2.4 x 140, 3 x 140, 4 x 140, 5 x 140, 6 x 140mm, Pin Punch; 1.5 x 150, 2.4 x 150, 3 x 150, 4 x 150, 5 x 150, 6 x 150mm, Centre Punches; 6 x 100, 6 x 140, 8 x 115mm
Tray Size (W x D x H): 510 x 270 x 40mm




I 25pc Impact Driver & Punch Set with Tool Tray
Model No. TBT18

See page 18 for full details.



K 13pc Hacksaw, Hammers & Punch Kit with Tool Tray
Model No. TBTP06UK

Contents: 190mm Universal Shears, 300mm Adjustable Hacksaw Blade, Sheathed Parallel Pin Punch Set (x7); Ø2, 3, 4, 5, 6, 7, 8mm, Retracting Knife with Pressure Blade Change, 11 x 460mm Pry Bar, 2lb Dead Blow Hammer, 1lb Ball Pein Hammer (available with machinists hammer, see page 23 for details)



A - B 9pc Parallel Roll Pin Punch Sets
Model No. [SEE BELOW](#)

Hardened, tempered and fully polished Chrome Vanadium steel punches. Supplied in tool roll.

A Model No: AK9109
Type: Imperial
Contents: Ø1/8", Ø5/32", Ø3/16", Ø7/32", Ø1/4", Ø5/16", Ø3/8", Ø7/16", Ø1/2"

B Model No: AK9109M
Type: Metric
Contents: Ø3, Ø4, Ø5, Ø5.5, Ø6, Ø7, Ø8, Ø10, Ø12mm



D 12pc Punch & Chisel Set
Model No. [AK9129](#)

Hardened, tempered and fully polished Chrome Vanadium steel punches and chisels. Supplied in tool roll.

Contents: Centre Punches; #1 x 8 x 100, #2 x 9.5 x 120mm, Taper Pin Punches; Ø3 x 9.5 x 120, Ø4 x 9.5 x 120, Ø5 x 9.5 x 120mm, Parallel Pin Punches; Ø2 x 8 x 115, Ø4 x 9.5 x 150, Ø6 x 12.7 x 180mm, Cold Chisels; 5 x 9.5 x 130, 7 x 12.7 x 165mm, Utility Chisel (x2)



C 5pc Punch & Chisel Set
Model No. [AK9127](#)

Hardened, tempered and fully polished Chrome Vanadium steel punches. Set supplied with composite retainer.

Contents: #2 x 9.5 x 120mm Centre Punch, Ø3 x 9.5 x 120mm Taper Pin Punch, Ø4 x 9.5 x 150mm Parallel Pin Punch, 12 x 9.5 x 130mm Cold Chisel, 5 x 9.5 x 130mm Utility Chisel



E 4pc Extra-Long Chisel Set
Model No. [AK9148](#)

Manufactured from Chrome Molybdenum steel. Hardened and tempered with a fully polished mirror finish. Supplied in tool roll.


Contents: 12, 16, 19, 22mm
Length: 350mm



F 16pc Punch & Chisel Set
Model No. [AK9216](#)

Manufactured from Chrome Vanadium steel, hardened and tempered for extra durability. Includes chisel sharpening gauge. Supplied in storage tray.

Contents: Taper Punches; Ø2 x 135, Ø3 x 145, Ø4 x 150, Ø5 x 160, Ø6 x 170mm, Pin Punches; Ø2 x 110, Ø3 x 120, Ø4 x 125, Ø5 x 135, Ø6 x 145mm, Centre Punches; #3 x 125, #5 x 150mm, Cold Chisels; 10 x 140, 13 x 150, 16 x 165mm, Chisel Gauge



G 26pc Punch & Chisel Set
Model No. [AK9298](#)

Comprehensive set made from hardened, tempered high quality steel. Chemically blackened finish for corrosion resistance. Supplied in tool roll.

Contents: Pin Punches; Ø2 x 114, Ø2.5 x 127, Ø3 x 133, Ø4.5 x 146, Ø5 x 152, Ø6.5 x 165mm, Centre Punches; Ø3 x 124, Ø4 x 127, Ø5 x 143mm, Taper Punches; Ø2.5 x 114, Ø3 x 127, Ø3 x 257, Ø5 x 140, Ø5 x 257, Ø5.5 x 152, Ø6.5 x 165, Ø6.5 x 257mm, Cold Chisels; 8 x 133, 9.5 x 146, 11 x 159, 13 x 171, 16 x 184, 19 x 197, 22 x 203, 25 x 205, 30 x 216mm



A 6pc Parallel Pin Punch Set
Model No. AK9128

Hardened, tempered and fully polished Chrome Vanadium steel punches. Supplied with composite retainer.

Contents: Ø2 x 9.5 x 115, Ø3 x 9.5 x 125, Ø4 x 9.5 x 150, Ø5 x 9.5 x 165, Ø6 x 12 x 180, Ø8 x 12 x 180mm



D 7pc Sheathed Parallel Pin Punch Set
Model No. AK9131

Hardened, tempered, steel punches with mirror polished chrome finish. Contoured foam grips for improved comfort and control. Supplied in storage tray.

Contents: Ø2, Ø3, Ø4, Ø5, Ø6, Ø7, Ø8mm

E - L Sheathed Parallel Pin Punches
Model No. SEE BELOW

Manufactured from Chrome Molybdenum steel. Hardened and tempered with a fully polished mirror finish. Contoured foam grip for comfort and control.

Model No:	Size:
E AK91312	Ø2mm
F AK91313	Ø3mm
G AK91314	Ø4mm
H AK91315	Ø5mm
I AK91316	Ø6mm
J AK91317	Ø7mm
K AK91318	Ø8mm
L AK91319	Ø10mm

M 11pc Sheathed Punch & Chisel Set
Model No. AK9135

Hardened and tempered Chrome Molybdenum steel punches and chisels with a fully polished mirror finish. Contoured foam grips for improved comfort and control. Supplied in storage tray.

Contents: Pin Punches; Ø3, Ø4, Ø5, Ø6, Ø8mm, Chisels; 12, 16, 19, 22, 24mm, Ø4mm Centre Punch




B 6pc 200mm Parallel Pin Punch Set
Model No. AK9128L

Hardened, tempered and fully polished Chrome Vanadium steel long style punches. Supplied with composite retainer.

Contents: Ø3 x 9.5 x 200, Ø4 x 9.5 x 200, Ø5 x 9.5 x 200, Ø6 x 9.5 x 200, Ø8 x 12 x 200, Ø10 x 12 x 200mm

**ALWAYS WEAR SAFETY GOGGLES
WHEN USING PUNCHES AND CHISELS.**



C 4pc 350mm Extra-Long Parallel Pin Punch Set
Model No. AK9147

Manufactured from Chrome Molybdenum steel. Hardened and tempered with a fully polished mirror finish. Ideal for commercial, industrial and agricultural applications. Supplied in tool roll.

Contents: Ø10, Ø12, Ø14, Ø16mm
Length: 350mm



N Sheathed Automatic Centre Punch
Model No. AK91320

Impact adjustment from 15 to 25kg. Simply push-down to release the spring. Tip hardened to 57-60 HRC. Ergonomic comfort grip handle.

Length: 160mm



C 21pc Punch & Chisel Set Model No. S0805

Manufactured from Chrome Vanadium steel, hardened and tempered for extra durability. Supplied in tool roll.

Contents: Cold Chisels; 10 x 140, 13 x 150, 16 x 170, 19 x 175, 22 x 200, 25 x 250mm, Taper Punches; Ø1.5 x 140, Ø2.4 x 140, Ø3 x 140, Ø4 x 140, Ø5 x 140, Ø6 x 140mm, Pin Punches; Ø1 x 150, Ø2.4 x 150, Ø3 x 150, Ø4 x 150, Ø5 x 150, Ø6 x 150mm, Centre Punches; Ø6 x 100, Ø6 x 140, Ø8 x 115mm



D 6pc Heavy-Duty Parallel Pin Punch Set Model No. AK91226

Manufactured from Chrome Vanadium steel. Hardened and tempered with a blackened finish. Ideal for agricultural, commercial and industrial applications. Supplied in a tool roll.

Contents: Ø10, Ø12, Ø14, Ø16, Ø18, Ø20mm
Length: 350mm



Premier MM

A 13pc Interchangeable Punch & Chisel Set Model No. AK9214

Interchangeable punches and chisels, manufactured from 10mm hex stock. Hammer-thru grip with spring-ball tool retention and hand guard. Phosphate finish for corrosion resistance. Supplied in storage case.

Contents: Pin Punches; Ø3, Ø4, Ø5, Ø6, Ø7, Ø8mm, Taper Punches; 3, 4mm, Chisels; 10, 13, 16mm, Ø3mm Centre Punch, Hammer-Thru Grip with Hand Guard




Premier MM

B 13pc Interchangeable Punch & Chisel Set Model No. AK9215

Interchangeable punches and chisels, manufactured from 13mm hex stock. Hammer-thru grip with double spring-ball tool retention and hand guard. Phosphate finish for corrosion resistance. Supplied in storage case.

Contents: Pin Punches; Ø4, Ø5, Ø6, Ø7, Ø8, Ø10mm, Chisels; 13, 16, 19, 22, 25mm, Ø3mm Centre Punch, Hammer-Thru Grip with Hand Guard



E 6pc Parallel Pin Punch Set Model No. S0800

Hardened and tempered Chrome Vanadium steel punches. Chemically blackened for added corrosion resistance. Supplied in storage case.

Contents: Ø1.5 x 150, Ø3 x 150, Ø4 x 150, Ø5 x 150, Ø6 x 150, Ø8 x 150mm



F 12pc Punch & Chisel Set Model No. S0802

Hardened and tempered Chrome Vanadium steel punches and chisels. Chemically blackened for added corrosion resistance. Supplied in storage case.

Contents: Cold Chisels; 10 x 140, 12 x 150, 16 x 170mm, Taper Punch; Ø2 x 140mm, Pin Punches; Ø1.5 x 150, Ø3 x 150, Ø4 x 150, Ø5 x 150, Ø6 x 150, Ø8 x 150mm, Centre Punches; Ø6 x 110, Ø8 x 115mm



IMPORTANT SAFETY WARNING!
Always wear eye protection when using these tools. For our full range of safety equipment, see pages 1237 to 1264.



A Bolsters
Model No. SEE BELOW

High quality drop-forged steel bolsters with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Manufactured in accordance with BS 3066.

Model No:	Description:
BB01	57 x 225mm Electrician's Bolster
BB02	75 x 225mm Brick Bolster
BB03	100 x 225mm Brick Bolster



D Cold Chisels
Model No. SEE BELOW

High quality drop-forged steel cold chisels with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Manufactured in accordance with BS 3066.

Model No:	Size (W x L):	Weight:
CC30	13 x 150mm	138g
CC31	19 x 200mm	310g
CC32	19 x 250mm	400g
CC33	19 x 300mm	480g
CC34	19 x 450mm	680g
CC35	25 x 250mm	730g
CC36	25 x 300mm	890g
CC37	25 x 450mm	1360g



F 250mm Plugging Chisel
Model No. PLC01

High quality drop-forged steel plugging chisel with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Manufactured in accordance with BS 3066.

Length:	250mm
---------	-------



B Bolsters with Grip
Model No. SEE BELOW

High quality drop-forged steel bolsters with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Fitted with comfort grip for greater comfort and control as well as protection against striking tools. Manufactured in accordance with BS 3066.

Model No:	Description:
BB01G	57 x 225mm Electrician's Bolster with Grip
BB02G	75 x 225mm Brick Bolster with Grip
BB03G	100 x 225mm Brick Bolster with Grip



G 250mm Plugging Chisel with Grip
Model No. PLC01G

High quality drop-forged steel plugging chisel with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Fitted with comfort grip for greater comfort and control as well as protection against striking tools. Manufactured in accordance with BS 3066.

Length:	250mm
---------	-------



C Cold Chisels With Grip
Model No. SEE BELOW

High quality drop-forged steel cold chisel with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Fitted with comfort grip for greater comfort and control as well as protection against striking tools. Manufactured in accordance with BS 3066.

Model No:	Size (W x L):	Weight:
CC32G	19 x 250mm	530g
CC36G	25 x 300mm	1000g
CC37G	25 x 450mm	1460g



E Scutch Holders
Model No. SEE BELOW

High quality drop-forged steel scutch holders with octagonal shaft design. Black powder coated for great resistance against corrosion. Manufactured in accordance with BS 3066.

Model No:	Size (W x L):	Weight:
SCH1	25 x 200mm	360g
SCH2	38 x 200mm	400g



H 300mm Point Chisel with Grip
Model No. PTC01G

High quality drop-forged steel point chisel with octagonal shaft design. Black powder coated with polished tip for great resistance against corrosion. Fitted with comfort grip for greater comfort and control as well as protection against striking tools. Manufactured in accordance with BS 3066.

Length:	300mm
---------	-------

A Hammer-Thru Wood ChiselsModel No. **SEE BELOW**

Chrome Vanadium steel. Bevel edged blades. Full length hammer-thru shafts with striking cap. Contoured handles with soft grips for added comfort and control.

Model No:	Blade Width:	Length:
AK9230	6mm	260mm
AK9231	10mm	260mm
AK9232	12mm	260mm
AK9233	16mm	260mm
AK9234	19mm	260mm
AK9235	25mm	260mm
AK9236	32mm	260mm
AK9237	38mm	260mm



MM

**B - C Hammer-Thru Wood Chisel Sets**Model No. **SEE BELOW**

Chrome Vanadium steel. Bevel edged blades. Full length hammer-thru shafts with striking cap. Contoured handles with soft grips for added comfort and control. Supplied in tool pouch.

Model No:	AK9238	AK9239
Blades:	12, 19, 25mm	6, 12, 19, 25mm
Length:	260mm	260mm

**D 8pc Hammer-Thru Wood Chisel Set**Model No. **AK9240**

Chrome Vanadium steel. Bevel edged blades. Full length hammer-thru shafts with striking cap. Contoured handles with soft grips for added comfort and control.

Length:	260mm
Contents:	6, 12, 19, 25, 32, 38mm Chisels, 203mm Sharpening Stone, Honing Guide


Siegen
A 3pc Scraper Set
Model No. S0609

Polished stainless steel scraper blades. Soft grip handles with hanging holes. Suitable for a wide variety of applications.

Contents: 38, 60, 90mm


Siegen
B 3pc Rigid Blade Scraper Set
Model No. S0600

Ultra-stiff, hardened stainless steel scraper blades suitable for numerous workshop and bodyshop tasks including gasket scraping and windscreen preparation. Soft grip handles and broad hilt design give maximum control.

Contents: Scrapers; 32, 50mm, 32mm Angled Scraper (20°)


Siegen
C 3pc Scraper Set with Hammer Cap
Model No. S0856

1.8mm Ultra-stiff stainless steel scraper blades suitable for numerous workshop and bodyshop applications, including gasket scraping and windscreen preparation. Soft grip handles and broad hilt design give maximum control. Cap permits careful use with hammer.

Contents: Scrapers; 32, 50mm, 32mm Angled Scraper (20°)


D Stubby Razor Scraper with Comfort Grip - Display Box of 12
Model No. S0883

Razor scraper with replaceable blade and soft grip handle. Suitable for a wide range of applications including: removing labels, decals and paint from glass or metal surfaces. Supplied in point of sale counter top display box of 12.

Length: 120mm
Replacement Blades (Pack of 5): AK867/1


E Razor Scraper with Comfort Grip - Display Box of 12
Model No. AK8652

Tough polypropylene construction with protective safety cap. Ergonomic grip for comfort and control. Suitable for removing labels, decals and paint from glass or metal surfaces. Includes one standard razor blade. Supplied in counter top display box of 12.

Length: 100mm
Replacement Blades (Pack of 5): AK867/1


F Trim Knives
Model No. SEE BELOW

Disposable knives with safety cover. Packed in display box of 100 or display card of 5.

Model No:	Length:	Pack Qty:
AK2963	145mm	Display Card of 5
AK296	145mm	Display Box of 100


G Retractable Hobby Knife
Model No. AK2410

Unique retractable blade design. Simply hold the rubber sleeve and twist the knife body clockwise to extend the blade and anticlockwise to retract. Comfortable rubber grip. Integral spare blade storage. Supplied with three blades. Includes pocket-clip.

Replacement Blades (Pack of 5): AK2410/B


H Snap-Off Knives
Model No. SEE BELOW

Composite safety knives supplied with seven section blade with locking mechanism. Fitted with integral blade snapper to prevent injury. Supplied individually or in display box of 50.

Model No:	Length:	Pack Qty:
AK297S	155mm	Single
AK297	155mm	Pack of 50

Replacement Blades (Pack of 5x20): AK297/B



A Retractable Snap-Off Knife
Model No. AK86R

Composite handle with rubber comfort grip and steel reinforced blade holder. 8-Section blade automatically retracts and locks into position. Supplied with two spare blades in handle storage. Fitted with blade snapper.

Length:	165mm
Replacement Blades (Pack of 10):	AK86R/B



B Retractable Auto-Load Snap-Off Knife
Model No. AK8610R

Composite handle with rubber comfort grip and steel reinforced blade holder. 8-Section blade extends and retracts into locked position. Body stores up to ten blades which automatically reload when old blade is removed. Supplied with ten blades.

Length:	165mm
Replacement Blades (Pack of 10):	AK86R/B



C Retractable Auto-Load Snap-Off Knife
Model No. AK8605R

Zinc alloy handle with rubber comfort grip and steel reinforced blade holder. 8-Section blade extends, retracts and can be secured in any position with locking screw. Body stores up to five blades which automatically reload when old blade is removed. Supplied with five blades.

Length:	165mm
Replacement Blades (Pack of 10):	AK86R/B



D Retractable Utility Knife
Model No. S0529

Classic style utility knife. Die-cast handle with retracting reversible safety blade.

Length:	155mm
Replacement Blades (Pack of 10):	AK86/B



E Retractable Utility Knife
Model No. AK86

Die-cast grip with retracting safety blade. Supplied with one reversible blade.

Length:	155mm
Replacement Blades (Pack of 10):	AK86/B



F Retractable Auto-Load Utility Knife
Model No. S0555

Auto-loading mechanism for instant blade change. Push-button for quick blade release - no tools required. Ergonomically designed handle for comfort and efficiency. Supplied with five double end blades.

Length:	180mm
Replacement Blades (Pack of 10):	AK86/B



G Auto-Retracting Safety Knife
Model No. AK863

Zinc alloy die-cast handle with contoured grip and hanging hole. Features auto-retracting blade which prevents inadvertent exposure of cutting edge and subsequent injury/damage. Satisfies HSE requirements. Supplied with safety blade.

Length:	160mm
Replacement Blades (Pack of 10):	AK86/B



H Auto-Retracting Safety Knife
Model No. AK8631

Ergonomically profiled zinc alloy body with comfort grip. Features auto-retracting blade which prevents inadvertent exposure of cutting edge and subsequent injury/damage. Satisfies HSE requirements. Push-release cover for quick blade removal/fitting - no tools required. Integral blade storage in body of knife with push-button release.

Length:	170mm
Replacement Blades (Pack of 10):	AK86/B



I Retractable Utility Knife
Model No. AK8603

Heavy-duty zinc alloy steel construction. Contoured rubber grip for comfort and control. Push-button for quick blade release - no tools required. Integral storage for up to eight spare blades. Supplied with five blades.

Length:	160mm
Replacement Blades (Pack of 10):	AK86/B



A Retractable Auto-Load Utility Knife
Model No. AK8604

Heavy-duty zinc alloy steel construction. Contoured rubber grip for comfort and control. Push-button for quick blade release - no tools required. Auto-loading mechanism for instant blade change. Supplied with six blades.

Length:	170mm
Replacement Blades (Pack of 10):	AK86/B



B Pressure Action Auto-Load Utility Knife
Model No. AK8606

Heavy-duty zinc alloy steel construction. Contoured rubber grip for comfort and control. Pressure action switch located at the bottom of the knife extends and locks blade in open position when pushed or slammed against any hard surface. Features safety lock on the switch to prevent inadvertent exposure of cutting edge. Push-button for quick blade release - no tools required. Auto-loading mechanism for instant blade change. Supplied with six blades.

Length:	175mm
Replacement Blades (Pack of 10):	AK86/B



C Squeeze Action Auto-Load Utility Knife
Model No. AK8607

Heavy-duty zinc alloy steel construction. Contoured rubber grip for comfort and control. Squeeze lever to extend blade and lock in open position. One button to retract blade, another for quick blade release - no tools required. Auto-loading mechanism for instant blade change. Supplied with six blades.

Length:	170mm
Replacement Blade (Pack of 10):	AK86/B



D Locking Pocket Knife
Model No. PK1

Supplied with high quality stainless steel blade. Aluminium alloy handle with rubber grip for added comfort and control. Blade locks open for safe use. Fitted with belt clip.

Closed Length:	90mm
Open Length:	160mm



E Locking Pocket Knife
Model No. PK2

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Dual fine edge and serrated stainless steel blade. Fitted with positive lock to prevent blade folding in use. Includes belt clip. Ideal for camping, gardening, fishing and various leisure activities.

Closed Length:	90mm
Open Length:	160mm



F Large Locking Pocket Knife
Model No. PK3

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Dual fine edge and serrated stainless steel blade. Fitted with positive lock to prevent blade folding in use. Includes belt clip. Ideal for camping, gardening, fishing and various leisure activities.

Closed Length:	110mm
Open Length:	190mm



G Locking Pocket Knife
Model No. PK5

Fitted with positive lock to prevent blade holder folding in use. Easy-to-use latch for quick blade removal/fitting - no tools required. Supplied with belt clip, six reversible blades and protective blade cover.


Closed Length:	90mm
Open Length:	150mm
Replacement Blades (Pack of 10):	AK86/B



H Locking Pocket Knife
Model No. PK23

High quality mirror polished stainless steel handle and blade holder, fitted with positive lock to prevent folding whilst in use. Spring loaded multi-switch releases blade holder from handle when folded and operates quick change mechanism for easy blade removal/fitting - no tools required. Includes belt clip. Supplied with six reversible high carbon steel blades.

Closed Length:	110mm
Open Length:	175mm
Replacement Blades (Pack of 10):	AK86/B





A Retractable Utility Knife
Model No. PK17

Fitted with positive lock to prevent blade retracting while in use. Features quick blade change and locking mechanism, anodized handle and belt clip. Supplied with six reversible blades and protective blade cover.

Closed Length:	115mm
Open Length:	150mm
Replacement Blades (Pack of 10):	AK86/B



B Retractable Utility Knife
Model No. PK19

Fitted with positive lock to prevent blade retracting while in use. Retractable knife features quick blade change and locking mechanism with anodized handle and belt clip. Supplied with six reversible blades and protective blade cover.

Closed Length:	115mm
Open Length:	155mm
Replacement Blades (Pack of 10):	AK86/B



C Locking Pocket Knife
Model No. PK20

Anodized aluminium handle fitted with positive lock to prevent blade holder folding in use. Quick change mechanism for easy blade removal/fitting - no tools required. Supplied with belt clip, six reversible blades and protective blade cover.

Closed Length:	100mm
Open Length:	150mm
Replacement Blades (Pack of 10):	AK86/B



D Locking Pocket Knife - Twin-Blade
Model No. PK37

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Lightweight two-tone aluminium handle construction. Features both utility and fine edge blades. Push-button locking mechanism secures blades in both open and closed position. Quick change mechanism for easy blade removal/fitting.

Closed Length:	110mm
Open Length:	170mm
Replacement Blades (Pack of 10):	AK86/B



E 15-Function Multi-Tool
Model No. PK36

Fifteen tools in one. Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Fine blanking construction for superior performance. Supplied with belt pouch. Ideal for camping and leisure activities.


Functions:	1. Combination Pliers, 2. Long Nose Pliers, 3. Wire Cutters, 4. Scissors, 5. Wood Saw, 6. Leather Punch, 7. Bottle Opener, 8. File, 9. Hook Remover, 10. Can Opener, 11. Fine Edge Blade, 12-14. Slotted Screwdrivers, 15. Phillips Screwdriver
Closed/Open Length:	110/155mm



F Locking Pocket Knife
Model No. PK38

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Lightweight two-tone aluminium handle construction. Push-button locking mechanism secures blade in both open and closed position. Quick change mechanism for easy blade removal/fitting.


Closed Length:	110mm
Open Length:	165mm
Replacement Blades (Pack of 10):	AK86/B



G 2pc 15-Function Multi-Tool & Twin Blade Knife Set
Model No. PK27

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Lightweight aluminium/composite handle construction. Push-button locking mechanism secures blades in both open and closed position. Ideal for camping and leisure activities.

Multi-Tool Functions:	1. Combination Pliers, 2. Long Nose Pliers, 3. Wire Cutter, 4. Fine Edge Blade, 5. Bottle Opener, 6. Can Opener, 7. Small Slotted Screwdriver, 8. Large Slotted Screwdriver, 9. Phillips Screwdriver, 10. Fish Scaler, 11. File, 12. Hook Remover, 13. Ruler, 14. Wood Saw, 15. Single/Double File
Type:	Length (Open/Closed):
Multi-Tool:	160/105mm
Twin Blade Knife:	180/110mm
Replacement Blades (Pack of 10):	AK86/B



A 10-Function Multi-Tool
Model No. PK10

Ten tools in one. Manufactured from top grade, high quality stainless steel. Fully hardened and tempered for long-life. Lightweight aluminium handles with PVC grip. Supplied with belt pouch.

Functions: 1. Large Fine Edge Blade, 2. File, 3. Screwdriver, 4. Serrated Blade, 5. Wood Saw, 6. Bottle Opener, 7. Pliers, 8. Wire Cutters, 9. Combination Pry Bar/Handle, 10. Phillips Screwdriver

Closed Length: 150mm




B Multi-Tool Key Chain with LED Light
Model No. PK33

Manufactured from high quality stainless steel. Fully hardened and tempered for long-life. Anodised aluminium body. Includes keyring. Ideal for camping and leisure activities.

Functions: Slotted Screwdriver, Phillips Screwdriver, Small Fine Edge Blade, Bottle Opener, LED Light

Closed Length: 60mm



C 250mm Heavy-Duty Shears/Scissors
Model No. AK8524

Manufactured from high quality stainless steel. Precision ground and hardened for a superior cutting edge with one serrated blade to reduce slippage. Ergonomic handles allow for both left and right-handed users. Suitable for cutting PVC, heavy cloth, rubber, rope, upholstery, leather, cardboard and many other materials.

Blade Length: 115mm
Overall Length: 250mm



D 190mm Universal Shears
Model No. AK8525

Manufactured from high quality Japanese stainless steel. Precision ground and hardened for a superior cutting edge with one serrated blade to reduce slippage. Features easy-to-use safety lock and spring loaded, comfort grip handles. Suitable for cutting wire, rope, cord, cable, leather, dowel rods, cardboard and many other materials.

Blade Length: 42mm
Overall Length: 190mm



E 250mm Cable Shears
Model No. AK8358

Hardened and tempered high grade steel shears with dipped handles and precision ground cutting edges. Suitable for cutting, stripping and dismantling. Cuts steel rope, thin steel rod, copper and aluminium wire with ease.

Capacity: Ø4-8.75mm
Length: 250mm



F 190mm Wire Rope/Spring Cutter
Model No. AK503

High carbon steel blades, hardened, tempered and polished. Cuts up to Ø5mm wire rope and Ø1.5mm spring wire. Spring loaded handles with vinyl grip and safety lock.

Cutting Capacity: Ø5mm (Wire Rope)
Ø1.5mm (Spring Wire)
Length: 190mm



A 150mm Junior Hacksaw with Spare Blade
Model No. S0527

Steel construction with bright chrome plating. Supplied with finger guard and two 150mm blades.

Replacement Blades (Pack of 10): S0527.B



B 150mm Junior Hacksaw with Adjustable Blade
Model No. AK8680

Rigid die-cast aluminium frame with comfortable composite handle. Multi-position clamp permits blade to be mounted at different angles. Supplied with 150mm general purpose blade.

Replacement Blades (Pack of 10): S0527.B



C 150mm Mini Hacksaw with Adjustable Blade
Model No. AK8683

Composite frame and handle with comfortable rubberised grip. Multi-angle adjustment for fast and accurate cutting. Supplied with high carbon steel blade suitable for cutting a variety of materials.

Replacement Blades (Pack of 10): S0527.B



D 300mm Hacksaw
Model No. S0481

Lightweight design with profiled handle for comfortable grip. Accepts standard 12"/300mm HSS and bi-metal blades. Quick and easy blade change. Supplied with blade.

Replacement Blades (Single): HSB/1
Replacement Blades (Pack of 10): HSB/10



G 2pc Engineer's Hacksaw Set
Model No. S0865

2-Piece set comprising 300mm engineer's hacksaw and 150mm junior hacksaw. Engineer's hacksaw features a die-cast handle and stock with lightweight aluminium frame. Twin (90° and 45°) blade positions for comfortable and accurate cutting. Junior hacksaw features an aluminium frame and comfortable composite handle. Multi-position clamp permits blade to be mounted at different angles. Both supplied with a carbon steel blade suitable for cutting a variety of materials. See page 1311 for our full range of blades.

150mm Replacement Blades (Pack of 10): S0527.B
300mm Replacement Blades (Single): HSB/1
300mm Replacement Blades (Pack of 10): HSB/10



E 300mm Engineer's Hacksaw
Model No. S01101

Square tubular hacksaw frame with aluminium handle and rubberised grips. Twin (90° and 45°) blade positions for comfortable and accurate cutting. Supplied with carbon steel hacksaw blade suitable for cutting a variety of materials.



F Mini Hacksaw with Bi-Metal Blade
Model No. AK8695

Comfort foam dipped handle and composite frame for lightweight and easy handling, make it ideal for use in confined spaces. Accepts 250, 300mm and even broken blades. Supplied with quality bi-metal hacksaw blade suitable for cutting a variety of materials.



H 300mm Bi-Metal 20/24tpi Vari-Pitch Hacksaw Blades
Model No. SEE BELOW

Flexible bi-metal HSS blades with unique variable pitch profile teeth for superior performance on a wide range of materials. Standard pitch 20-24tpi.

Model No:	Length:	Pack Qty:
HSB/1	300mm	Single
HSB/5	300mm	Pack of 5
HSB/10	300mm	Pack of 10
HSB/50	300mm	Pack of 50



A 300mm Professional Hacksaw
Model No. AK869

Die-cast handle and stock with blade storage facility. No tools required to change blade. Twin (45° and 90°) blade positions for comfortable and accurate cutting. Compass saw capability. Supplied with quality bi-metal hacksaw blade suitable for cutting a variety of materials.



B 300mm Professional Hacksaw
with Adjustable Blade
Model No. AK8684

Composite handle with comfortable rubberised grip. Lightweight metal frame with integral blade storage facility. Multi-angle adjustment for fast and accurate cutting. Supplied with high carbon steel blade suitable for cutting a variety of materials.



C 300mm Professional Hacksaw
Model No. AK8685

Robust composite frame with comfortable rubberised grips. Features integral blade storage facility and quick change blade mechanism. Twin (45° and 90°) blade positions for comfortable and accurate cutting. Supplied with high carbon steel blade suitable for cutting a variety of materials.



D 300mm 3-D Swivel Back Hacksaw
Model No. AK86942

4-Position frame design offers large capacity cutting, plus three other positions suitable for working in areas where access is tight. Especially suitable for works engineers and plumbers, although equally at home in the general workshop or DIY environment. Blade can be released and changed without the need for tools. Supplied with high carbon steel 300mm blade.



E 770mm Pry/Wrecking Bar
Model No. AK8883

Carbon steel shaft with blackened finish. Hardened and tempered. Shaft with cranked tips suitable for lining up components prior to assembly.

Length:

770mm



F-H Pry Bar Sets with Hammer Cap
Model No. SEE BELOW

Drop-forged, heat treated, steel shafts for added strength. Fitted with comfort grip handles and hammer cap.

	F	G	H
Model No:	S0556	S0557	S0559
Description:	3pc Set	4pc Set	Single
Lengths:	200, 300, 460mm	200, 300, 460, 610mm	610mm

A **Siegen****HEAVY DUTY****A** 610mm 25° Pry Bar with Hammer Cap
Model No. S01137

Manufactured from hardened and tempered Chrome Vanadium steel with a phosphate finish for resistance to corrosion. Fitted with textured comfort grip handle and hammer cap.

Type: 25°
Length: 610mm**B****HEAVY DUTY****Siegen****B** 4pc Angled Pry Bar Set with Hammer Cap
Model No. S01138

Manufactured from hardened and tempered Chrome Vanadium steel with a phosphate finish for resistance to corrosion. Fitted with textured comfort grip handles and hammer cap.

Lengths: 200, 300, 480, 610mm

C **NEW****HEAVY DUTY****Siegen****C** 900mm Heavy-Duty Straight Pry Bar with Hammer Cap
Model No. S01191

Hardened and tempered Ø16mm high grade steel with a blackened finish for resistance to corrosion. Fitted with a textured rubberised comfort grip handle.

Type: Straight
Length: 900mm**D****HEAVY DUTY****D** 900mm Heavy-Duty 25° Pry Bar with Hammer Cap
Model No. S01154

Hardened and tempered Ø16mm diameter high grade steel with a blackened finish for resistance to corrosion. Fitted with textured rubberised comfort grip handle.

Type: 25°
Length: 900mm**E** **NEW****HEAVY DUTY****Siegen****E** 4pc Heavy-Duty Pry Bar Set with Hammer Cap
Model No. S01193

Hardened and tempered Ø16mm high grade steel shafts with a blackened finish for resistance to corrosion. Fitted with a textured rubberised comfort grip handle. Supplied in a heavy-duty tool roll.

Contents: 600mm - 45° & 90°, 900mm - 25° & Straight

F**HEAVY DUTY****Siegen****F** 1220mm Heavy-Duty 25° Pry Bar with Hammer Cap
Model No. S01192

Hardened and tempered Ø20mm high grade steel shaft with a blackened finish for resistance to corrosion. Fitted with a textured rubberised comfort grip handle.

Type: 25°
Length: 1220mm



A 4pc Heavy-Duty Angled Pry Bar Set with Hammer Cap
Model No. AK9141

Heavy-duty, angled shafts, manufactured from high quality Chrome Vanadium steel with satin polished finish. Each pry bar fitted with textured comfort grip handle and hammer cap. Supplied in storage tray.

Section x Length: 6.5 x 205, 9.5 x 310, 11 x 460, 11 x 610mm



B 1530mm Heavy-Duty Straight Pry Bar with Hammer Cap
Model No. AK9140

Chrome Molybdenum 19mm steel shaft with a fully polished finish. Features textured handle with hammer cap.

Type: Straight
Length: 1530mm



C 380mm Adjustable Head Pry Bar
Model No. AK8802

Clever design features 180° adjustable head. Simply push-button to adjust head, then release to lock into position. Ideal for use in spaces with limited access. Curved head also allows for delicate use. Ideal for prising stubborn cylinder heads from engine blocks.

Length: 380mm

D Extendable 600-915mm Adjustable Head Heavy-Duty Pry Bar
Model No. AK9138

Heavy-duty hardened and tempered Chrome Vanadium steel with blackened finish. Quick release locking mechanism retains extension at set increments giving 27 different shaft lengths from 600-915mm. Features 180° adjustable head, simply push button to adjust then release to lock into position. Ideal for commercial and agricultural use.

Length: 600-915mm
Increments: 8mm



Model No's AK8802 and AK9138 feature 180° adjustable swivel head. Push-button lock secures head in position making these Pry Bars suitable for many automotive, commercial and agricultural jobs.



E 4pc Pry Bar Set
Model No. AK206

Chrome Vanadium steel shafts with blackened finish and classic styled handles.

Contents: 200, 300, 450, 600mm



F 5pc Pry Bar/Heel Bar Set
Model No. AK20641

Heavy-duty, heat treated and hardened shafts with blackened finish. Set includes 395mm heel bar with hand-ground heel and face. Features large, easy-to-grip handles.

Contents: 395mm Heel Bar, Pry Bars; 195, 295, 445, 600mm

**A 4pc Heavy-Duty Pry Bar Set**

Model No. AK9105

Heavy-duty, angled shafts, manufactured from Chrome Molybdenum steel with blackened finish. Each fitted with textured comfort grip handle and hammer cap.

Section x Length:

6 x 200, 8 x 300, 11 x 460, 11 x 610mm

**B 4pc Heavy-Duty Pry Bar Set**

Model No. AK9100

Chrome Molybdenum 16mm steel shafts with satin chrome finish and textured handles. Supplied in storage case.

Contents: Length/Type: 900mm/Straight, 900mm/25°, 600mm/75°, 600mm/90°

C 900mm Heavy-Duty 25° Pry Bar

Model No. AK9104

Chrome Molybdenum 16mm steel shaft with satin chrome finish and textured handle.

Length/Type: 900mm/25°

D 900mm Heavy-Duty Straight Pry Bar

Model No. AK9103

Chrome Molybdenum 16mm steel shaft with satin chrome finish and textured handle.

Length/Type: 900mm/Straight

**E 1220mm Heavy-Duty 45° Pry Bar**

Model No. AK9134

Chrome Molybdenum 22mm steel shaft with blackened finish. Textured handle with hammer cap.

Length/Type: 1220mm/45°



A 400mm Heel Bar
Model No. S0837
 Drop-forged steel shaft with corrosion resistant finish. Hand-ground heel and face. Tapered shaft.
Length: 400mm



B 4pc Heel Bar Set
Model No. S0640
 Drop-forged, heat treated steel shafts with blackened finish. Tapered shaft suitable for lining up components prior to assembly. Heel design maximizes leverage. Also useful for fine positioning of heavy machinery.
Contents: 150, 300, 410, 510mm



C 4pc Heel Bar Set
Model No. AK880
 Drop-forged steel shafts with blackened finish. Hand-ground heels and faces. Tapered shaft suitable for lining up components prior to assembly. Heel design maximizes leverage. Also useful for fine positioning of heavy machinery.
Contents: 150, 300, 410, 510mm



D 455mm Pry/Wrecking Bar
Model No. AK883
 Manufactured from drop-forged high grade steel. Hardened and tempered 5/8" Hex steel stock with a phosphate finish for resistance to corrosion. Cranked chisel and pointed tips suitable for lining up components prior to assembly.
Length: 455mm




E 400mm Heel Bar
Model No. AK882
 Drop-forged steel shaft with corrosion resistant finish. Hand-ground heel and face. Tapered shaft.
Length: 400mm




F 450mm Double End Flat Pry Bar
Model No. AK884
 Manufactured from drop-forged, heat treated carbon steel. Features 30 and 90 degree offset claws with sharpened tips. Ideal for all forms of leverage, including opening packing cases, removing nails and taking apart wooden constructions.
Length: 450mm



G 610mm Crowbar
Model No. AK2061
 Manufactured from drop-forged, heat treated steel. Includes chisel end and swan neck. Ideal for all forms of force work, including opening packing cases, removing nails and taking apart wooden constructions.
Length: 610mm
Cross Section: 16mm



H 5pc Wrecking Bar Set
Model No. AK9112
 High quality flat and hex steel bars with chisel, swan neck, pointed and cranked ends. Ideal for all forms of force work, including opening packing cases, removing nails and aligning heavy equipment.
Contents: 175, 300, 380, 455, 610mm



I 4pc Pry Bar Set
Model No. AK881
 Drop-forged Chrome Vanadium steel shafts with blackened finish. Hardened and tempered. Shafts with cranked tips suitable for lining up components prior to assembly.
Contents: 300, 400, 450, 600mm



A 85mm Bench Mounting Pipe Vice
Model No. PV63B

Cast frame and base with mounting holes. Hinged design for easy insertion of pipe into vice. Suitable for electrical conduits and air installations.

Capacity: Ø10-85mm



C 10pc Pipe Flaring & Cutting Kit
Model No. AK506

Tubing kit suitable for cutting and flaring copper, brass or thin walled aluminium pipe. Includes screw-type tube cutter with die-cast frame and integral deburring tool. Supplied with 2-piece screw-type 45° flare press and seven double flare dies. Packed in storage case. Not suitable for steel pipe.

Dies: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"



E 190mm Wire Rope/Spring Cutter
Model No. AK503

High carbon steel blades, hardened, tempered and polished. Cuts up to Ø5mm wire rope and Ø1.5mm spring wire. Spring loaded handles with vinyl grip and safety lock.

Cutting Capacity: Ø5mm (Wire Rope)
Ø1.5mm (Spring Wire)
Length: 190mm



B 9pc Pipe Flaring Kit
Model No. AK505

Suitable for producing single or double flares on copper, brass or thin walled aluminium pipe. Supplied with 2-piece screw-type 45° flare press and seven double flare dies. Packed in storage case. Not suitable for steel pipe.

Dies: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"



D 250mm Cable Shears
Model No. AK8358

Hardened and tempered high grade steel shears with dipped handles and precision ground cutting edges. Suitable for cutting, stripping and dismantling. Cuts steel rope, thin steel rod, copper and aluminium wire with ease.

Capacity: Ø4-8.75mm
Length: 250mm



F 270mm Safety Wire Twister
Model No. S01100

Suitable for safety wiring all types of fasteners, caps, drain cocks, valves and electrical connectors.

Maximum Capacity: Ø1.5mm
Length: 270mm



A Cast Steel Pipe Wrenches - European Pattern

Model No. [SEE BELOW](#)

Shell moulded cast steel handles with high quality drop-forged carbon steel jaws. One-piece head design for added strength.

Model No:	Capacity:	Length:
AK5101	Ø9-38mm	200mm
AK5102	Ø9-45mm	250mm
AK5103	Ø9-45mm	300mm
AK5104	Ø13-50mm	350mm
AK5105	Ø13-63mm	450mm
AK5112	Ø13-75mm	610mm
AK5113	Ø13-100mm	915mm



B Aluminium Alloy Pipe Wrenches - European Pattern

Model No. [SEE BELOW](#)

European pattern pipe wrenches. Gravity cast aluminium alloy handle has the strength of steel but at two thirds the weight. Drop-forged high carbon steel jaws with tool steel spring.

Model No:	Capacity:	Length:
AK5106	Ø9-38mm	250mm
AK5107	Ø9-45mm	300mm
AK5108	Ø13-50mm	350mm
AK5109	Ø13-63mm	450mm
AK5110	Ø13-75mm	610mm
AK5111	Ø13-100mm	915mm



C Ø9-38mm Adjustable Multi-Angle Pipe Wrench

Model No. [AK5115](#)

Manufactured with a heavy-duty Chrome Molybdenum head and a lightweight aluminium body. Multi-angle feature allows handle to be set at nine different angles, allowing user to work on pipes in the most restricted areas and at the most difficult angles. Fitted with hardened steel jaws which quickly expand up to 38mm(1-1/2").

Capacity: Ø9-38mm(3/8"-1-1/2")



D Ø8-28mm Ratcheting Pipe Cutter

Model No. [AK16371](#)

Universal application pipe cutter designed for where access is restricted. Ratchet mechanism allows cutting without having to rotate the tool completely around the tubing. Suitable for the toughest materials including stainless steel pipes.

Capacity: Ø8-28mm(1/4"-1-1/8")
Replacement Cutting Wheel: VS16371B
Maximum Thickness: 3mm Stainless Steel, 1.5mm Steel



E Ø6-28mm 2-in-1 Ratcheting Pipe Cutter

Model No. [AK5065](#)

Fitted with ergonomic contoured handle for added grip, ideal for use in confined spaces. 2-in-1 Feature allows ratchet head to be removed for use as a standard hand pipe cutter. Robust ratchet head features fully adjustable blade positioning, providing a cutting capacity of Ø6-28mm. Features a hardened and tempered cutting blade which easily cuts through copper, aluminium and brass piping. Fitted with hanging hole.

Capacity: Ø6-28mm(1/4"-1-1/8")
Replacement Cutting Wheel: AK5065.B
Maximum Thickness: 1.5mm Copper



F 200mm Water Pump Pliers

Model No. [AK83791](#)

See page 215 for full details.



G 200mm Quick Release Water Pump Pliers

Model No. [AK83801](#)

See page 215 for full details.





A Ø3-14mm Hose Cutter
Model No. SC128
Composite body with comfort grip handles. Ø3-14mm Jaw capacity. Heat treated stainless steel cutting blade.

Capacity:	Ø3-14mm
Length:	115mm



C Ø3-36mm Rubber & Reinforced Hose Cutter
Model No. HCA26
Powder coated aluminium body. Operates with a simple plier action. Heat treated stainless steel cutting blade. Locking mechanism for safe storage. Suitable for hoses from Ø3-36mm.

Capacity:	Ø3-36mm
Length:	220mm



E Ø6-42mm Plastic Pipe Cutter
Model No. PC41
Powder coated aluminium body. Operates with a simple plier action. Ratchet cutting action and quick release mechanism. Heat treated stainless steel cutting blade. Fitted with safety lock and comfort grip handles. Suitable for plastic pipe from Ø6-42mm.

Capacity:	Ø6-42mm
Length:	210mm



B Ø3-12.7mm Rubber Hose Cutter
Model No. SC127
ABS body with steel, heat treated blade to hardness of 50-55 HRC.

Capacity:	Ø3-12.7mm
Length:	80mm



D Ø3-25mm Rubber & Reinforced Hose Cutter Die-Cast Alloy
Model No. HCA25
Die-cast zinc alloy body. Suitable for hoses from Ø3-25mm. Simple reversible steel blade hardened and tempered to 50-55 HRC. Supplied in pouch.

Capacity:	Ø3-25mm
Length:	190mm
Replacement Blade:	HCA25/B



F Ø6-42mm Plastic Pipe Cutter
Model No. PC40
Pistol-type, ratchet action, die-cast aluminium alloy body with heat treated AUS-8 stainless steel blade honed and shaped for smooth cutting action. Ratchet cutting action avoids crushing pipe. Long-life blade suitable for cutting extrusions and pipes. Textured grip with rubber inlay gives added comfort and control.

Capacity:	Ø6-42mm
Length:	210mm
Replacement Blade:	PC40/B



A Ø3-32mm Pipe Cutter
Model No. AK5051
 Die-cast cutter body with fold away pipe deburring tool. Smooth action thread with one-piece cutter-slide and hardened alloy steel cutting wheel give excellent results on all types of soft metal tubing.

Capacity: Ø3-32mm(1/8"-1-1/4")
Replacement Cutting Wheels (Pack of 2): AK50581B




B Ø10-50mm Pipe Cutter
Model No. AK5062
 Heavy-duty die-cast body with hardened steel blade for cutting steel and cast iron pipe. Two wide rollers for extra control with less burring, leaving a clean cut.

Capacity: Ø10-50mm(3/8"-2")
Replacement Cutting Wheels (Pack of 2): AK5062/B



C Ø15 & Ø22mm Lever Type Tube Bender
Model No. AK5056
 Die-cast steel heads suitable for bending copper pipes up to 180°. Long, cranked tubular steel handles allow smooth and fast bending. Supplied with two aluminium guide bars for Ø15 and Ø22mm pipes.

Capacity: Ø15, Ø22mm
Folded Length: 750mm



D Heating System Pressure Tester
Model No. HSPT05
 Hand operated tester suitable for testing heating system integrity and locating leaks and blockages. Fast, simple and reliable operation. Water filter prevents ingress of debris into the heating system. Rugged construction features rubber bumper on pressure gauge and contoured pump grip.

Capacity: 10L
Maximum Pressure: 60bar



E 1/2" - 1-1/4"BSPT Pipe Threading Kit
Model No. PTK991
 Ratchet type pipe threading kit with cassette style die heads. Lightweight design with four tool steel cutting bits. Snap-in die cassettes allow fast interchange between pipe sizes. Suitable for iron and stainless steel pipe. Twin ratchet pawl head assembly with free run facility.

Contents: Ratchet Die Stock, Dies; 1/2", 3/4", 1", 1-1/4", 2-Piece Handle
Length: 580mm



F 3/8" - 2"BSPT Pipe Threading Kit
Model No. PTK992
 Ratchet type pipe threading kit with cassette style die heads. Lightweight design with four tool steel cutting bits. Snap-in die cassettes allow fast interchange between pipe sizes. Suitable for iron and stainless steel pipe. Twin ratchet pawl head assembly with free run facility.

Contents: Ratchet Die Stock, Dies; 3/8", 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-Piece Handle
Length: 715mm



G 1/4" - 1-1/4"BSPT Pipe Threading Kit
Model No. PTK993
 Ratchet type pipe threading kit with cassette style die heads. Lightweight design with four tool steel cutting bits. Snap-in die cassettes allow fast interchange between pipe sizes. Suitable for iron and stainless steel pipe. Twin ratchet pawl head assembly with free run facility.

Contents: Ratchet Die Stock, Dies; 1/4", 3/8", 1/2", 3/4", 1", 1-1/4", #2 10-60mm Pipe Cutter, 1" Bent Nose Pipe Wrench, 0.1mm x 26mm x 20m Teflon Tape, 2-Piece Handle, Water Pump Pliers
Length: 730mm



A - C Soldering Irons
Model No. **SEE BELOW**

Class 1 electrically insulated soldering irons with cool grip handle which stays comfortable during prolonged use. Fitted with replaceable soldering tip. Includes 1.5m cable with 3-pin plug.

Model No:	Power Rating:
A SD30	30W
B SD40	40W
C SD100	100W


Replacement Soldering Tips - To order use Model No. as prefix, followed by /ST for Straight or /CT for Curved, with an additional 7 for Model No. SD100 (e.g. **SD30/ST**, **SD40/ST**, **SD100/ST7**).



D - E Professional Soldering Irons
Dual Wattage
Model No. **SEE BELOW**

Ergonomic handle design with comfortable grip, LED indicator and 3-position switch. Dual wattage settings allow the user to carry out work requiring different temperatures. Fitted with high quality long-life tip and 1.3m cable with 3-pin plug. Features knurled collar for quick and convenient tip replacement. Supplied with metal stand.

D Model No:	SD1530
Power Rating:	15/30W
Replacement Tip:	SD1530/T
E Model No:	SD4080
Power Rating:	40/80W
Replacement Tip:	SD4080/T



F 40W/12V Soldering Iron
Model No. **SD1240**

High quality heater element for thermal stability. Supplied with replaceable soldering tips - chisel and pointed. Ultra-slim textured handle for added grip and comfort. Includes two insulated crocodile clips with 1.5m cable.

Power Rating:	40W
----------------------	-----



G 100W Soldering Gun Kit
Model No. **SD200**

Pistol type, instant heat soldering gun with trigger control and tip illumination. Fitted with 1.5m cable and 3-pin plug. Supplied with 10g coil of general purpose solder. Includes one spare tip.

Replacement Tips (Card of 2):	SD02
--------------------------------------	-------------



H 8pc Soldering Gun/Iron Kit
Model No. **SD300K**

Comprehensive soldering kit comprising a 100W instant heat soldering gun, a 30W soldering iron with stand, a third hand support, solder sucker, scraper/probe, spare soldering tips and a roll of flux cored solder wire. Soldering irons fitted with 3-pin plugs. Supplied in storage case.



I Solder Sucker
Model No. **SD151**

Aluminium/composite construction suitable for sucking excess solder from joints and components. Push-button operation. Fitted with hard-wearing Teflon® tip.



J Lead-Free Soldering Wire Dispenser Tube
Model No. **SW20**

Tube of flux cored lead-free wire for general purpose soldering.

Size:	10g
--------------	-----

WIRE STRIPPERS

For our full range of Wire Strippers see pages 479 to 482.



A Professional Soldering Kit
Model No. SD250K

Comprehensive soldering kit featuring a 30/100W dual powered pistol type soldering gun. Features a boost trigger function to increase temperature from 120°C to 250°C. Also fitted with an ergonomic handle, LED indicator light, 1.5m cable and 3-pin plug. Supplied in rigid storage case with soldering wire, solder sucker, workpiece stand and soldering iron stand.

Contents: 30/100W Dual Powered Pistol Type Soldering Gun, Soldering Wire, Solder Sucker, Metal Safety Stand with Cleaning Sponge


Temperature Range: 120°C to 250°C



C-D Mini Robot Soldering Stands with Magnifier
Model No. SEE BELOW

Ideal for awkward jobs where a third hand is needed. Cast steel base for extra stability. Fitted with two fully articulated crocodile clamps.


	C SD150	D SD150H
Diameter:	Ø60mm	Ø90mm
Iron Holder:	No	Yes



B 6W Rechargeable Lithium-ion Soldering Iron
Model No. SDL6

Ideal for multiple applications including automotive soldering in-and-around engine bays. Much safer than using conventional gas powered soldering irons. Powered using Lithium-ion battery technology which enables faster heating times and improved battery life. Heats up to maximum temperature in 25 seconds. Unit is charged and stored in the base and is supplied with a mains charger.

Power Rating:	6W
Maximum Temperature:	510°C
Charging Time:	3-4hr
Operating Time:	90min
Battery:	3.7V 2.6Ah Li-ion
Replacement Soldering Tips:	
Conical Tip:	SDL6.CT
Flat Chisel Tip:	SDL6.FT



E Soldering Wire Dispensing Stand
Model No. SWD1

Steel construction supports sizes of wire up to 1kg. Features soldering wire guide and smooth reel action for improved work efficiency. Fitted with sheathed soldering iron holder for storing iron even when hot. Supplied with soldering sponge.

Size (W x D x H):	145 x 120 x 115mm
--------------------------	-------------------



A 8W Rechargeable Lithium-ion Soldering Iron
Model No. **SDL7**

Professional Lithium-ion cordless soldering iron. Ideal for multiple applications including automotive soldering in-and-around engine bays. Heats up to working temperature in 25 seconds. Integral LED work lights (x2). Auto-shut-off after 10mins. Unit features a sturdy base stand and is supplied with a mains charger. Maximum Temperature: 450°C.

Power Rating:	8W
Maximum Temperature:	450°C
Charging Time:	3hr
Operating Time:	50min
Battery:	4V 1.5Ah Li-ion



B 30W Lithium-ion Rechargeable Soldering Iron Kit
Model No. **SDL11**

Cordless and lightweight with durable anti-slip rubber grips for added comfort. Inbuilt LED to illuminate soldering area in low light areas such as engine bays. Kit includes standard, chisel and heat shrink tips as well as cleaning sponge, solder, stand and USB charging lead. Heats up to a maximum temperature of 600°C and has a 40 minute working time.

Power Rating:	30W
Maximum Temperature:	600°C
Charging Time:	3.5hr
Operating Time:	40min
Battery:	5V 2.5Ah Lithium-Ion



C 12W Lithium-ion Rechargeable Soldering Iron
Model No. **SDL10**

Cordless and lightweight with durable anti-slip rubber grips for added comfort. Inbuilt LED to illuminate soldering area in low light areas such as engine bays. Heats up to a maximum temperature of 600°C and has a 40 minute working time.

Power Rating:	12W
Maximum Temperature:	600°C
Charging Time:	3.5hr
Operating Time:	40min
Battery:	5V 2.5Ah Lithium-Ion



D 8W USB Soldering Iron
Model No. **SDL12**

Heats up to working temperature in just 15 seconds. Compact and lightweight design makes this device extremely portable. Ideal device for welding circuit boards and hobbyist soldering. Maximum temperature of 400°C.

Power Rating:	8W
Maximum Temperature:	400°C



E 8W USB 3D Print Finishing Tool/Plastic Welder
Model No. **SDL13**

Heats up to working temperature in just 15 seconds. Compact and lightweight design makes this device extremely portable. Ideal device for working with plastic or 3D printed items. Maximum temperature of 400°C.

Power Rating:	8W
Maximum Temperature:	400°C



A 3-in-1 Butane Soldering/Heating Torch Model No. AK2948

Portable and lightweight, suitable for heating, soldering and shrinking. Unit has 3-in-1 system consisting of soldering iron, butane torch and a flameless heat source. Features adjustable heating control ranging up to 1300°C, and is fitted with a retractable stand. Powered by Butane (lighter fuel), requires separate ignition.



B 7pc Micro Butane Torch Soldering Kit Model No. AK2953

Portable and lightweight, suitable for heating, soldering and shrinking plus many other applications. Powered by Butane (lighter fuel) and features an adjustable heat control ranging up to 1300°C. Fitted with retractable stand. Requires separate ignition. Supplied in storage case.

Contents: Soldering Torch, Hot Air Nozzle, Soldering Head, Soldering Tips (x3), Soldering Wire, Soldering Sponge



C Professional Soldering/Heating Torch Model No. AK2961

High quality, lightweight torch. Suitable for heating, soldering and shrinking. Powered by butane (lighter fuel) and features a piezoelectric ignition switch. Supplied with an anti-ignition cap and features an adjustable gas/flame control. Torch is fitted with a retractable stand.



D Professional Soldering/Heating Kit Model No. SD400K

Comprehensive soldering/heating kit ideal for any handyman, enthusiast or electrician. This kit includes a variety of necessary tools and accessories for a range of applications. Features a high powered soldering, heating and shrinking torch with piezoelectric ignition. Also included is a pack of varied size heat shrinks and high quality electrical shears. Supplied in storage case.

Contents: Soldering Torch, Tips (x3), Hot Air Nozzle, Deflector Nozzle, Hot Knife, 115mm Side Cutters, Electrical Shears, 3mm De-Soldering Braid, Wire Stripper/Cutter/Crimper with Wire Guide, Heat Shrink Pack; 1.5, 2.5, 3, 5, 6mm



E Professional Soldering/Heating Kit Model No. AK2962

High quality, lightweight torch kit. Suitable for heating, soldering and shrinking. Powered by butane (lighter fuel) and features a piezoelectric ignition switch. Supplied with an anti-ignition cap and features an adjustable gas/flame control. Torch is fitted with a retractable stand.

Contents: Soldering Torch, Hot Air Nozzle, Deflector Nozzle, Soldering Head, Soldering Tips (x3), Hot Knife Tip, Soldering Sponge, Solder Wire



F Cassette Lighter Gas Torch Model No. AK404

Converts standard lighter into piezoelectric soldering torch. Produces flame of approximately 1300°C. Suitable for general purpose use from soft soldering to lighting the barbecue.

Contents: Cassette Lighter Gas Torch, Refillable Lighter



G Electronic Micro Soldering Torch Model No. AK2933

Piezoelectric ignition with 1300°C burner flame adjustable from 12 to 35mm. Fitted with safety lock and continuous use switch for easy operation. Standard fill gives approximately 30 minutes continuous operation. Powered by Butane (lighter fuel).



A **NEW** Premier

80W 230V

A 80W Soldering Iron
Model No. SD001

Ergonomic design reduces hand fatigue. 5-Position temperature LED display. Built-in PID system. Auto-sleep after 10 minutes and auto-shutdown after 20 minutes. Includes 1.5m cable with 3-pin plug. Replacement soldering tips available.

Power Rating:	80W
---------------	-----

B **NEW** Premier

80W 230V

B 80W Digital Soldering Iron
Model No. SD002

Ergonomic design reduces hand fatigue. Nine preset temperature LCD display. Built-in PID system. Auto-sleep after 10 minutes and auto-shutdown after 20 minutes. Includes 1.5m cable with 3-pin plug. Replacement soldering tips available.

Power Rating:	80W
---------------	-----

C **NEW**

50W 230V

C 50W Soldering Station
Model No. SD003

50W Soldering Station with rapid heat up. MCU controlled temperature using a PID system. Maintains temperatures between 200-480°C. Supplied with soldering sponge and soldering iron stand. Replacement soldering tips available.

Supply/Power:	230V/50W
Frequency:	50Hz
Heating Element Voltage:	24V AC
Temperature Stability:	±2°C (in still air, no-load)
Temperature Accuracy:	±10°C
Temperature Range:	200-480°C(392-896°F)
Tip-to-Ground Resistance:	< 2Ω
Tip-to-Ground Voltage:	< 2mV



D-E **Soldering Tips**
Model No. SEE BELOW

Long-life soldering tips.

	D	E
Model No:	SD001ST	SD003ST
Suitable For:	SD001, SD002	SD003, SD004, SD005



F **NEW**

60W 230V

F 60W Soldering Station
Model No. SD004

60W Soldering Station with rapid heat up. MCU Controlled temperature calibration. LCD Display screen showing current temperature and settings. User-friendly menu. Maintains temperatures between 150-450°C. Capable of presetting three frequently used temperatures. Supplied with soldering sponge and soldering iron stand. Replacement soldering tips available.

Supply/Power:	230V/60W
Frequency:	50Hz
Heating Element Voltage:	24V AC
Temperature Stability:	±2°C (in still air, no-load)
Temperature Accuracy:	±10°C
Temperature Range:	150-450°C(302-842°F)
Tip-to-Ground Resistance:	< 2Ω
Tip-to-Ground Voltage:	< 2mV



G **NEW**

80W 230V

G 80W Soldering Station
Model No. SD005

80W Soldering Station with rapid heat up. MCU Controlled temperature calibration. LCD Display screen showing current temperature and settings. User-friendly menu. Maintains temperatures between 150-480°C. Capable of presetting three frequently used temperatures. Supplied with soldering sponge and soldering iron stand. Replacement soldering tips available.

Supply/Power:	230V/80W
Frequency:	50Hz
Heating Element Voltage:	26V AC
Temperature Stability:	±2°C (in still air, no-load)
Temperature Accuracy:	±10°C
Temperature Range:	150-480°C(302-896°F)
Tip-to-Ground Resistance:	< 2Ω
Tip-to-Ground Voltage:	< 2mV



A **60W Soldering Station**
Model No. SD006

60W Soldering station with rapid heat up. MCU Controlled temperature calibration. LCD Display screen showing current temperature. Maintains temperatures between 50-480°C. Supplied with soldering sponge and soldering iron stand.

Supply/Power:	230V/60W
Frequency:	50Hz
Heating Element Voltage:	24V AC
Temperature Range:	50-480°C(122-896°F)



C **48W Soldering Station**
Model No. SD008

48W Soldering station with rapid heat up. Variable temperature control. Maintains temperatures between 160-480°C. Supplied with a metal soldering iron stand, tip sponge and replaceable tip.

Supply/Power:	230V/48W
Frequency:	50Hz
Heating Element Voltage:	230V AC
Temperature Range:	160-480°C(320-896°F)

D **Solder Wire Quick Flow 40/60**
Model No. SEE BELOW

Quick flow solder with a unique resin 'core' making it suitable for brass and copper. Precision wound solder wire dedicated for manual (hand soldering), automated and high speed soldering applications. For strong joints and reliable connections.

See page 1310 for more details.


Model No's:	SOL10, SOL16, SOL18, SOL22
--------------------	-----------------------------------



B **300W Hot Air Rework Station**
Model No. SD007

300W Hot air rework station with automatic cooling system. LCD digital display, showing current temperature and status. MCU confirms fast heat up, accurate and stable control on temperature. Temperature range of 100-500°C. Suitable for de-soldering work on various components such as SOIC, CHIP, QFP, PLCC and BGA. Includes three nozzles.

Supply/Power:	230V/300W
Frequency:	50Hz
Temperature Range:	100-500°C(212-932°F)





A Micro Butane Soldering Torch
Model No. AK293

Piezoelectric ignition with ceramic burner head for simple operation and long-life. 1300°C Burner flame adjustable from 12 to 35mm. Includes bench stand for hands-free operation. Standard fill gives approximately one hour continuous operation. Powered by Butane (lighter fuel).



B Heavy-Duty Butane Soldering Torch
Model No. AK2932

Heavy-duty Butane powered heating and soldering torch. Fitted with piezoelectric ignition with anti-flare burner, ignition lock and continuous flame switch. Produces an adjustable flame with a maximum temperature of 1300°C and will operate on a single fill for up to 75 minutes.



C Butane Hot Air Gun 450/550°C
Model No. AK2935

Heavy-duty Butane powered hot air gun. Fitted with piezoelectric ignition with anti-flare burner, ignition lock and continuous flame switch. Produces an adjustable flame with a maximum temperature of 550°C and will operate on a single fill for up to 3 hours. Suitable for numerous automotive applications. Supplied with a deflector nozzle ideal for use with heat shrink tubing and concentrator nozzle for use when paint stripping. Includes integrated hands-free collar.



D Micro Butane Heating Torch
Model No. AK4041

Stylish design with piezoelectric ignition. Produces a flame of approximately 1300°C. Powered by Butane (lighter fuel) and when full can produce a flame for up to 30 minutes (not to be used continuously for more than 5 minutes). Suitable for use in extreme weather conditions. Ideal for soft soldering, camping, household repairs and general purpose use. Supplied with key chain.



E Micro Butane Heating Torch
Model No. AK4042

Professional micro design featuring piezoelectric ignition. Fitted with anti-ignition cap to prevent accidental operation. Unit produces flame of up to 1300°C and will operate for up to 30 minutes on a single fill. Features adjustable flame control and continuous flame switch. Powered by Butane (lighter fuel).



F Pen Style Butane Heating/Soldering Torch
Model No. AK2944

Portable and lightweight torch with piezoelectric start. Features adjustable heating control ranging up to 450°C (approximately). Suitable for heating, soldering and shrinking. Includes safety cap for storage. Powered by Butane (lighter fuel).



G Butane Soldering Torch
Model No. AK2942

Portable and lightweight torch with piezoelectric start. Features adjustable heating control ranging from 200-400°C (approximately). Removable solder tip transforms torch into flameless heat source. Suitable for heating and soldering. Includes safety cap for storage and acts as a stand for hands-free operation. Powered by Butane (lighter fuel).



H 8pc Butane Heating/Soldering Torch Kit
Model No. AK2946

Portable and lightweight torch with piezoelectric start. Features adjustable heating control ranging up to 450°C (approximately). Removable solder tip transforms torch into burning flame heat source. Includes a variety of nozzles for various applications including a flameless heat source adaptor. Safety cap for storage. Sponge cleaning tray and small roll of solder wire. Suitable for heating, soldering and shrinking. Powered by Butane (lighter fuel). Supplied in storage case.

Contents: Butane Solder Torch, Deflector Nozzle, Solder Tips (x3), Hot Knife Tip, Sponge Stand, Safety Cap, Solder Wire, Spanner



A 3-in-1 Butane Indexing Soldering Iron
Model No. AK2970

3-in-1 Device that can be used for heating, soldering and shrinking. Fitted with indexing head for three different positions as well as magnetic stand. Powered by butane (lighter fuel) and features a piezoelectric ignition switch. Viewing window at bottom of device to monitor fuel. Flame temperature 1300°C, soldering temperature 450°C and hot air temperature of 600°C (approximately). 60-75 Minute run time with 30ml fuel capacity.

Height: 260mm



D 7pc Propane Torch Kit
Model No. LPT7

Suitable for heating and soldering. Control set includes gas valve and rapid flame control. Simply set the minimum flame level and by activating the rapid flame control, the intensity of the flame is instantly adjusted. Supplied with 2m rubber hose, propane regulator and selection of nozzles in metal storage case.

Nozzles: Mini Jet Nozzle, Small Jet Nozzle, Ø23mm Pipe Heating Nozzle



E 14pc Propane Torch Kit
Model No. LPT14

Suitable for heating and soldering. Includes two control sets with gas valve and rapid flame control. Simply set the minimum flame level and by activating the rapid flame control, the intensity of the flame is instantly adjusted. Supplied with 2m rubber hose, propane regulator and selection of nozzles in metal storage case.

Nozzles: Medium Jet Nozzle, Large Jet Nozzle, Ø23mm Pipe Heating Nozzle, Soldering Iron, Heating Nozzles (Small, Medium & Large), Fan Nozzle, Nozzle Extension Tubes; 100mm, 270mm



B Maxi Butane Heating Torch
Model No. AK2957

Impact resistant, contoured grip torch with stainless steel burner nozzle for professional use. Anti-flare feature enables use of the gun at any angle - even upside-down. 1300°C Maximum flame temperature. Piezoelectric ignition for ease of use. Accepts standard Butane self-sealing cartridges (not included).



C Micro Butane Soldering/Heating Torch
Model No. AK2955

Compact, high capacity burner head with push-button piezoelectric ignition. 1750°C Adjustable burner flame size gives wide application possibilities. Ideal for occasional plumbing tasks where space may be limited. Accepts standard Butane self-sealing cartridges (not included).









A 3-in-1 Metal, Voltage & Stud Detector
Model No. AK2018

Combined unit to accurately detect live or dead electricity cables, water or gas pipes and wooden studs or battens with ease. Powered by a 9V battery (supplied) the detector will, with a red and green LED display and an audible signal, show the presence of metal, electricity and wooden studs or battens.

D Staples, Hoops & Nails for AK7061
Model No. SEE BELOW Not Illustrated

A selection of replacement staples, hoops and nails for Model No. AK7061 and other popular brands.

	Staples	Hoops	Nails
			
	Staples	Hoops	Nails
Model No:	Type/Size:	Pack Qty:	
AK7061/8	Staples/6mm	500	
AK7061/9	Staples/8mm	500	
AK7061/2	Staples/10mm	500	
AK7061/3	Staples/12mm	500	
AK7061/4	Staples/14mm	500	
AK7061/1	Nails/10mm	500	
AK7061/5	Nails/12mm	500	
AK7061/7	Nails/14mm	500	
AK7061/6	Hoops/12mm	500	



F - G Mains Testers
Model No. SEE BELOW

VDE Approved mains voltage testers with screwdriver blade. Fully insulated with moulded transparent plastic handle and blade sheath.

	F	G
Model No:	AK1990	AK1991
Testing Range:	100-250V	100-250V
Length:	140mm	190mm



B Heavy-Duty Staple & Brad Nail Gun
Model No. AK7061

3-in-1 Staple and nail gun. Fitted with adjustable power control and staple remover. Features removable sole plate for easy clearance of blockages. Supplied with starter pack of 1500 nails and staples. Suitable for a wide range of applications. Supplied in storage case.

Crown Size:	9.5mm
Application/Fixing Sizes:	
Staples:	4, 6, 8, 10, 12, 14mm
Hoop Staples:	10, 12mm
Brad Nails:	10, 12, 14mm



E 80-1000V Non-Contact Voltage Detector
Model No. AK1998

Non-contact voltage detector with LED/audible indication. Designed for quickly identifying wire and cable breaks as well as detecting voltage in fuses, cables, switches, outlets and lighting fixtures. Features two selectable voltage settings, low voltage ranges from 80V and high voltage from 220V. Ideal for microwave applications and phase detection in sockets. Requires 2 x AAA batteries (not included).

Display:	Green LED
Voltage Range:	80-1000V
Frequency Range:	50-60Hz
Overvoltage Category:	CATIII
Operating Temperature:	0°C to +40°C at RH <80%
Dimensions:	26 x 22 x 160mm



C Heavy-Duty Staple & Brad Nail Gun
Model No. AK7065

Heavy-duty all steel construction staple and nail gun. Features normal and maximum impact control to match material density. Minimum recoil and magazine style loading make this unit easy-to-use. Features safety lock to prevent accidental operation and safety stop to reduce pinch point risk whilst in use. Supplied with box of 100 assorted staples.

Application/Fixing Sizes:	
Staples:	6, 8, 10mm
Brad Nails:	14, 16mm
Replacement Staples (Packs of 500):	AK7061/8 (6mm), AK7061/9 (8mm), AK7061/2 (10mm)
Replacement Nails (Pack of 500):	AK7061/7 (14mm)



H Heavy-Duty Staple Remover
Model No. AK707

Easily removes heavy-duty staples. Large footprint minimises the risk of surface damage. Ergonomic handle.

A Spirit Levels
Model No. SEE BELOW

Extruded 0.9mm aluminium box section level. Powder coated for corrosion resistance. Accuracy 1mm in 1m (0.057°). These models include UV resistant and shockproof vials, one horizontal with side view, one vertical and one 45°. Base with precision milled face.

Model No:	Length:
AK9860	600mm
AK9861	900mm
AK9862	1200mm

B Spirit Levels - Ribbed Box
Model No. SEE BELOW


1mm Aluminium ribbed box section level. Powder coated for corrosion resistance. Accuracy 1mm in 1m (0.057°). These models include UV resistant and shockproof vials, one horizontal with side view, one vertical and one 45°. Base with precision milled face.

Model No:	Length:
AK9863	600mm
AK9864	900mm
AK9865	1200mm

C Spirit Levels - Box Beam
Model No. SEE BELOW

1mm Aluminium box beam section level. Powder coated for corrosion resistance. Accuracy 1mm in 1m (0.057°). These models include UV resistant and shockproof vials, one horizontal with side view, one vertical and one 45°. Dual grips to aid handling. Precision milled face on top and bottom.

Model No:	Length:
AK9866	600mm
AK9867	900mm
AK9868	1200mm




D 2pc Composite Pegboard Set
Model No. S0765

Wall-mounting quality composite pegboard. Supplied with an 18pc assorted hook set. Additional hook assortment available, order Model No. S0766.

Overall Size (H x W):	495 x 615mm
Individual Board Size (H x W):	495 x 305mm
30pc Additional Hook Assortment Set:	S0766



Tools not included.



E 0-150mm(0-6") Digital Electronic Vernier Caliper
Model No. S0707

Lightweight carbon fibre construction. 8mm High figures in LCD display for ease of reading. Metric and Imperial measuring functions with conversion between the two. Zero setting control allows for comparative measurement.

Range:	0-150mm(0-6")
Resolution:	0.1mm(0.01")
Accuracy:	±0.1mm(0.01")
Battery:	1 x LR44 (supplied)



F Steel Rules
Model No. SEE BELOW

High quality steel rules permanently marked in Metric and Imperial graduations. All rules include hanging hole.

Model No:	Length:
AK9640	150mm/6"
AK9641	300mm/12"
AK9642	600mm/24"
AK9643	1000mm/40"



A - D Professional Tape Measures
Model No. [SEE BELOW](#)

Manufactured using durable rubberised or chrome bodies fitted with cushioned grips. Fitted with 25mm wide nylon coated blade maximizing strength. Metric/imperial rule with 16" and 19.2" stud centre marking for framing work. Class II accuracy. Features double edged end hook designed to grab on top or bottom for versatility. Fitted with powerful double magnets, lanyard and belt clip.

Model No:	Body Type:	Tape Length:	Tape Width:
A SMT5P	Chrome	5m(16ft)	25mm
B SMT8P	Chrome	8m(26ft)	25mm
C SMT5H	ABS	5m(16ft)	25mm
D SMT8H	ABS	8m(26ft)	25mm



E Autolock Tape Measures
Metric/Imperial
Model No. [SEE BELOW](#)


High-visibility composite case with rubber cover, wrist strap and belt clip. Steel blade with Metric and Imperial scales. For ease of use the extended blade is automatically locked and a press-button controls rewind.

Model No:	Tape Length:	Tape Width:
AK993	3m(10ft)	16mm
AK994	5m(16ft)	19mm
AK995	7.5m(25ft)	25mm

F Tape Measures - Metric/Imperial
Model No. [SEE BELOW](#)

High-visibility composite case with rubber cover, wrist strap and belt clip. Steel blade with Metric and Imperial scale and magnetic tip. Strong rewind mechanism with slide-button lock and side and base mounted push-button locks for added versatility.

Model No:	Tape Length:	Tape Width:
AK988	3m(10ft)	16mm
AK989	5m(16ft)	19mm
AK990	7.5m(25ft)	25mm



H 0-150mm(0-6") Digital Vernier Caliper
Model No. [AK962EV](#)

Hardened and tempered stainless steel digital caliper with satin finish. Large LCD display with 11mm high figures for ease of reading. Metric and Imperial calibration with conversion between the two. Zero setting control allows for comparative measurement. Supplied in storage case.

Range:	0-150mm(0-6")
Resolution:	0.01mm(0.0005")
Accuracy <100mm:	±0.02mm(0.001")
Accuracy >100mm:	±0.03mm(0.001")
Screw Extension:	1 x LR44 (supplied)



G 5m(16ft) x 19mm Tape Measures
Display Box of 12 - Metric/Imperial
Model No. [AK98912](#)

High-visibility composite case with rubber cover, wrist strap and belt clip. Steel blade with Metric and Imperial scale and magnetic tip. Strong rewind mechanism with slide-button lock and push-button locks on side and base for added versatility.

Tape Length:	5m(16ft)
Tape Width:	19mm
Tape Quantity:	Display Box of 12 (AK989)