HOW TO ORDER



Our aim is to make ordering as quick, easy and convenient as possible. Our products are available via a comprehensive network of stockists throughout the UK. Ireland and the rest of the world.

Our Distributors hold stock of fast-moving items. If they do not have the specific item that you require, they can order it from us and we will deliver it promptly.

Finding your local Stockist is quick and easy, either visit www.sealey.co.uk or call us on the number shown below.



+91 9380647428

+91 8073843541



info@vandita-technovations.in



www.vandita-technovations.in

Our call centre is open between 8.30am to 5.30pm Monday to Friday. Calls are immediately passed to the first available operator without any complicated routing process. Our experienced, professional and friendly advisors can provide instant stock availability, pricing and technical information.

Our authorised stockists can order direct from us via telephone, email, fax or online using our B2B (Business to Business) website. Here, you can place your order at a time that suits you and view instant stock availability and pricing.

HUGE STOCKS & FAST DESPATCH

We hold over £30million worth of stock. Modern, computer controlled warehousing enables, on average, 99.8% of our entire product range to be despatched straightaway.

Some items in our Catalogue are very heavy and extra assistance is recommended at the delivery point to help unload. Look out for this logo on products affected.



1	HAND TOOLS	14-264
2	JACKING & LIFTING	265-324
3	MOTORCYCLE TOOLS	325-353
4	BATTERY CHARGERS	354-377
5	VEHICLE SERVICE TOOLS	378-629
6	LUBRICATION	630-677
7	BODYSHOP	678-729
8	AIR POWER TOOLS	730-764
9	COMPRESSORS	765-796
10	WELDING & CUTTING	797-819
11	ELECTRIC POWER TOOLS	820-857
12	POWER TOOL ACCESSORIES	858-912
13	LIGHTING & POWER	913-953
14	STORAGE & WORKSTATIONS	954-1073
15	HEATING & COOLING	1074-1095
16	JANITORIAL, MATERIAL HANDLING & LEISURE	1096-1176
17	MACHINE SHOP	1177-1236
18	SAFETY PRODUCTS	1237-1264
19	CONSUMABLES	1265-1331
INDE	X - MODEL NO.	1332-1362
INDE	X - DESCRIPTIVE	1363-1370

SAFETY PRODUCTS

SECTION 18



Back Supports

1254

Gloves & Gauntlets

1246 - 1249

Coveralls

1253

Head Protection

1241

Ear Protection

1252

Hi-Vis Clothing

1255

Eye Protection

1238 - 1240

Knee Pads

1254

Face Protection

1240

Masks

1250 - 1251

Fire Extinguishers

1264

Safety Signs

1256 - 1259

Fire Protection

1263 - 1264

Welding Helmets

1242 - 1244

First Aid Kits

1260 - 1262

Welding Protection

1245





Lightweight spectacles. Side arms with built-in ventilated shields. Conforms to BS EN 166/1F.



D Adjustable Arm Safety Spectacles Model No. SSP44

Wraparound, clear, anti-scratch, polycarbonate lens. Adjustable length nylon arms for a snug fit. Conforms to BS EN 166/1F.



Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Plugs

Model No. SEP1

Contents: 9329/3 - FFP1 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 - Ear Plugs



H Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Defenders

Model No. SEP2

Contents: 9329/3 - FFP1 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard





B Value Safety Glasses Model No. **9204**

Clear polycarbonate safety lens with direct ventilation in the frame. Conforms to BS EN 166/1F.

Lens Type: Clea



F Safety Spectacles Model No. SSP61

Comfortable dual material temples for improved fit around the nose. Modern wraparound design gives increased protection. Polycarbonate anti-scratch lens. Conforms to BS EN 166/1F.

Lens Type: Clear



Flexi Grip Gloves, FFP2 Mask, Goggles & Ear Plugs

Model No. SEP3

Contents: 9304/3 - FFP2 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 - Ear Plugs





Over-Spectacles

Model No. **9203**

Fits over most prescription glasses. Clear lightweight polycarbonate design. Ideal for visitor's use. Conforms to BS EN 166/1F.

Lens Type: Clear



G Safety Spectacles Model No. SSP3

Clear polycarbonate, abrasion resistant lenses. Integrally moulded side and brow protection. Conforms to BS EN 166/1F.





J - K Safety Spectacles Model No. SEE BELOW


Comfortable, modern design with metallic arms and silicon nose bridge. Conforms to BS EN 166/1F.


Model No:	Lens Type
J SSP72	Light Enhancing
K SSP73	Anti-Glare



















A - C Sports Style Safety Glasses with Adjustable Arms

Model No. SEE BELOW

Adjustable arms to fit all head sizes. Wraparound design for increased protection. Soft, comfortable nose bridge. Conforms to BS EN 166/1F.

Model No:	Lens Type:
A 9208	Clear
B 9209	Anti-Glare
C 9212	Light Enhancing





Safety Spectacles Model No. SEE BELOW

Modern, lightweight wraparound design, with flexible TPR arms, offers added protection and increased user comfort. Polycarbonate anti-scratch lens. Conforms to BS EN 166/F.

М	odel No:	Lens Type:
	SSP66	Clear
J	SSP67	Anti-Glare





D-F Zante Style Safety Glasses with Adjustable Arms

Model No. SEE BELOW

Polycarbonate lens. Sports style, soft durable flexi arms. Soft, comfortable nose bridge. Conforms to BS EN 166/1F.

Model No:	Lens Type:
D 9213	Clear
E 9214	Anti-Glare
F 9215	Light Enhancing





K - L Safety Spectacles with EVA Padding Model No. SEE BELOW

Modern, lightweight wraparound design, with flexible TPR arms, offers added protection and increased user comfort. Polycarbonate anti-scratch lens. Includes foam lining to keep wind, dust and other irritants away from eyes. Conforms to BS EN 166/F.

Model No:	Lens Type:
K SSP68	Clear
L SSP69	Anti-Glare



G Safety Goggles - Direct Vent Model No. SSP1

Clear polycarbonate safety lens with direct ventilation in goggle frame. Conforms to BS EN 166 1/S.

Lens Type: Clear



H Standard Goggles - Indirect Vent Model No. 201

Clear polycarbonate safety lens with indirect ventilation in the frame. Conforms to BS EN 166/1F.

Lens Type: Clear





M Premium Goggles - Indirect Vent Model No. 9202

Designed with a wide-angle curved lens to enhance visibility. Adjustable headband and soft PVC frame provide added comfort. Indirect ventilation in goggle frame. Conforms to BS EN 166/1B.

Lens Type:	Clear
------------	-------





A Deluxe Face Shield Model No. SSP80

Ratchet adjustable headband with front and back padding for extra comfort. Polycarbonate visor for increased protection, stability and durability. Stepped angle adjustment on visor which simply flips up out of the way when not in use. Suitable for use with standard glasses. Premium quality for automotive, agricultural and industrial applications. Conforms to BS EN 166/1F.



D Brow Guard with Full Face Shield Model No. SSP11E WORKSAFE.

Ratchet adjustable headband with brushed nylon comfort band. Suitable for automotive, agricultural and industrial applications. Conforms to BS EN 166/1B.

Replacement Visor: SSP11E/R





G Clip-On Visor Model No. 222

Suits all Worksafe® safety helmets. Conforms to BS EN 166.



Ratchet adjustable headband with front and back padding for extra comfort. Polycarbonate visor for increased protection, stability and durability. Premium quality for automotive, agricultural and industrial applications. Conforms to BS EN 166/1F.

Replacement Visor: SSP78.V2R



E Brow Guard with Full Face Shield Model No. SSP9E

Ratchet adjustable headband with brushed nylon comfort band. Suitable for automotive, agricultural and industrial applications. Conforms to BS EN 166/1B.



Clip-On Mesh Visor with Carrier Model No. SEE BELOW

Suits all Worksafe® safety helmets. Conforms to BS EN 1731: 2006.

Model No:	Description:
223	Clip-On Mesh Visor
225	Sparo Moch Vicor



C Safety Goggles with Detachable Face Shield Model No. SSP76

Manufactured from polycarbonate for superior durability and resistance. Offers full face protection with an increased range of mobility compared to a standard face protector. Curved face shield conforms to the shape of the face offering improved protection. Detachable indirect goggles to allow for extra versatility. Features a wide angle curved lens for enhanced visibility. Adjustable headband with soft PVC frame provides added comfort. Conforms to BS EN 166/B



Brow Guard with Full Face Shield Model No. SSP10E

Ratchet adjustable headband with brushed nylon comfort band. Competitive quality for automotive, agricultural and industrial applications. Can be used with standard glasses. Conforms to BS EN 166/1F.

Replacement Visor: SSP10E/R



WORKSAFE.


Forestry Kit Model No. 502YFK


Includes helmet, mesh visor and clip-on ear defenders. Helmet conforms to BS EN 397. Visor conforms to BS EN1737. Ear defenders conform to BS EN 352-3.



















conform to BS EN397. Fitted with a comfortable webbed harness, with twist and lock ratchet mechanism size adjustment for user comfort and ease of use. Helmets are also vented for further comfort when being worn for long periods. A short peak means that the helmet is less likely to get in the way in confined spaces. A full range of clip-on accessories are available for use with these helmets.

Model No:	Pack Qty:
502W	White
502Y	Yellow
5020	Orange
502R	Red
502G	Green
502B	Blue
502BLK	Black



B Clip-On Mesh Visors Model No. SEE BELOW

Suits all Worksafe® safety helmets. Conforms to BS EN1737.

Model No:	Description:
223	Clip-On Mesh Visor
225	Spare Mesh Visor



Forestry Kit - Yellow Model No. 502YFK

Includes helmet, mesh visor and clip-on ear defenders. Helmet conforms to BS EN397. Visor conforms to BS EN1737. Ear defenders conform to BS EN352-3.

Colour: Yellow





D Clip-On Visor Model No. 222

Suits all Worksafe® safety helmets. Conforms to BS EN166.



E Safety Baseball Bump Cap Model No. SSP16

Baseball bump cap with solid internal cover for protection against knocks and grazes. Adjustable strap suits all sizes. Convenient short peak design, better suited for working in and around vehicles. Internal padding and ventilation for added comfort. Conforms to EN 812.



Thermal Beanie Hat Model No. 509

Thermal for cold conditions. Navy blue. One size fits all.





A Handheld Welding Mask - Shade 10 Model No. SSP90

Handheld welding mask, supplied with a shade 10 lens. Made from high-impact resistant polypropylene. Accepts 110 x 90mm lens (supplied). Conforms to BS EN 175.

Shade: 10



D Auto Darkening Welding Helmet Shade 9-13

Model No. **S01001**

Welding helmet with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply - no batteries required. Features sensitivity and delay controls for switching light to dark. Contoured design helmet with adjustable headband for added comfort. Suitable for MIG, TIG and arc welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	92 x 42mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-5°C to +55°C
Power:	Solar Cells
Weight:	475g



B Welding Head Shield - Shade 10 Model No. SSP101

Welding head shield with polypropylene shell and adjustable headband. Features a 2" x 4-1/4" front flip lens for quick and easy weld inspection. Supplied with a shade 10 lens. Conforms to BS EN 175.



E Auto Darkening Welding Helmet Shade 9-13

Model No. PWH600

High quality infinitely variable shade 9-13 lens manufactured and tested to BS EN 379. Fully automatic switching from light to dark on striking arc. Fitted with solar power panel - no batteries required. Features infinitely adjustable sensitivity and delay switches. Grinding function enables user to grind without removing mask. Deluxe contoured helmet approved to BS EN 175 which gives full neck protection and protects lens from scratching when helmet is laid down. Comfortable headband and non-slip quick release ratchet mechanism. Suitable for MIG, TIG, arc and gas welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	100 x 45mm
Operating Time Light/Dark:	0.3ms
Operating Temperature:	-10°C to +60°C
Power:	Solar Cells
Weight:	570g



Locking Clamps

For our full range of Locking Clamps suitable for welding, see pages 217 to 219.



C Auto Darkening Welding Helmet - Shade 11 Model No. S01000

Shade 11 welding helmet. Complies to BS EN 379, BS EN 175 and DIN standards. Features automatic switching from light to dark on striking arc. Fitted with adjustable sensitivity and delay controls for switching light to dark. Fitted with solar panel power supply - no batteries required. Deluxe contoured helmet with fully adjustable headband featuring front pad for added comfort. Suitable for MIG, TIG and arc welding.

Shade Active:	11
Shade Inactive:	3
Grinding Function:	X
Viewing Area:	91 x 39mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Solar Cells
Weight:	470g
1 2 3 4 5 4 5 4 5 7	



F Auto Darkening Welding Helmet Shade 9-13

Model No. PWH601

High quality infinitely variable shade 9-13 lens manufactured and tested to BS EN 379. Fully automatic switching from light to dark on striking arc. Fitted with solar power panel - no batteries required. Features adjustable sensitivity and delay switches. Grinding function enables user to grind without removing mask. Deluxe contoured helmet approved to BS EN 175 which gives full neck protection and protects lens from scratching when helmet is laid down. Comfortable headband and non-slip quick release ratchet mechanism. Suitable for MIG, TIG, arc and gas welding.

Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	100 x 41mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Solar Cells
Weight:	495g





















Grinding Function

A-D Auto Darkening Welding Helmets Shade 9-13

Model No. **SEE RIGHT**

Welding helmets with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. True colour technology for improved depth perception, allowing far greater welding precision. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply - no batteries required. Features sensitivity and delay controls for switching light to dark. Suitable for MIG, TIG, arc welding and grinding.

Model No:	Colour:
A PWH1	Red
B PWH2	Blue
C PWH3	Green
D PWH4	Yellow
Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	92 x 42mm
Operating Time Light/Dark:	0.04ms
Operating Temperature:	-5°C to +55°C
Power:	Solar Cells
Weight:	535g



A - H True Colour technology for improved visibility

H





F





E-H Auto Darkening Welding Helmets Shade 9-13

Model No. SEE RIGHT

Welding helmets with infinitely adjustable shade control between 9-13. Complies with BS EN 379, BS EN 175 and DIN standards. Features True Colour technology for improved visibility, less eye strain and realistic colour recognition. Fully automatic switching from light to dark on striking arc. Shade is selected by a rotary knob on side of helmet. Grinding function enables user to grind without removing mask. Solar panel power supply. Features sensitivity and delay controls for switching light to dark. Contoured design helmets with adjustable headband for added comfort. Suitable for MIG, TIG and arc welding.

Grinding Function

·	
Model No:	Colour:
E PWH610	Black
F PWH611	Blue
G PWH612	Red
H PWH613	Silver
Shade Active:	9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	96 x 38mm
Operating Time Light/Dark:	0.1ms
Operating Temperature:	-10°C to +60°C
Power:	Solar Cells
Weight:	515g



Auto Darkening Cartridge fitted in PWH610 to PWH613







A Auto Darkening Welding Helmet with Powered Air Purifying Respirator (PAPR) Model No. PWH615





PAPR (Powered Air-Purifying System) Auto Darkening Welding Helmet with large viewing area. Highly efficient filter captures hazardous dust, mists and fumes. Lithium battery powered blower unit gives the user a cooling stream of air to their head and face for up to 8 hours. Features a loud audible and visual alarm to alert user of low battery/low air. The welding helmet has adjustable shade control from 9-13. Fully automatic switching from light to dark on striking arc. Additional shades 5-8 for gas welding/cutting. Solar panel power supply. Features sensitivity and delay controls for switching light to dark. Contoured design helmet with adjustable headband for added comfort. Suitable for MIG, TIG and arc welding. Complies with BS EN 379, BS EN 175 and DIN standards.

Shade Active: 5-8 & 9-13 Variable
Shade Inactive: 4
Grinding Function:
Viewing Area: 120 x 100mm
Operating Time Light/Dark: 0.1ms
Operating Temperature: -5°C to +55°C
Power: Solar Cells/Rechargeable Lithium Battery








PAPR (Powered Air Purifying Respirator) system with auto darkening welding helmet. Lithium battery powered respirator unit provides the user a constant filtered stream of air to their head and face for up to approximately 8 hours. The filter is designed to reduce or remove dust and particles but not vapours and gases. The kit meets performance class TH1 according to EN 12941:1998/A2:2008. Adjustable airflow settings of 150/180/210L/min. Features an audible alarm to alert user of low battery/low airflow. Inner hood has protective clear visor to BS EN166 standards. Welding helmet has adjustable shade control from 9-13 and 5-8. Fully automatic switching from light to dark on striking arc @ 1/25,000s. Solar panel power supply to welding helmet. Contoured design helmet with adjustable headband for added comfort. Suitable for MIG, TIG and arc welding. Complies with BS EN379, EN175, EN166, EN12941 and DIN standards.


Shade Active:	5-8 & 9-13 Variable
Shade Inactive:	4
Grinding Function:	✓
Viewing Area:	98 x 62mm
Operating Time Light/Dark:	1/25,000s
Operating Temperature:	-5°C to +55°C
Power:	Solar Cells/Rechargeable Lithium Battery




















A Gas Welding Goggles with Flip-Up Lenses Model No. SSP6

Clear polycarbonate safety lenses with shade 5 flip-up lenses. Indirect ventilation in goggle frame. Conforms to BS EN 175.

Shade:



B Gas Welding Goggles Model No. SSP5

Shade 5 welding lens with indirect ventilation in goggle frame. Suitable for gas welding. Conforms to BS EN 175 and BS EN 169.

Shade:



C Deluxe Gas Welding Goggles Model No. SSP5D

Shade 5 deluxe welding lens with indirect ventilation in goggle frame. Suitable for gas welding. Conforms to BS EN 175 and BS EN 169.

Shade:









D • F Gas Cylinder Safety Cages Model No. SEÉ BELOW

Powder coated galvanised 30mm box frames with 50mm x 50mm x 3mm wire mesh. Hinged door with hasp and staple for padlock (not provided). Pre-drilled fixing points for bolting to solid surface. Supplied flat-packed for easy self-assembly. Supplied with safety sign.

	ע	E	F
Model No:	GCSC219	GCSC247	GCSC319
Dimensions (W x D x H):	700 x 500 x 900mm	1000 x 500 x 1400mm	1000 x 500 x 900mm
Suitability:	2 x 19kg Cylinders	2 x 47kg Cylinders	3 x 19kg Cylinders
Nett Weight:	19.5kg	30kg	23Kg



G Leather Welding Apron Model No. SSP/LWA

Comfortable leather welding apron with ties.

Length:	900mm
Width:	600mm



H Heavy-Duty Leather Welding Apron Model No. SSP146

Heavy-duty traditional welding apron protects body and upper legs when welding. Manufactured from split cow hide leather with Kevlar® stitching. Adjustable straps with quick release buckles ensure a secure fit at all times. Features front hook-and-loop pocket and conforms to EN ISO 11611.

Size (W x L): 565 x 900mm



Heavy-Duty Leather Welding Safety Hood Model No. SSP145

Heavy-duty leather welding hood, offers best mix of durability, comfort and protection from sparks and spatter. Hook-and-loop fastening means one-size-fits-all. Manufactured from split cow hide leather with Kevlar® stitching. Conforms to EN ISO 11611.





A Lined Leather Welding Gauntlets - Pair Model No. SSP141

Gauntlets offer superior protection from spatter and heat. Comfortable, durable and preferred by the professional welder. Conforms to BS EN 388 and BS EN 407.



D Kevlar® Hot Sleeves Model No. SEE BELOW

Manufactured to CAT 2 BS EN 388 and BS EN 407 from 100% DuPont Kevlar®. Designed for use in engine bays to prevent cuts to forearms and burns from exhausts and other hot components. Thumb slot design ensures sleeve will stay in position.

Model No:	Length:
SSP36	355mm
SSP37	460mm



F Rigger's Gloves - Pair Model No. SEE BELOW

Strong stitching, a generous fit and quality materials make this an ideal glove for agricultural and general purpose industrial use.

Model No:	Pack Size:
SSP12	1
SSP12/6	6



B TIG Welding Gauntlets - Pair Model No. SSP142

Quality goat skin TIG welding leather gauntlets with 160mm split cow leather cuff. 330mm Length. Conforms to BS EN 388 and BS EN 12477:2001.



E Standard Rigger's Gloves - Pair Model No. SEE BELOW

Strong stitching, a generous fit and quality materials make this an ideal glove for agricultural and general purpose industrial use.

Model No:	Size:	Pack Qty:
9101	One Size Fits All	1
9101/B120	One Size Fits All	120



G Rigger's Gloves Hide Palm - Pair Model No. SEE BELOW

Strong stitching, a generous fit and quality materials make this an ideal glove for heavy trade use. Conforms to EN 388.

Model No:	Pack Size:
SSP13	1
SSD13/6	6



Heavy-Duty Lined Leather Welding Gauntlets - Pair Model No. SSP151

Heavy-duty traditionally designed extra-large welding gauntlets providing excellent protection against spatter and heat. Manufactured from split cow hide leather with Kevlar® stitching, cotton lined cuff with a soft comfortable fleece lining. Durability is enhanced by additional leather, stitched over the palm area of the hand. This model cannot be used for arc welding. Five year storage life in cool, dry conditions. In case of wear/damage/deterioration the gloves must be scrapped. Certified to EN 12477, Type 'A'. Rated to EN 388 - 3134X and EN 407 - 41314X.





H Rigger's Gloves - Pair Model No. SEE BELOW


Strong stitching, a generous fit and quality materials make this an ideal glove for heavy trade use. Bright dual coloured backing and reflective bands for increased visibility. Conforms to BS EN 420 and 388:2016 Level 2242X.

Model No:	Pack Size:
SSP14HV	1
SSP14HV/6	6



















A Mechanic's Gloves Padded Palm Model No. SEE BELOW

Close fitting gloves suitable for professional workshop use. Palm is padded with cushion points giving added protection against vibration - ideal for use with air powered workshop tools. Spandex® back for added user comfort. Hook-and-loop wrist strap. Washable materials.

Model No:	Size:
MG796L	Large
MG796XL	X-Large



C Mechanic's Gloves Anti-Collision Model No. SEE BELOW

Close fitting mechanics gloves suitable for professional workshop use. Palm is padded with an anti-slip synthetic leather material for extra grip, protection against vibration and is ideal for use with powered workshop tools. Back of the gloves feature rugged PVC material to help protect knuckles, fingers and thumbs during use. Hook-and-loop wrist strap. Washable material.

Model No.	Size:
MG803L	Large
MG803XL	X-Large



585mm Cuffed Shot Blasting Gauntlets - Pair Model No. SSP41

Protection for hands, wrists and forearms. Suitable for all types of shot/grit blasters.

Length:	585mm
---------	-------



B Light Palm Tactouch Mechanic's Gloves Model No. SEE BELOW

Professional close fitting gloves. Unlike conventional mechanic's gloves, they allow precision control when working with small fixings and tools. Soft, breathable and durable with anti-slip palms and touchscreen index fingertips. Washable materials.

Model No:	Size:
MG798L	Large
MG798XL	X-Large



Mechanic's Gloves Padded Palm Camo Model No. SEE BELOW

Close fitting gloves suitable for professional workshop use. Palm is padded with cushion points giving added protection against vibration - ideal for use with air powered workshop tools. Camouflage Spandex® back for added user comfort. Hook-and-loop wrist strap. Washable materials.

Model No:	Size:
MG795L	Large
MG795XL	X-Large
MG795XXL	XX-Large







E 330mm Cuffed Nitrile Gauntlets - Pair Model No. SSP34

330mm Nitrile gauntlets designed to cope with thinners and similar aggressive liquids. CE Marked and manufactured to CAT 3 BS EN 388, 407 and 374.



G Premium Powder-Free Disposable Nitrile Gloves - Packs of 100 Model No. SEE BELOW

Offers a high degree of protection against a variety of chemicals. More durable than standard latex gloves. Provides excellent protection whilst being light and flexible. Nitrile material, ideal for people with latex protein allergies. Manufactured to EN455 Parts 1, 2 & 3.

Model No:	Size:
SSP55L	Large
SSP55XL	X-Large

SEALEY

PURCHASE YOUR WAY (Gloves Sold in Multiples of Pairs)

Option 1

Single Pair



Option 2



Option 3

Pack of 12 Pairs



Option 4

Box of 120 Pairs





A Nitrile Foam Gloves Model No. SEE BELOW

Nitrile coated palm gives superior grip and dexterity. Good abrasion resistance. Breathable open back. CE Marked and conforms to BS EN 388:2016 4-1-2-2-X.

Model No:	Size:	Pack Qty:
9125L	Large	1
9125XL	X-Large	1
TSP125L/6	Large	6
TSP125XL/6	X-Large	6
9125L/12	Large	12
9125XL/12	X-Large	12
9125L/B120	Large	120
9125XL/B120	X-Large	120



B Super Grip Knitted Gloves Latex Palm Model No. SEE BELOW

Latex coating with poly cotton lining gives superior grip in wet and dry conditions. Breathable open back. Enhanced tear resistance. CE Marked and conforms to BS EN 388:2016 2-1-3-1-X.

Model No:	Size:	Pack Qty:
9121L	Large	1
9121XL	X-Large	1
TSP121L/6	Large	6
TSP121XL/6	X-Large	6
9121L/12	Large	12
9121XL/12	X-Large	12
9121L/B120	Large	120
9121XL/B120	X-Large	120



Foam Latex Grippa Gloves Model No. SEE BELOW

Latex coating gives superior grip in wet and dry conditions. Lightweight design for superior dexterity. CE Marked and conforms to BS EN 388:2016 2-1-2-1-X.

Model No:	Size:	Pack Qty:
9140L	Large	1
9140XL	X-Large	1
TSP140L/6	Large	6
TSP140XL/6	X-Large	6
9140L/12	Large	12
9140XL/12	X-Large	12
9140L/B120	Large	120
9140XL/B120	X-Large	120



Lightweight Precision Grip Gloves Model No. SEE BELOW

Flexible elasticated wrist work gloves. Polyurethane coated palm for grip & protection. Ideal for tasks where dexterity is important. CE Marked and conforms to BS EN 388:2016 3-1-4-1-X.

Size:	Pack Qty:
Large	1
X-Large	1
Large	6
X-Large	6
Large	12
X-Large	12
Large	120
X-Large	120
	Large X-Large Large X-Large Large Large X-Large Large Large



PVC Knit Wrist Gloves Model No. SEE BELOW

Knitted wrist waterproof gloves with PVC coating palm and back for excellent protection against abrasion. Wide-ranging applications, as waterproof coating repels oil, grease and non-corrosive liquids. CE Marked and conforms to BS EN 388:2016 3-1-2-1-X.

Model No:	Size:	Pack Qty:
9106L	Large	1
9106XL	X-Large	1
9106L/B120	Large	120
9106XL/B120	X-Large	120



Thermal Super Grip Gloves Model No. SEE BELOW

Latex coating gives superior grip in wet and dry conditions. Brushed terry liner for warmth and comfort. CE Marked and conforms to BS EN 388:2016 2-2-4-2-X.

Model No:	Size:	Pack Qty:
9126	One Size Fits All	1
TSP126/6	One Size Fits All	6
9126/12	One Size Fits All	12
9126/B120	One Size Fits All	120

















Anti-Cut PU Gloves (Cut Level C) - Pair Model No. SEE BELOW

Highest cut resistance - (Cut Level C) provides maximum protection against cuts and abrasions. Polyurethane coated palm for improved grip. The whole liner is cut resistant, including the back of the glove. CE Marked and conforms to BS EN 388:2016 4-4-4-3-C.

Model No:	Size:	Pack Qty:
9139L	Large	1
9139XL	X-Large	1



D Anti-Slip Handling Gloves - Pair Model No. SEE BELOW

Spun nylon gloves with interlocking criss-cross coating. Ideal for handling cartons, glass and other items with a sheer finish. Conforms to BS EN 420:2003 + A1:2009. Conforms to BS EN 388:2016 Level 113XX.

Model No:	Pack Qty:
SSP33	1
SSP33/12	12



450mm PVC Gauntlets - Pair Model No. SEE BELOW

Fully coated PVC gloves give excellent abrasion protection for whole forearm. Wide-ranging applications, as waterproof coating repels oil, grease and non-corrosive liquids. Conforms to BS EN 388:2016 4-1-3-1-X.

Model No:	Size:	Pack Qty:
9114	One Size Fits All	1
9114/B120	One Size Fits All	120



Special anti-vibration material covers palm and fingertips to significantly reduce the effects of impact and vibration. Breathable fabric improves comfort. Ideal for use with jack hammers, air impact tools, drilling equipment and chainsaws, among others. Conforms to EN 388:2016 and EN ISO 10819:2013.

Model No:	Size:	Pack Qty:
9142L	Large	1
9142XL	X-Large	1

Safety Signs

For our full range of Safety Signs, see pages 1256 to 1259.





No access for unauthorised persons



Fully cotton lined for greater warmth in cold environments. Nitrile coated palm for added control and grip whilst working. Hi-Vis material as well as reflective strips on the wrist, hand and fingertips for increased visibility. Elasticated

sizes. Size:

One Size Fits All Pack Qty:



Super Cool Hide Gloves - Pair Model No. SEE BELOW

Full grain cow hide. Breathable back, adjustable hook-andloop wrist. Supple, hard-wearing premium glove.

Model No:	Size:	Pack Qty:
9136L	Large	1
9136XL	X-Large	1



PVC Open Cuff Gloves - Pair Model No. 9107

Fully coated PVC. Ideal for use with oils, greases and water.

Size: One Size Fits All Pack Qty:



For our full range of eye and face protection see pages 1238 to 1240.







FFP1 NR fold flat masks. Protects against non-toxic dusts and water based aerosols. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Filter Efficiency ≥ 80%. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9329/3	3
9329/10	10



FFP2 Fold Flat Masks Model No. SEE BELOW

FFP2 NR fold flat masks. Protects against slightly toxic or irritant aerosols and/or liquids. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Filter Efficiency ≥ 94%. Manufactured to BS EN 149:2001 + A1:2009

Model No:	Pack Qty:
9304/3	3
9304/10	10

CHOOSING YOUR MASK

FFP1	Filter Efficiency > 80%	
Protection	Non-toxic dust and/or water based aerosols, minor dust level.	
Application	Handling rubble, sweeping, drilling concrete.	
Substance	Flour, chalk, graphite, cotton, concrete.	
FFP2	Filter Efficiency > 94%	
Protection	Mild toxic or irritant, solid & liquid aerosols, moderate dust level.	
Application	Plastering, sanding rust & soft wood, grinding & cutting metal, paint spraying.	
Substance	Untreated softwood, coal, powder, pesticide, fibreglass.	
FFP3	Filter Efficiency > 99%	
Protection	Filter Efficiency > 99% Toxic liquids, solid & liquid aerosols, high dust level.	
	Toxic liquids, solid & liquid aerosols, high	



FFP1 NR D cup masks. Protects against solid dust and oil mist up to 4 x OEL. Passed dolomite test so will resist clogging even in high dust environments. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours.

Model No. SEE BELOW

Model No:	Pack Qty:
9309/3	3
9309/10	10



FFP2 Valved Fold Flat Masks Model No. SEE BELOW

FFP2 Class 2 medium efficiency (94% minimum) fold flat masks with easy breathe valve. Adjustable nose piece. Conforms to EN149:20001+A1:2009.

Model No:	Pack Qty:
9305/3	3
9305/10	10



G FFP3 Valved Fold Flat Masks Model No. SEE BELOW

FFP3 NR fold flat masks. Protects against solid aerosols and/or liquids listed as toxic. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up. Filter Efficiency ≥ 99%. Manufactured to BS EN 149:2001 + A1:2009.

Model No:	Pack Qty:
9333/3	3
9333/10	10



FFP1 Valved Cup Masks Model No. SEE BELOW

FFP1 NR D cup masks with valve. Protects against solid dust and oil mist up to 4 x OEL. Passed dolomite test so will resist clogging even in high dust environments. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up.

Model No:	Pack Qty:
9331/3	3
9331/10	10



FFP2 Valved Cup Masks Model No. SEE BELOW

FFP2 Class 2 medium efficiency (94% minimum) with easy breathe valve. Improved moulded nose design. Conforms to EN149:20001+A1:2009.


Model No:	Pack Qty:
9332/3	3
9332/10	10



H FFP3 Valved Cup Masks Model No. SEE BELOW

FFP3 NR D valved cup mask. Protects against solid dust and oil mist up to 50 x OEL. Passed dolomite test so will resist clogging even in high dust environments. Fitted with adjustable band, nose liner and aluminium nose clip to fit all face contours. Also fitted with breathing vent to provide more comfort and better communication as well as reducing heat build-up.

Model No:	Pack Qty:
9334/3	3
9334/10	10















A Half Mask Respirator with A2P3 Filters Model No. SSP1605

Twin cartridge half mask with low resistance exhalation valve for easy breathing. Fully adjustable 4-point suspension harness with quick release. Comfortable and durable thermoplastic rubber face mask offering a superior fit to most face shapes and conforms to EN140. Reflective strips for increased visibility in low light areas. Fitted with twin filters that confirm the correct fitting of the mask and conform to EN14387:2004+A1:2008. Ideal for a variety of painting, welding, construction and wood cutting tasks.

Replacement Filter Kit: Description: B SSP1605FP Set of Two A2P3 Cartridges for SSP1605





	DU	STS	FUM	IES/ODOU	IRS	WOODS	FIBRES		PAINTIN	G TASKS		MAINTENA	NCE
FILTER USAGE	Plaster	General	Nuisance Odours	Resins	Welding (Ferrous & Lead)	Hard & Soft	Fibres & Fibreglass	Water Based	Solvent Based & White Spirit	Rubbing down Paint	Heat & Chemical Stripping	Glyphosate (Weed Killer)	Mists
A2P3	~	~	✓	~	~	~	✓	>	>	>	>	✓	✓



Half Mask - No Cartridges Model No. **9360**

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Inbuilt exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Adjustable straps in order to optimize comfort and support.

Pack Qty:



G ABEK1 P2R Cartridge - Pack of 2 Model No. **9363**

Filters designed to fit Model No. 9360 series Half Masks. ABEK1 P2R Filters to protect against organic vapour, inorganic gases, acid gases, ammonia and its derivatives and particulate. Maximum user levels 1000 ppm or 10 x OEL whichever is lower. Conforms to EN 143 and EN 14387.

Spare ABEK1 P2R Cartridge for: 9360/63



Half Mask with P3R Filter Cartridges

Model No. 9360/62

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Built-in exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Adjustable straps in order to optimize comfort and support. Supplied with 2 x P3R HEPA filters for protection against particulate. Maximum user levels 30 x OEL.

Spare Filter Cartridge (Pack of 2): 9362



H Pre-Filters and Holding Ring Model No. SEE BELOW

Pre-filters to fit onto Model No's 9361 and 9363 cartridges. Replacement pre-filter to protect against solid particles. Conforms to EN 143. Replacement ring for Model No's 9361 and 9363. Holds pre-filter in place.

Model No:	Spare for:
9364 (Pack of 10):	: Spare Pre-Filter for
	9361 & 9363
9365 (Pack of 2):	Spare Holding Ring for
	9364



Half Mask with A1P2R Filter Cartridges

Model No. 9360/61

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Built-in exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Adjustable straps in order to optimize comfort and support. Supplied with 2 x A1P2R filters for protection against organic vapour and particulate. Maximum user levels 1000ppm or 10 x OEL whichever

Spare Filter Cartridge (Pack of 2): 9361 Spare Pre-Filter (Pack of 10):



A1P2R Filter Cartridge Pack of 2

Model No. **9361**

Filters designed to fit Model No. 9360 series Half Masks. A1 P2R Filters to protect against organic vapour and particulate. Maximum user levels 1000 ppm or 10 x OEL whichever is lower. Conforms to EN 143 and EN 14387.

Spare A1P2R Cartridge for: 9360/61



Half Mask with ABEK1 P2R **Filter Cartridges** Model No. 9360/63

Lightweight and dermatologically friendly made from soft thermoplastic elastomer. Inbuilt exhalation vent makes breathing out easy and comfortable without letting harmful materials in. Threaded cartridges makes connecting filters easy and efficient. Adjustable straps in order to optimize comfort and support. Supplied with 2 x ABEK1 P2R filters for protection against organic vapour, inorganic gases, acid gases, ammonia, derivatives and particulate. Maximum user levels 1000ppm or 10 x OEL whichever is lower.

Spare Filter Cartridge (Pack of 2): 9363 Spare Pre-Filter (Pack of 10): 9364



P3R Filter Cartridge - Pack of 2 Model No. **9362**

Filters designed to fit Model No. 9360 series Half Masks. P3R Filters to protect against particulates. Maximum user levels 30 x OEL. Conforms to EN 143.

Spare P3R Cartridge for: 9360/62





A Disposable Ear Plugs Dispenser Model No. SEE BELOW

Disposable, single use ear plugs. Supplied in a dispenser with twist mechanism that can be wall mounted of surface standing. Provides comfortable protection from noise. SNR Rating 34dB. Conforms to BS EN 352. For replacement ear plugs order Sealey Model No. 403/250DRE or 403/500DRE.

Model No:	Pack Qty:
403/250D	250 Pairs
403/500D	500 Pairs
Replacement Ear Plugs:	403/250DRE - 250 pairs,
	403/500DRE - 500 pairs



Wireless Electronic Ear Defenders Model No. 9420

Built-in digital wireless technology including microphone allows you to take hands-free calls or listen to music via your ear defenders. Easy access controls enable you to take calls and adjust the volume level. Includes AUX input to allow connection with non-wireless compatible devices. Fitted with adjustable headband for comfort. Supplied with charging cable and AUX cable. Lightweight, yet rugged construction, certified to BS EN 352-1:2002 standard. Hearing protection level in excess of the standard, with an SNR of 32.1dB.

Battery:	3.7V 0.75Ah Li-ion
Battery Life:	≥8hr
Charging Time:	3.5hr
Transmission Range:	≥10m
Operating Temperature:	0 - 40°C
Storage Temperature:	-20 to +60°C
Storage Humidity:	<30%
Working Humidity:	<80%



Triple flange design manufactured from a soft pliable material providing a comfortable fit. Corded for convenient carrying and helps prevent loss of plugs. Supplied in plastic storage case. SNR Rating: 32dB. Conforms to BS EN 352.



100 Pairs of individually wrapped, disposable, single use, corded ear plugs. Provides comfortable protection from noise. SNR Rating 34dB. Conforms to BS EN 352.



G Ear Defenders Cat 3 - Standard Model No. 406

Lightweight yet rugged construction offering protection to BS EN 352.1. SNR Rating 27dB. Adjustable swivel cups for optimum comfort and safety. Fully approved to protect against high noise levels in most working environments.



Deluxe Ear Defenders - Folding Model No. SSP19F

Lightweight, yet rugged construction, certified to BS EN 352-1:2002 standard. Hearing protection level in excess of the standard, with an SNR of 32.1dB. Fully adjustable ear cups to ensure a precise seal against the head. Arms fold in for easy storage. Fully approved to protect against high noise levels in most working environments.



Disposable, single use ear plugs. Provides comfortable protection from noise. SNR Rating 34dB. Conforms to BS EN 352.

Model No:	Pack Qty:
403/10	10 Pairs
403/100	100 Pairs
403/200	200 Pairs



E Clip-On Ear Defenders Model No. 405

Model No. SSP18F

WORKSAFE.

Lightweight with fully adjustable ear cups to ensure a precise seal against the head. Suitable for use on all Worksafe helmets. Conforms to BS EN352-3. SNR Rating 29dB.



Lightweight yet rugged construction offering protection to BS EN 352.1. SNR Rating 30.4dB. Adjustable swivel cups for optimum comfort and safety. Arms fold in for easy storage. Fully approved to protect against high noise levels in most working environments.



Deluxe Clip-On Ear Defenders Model No. SSP19CO

Lightweight, yet rugged construction, certified to BS EN 352-3:2002 standard. Hearing protection level in excess of the standard, with an SNR of 30dB. Fully adjustable ear cups to ensure a precise seal against the head. Suitable for use on all Worksafe helmets or any helmet with a 30mm fixing point. Fully approved to protect against high noise levels in most working environments.



















A Flexi Grip Gloves, FFP1 Mask, Goggles & Ear Plugs

Model No. SEP1

9329/3 - FFP1 Fold Flat Mask - Pack of 3, Contents: 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 - Ear Plugs

B Flexi Grip Gloves, FFP1 Mask, Goggles & **Ear Defenders** Model No. SEP2

Contents: 9329/3 - FFP1 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard



Flexi Grip Gloves, FFP2 Mask, Goggles & Ear Plugs

Model No. SEP3

Contents: 9304/3 - FFP2 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 403 - Ear Plugs



Flexi Grip Gloves, FFP2 Mask, Goggles & **Ear Defenders**

Model No. SEP4

Contents: 9304/3 - FFP2 Fold Flat Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 9125XL - Flexi Grip Nitrile Palm Gloves (X-Large) - Pair, 406 - Ear Defenders Cat 3 - Standard



Safety kits for construction and building site use. Kits include; 502W - Plus Safety Helmet - Vented (White), 9804L (Large) or 9804XL (X-Large) - Hi-Vis Waistcoat (Site and Road Use) Yellow, 9121L (Large) or 9121XL (X-Large) -Super Grip Knitted Gloves Latex Palm - Pair, 201 - Standard Goggle Indirect Vent, 9309/3 - FFP1 Cup Mask - Pack of 3, 403 - Ear Plugs.

Model No:	Size:
SKBOX/L	Large
SKBOX/XL	X-Large



FFP1 Mask, Goggles & Ear Plugs Model No. VPAC

Contents: 9309/3 - FFP1 Cup Mask - Pack of 3, 201 - Standard Goggles Indirect Vent, 403 - Ear Plugs







G Disposable Coveralls Model No. SEE BELOW

Elasticated hood, cuffs and ankles. Protects clothing in a range of environments.

•	0 0	
Model No:		Size:
9601L		Large
9601XL		X-Large









Zip and stud fastening hood. Elasticated hood, cuffs and ankles. Two front pockets in jacket.

Model No:	Size:
9710L	Large
9710XL	X-Large
9710XXL	XX-Large







A Trouser Knee Pads - Pair Model No. **9712**

Fits most work trousers. Can be cut-to-size. Soft comfortable foam.



B Comfort Knee Pads - Pair Model No. **9706**

Lightweight for comfort. Adjustable straps.



Hard Shell Gel Knee Pads - Pair Model No. **9711**

Hard-wearing composite front cover for extended life with an anti-slip grip design. Adjustable wide straps. Gel core shapes to knee for comfort.



D EVA Foam with TPR Cap Knee Pads - Pair Model No. SSP79

Combination of EVA foam and a hard-wearing TPR cap provide the required comfort and protection. Utilises a single hook-and-loop closing strap.



E Heavy-Duty Gel Knee Pads - Pair Model No. SSP47

Anti-compression gel foam gives maximum cushioning for added comfort. Hard-wearing composite front cover for extended life with an anti-slip grip design. Large hook-and-loop single strap for a comfortable fit.



F Heavy-Duty Double Gel Knee Pads - Pair Model No. SSP63


Anti-compression genuine double gel foam gives maximum cushioning for added comfort and manoeuvrability. Hard-wearing non-scratch pads for extended life. Twin hook-and-loop straps offer a more comfortable fit and stops knee pads from slipping.



G Back Support Belts Model No. SEE BELOW

Designed to give all day support whilst bending and lifting.

Size:
Medium; 840-1020mm
Large; 965-1120mm





Safety Helmets Model No. SEE BELOW

For our full range of safety helmets see page 1241.

Model No:	Colour
502Y	Yellow
5020	Orange
502G	Greer

















A Hi-Vis Orange Jacket with Quilted Lining Model No. SEE BELOW

Waterproof motorway jacket with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
806LO	Large
806XLO	X-Large
806XXLO	XX-Large



B Hi-Vis Orange Jacket with Quilted Lining, Elasticated Waist & Cuffs

Model No. SEE BELOW

Waterproof motorway jacket with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket, elasticated waist and wrists and both zipper and snap closing for added protection against rain. Conforms to EN ISO 20471:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
802LO	Large
802XLO	X-Large
802XXLO	XX-Large



C Hi-Vis Orange Waterproof Trousers Model No. SEE BELOW

Fully waterproof reflective trousers fitted with elasticated waist, two pockets and adjustable ankles. Conforms to EN ISO 20471:2013+A1:2016 Class 1 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
807MO	Medium
807LO	Large
807XLO	X-Large
807XXLO	XX-Large





Hi-Vis Orange Waistcoats Model No. SEE BELOW

Conforms to BS EN471, Class 2.

Model No:	Size:
9812M	Medium
9812L	Large
9812XL	X-Large
9812XXL	XX-Large





NEW

Conforms to BS EN471, Class 2.

Size:
Medium
Large
X-Large
XX-Large



Hi-Vis Yellow Jacket with Quilted Lining Model No. SEE BELOW

Waterproof motorway jacket with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket and both zipper and snap closing for added protection against rain. Conforms to EN ISO 2047:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size
806L	Large
806XL	X-Large
806XXL	XX-Large



G Hi-Vis Yellow Jacket with Quilted Lining, Elasticated Waist & Cuffs

Model No. SEE BELOW

Waterproof motorway jacket with full quilted lining for greater warmth and comfort. Fitted with retractable hood, two outer pockets, inner phone pocket, elasticated waist and wrists and both zipper and snap closing for added protection against rain. Conforms to EN ISO 2047:2013+A1:2016 Class 3 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size
802L	Large
802XL	X-Large
802XXL	XX-Large



Hi-Vis Yellow Waterproof Trousers Model No. SEE BELOW

Fully waterproof reflective trousers fitted with elasticated waist, two pockets and adjustable ankles. Conforms to EN ISO 20471:2013+A1:2016 Class 1 and EN 343:2003+A1:2007 Class 3:1.

Model No:	Size:
807M	Medium
807L	Large
807XL	X-Large
807XXL	XX-Large



The Health and Safety (Safety Signs & Signals) Regulations 1996 require employers to provide and maintain safety signs where there is significant risk to health and safety that has not been avoided or controlled by other means (e.g. safe systems of work) provided that the use of a sign can help reduce the risk. ISO 7010 was developed to provide consistency in design across the EU. All our signs are manufactured in compliance with BS EN ISO 7010 standards.

The use of symbols and graphical images is a simple safety system used to convey safety messages at a glance. Colours and symbols, appropriately used, provide information and warnings of hazards which are essential to personal safety. Safety signs are categorised by five main sections: Hazard, Mandatory, Safety, Prohibition and Fire Equipment. Available individually or in packs of 10, in a variety of materials.



A Fire Door Keep Shut Model No. SEE BELOW

Dimensi	ons: 80r	nm x 80mm
Model No	o: Material:	Pack Qty:
SS1V1	Self-Adhesive Vinyl	1
SS1V10	Self-Adhesive Vinyl	10
SS1P1	Rigid Plastic	1
SS1P10	Rigid Plastic	10



B Fire Exit Keep Clear Model No. SEE BELOW

ons: 200m	m x 200mm
o: Material:	Pack Qty:
Self-Adhesive Vinyl	1
Self-Adhesive Vinyl	10
Rigid Plastic	1
Rigid Plastic	10
	Self-Adhesive Vinyl Self-Adhesive Vinyl Rigid Plastic



Automatic Fire Door Keep Clear Model No. SEE BELOW

Dimension	ons: 80r	nm x 80mm
Model No	o: Material:	Pack Qty:
SS3V1	Self-Adhesive Vinyl	1
SS3V10	Self-Adhesive Vinyl	10
SS3P1	Rigid Plastic	1
SS3P10	Rigid Plastic	10



D Fire Door Keep Locked Shut Model No. SEE BELOW

Dimension	ons: 80r	nm x 80mm
Model No	o: Material:	Pack Qty:
SS4V1	Self-Adhesive Vinyl	1
SS4V10	Self-Adhesive Vinyl	10
SS4P1	Rigid Plastic	1
SS4P10	Rigid Plastic	10









E Now Wash Your Hands Model No. SEE BELOW

Dimensi	ons: 300m	300mm x 100mm Material: Pack Qty:	
Model No	o: Material:		
SS5V1	Self-Adhesive Vinyl	1	
SS5V10	Self-Adhesive Vinyl	10	
SS5P1	Rigid Plastic	1	
SS5P10	Rigid Plastic	10	

Hand Protection Must Be Worn Model No. SEE BELOW

Dimensi	ons: 300m	m x 100mm
Model No	o: Material:	Pack Qty:
SS6V1	Self-Adhesive Vinyl	1
SS6V10	Self-Adhesive Vinyl	10
SS6P1	Rigid Plastic	1
SS6P10	Rigid Plastic	10

NEW

G Protective Footwear Must Be Worn

Model No. SEE BELOW

Dimension	ons: 300m	m x 100mm
Model No	o: Material:	Pack Qty:
SS7V1	Self-Adhesive Vinyl	1
SS7V10	Self-Adhesive Vinyl	10
SS7P1	Rigid Plastic	1
SS7P10	Rigid Plastic	10


Model No. SEE BELOW

Dimensi	ons: 300m	300mm x 100mm	
Model No	o: Material:	Pack Qty:	
SS8V1	Self-Adhesive Vinyl	1	
SS8V10	Self-Adhesive Vinyl	10	
SS8P1	Rigid Plastic	1	
SS8P10	Rigid Plastic	10	









High Visibility Jackets Must Be Worn Beyond This Point

Model No. SEE BELOW

Dimensi	ons: 300m	m x 100mm
Model No	o: Material:	Pack Qty:
SS9V1	Self-Adhesive Vinyl	1
SS9V10	Self-Adhesive Vinyl	10
SS9P1	Rigid Plastic	1
SS9P10	Rigid Plastic	10

Use Ear Protectors Model No. SEE BELOW


J


Dimensio	ns: 300mm	n x 100mm
Model No:	Material:	Pack Qty:
SS10V1	Self-Adhesive Vinyl	1
SS10V10	Self-Adhesive Vinyl	10
SS10P1	Rigid Plastic	1
SS10P10	Rigid Plastic	10


K Eye Protection Must Be Worn Model No. SEE BELOW

Dimension	ns: 300mr	300mm x 100mm	
Model No:	Material:	Pack Qty:	
SS11V1	Self-Adhesive Vinyl	1	
SS11V10	Self-Adhesive Vinyl	10	
SS11P1	Rigid Plastic	1	
SS11P10	Rigid Plastic	10	




















A No Smoking (On Premises) Model No. SEE BELOW

Dimension	ns: 148mn	n x 210mm
Model No:	Material:	Pack Qty:
SS12V1	Self-Adhesive Vinyl	1
SS12V10	Self-Adhesive Vinyl	10
SS12P1	Rigid Plastic	1
SS12P10	Rigid Plastic	10



Fire Action With Lift Model No. SEE BELOW

Dimension	ns: 200mn	200mm x 250mm	
Model No:	Material:	Pack Qty:	
SS19V1	Self-Adhesive Vinyl	1	
SS19V10	Self-Adhesive Vinyl	10	
SS19P1	Rigid Plastic	1	
SS19P10	Rigid Plastic	10	



K Fire Action Without Lift Model No. SEE BELOW

Dimension	ns: 200mn	n x 250mm	
Model No:	Material:	Pack Qty:	
SS20V1	Self-Adhesive Vinyl	1	
SS20V10	Self-Adhesive Vinyl	10	
SS20P1	Rigid Plastic	1	
SS20P10	Rigid Plastic	10	



B No Smoking Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty
SS13V1	Self-Adhesive Vinyl	1
SS13V10	Self-Adhesive Vinyl	10
SS13P1	Rigid Plastic	1
SS13P10	Rigid Plastic	10



Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS17V1	Self-Adhesive Vinyl	1
SS17V10	Self-Adhesive Vinyl	10
SS17P1	Rigid Plastic	1
SS17P10	Rigid Plastic	10



Dimension	ns: 75mn	n x 100mm
Model No:	Material:	Pack Qty:
SS35V1	Self-Adhesive Vinyl	1
SS35V10	Self-Adhesive Vinyl	10
SS35P1	Rigid Plastic	1
SS35P10	Rigid Plastic	10



Water Fire Extinguisher Model No. SEE BELOW

Dimension	ns: 75mn	n x 210mm
Model No:	Material:	Pack Qty:
SS27V1	Self-Adhesive Vinyl	1
SS27V10	Self-Adhesive Vinyl	10
SS27P1	Rigid Plastic	1
SS27P10	Rigid Plastic	10



C No Entry Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS14V1	Self-Adhesive Vinyl	1
SS14V10	Self-Adhesive Vinyl	10
SS14P1	Rigid Plastic	1
SS14P10	Rigid Plastic	10



G No Parking Model No. **SEE BELOW**

Dimensio	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS16V1	Self-Adhesive Vinyl	1
SS16V10	Self-Adhesive Vinyl	10
SS16P1	Rigid Plastic	1
SS16P10	Rigid Plastic	10



Model No. SEE BELOW

Dimension	1s: 80m	80mm x 80mm	
Model No:	Material:	Pack Qty:	
SS31V1	Self-Adhesive Vinyl	1	
SS31V10	Self-Adhesive Vinyl	10	
SS31P1	Rigid Plastic	1	
SS31P10	Rigid Plastic	10	

NEW



D Fire Extinguisher Model No. SEE BELOW

Dimensions: 15		n x 200mm
Model No:	Material:	Pack Qty:
SS15V1	Self-Adhesive Vinyl	1
SS15V10	Self-Adhesive Vinyl	10
SS15P1	Rigid Plastic	1
SS15P10	Rigid Plastic	10



Sprinkler Stop Valve Inside Model No. SEE BELOW

Dimension	ns: 200mr	n x 150mm
Model No:	Material:	Pack Qty:
SS23V1	Self-Adhesive Vinyl	1
SS23V10	Self-Adhesive Vinyl	10
SS23P1	Rigid Plastic	1
SS23P10	Rigid Plastic	10

NEW



N Foam Fire Extinguisher

Model No. SEE BELOW			
Dimensions: 75m		n x 210mm	
Model No:	Material:	Pack Qty:	
SS30V1	Self-Adhesive Vinyl	1	
SS30V10	Self-Adhesive Vinyl	10	
SS30P1	Rigid Plastic	1	
SS30P10	Rigid Plastic	10	



M CO₂ Fire Extinguisher Model No. SEE BELOW

Model No. SEE BELOM			
Dimensions: 75mm x 210r		n x 210mm	
Model No:	Material:	Pack Qty:	
SS21V1	Self-Adhesive Vinyl	1	
SS21V10	Self-Adhesive Vinyl	10	
SS21P1	Rigid Plastic	1	
SS21P10	Rigid Plastic	10	











A Fire Exit Down Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS22V1	Self-Adhesive Vinyl	1
SS22V10	Self-Adhesive Vinyl	10
SS22P1	Rigid Plastic	1
SS22P10	Rigid Plastic	10

B Fire Exit Right Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS24V1	Self-Adhesive Vinyl	1
SS24V10	Self-Adhesive Vinyl	10
SS24P1	Rigid Plastic	1
SS24P10	Rigid Plastic	10

Fire Exit Left

Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS25V1	Self-Adhesive Vinyl	1
SS25V10	Self-Adhesive Vinyl	10
SS25P1	Rigid Plastic	1
SS25P10	Rigid Plastic	10

D Fire Exit Up Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No: Material		Pack Qty:
SS28V1	Self-Adhesive Vinyl	1
SS28V10	Self-Adhesive Vinyl	10
SS28P1	Rigid Plastic	1
SS28P10	Rigid Plastic	10







H

Fire Exit Down Left Model No. SEE BELOW

Dimension	ns: 300mn	300mm x 100mm	
Model No:	Material:	Pack Qty:	
SS34V1	Self-Adhesive Vinyl	1	
SS34V10	Self-Adhesive Vinyl	10	
SS34P1	Rigid Plastic	1	
SS34P10	Rigid Plastic	10	

Fire Exit Down Right Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS36V1	Self-Adhesive Vinyl	1
SS36V10	Self-Adhesive Vinyl	10
SS36P1	Rigid Plastic	1
SS36P10	Rigid Plastic	10

G Push Bar To Open Model No. SEE BELOW

Dimensior	ns: 300m	ım x 70mm
Model No:	Material:	Pack Qty:
SS29V1	Self-Adhesive Vinyl	1
SS29V10	Self-Adhesive Vinyl	10
SS29P1	Rigid Plastic	1
SS29P10	Rigid Plastic	10

First Aid Model No. SEE BELOW

Dimension	ns: 250mm	250mm x 300mm	
Model No:	Material:	Pack Qty:	
SS26V1	Self-Adhesive Vinyl	1	
SS26V10	Self-Adhesive Vinyl	10	
SS26P1	Rigid Plastic	1	
SS26P10	Rigid Plastic	10	

First Aid



Assembly Point Model No. SEE BELOW

Rigid plastic. Suitable for use in office, workshop and all other commercial and retail environments.

Dimensions:	250 x 300mm
SS37P1	Single
SS37P10	Pack of 10



Fire Exit Keep Clear Model No. SEE BELOW

Dimension	ns: 300mr	n x 100mm
Model No:	Material:	Pack Qty:
SS18V1	Self-Adhesive Vinyl	1
SS18V10	Self-Adhesive Vinyl	10
SS18P1	Rigid Plastic	1
SS18P10	Rigid Plastic	10
Dimension	ns: 600mn	n x 200mm
Model No:	Material:	Pack Qty:
SS32V1	Self-Adhesive Vinyl	1
SS32V10	Self-Adhesive Vinyl	10
SS32P1	Rigid Plastic	1
SS32P10	Rigid Plastic	10



K Electric Shock Emergency Action Model No. SEE BELOW

Rigid plastic. Suitable for use in office, workshop and all other commercial and retail environments.


Dimensions:	450 x 600mm
SS33P1	Single
SS33P10	Pack of 10
























A Caution Hot Water Model No. SEE BELOW

Dimensions: 75mm		n x 100mm
Model No:	Material:	Pack Qty:
SS38V1	Self-Adhesive Vinyl	1
SS38V10	Self-Adhesive Vinyl	10
SS38P1	Rigid Plastic	1
SS38P10	Rigid Plastic	10





Danger Hot SurfaceModel No. **SEE BELOW**

Dimension	ns: 75mn	n x 100mm
Model No:	Material:	Pack Qty:
SS42V1	Self-Adhesive Vinyl	1
SS42V10	Self-Adhesive Vinyl	10
SS42P1	Rigid Plastic	1
SS42P10	Rigid Plastic	10







Caution Automatic Machinery Model No. SEE BELOW

Dimensions: 300mm		n x 100mm
Model No:	Material:	Pack Qty
SS47V1	Self-Adhesive Vinyl	1
SS47V10	Self-Adhesive Vinyl	10
SS47P1	Rigid Plastic	1
SS47P10	Rigid Plastic	10







Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS48V1	Self-Adhesive Vinyl	1
SS48V10	Self-Adhesive Vinyl	10
SS48P1	Rigid Plastic	1
SS48P10	Rigid Plastic	10





NEW



B Mind Your Head Model No. SEE BELOW

F

Dimension	ns: 300mn	300mm x 100mm			
Model No:	Material:	Pack Qty:			
SS39V1	Self-Adhesive Vinyl	1			
SS39V10	Self-Adhesive Vinyl	10			
SS39P1	Rigid Plastic	1			
SS39P10	Rigid Plastic	10			




Caution Fork-Lift Trucks Model No. SEE BELOW

Dimension	ns: 300mn	n x 100mm
Model No:	Material:	Pack Qty:
SS44V1	Self-Adhesive Vinyl	1
SS44V10	Self-Adhesive Vinyl	10
SS44P1	Rigid Plastic	1
SS44P10	Rigid Plastic	10



MOT Testing Station Model No. SEE BELOW

600mm x 625mm				
Material: Pack Qty				
Aluminium	1			
Composite				
Rigid Plastic	1			
Rigid Plastic	10			
	Material: Aluminium Composite Rigid Plastic			





CCTV In Operation Model No. SEE BELOW

Dimensio	ns: 75mr	n x 100mm
Model No:	Material:	Pack Qty:
SS40V1	Self-Adhesive Vinyl	1
SS40V10	Self-Adhesive Vinyl	10
SS40P1	Rigid Plastic	1
SS40P10	Rigid Plastic	10



G Caution Do Not Use Lift Model No. SEE BELOW

Dimension	ns: 150mn	150mm x 200mm			
Model No:	Material:	Pack Qty:			
SS43V1	Self-Adhesive Vinyl	1			
SS43V10	Self-Adhesive Vinyl	10			
SS43P1	Rigid Plastic	1			
SS43P10	Rigid Plastic	10			



MOT Viewing Area Model No. SEE BELOW

Dimension	ns: 300mn	300mm x 100mm			
Model No:	Material:	Pack Qty			
SS50V1	Self-Adhesive Vinyl	1			
SS50V10	Self-Adhesive Vinyl	10			
SS50P1	Rigid Plastic	1			
SS50P10	Rigid Plastic	10			



Danger Electricity Model No. SEE BELOW

Dimension	ns: 100m	100mm x 75mm			
Model No:	Material:	Pack Qty:			
SS41V1	Self-Adhesive Vinyl	1			
SS41V10	Self-Adhesive Vinyl	10			
SS41P1	Rigid Plastic	1			
SS41P10	Rigid Plastic	10			



H Danger Highly Flammable Model No. SEE BELOW

Dimension	ns: 300mr	300mm x 100mm			
Model No:	Material:	Pack Qty:			
SS45V1	Self-Adhesive Vinyl	1			
SS45V10	Self-Adhesive Vinyl	10			
SS45P1	Rigid Plastic	1			
SS45P10	Rigid Plastic	10			



Danger Men At Work Model No. SEE BELOW

Dimension	ns: 300mn	300mm x 100mm			
Model No:	Material:	Pack Qty:			
SS46V1	Self-Adhesive Vinyl	1			
SS46V10	Self-Adhesive Vinyl	10			
SS46P1	Rigid Plastic	1			
SS46P10	Rigid Plastic	10			



N MOT Parking Model No. SEE BELOW

Dimensions: 300r		n x 100mm
Model No:	Material:	Pack Qty:
SS49V1	Self-Adhesive Vinyl	1
SS49V10	Self-Adhesive Vinyl	10
SS49P1	Rigid Plastic	1
SS49P10	Rigid Plastic	10



A - C Motor Vehicle First Aid Kits - BS 8599-2 Compliant Model No. SEE BELOW

These kits have been specifically designed for motor vehicles and are chosen according to the number of passengers being transported. The British Standard specifies a carefully selected content of first aid supplies for each kit. Available in Small, Medium or Large sizes, suitable for a variety of vehicles - please see the table to the right for guidance on which kit you require*.

A list of the full contents is shown at the bottom of the page for each kit.



Vehicle Exam ple	Num berofPassengers		Number& Size of First Aid Kit		
Mopeds, Motorcycles, & Small Cars.	1-2	Α	1 x Small		
Family Cars, Taxi's, Small Vans, etc.	1-8	В	1 x Medium		
Minibuses, Small Buses, etc.	1 - 16	С	1 x Large		
Buses, Coaches, etc.	16+	C	Large (multiple needed depending on maximum number of passengers).		

*The table is for guidance only. It is the employer's/owner's responsibility to assess the requirements for the motor vehicle/number of passengers and adjust accordingly.



A Small First Aid Kit for Mopeds, Motorcycles and Small Cars - BS 8599-2 Compliant Model No. SFA02S



B Medium First Aid Kit for Cars, Taxi's & Small Vans - BS 8599-2 Compliant Model No. SFA02



C Large First Aid Kit for Minibuses & Coaches - BS 8599-2 Compliant Model No. SFA02L

2	Description		Quantity		
Component			В	C	
First Aid Guidance Leaflet	Provides brief first aid guidelines.	1	1	1	
Trauma Dressing - Large	A pressure bandage measuring a minimum of 150 x 4000mm (stretched length) and conforming to BS 7505:1995 type 3B with a wound pressure pad not less than 150 x 180mm, with a low adherent wound contact surface of at least 500gsm.	0	0	1	
Trauma Dressing - Medium	A pressure bandage measuring a minimum of 100 x 4000mm (stretched length) and conforming to BS 7505:1995 type 3B with a wound pressure pad not less than 100 x 180mm, with a low adherent wound contact surface of at least 500gsm.	1	1	1	
Emergency First Aid Dressing	First aid dressing, conforming bandage measuring a minimum of 50×2000 mm (stretched length) with an absorbent pad, not less than 120×120 mm.	0	1	1	
Triangular Bandage	Minimum of 20gsm non-woven material or cotton, not less than 900 x 900 x 1270mm.	0	1	2	
Cleansing Wipes (Saline)	Individually wrapped and sterile; minimum size 80 x 80mm.	2	5	20	
Water Resistant Plasters Water resistant, sterile, island dressing design, individually wrapped, minimum surface area of 75 x 75mm, dressing pad not less than 20% of the area.		10	10	20	
Nitrile Disposable Gloves (Pair)	Conforms to BS EN 455-1 and BS EN 455-2, large size (8-9).	1	2	4	
Resuscitation Face Shield	Includes a one-way valve.	1	1	2	
Foil Blanket	1300 x 2100mm.	0	1	3	
Adherent Dressing	Non-woven material, sterile, island dressing design. Minimum size 75 x 75mm. Dressing pad no less than 20% of surface area.	0	1	2	
Burns Dressing	Water-based, gel-soaked dressing. Sterile with a minimum surface area of 1000 x 1000mm.	1	1	4	
Shears	Suitable for cutting clothing, including leather.	1	1	1	









A - C Workplace First Aid Kits - BS 8599-1 Compliant Model No. SEE BELOW

These kits have been specifically designed for the workplace. Unlike traditional kits these are not only chosen by the number of employees/visitors, you will need to take into account the risk factor of the environment they're located in. The British Standard specifies a carefully selected content of first aid supplies for each kit. Available in Small, Medium or Large sizes, all supplied in composite storage cases. Please see the table to the right for guidance on which kit you require*.

A list of the full contents is shown at the bottom of the page for each kit.

Category of Risk Number of Employees			Number & Size of Fixist Kit		
Low Risk e.g. Shopsffices, Libraries	Less than 25 25 - 100 More than 100	A B C	1 Small Kit 1 Medium Kit 1 Large Kit per 100 Employees		
High Risk e.g. Garages/Mkshops, Lie Engineering, Food Proces Warehousing, Construction, Working with Chemicals	ř	A B C	1 Small Kit 1 Medium Kit 1 Large Kit per 25 Employees		

^{*}The table is for guidance only. It is the employer's/owner's responsibility to assess the requirements for the category of risk and adjust accordingly.



A Small First Aid Travel Kit BS 8599-1 Compliant Model No. SFA01S



B Medium First Aid Kit - BS 8599-1 Compliant Model No. SFA01M



C Large First Aid Kit - BS 8599-1 Compliant Model No. SFA01L

0	Description	Quantity		
Component	Description	Α	В	C
First Aid Guidance Leaflet	Provides brief first aid guidelines.	1	1	1
Medium Sterile Dressing	Conforming bandage: minimum 75mm width and minimum 2000mm stretched length, with an absorbent pad: not less than 120 x 120mm.	4	6	8
Large Sterile Dressing	Conforming bandage: minimum 100mm width and minimum 2000mm stretched length, with an absorbent pad: not less than 180 x 180mm.	1	2	2
Triangular Bandage	Minimum of 20gsm non-woven material or cotton, not less than 900 x 900 x 1270mm.	2	3	4
Safety Pins	Minimum length of 25mm.	6	12	24
Eye Pad Sterile Dressing	Conforming bandage: minimum 50mm width and minimum 1500mm stretched length or elasticated looped bandage, with an oval pad: not less than 70 x 50mm.	2	3	4
Water Resistant Plasters	Water resistant, sterile, island design, individually wrapped, minimum surface area of 75 x 75mm, dressing pad not less than 20% of the area.	40	60	100
Alcohol-Free Moist Cleansing Wipes	Individually wrapped, sterile, minimum of 80 x 80mm.	20	30	40
Adhesive Tape	Roll, individually wrapped, minimum 25 x 5000mm.	1	1	1
Nitrile Disposable Gloves (Pair)	Conforms to BS EN 455-1 and BS EN 455-2, large size (8-9).	6	9	12
Finger Sterile Dressing	Conforming bandage: minimum 35mm width and minimum 300mm stretched length, with a dressing pad: minimum 35 x 35mm.	2	3	4
Resuscitation Face Shield	Includes a one-way valve.	1	1	2
Foil Blanket	1300 x 2100mm.	1	2	3
Burn Dressing	Water-based, gel-soaked dressing, sterile, minimum 1000 x 1000mm surface area.	1	2	2
Shears	Suitable for cutting clothing, including leather.	1	1	1
Conforming Bandage	Minimum 75mm width and 4000mm stretched length.	1	2	2





Provides on the spot cold therapy for bruising, sprains and muscle injuries. No need for pre-cooling. Single use, disposable.

Size: 150 x 200mm



D Eye/Wound Wash Station Model No. EWS02

Includes 20ml saline solution pods (x10) for cleaning eyes and wounds. Features a shatterproof mirror. Suitable for garages, workshop and any other environment with potential eye/wound related hazards.

Contents: 20ml Saline Solution Pods (x10), Sterile Dressing Eye Pads (x2)





Sterile, single use emergency saline solution for eye washing and wound cleaning. Suitable for garages, workshop and any other environment with potential eye/wound related hazards.

Size: 500ml



E Eye/Wound Wash Station Model No. **EWS03**

Comprises sterile eye and wound wash for cleaning and eye pads for dressing. Features a shatterproof mirror. Suitable for garages, workshop and any other environment with potential eye/wound related hazards.

Contents: 500ml Saline Solution Bottles (x2), Sterile Dressing Eye Pads (x2)



G First Aid Grab Bag Model No. SFA03

Contains everything needed for minor first aid injuries. Small and compact design suitable for glove compartments or travelling. Supplied in resealable foil bag.

Contents: Sterile Saline Wipes (x4), Washproof Plasters (x20), Fabric Plasters (x20), 900 x 900 x 1270mm Non-Woven Triangular Bandage, 2.5cm x 5m Microporous Tape, Pair of Gloves, 12 x 12cm Medium Dressing.



C Eye & Wound Wash Station Pods - Pack of 25 Model No. EWS25

Sterile, single use emergency 20ml saline solution for eye washing and wound cleaning. Suitable for garages, workshop and any other environment with potential eye/wound related hazards.

 Size:
 20ml

 Quantity:
 Pack of 25



Comprises sterile eye and wound wash for cleaning and eye pads for dressing. Comprehensive station suitable for garages, workshops and any other environment with potential eye/wound related hazards. Supplied in a robust storage case with carry handle and wall mounting bracket.

Contents: 500ml Eye Wash (x2), 15ml Eye/Wound Wash (x2), Eye Dressings (x2)




H Pack of 100 Assorted Plasters Model No. SSP100

High quality, lightweight plasters designed to cushion, protect and aid healing wounds. The highly flexible fabric fibre weave ventilates the wound and promotes quick natural healing.

Contents: Assorted Plasters (x100)




















Made specifically to relieve the pain of minor burns. Effective as soon as applied, by soothing and cooling minor burns and scalds. Ideal for use in the workshop or at home.

Size: 120ml



B 100 x 100mm Burn Relief Dressing Model No. SBK10

Sterile burn dressing to relieve the pain, cool the burn and protect against airborne contamination. Ideal for use in the workplace or at home.

Size: 100 x 100mm



C Smoke Alarm Model No. SFAL01

Manufactured according to CE standards. Detachable composite fascia, allowing the user to change the 9V battery (not included) when required.



Enables the safe storage of sharps waste from all categories prior to disposal. Available in 0.6L and 2.5L containers.

Model No:	Size:
D SSP006	0.6L
E SSP250	2.5L



F Carbon Monoxide Alarm Model No. SCMA1

Certified to BS EN50291-1:2010+A1:2012. Memory feature allows the operator to detect if and when the alarm has sounded while there has been no-one present. Front LED panel indicates low battery and fault. Powered by 3 x AA batteries (not included).



G Fire Extinguisher Stand - Double Model No. SFEH02

Manufactured from durable composite material. Allows extinguishers weighing 6-12kg to be stored without having to drill holes into walls. Suitable for storing two fire extinguishers.



H Fire Extinguisher Cabinet - Single Model No. SFEC01

Manufactured from durable composite material. Specifically designed to store a single fire extinguisher weighing 6-12kg. Ideal for warehouses, distribution yards and garages.



SEALEY

A - G Fire Extinguishers Model No. SEE BELOW

Manufactured in the UK, this comprehensive range of classified fire extinguishers are suitable for domestic, industrial and commercial use. Fully accredited to BS EN 3 and Kite marked. 5 year warranty on all models. Effective on A, B & C Class fires and fires involving live electrical equipment, depending on version. With the exception of Model No's SDPE006D and SDPE009D, each model is refillable and fitted with pressure gauge. All models supplied with wall mounting brackets.



FIRE TEST RATING

Extinguishers are tested on A or B Class fires (both if suitable) to determine the rating. This is shown by a number and letter e.g. 13A. The number represents the size of the fire which was extinguished under test conditions. The letter shows the fire classification that the extinguisher was tested to and is suitable for.

FIRE CLASSIFICATION	FOAM Cream	BC POWDER Blue	ABC POWDER Blue	CARBON DIOXIDE Black	
Combustion of solid materials such as wood, paper, textiles	YES Smothering and cooling effect	YES Only on small surface fires	YES Rapid knockdown. Smothering effect prevents re-ignition	YES Only on small surface fires	
Combustion of liquids e.g. petrol, oil, paint, solvents and grease	YES Blankets fire and prevents re-ignition	YES Rapid knockdown	YES Rapid knockdown	YES Rapid knockdown. Leaves no residue	
Combustion of flammable gases e.g. propane, butane, natural gas	NO	YES	YES	NO	
Fires involving electrical equipment	NO Foam can conduct electricity	YES	YES	YES Beware in confined spaces	







Fire Blanket
Model No. SFB11

General purpose disposable fire blanket suitable for use in kitchens, caravans and other similar environments. Fully accredited to BS EN 1869. Supplied in wall mounting case.

Size:

1.1 x 1.1m









	A	В	C	D	E	F	G
Model No:	SDPE006D	SDPE009D	SDPE01	SDPE02	SDPE06	SCDE02	SFE06
Capacity:	0.6kg	0.95kg	1kg	2kg	6kg	2kg	6L
Class/Type:	BC/Powder	BC/Powder	ABC/Powder	ABC/Powder	ABC/Powder	B/CO ₂	AB/Foam
Fire Test Rating:	13B	34B	5A/34B	13A/70B	27A/183B	34B	13A/144B
Working Pressure:	7bar	9bar	12bar	15bar	12bar	56bar	12bar
Height/Diameter:	303/98mm	325/102mm	340/102mm	420/135mm	540/220mm	500/165mm	540/220mm
Discharge Duration:	6sec	8sec	8sec	11sec	18sec	9sec	38sec
Discharge Range:	1-2m	1-2m	2-3m	2-3m	5m	2-3m	3-4m
Working Temperature:	-20 to +50°C	-20 to +50°C	-20 to +60°C	-20 to +60°C	-20 to +60°C	-20 to +60°C	+5 to +60°C
Weight:	0.736kg	1.07kg	2.2kg	3.9kg	10.1kg	5.1ka	10.1ka









