

ABOUT NIK-SAN ENTERPRISES



Mfg. of Oil & Gas Pipeline Products

Nik-San Enterprises is one of the fastest growing & leading Industrial Valves manufacturing company with NIK-SAN brand. We manufacturer Gate / Globe / Ball / NRV / Check / Butterfly / Needle / Forged Steel Valves and many more.

Nik-San has been servicing the Oil Industries, Petro Chemical Industries, Pharmaceuticals Unit, Power Plants, Refineries, Paper Industries, Cement Plants, and Steel Plants.



GATE VALVE

- Size: 1/2"-36" (15NB - 900NB)
- Class: 150#-2500#
- CS / SS /Alloys / Monel / Hastalloys / Fabricated / Bronze MOC
- Solid / Flexible Wedge / Parallel / Double Disc
- Stem Protector, Linkage, Chain Pulley and Bypass arrangement on request
- Specially: Bellow Sealed, Cryogenic and High Temp
- Metal to Metal and Metal to soft Seat
- Manual operated / Gear box / Electrical, Pneumatic operated



BALL VALVE

- Size: 1/2"-36"(15NB-900NB)
- Class: 150#-2500#
- Single / Two / Three pieces -CS / SS / ALLOY STEEL / DSS / NI-ALLOYS / BRONZE
- Trunion / Floating Ball, Full & Reduced Bore
- Anti-Static Device
- Blow-out Proof Stem
- Fire Safe Designed
- Low Emission
- Actuation - Hand Lever / Gear Box / Actuator - Pneumatic, Hydraulic, Electrical
- Specialty- **Metal To Metal Seated**



GLOBE VALVES

- Size: 1/2"-20" (15NB - 500NB)
- Class: 150#-2500#
- CS / SS / Alloys / Monel / Hastalloys Steel / Bronze MOC
- Parabolic , Regulating, Throttle and Guid Type Plug
- Staight "T" Type, "Y" Type, Angle Type.
- Speciality : Below Sealed, Cryogenic, High Temp and with pressure balancing arrangement.
- Metal to Metal and Metal to soft seat
- Manual Operated / Gear Box / Pneumatic / Electrical Actuator



SWING CHECK VALVES

- Size: 1/2"-36" (15NB - 900NB)
- Class: 150#-2500#
- CS / SS / Alloys / Monel / Hastalloys / Bronze MOC
- Self Operated / Dash Pot / Counter Weight
- Non Slam arrangement on request
- Wafer Type / Ball Type / Piston Type / Spring Loaded
- Metal to Metal and Metal to soft seat
- Rubber Lining on request



NEEDLE VALVES

- **Inlet Connection Size :-** 1/4", 3/8", 1/4 NPT, 3/8 NPT, 1/2 NPT, 6 MM, 12 MM
- **Outlet Connection Size :-** 1/4", 3/8", 1/4 NPT, 3/8 NPT, 1/2 NPT, 6 MM, 12 MM
- **Materials Of Construction :-** Stainless Steel, Monel, Duplex, Super Duplex, Hasteloy, Carbon Steel, 6mo, Titanium, Incoloy 825, Incoloy 625
- **Maximum Operating Pressure :-** 3000, 6000, 10000, 15000 PSI
- **Flow Coefficient 1 :-** 35 Standard CV
- **Minimum Operating Temperature :-** -54 °C -65 °F
- **Maximum Operating Temperature :-** +538 °C +1000 °F
- **Seat Material :-** Metal/Metal
- **Packing Material :-** PTFE
- **Mounting Option :-** Base Mount





Corporate Office: 603 The Newyork Empire, Nr. Toll Plaza, S P Ring Road, Naroda, Ahmedabad – 382330,
Ph.: +91-7069147686 / +91-9925515807, E-mail: info@nik-san.in / sales@nik-san.in , Website: www.nik-san.in