




www.dhamijaindustries.com

DHAMIJA INDUSTRIES


PRECISION MANUFACTURING



About Us


Dhamija Industries is an ISO 9001 : 2008 privately owned organisation involved in manufacturing and exporting of Valves, fittings and accessories made up of carbon steel/ Alloy steel/ Non Alloy steel/ Brass/ Stainless Steel used in LPG Cylinders, High Pressure Cylinders, Propane Cylinders, Industrial Cylinders, Technical Gas Cylinders, Chlorine Tonners, Container, Gas Tanks, Refrigerant Cylinders, Auto LPG Tanks, ASME Dot Containers, Vessels and type II/III/IV LPG & CNG Composite cylinders.

FACILITIES AVAILABLE




TESTING

Row Material Mechanical / Chemical / Micro Structure / Macro Structure / Hardness / Grain Structure etc testing facility available.




HOT FORGING

Closed-Die / Friction / Hammer forging facility is available to make profiles & components as per customer specific requirement.



HEAT TREATMENT

Various Heat treatment facilities available are - NORMALIZING, ANNEALING / TEMPERING / QUENCHING.




SHOT BLASTING

To make the Surface Clean & Rust Proof we have shot blasting facility available according to different grades of material.




CNC MACHINING

We have Extensive facility available for Precise CNC Machining so as no compromise is made on quality.




ELECTROPLATING

Zinc / Nickel Electroplating of components can also be done as per Customer Specific requirement.



NDT

Non-destructive Testing facility like Magnetic Particle Examination / Ultrasonic Testing (UT) / Liquid Penetrate (PT) examination is also available.



INSPECTION & QUALITY

Before making final dispatch the material is passed through strict inspection & quality checks at every point of manufacturing process.



PACKING & DISPATCH

Timely & Scheduled delivery of material can be ensured to the customers worldwide.

Products

COMPACT SELF-CLOSING VALVE WITH SAFETY RELIEF (PRV)

- Inlet Connection** : Ø23.2 x 2.0, Ø25.5 x 2.0, Ø26.2 x 2.0
¾" NGI, ½" NGT, 17E (W19.8 DIN 477), 25E (W28.8 DIN 477)
- Outlet Connections** : from Ø20.0 mm to Ø27.0 mm
as per EN 15202
- Pressure Relief Setting** : 26 Bar, Flow Capacity 5m³ air/min
- Also available in different types of inlet and outlet connections as per buyers requirement.



CAMPING VALVE

- Inlet Connection** : M 22 X 1.25 mm
- Outlet Connections** : M 16.0 X 1.5 mm



SELF-CLOSING VALVE

- Inlet Connection** : ¾" NGT
- Outlet Connections** : Ø 20.0 mm & Ø 25.6 mm



BUNGS / VALVE BOSS / COLLARS / NECK RING / SPUD / SOCKET

- Thread Size** : M 22x1.25, Ø23.2 x 2.0, Ø25.5 x 2.0, Ø26.2 x 2.0, ¾" NGT, ½" NGT
1" NGT, 17 E (W19.8 DIN 477), 25 E, (W28.8 DIN 477)
- Dimensions** : As per customer specific requirement.



COLLARS / FOOT RING / PROTECTION GUARD

- Dimension** : As per customer specific requirement.



LPG / CNG COMPOSITE CYLINDERS

- Metal Inserts / Valve Neck/ Fittings used in type II/III/IV
LPG /CNG composite cylinders.



Products

LPG AUTO TANKS

Fitting used in LPG Auto tanks.



INDUSTRIAL / OXYGEN CYLINDERS

Neck Ring / Protection guards used in Industrial cylinders.



CHLORINE TONNERS / CONTAINERS

Couplings/ Fittings/ Accessories used in ASME Chlorine Tonners/ Cylinder & containers



BEVERAGE KEGS

Valve Neck/ Fittings/ Accessories used in Beverage KEGS



PRECISION MACHINED COMPONENTS

Customer specific Hot forged + CNC precision machined components



Dhamija Industries

UNIT I : 1597, Bye Pass Road, Yamunanagar 135001, Haryana (INDIA)

UNIT II : Gadholi - Tajakpur Road, Badhi Majra, Yamunanagar 135001, Haryana (INDIA)

Mob. : +91-94666-60069, +91-98960-66166 • Tel. : +91-1732-250257

E-mail : info.dhamijaindustries@gmail.com

www.dhamijaindustries.com