

ST STONE MEDICAL DEVICES PRIVATE LIMITED

a medical devices manufacturing company

- DIALYSIS CONSUMABLES
- CATHLAB ACCESSORIES
- CRITICAL CARE
- GASTROLOGY

- GENERAL DISPOSABLES
- INFUSION THERAPY
- OEM COMPONENT
- UROLOGY

Make In India-Manipur

www.stsmedicals.com | info@stsmedicals.com



Aboutthe

company

Introduction:

St.Stone Medical Devices Private Limited was incorporated in 2012 and start it's planning for one of the biggest project in North East India. Company has started it's Official venture in 2014 by setup of Manufacturing Plant in North East India. Although as a new born company having vast vision and mission to achieve, has been granted the licence for manufacturing and Distribution of Medical Devices First time in North East India by CDSCO & State Drug Authority. We are into manufacturing & assembling of medical devices having vast range which falls under Interventional Cardiology Consumable, Nephrology, Aneasthesia and General Consumables.

Quality Accreditations:

We are Quality Certified ISO 13485:2016 and ISO 9001:2015 Accreditation Body., CE Certification (Comp.), WHO-GMP Certification(Comp.) we are proud member of Pharmaexcil, All India Medical Device Association.

Research, Planning and Development:

As a growing company we don't have to focus only on development. But we are working on research, planning and development. Our Hardcore team member are from Developed Companies from the same industry. who join us to make this happen that quality is the basic need in healthcare industry which help us to compete by making different strategies.

Manufacturing and Distributions:

As an growing company we need to think all the parameter which are essential for the Manufacturing of Medical Devices under WHO-TRS compliance. we although understand the major and minor necessities of Manufacturing and we step on it.

Manufacturing Area:

Our Manufacturing is as per standard of WHO Guidelines. Having 0.03 Um AHU Planted in Assembling, Manufacturing Area and Testing Lab. and 0.050mAHU in Packaging, Sterilization and other areas of the premises.

Packaging Area:

Our Packing is as Classified into Class II as per WHO-TRS. Packaging Material is trans passes through Static Passboxes for much safety of the pouches and labels for not mixing and contaminations.

Sterilization

St. Stone Having in house facility for Sterilization of Medical Device under EO Category. Sterilizer Calibration and Validation is been done in every intervals so we can assure on best quality for longer shelf life.

Distribution:

We are fastest growing distribution and exporter of Medical Disposable Consumable products. Especially in the sector of Healthcare Sector, Dialysis Consumables, Interventional Cardiology, Critical Care, and General Disposable to around 20 countries mainly African/Middle East/Asian countries, from last 6 years

St. Stone Medical Vision:

St. Stone Medical Devices Vision is to provide Quality Healthcare at affordable price to the people and making healthcare sector to be health assured. St. Stone Medical Devices is not only believing into making better Healthcare business, But it believes into making Healthier Healthcare Industry for which St. Stone Medical Devices is working into

St.Stone Medical Mission: St. Stone Medical Devices is having aim to be the successful partner with many Healthcare Institution. The key to our success is our high degree of innovative drive coupled with the creativity of our highly qualified workforce

contents_

Dialysis Consumables

Platinum+ 4 Hemodialysis Catheter Kit
Platicath
Shinecath
Platinum+ 6 Permanent Hemodialysis Catheter And Kit
Starline
Dressing On/Off Kit
Filterset
Shinewire
Mercury+12 Introducer Needle
Starfist
T-Guard
CAPD
Critical Care & General Disposables
Centrel Venous Catheter And Kit
Mercury+
Mercury+
Mercury+
Easegun
Skinfix

Cathlab Consumables

Manifold 19
Y-Star20 Ptca Y Connector
Feather21 Inflation Device And Kit
Pivot22 Introducer Sheath
Starband
Shinewire
Leichil
Leichil 24 Extension Line/High Pressure Line
Leichil
EDHOU25 Control Syringe
Urostar
Pressure Monitoring Kit
Feather28 Angiographic &Diagnostic Catheter
Feather
Feather31 Aspiration Catheter





contents-

Infusion Therapy		Anaesthesia & Respiratory Care	
IV Infusion Set	33	Oxygen Mask	34
Blood Transfusion Set	33	Twin Bore Nasal Oxygen Cannula	34
Measured Volume Set	33	Nebulizer Mask	34
Three Way Stopcock	33	Lung Exerciser	34
Three Way Stopcock with Extension Tube	33	Infant Mucus Extractor	34
Needle Free Extension Line	33	Bain Circuit	34
		Catheter Mount	34
Urology Nephrology		HME Filter	34
Urine Collection Bag Std 2000ml	35	Suction Catheter	34
Urine Collection Bag Pre 2000ml	35		
Urine Collection Bag with Measured Bottle	35	Gastrology	
Cura em (Ol Draina da Custana		Infant Feeding Tube	35
Surgery & Drainage System		Ryle's Tube	35
Yankur Suction Set	35		

contents-

OEM COMPONENTS BULK / STERILE & NON-STERILE

Tillee Way Stopcock
Skin Stapler
Y - Shaped Needle
Guiding / Hollow Syringe
Angiography / Blunt Needle
Angiography / Introducer Needle
Surgical Blade #11
Dialator
Suture Wing (Pediatric & Adult)
AV Fistula
Transducer Protector
Spirometer
Manifold (500 & 600PSI)
High Pressure 3-Way Stopcock
Y - Connector (Push Pull, Push Click)
Pressure Monitoring Line
Nebulizer Mask
Epidural Catheter & Kit
Blood Transfusion Set

Spinal Needle (Quincke & Pencil)
High Pressure Line (Braided, PVC, PU)
Control Syringe
Extension Line
Guidewire (PTFE, SS & Nitinol)
Bain Circuit
Catheter Mount
HME Filter
Suction Catheter
Infant Feeding Tube
Ryle's Tube
Yankur Suction Set
Needle Free Extension Line
Ventilator Circuit
Urine Bag
IV Infusion Set
Oxygen Mask
Biopsy Gun

Platinum+™

Hemodialysis Catheter Kit (Short Term Hemodialysis catheter)



DOUBLE/TRIPLE LUMEN CATHETER KIT

Set Contains:

- » Polyurethane HD Straight/ Curve Catheter
- » Nitinol Core Guidewire with Advancer "J" Tip 70cm
- » Catheter Protector Pouch
- » 18Ga 7cm Introducer needle
- » 5ml Guiding Syringe
- » 5ml Disposable Syringe
- » Vessel dilators
- » Scalpel #11
- » Injection Cap
- » Patient Identification sticker
- » Drape Sheet
- » Suture Needle (3/8 Reserve Cutting) 26mm

PLATINUM+™ DOUBLE/TRIPLE LUMEN CATHETER KIT

Description	Straight Code	Curve Code
8.5 FR X 13 CM	PP8513S	
8.5 FR X 13 CM		PP8513C
11.5 FR X 13 CM		PP11513C
11.5 FR X 15 CM	PP11515S	
11.5 FR X 16 CM	PP11516S	
11.5 FR X 20 CM	PP11520S	
12 FR X 13 CM		PPT1213C
12 FR X 15 CM	PPT1215S	PPT1215C
12 FR X 16 CM	PPT1216S	
12 FR X 20 CM	PPT1220S	
	8.5 FR X 13 CM 8.5 FR X 13 CM 11.5 FR X 13 CM 11.5 FR X 15 CM 11.5 FR X 16 CM 11.5 FR X 20 CM 12 FR X 13 CM 12 FR X 15 CM	8.5 FR X 13 CM PP8513S 8.5 FR X 13 CM 11.5 FR X 13 CM PP11515S 11.5 FR X 16 CM PP11516S 11.5 FR X 20 CM PP11520S 12 FR X 13 CM 12 FR X 15 CM PPT1215S 12 FR X 16 CM PPT1216S

PRE-CURVE CATHETER (DOUBLE LUMEN) ALSO AVAILABLE

Platicath™

Hemodialysis Catheter (Short Term Hemodialysis Catheter)



DOUBLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Set Features:

» Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- » Polyurethane Catheter
- » Vessel dilators
- » Catheter Protector Pouch
- » Patient Identification sticker
- » Injection Cap

Туре	Description	Straight Code	Curve Code
DOUBLE LUMEN	8.5 FR X 11 CM	PL8511S	PL8511C
DOUBLE LUMEN	8.5 FR X 13 CM	PL8513S	PL8513C
DOUBLE LUMEN	11.5 FR X 13 CM	PL11513S	PL11513C
DOUBLE LUMEN	11.5 FR X 15 CM	PL11515S	
DOUBLE LUMEN	11.5 FR X 16 CM	PL11516S	
DOUBLE LUMEN	11.5 FR X 20 CM	PL11520S	



TRIPLE LUMEN CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Set Features:

» Long tapered tip dilators with stopper to avoid over insertion.

Set Contains:

- » Polyurethane Catheter
- » Vessel dilators
- » Catheter Protector Pouch
- » Patient Identification sticker
- » Injection Cap

Туре	Description	Straight Code	Curve Code
TRIPLE LUMEN	12 FR X 13 CM		PLT1213C
TRIPLE LUMEN	12 FR X 15 CM	PLT1215S	PLT1215C
TRIPLE LUMEN	12 FR X 16 CM	PLT1216S	
TRIPLE LUMEN	12 FR X 20 CM	PLT1220S	

^{**}Above mention product are specified can be customized as per demand request**



Single Lumen Dialysis Catheter

SHORT TERM HEMODIALYSIS CATHETER

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & Firmness
- » Softness and anti kinking
- » Material and durability
- » Size and flow

Catheter Features:

- » Soft tip
- » Small rotating fixation wing
- » Extension lines stand repeated clamping and de-clamping
- » Multiple threads female luer end
- » Injection caps
- » Variety of sizes, lengths and shapes

Туре	Description	Product Code
SINGLE LUMEN FEMORAL GREEN HUB	14GA/13.5 CM	SHC14ANG
SINGLE LUMEN FEMORAL PINK HUB	14GA/13.5 CM	SHC14AP

Platinum+™

Permanent Catheter Kit

LONG TERM HEMODIALYSIS CATHETER KIT


The Catheter is made from premium silicone, which has excellent biocompatibility. The dacron cuff can protect immigration of catheter and reduce the chance of CRBI (Catheter Related Bloodstream Infections). The silicone material makes catheter more floppy, hence it can minimize the trauma to the vein and reduce the incident of clot.

Kit Contains:

- » Silicone Catheter
- » Valved Peelable Introducer
- » Introducer Needle
- » Adhesive Wound Dressings
- » Scalpel
- » Guide-wire
- » Tunneler
- » Syringe
- » Gauze Sponges
- » Vessel Dilator
- » Needle with Suture
- » Herparin Caps

Туре	Description	Product Code
DOUBLE LUMEN	10FR	PPL10XXS
DOUBLE LUMEN	12FR	PPL10XXS
DOUBLE LUMEN	15FR	PPL10XXS

Note.: "XX" stands for Length of the catheter, The length of the catheter we can offer is 13cm to 50cm.



Starline[™]

Blood Line Set For Hemodiaiysis

FEATURES

- » Medical grade PVC tubing
- » ETO sterilization
- » 100% test for each blood line set
- » Guarded access ports reduce infection
- » Superior quality, unique design and high perfomance
- » Material Options: DEHP PVC Compound & DEHP-FREE PVC Compound
- » Male/Female Luer locks in compliance with international standards & regulations



Dressing kit

Dialysis On/Off Kit

DRESSING KIT CONTENTS

» Tray	01 Nos.
» Guaze Swab	06 Nos.
» Cotton Balls	05 Nos.
» Premium Laminate Drape	01 Nos.
» Protective Drape	01 Nos.
» Tissue Napkin	01 Nos.



^{**}Customized standard pack also available on request**

High Flux HD Series Products

Membrane Technology Patent-Better Clearance Rate and Safer High-Flux Dialyzer

FiltersetTM



Technical Specifications HD series


No. 1				0.01 . 110.000	
Model		OC-HD 53	OCI-HD180	OCI-+HD200	
ULTRAFILTRATION COEFFICIENT (MT.IT-MMT1G)		47	49	52	
SURFACE AREA (M²)		1.5	1.8	2.0	
MARNBRANE MSTARIAL					
HOUSING MATERIAL		Polyethersutfone (PES)			
POTTING COMPOUND			Potycarbonate (PC) Polyurethane (PU		
MAXIMUM TMP (KPA/MMTHG			66.5/500		
CLEARANCES					
UREA	200/500	190	193	195	
	300/500	264	272	282	
	400/500	306	317	333	
CRATININA	200/500	186	188	192	
	300/500	241	248	280	
	400/500	269	279	300	
FHOSPHALE	200/500	283	188	189	
	300/500	232	240	256	
	400/500	256	267	289	
VITAMIN B ₁₂	200/500	152	157	160	
	300/500	178	188	203	
	400/500	196	205	232	
BLOOD FLOW RANGE (ML/MI	N)	200-400			
DIALYSATE FLOW RANGE (MLRIN)			500-800		
PRIMING VOLURNE (MLJ)		105	120	136	
	MICRAGLOBULIN	0.85 1			
SIEVING CCEFICIENTS	INULIN				
	MYOGLOBIN	0.35 <0.01			
	ABUMIN				

- Reducing serum phosphorus and parathyroid hormone to prevent renal osteodystrophy
- 2. Improving micro inflammatory stat
- Controlling hypertension effectively
- 4. Improving sleep
- 5. Roliving uremic pruritus
- 6. Enhancing patients' life quality

Efficient L Series Products

Membrane Technology Patent - Efficient Low - Flux Dialyzer

FiltersetTM



Technical Specifications

Model		OC-HD 130L	OC-HD 140L	OC-HD 150L	OC-HD 160L	OC-HD 170L	OC-HD 180L	
ULTRAFICATION COFFICIENT (mL/h	.mmHg)	12	13	13	14	16	17	
SURFACE AREA (m ²)		1.3	1.4	1.5	1.6	1.7	1.8	
CHAMBER VOLUME		80	85	90	95	101	106	
MEMBRANE MATERIAL			Polyethersulfone (PES)					
HOUSING MATERIAL		Polypropylene (PP)						
POTTING COMPOUND				Polyuretha	ne (PU)			
MAXIMUM TMP (kPa/mmhg)				66.5/	500			
	CL	EARANCE	(ML/MIN)					
UREA / (ml/min)	Qв	OC-HD 130L	OC-HD 140L	OC-HD 150L	OC-HD 160L	OC-HD 170L	OC-HD 180L	
	200	178	180	1 82	185	187	190	
	300	227	230	233	235	238	242	
	400	266	270	274	278	284	290	
Creatinine / (ml/min)	200	168	170	172	175	178	182	
	300	211	215	218	220	223	227	
	400	243	247	251	255	260	265	
Phosphate / (ml/min)	200	151	155	1 58	160	164	168	
	300	181	185	188	191	195	200	
	400	205	210	215	220	222	225	
Vitamin B12/ (ml/min)	200	100	103	106	108	114	120	
	300	109	113	116	118	124	130	

1. Reducing serum phosphorus and parathyroid hormone to prevent renal osteodystrophy

122

125

128

130

400

- 2. Improving micro inflammatory stat
- 3. Controlling hypertension effectively
- 4. Improving sleep
- 5. Roliving uremic pruritus
- 6. Enhancing patients' life quality

140

150

Shinewire™

Stainless Steel/Nitinol Guidewire

PRODUCT FEATURE

- » Accurate Measurement for Catheter Tracking
- » Easy to insert and Removal
- » Smooth Tip for insertion
- » Angle and Straight Tip
- » Smooth Advancer for Dispensing of Guidewire
- » Kink Resistance
- » Variety of sizes, lengths and shapes.
- » Safety Cover for Unwanted Hazard Damage

SHINE WIRE™ SS/NITINOL GUIDEWIRE

Туре	Description	Straight Code	3mm Angle Code
GUIDEWIRE	0.025" X 50CM	SW2550ST	SW2550J
GUIDEWIRE	0.032" X 50CM	SW3250ST	SW3250J
GUIDEWIRE	0.035" X 50CM	SW3550ST	SW3550J
GUIDEWIRE	0.038" X SOCM	SW3850ST	SW3850J
GUIDEWIRE	0.021" X 70CM	SW2170ST	SW2170J
GUIDEWIRE	0.025" X 70CM	SW2570ST	SW2570J
GUIDEWIRE	0.032" X 70CM	SW3270ST	SW3270J
GUIDEWIRE	0.035" X 70CM	SW3570ST	SW3570J
GUIDEWIRE	0.038" X 70CM	SW3870ST	SW3870J

Mercury***

Introducer Needle

- » Extremely low insertion forces
- » Easy access and reduce tissue trauma.
- » Smooth Guidewire Insertion
- » Safety Cover for Unwanted Hazard
- » Variety of sizes, lengths and shapes.

MERCURY+™ INTRODUCER NEEDLE

Туре	Description	Product Code
CLEAR HUB-SQUARE	18GA/7CM	MCCH1870
PINK HUB-SQUARE	18GA/7CM	MC1870
PINK HUB-ROUND	18GA/ 7CM	MCRH1870
CLEAR HUB-SQUARE	20GA/3.81CM	MC20381
CLEAR HUB-SQUARE	21GA/7CM	MCCH2170
PINK HUB-SQUARE	21GA/7CM	MC2170
PINK HUB-ROUND	21GA/7CM	MCRH2170







Starfist™

AV Fistula Needle

An arteriovenous (AV) Fistula is an abnormal connection between an artery and a vein normally, blood flows from your arteries to your capillaries to your veins. Nutrients and oxygen in your blood travel from your capillaries to your veins. Nutrients and oxygen in your blood travel from your capillaries to tissues in your body. With an arteriovenous fistula, blood flows

directly from the artery into a vein by passing some capillaries. Fistula needle are a crucial link between the patient and the dialysis machine. for this reason, all needles have to meet the requirements of highest quality, safety and comfort-both from the user's as well as from the patient's perspective

STARFIST™ AV FISTULA NEEDLE

Туре	Description	Product Code
FIXED WING	16G/17G Lenght: Standard	SF16G/SF17G
ROTATING WING	16G/17G Lenght: Standard	SF16G/SF17G

T-Guard

Transducer Protector/Filter



FEATURES

- » Efficient Filter
- » PTFE Membrane
- » 0.5μM Accuracy
- » Smallest Size Packing
- » Efficient Filter for Blood Transfusion

An Optimum Compromise between competing Factors. Where a balance between:

- » Flexibility & firmness
- » Softness and anti kinking.
- » Material and durability
- » Size and flow.

T-GUARD™ TRANSDUCER PROTECTOR/FILTER

Туре	Description	Product Code
0.5μΜ	PTFE	TG 03

^{**}Above mention product are specified can be customized as per demand request**

CAPD Accessories

MINI CAP

For Use in Peritoneal Dialysis System

Sterilization and occlusion of prolonged short tube orifice for peritoneal dialysis patients



PRODUCT CODE: MCPI

Caps with povidoneiodine (mini cap)

In peritoneal dialysis, it is used for plugging and disinfection of external transfer set interface.

TITANIU

The connection between the peritoneal dialysis catheter with internal diameter of 2.64mm-3.3 mm and external diameter of 4.88 mm-5.08mm and the external extension catheter for medical institutions in peritoneal dialysis treatment.



RODUCT

Locking titanium catheter adapter The connect peritoneal dialysis catheter and extended transfer set.

Used to connect the peritoneal dialysis catheter to the peritoneal dialysis fluid pipeline to prevent or permit the flow of peritoneal dialysis fluid.



The connect peritoneal dialysate system and peritoneal dialysis catheter for patients.



CENTVENT™ Central Venous Catheter And Kit

The CVC is designed for placement in the Jugular Vein in critically ill patients. It's designed forlong term vascular access. For central veins catherization (subclavian, Jugular Veins) according to Seldinger method. Atraumatic metallic conductor with a J-shaped tip Prevents the vessel wall from injury.

CENTVENT™ CENTRAL VENOUS CATHETER AND KIT

KIT CONTAINS:

- » Central Venous Catheter
- » SS Guidewire with Advancer "J" Tip 50cm
- » Wound Dressing Pad
- » 18Ga 7cm Introducer
- » 5ml Guiding Syringe
- » Vessel dilators
- » Suture Wing
- » Scalpel #11
- » Injection Cap
- » Patient Identification sticker

TYPE	SIZES	LENGHT	PRODUCT CODE
	14G		CNTSXXYY
SINGLE	16G		CNTSXXYY
LUMEN	18G		CNTSXXYY
CATHETER	20G	10011, 20011	CNTSXXYY
	22G		CNTSXXYY
	4.5 FR		CNTDXXYY
DOUBLE	SCM, I3CM, I5CM	CNTDXXYY	
CATHETER	7 FR	8CM, 13CM, 15CM 16CM, 20CM	CNTDXXYY
	8.5 FR		CNTDXXYY
TRIPLE	4.5 FR	16CM, 20CM	CNTTXXYY
LUMEN	5 FR		CNTTXXYY
CATHETER	7 FR	10011, 20011	CNTTXXYY
			CNTQXXYY
QUAD	0.5.50	8CM, 13CM, 15CM	CNTQXXYY
CATHETER	UMEN 8.5 FR 16CM	16CM, 20CM	CNTQXXYY
			CNTQXXYY



Spinal Needle

Spinal Introducer needles allow for easy insertion of the Spinal Needle and provide additional support.

Available in two types quincke and Pencil type Quincke Type needles provide a sharper bevel for low puncture force, while allowing for a tactile, reliable the precision-ground stylets are designed to minimized tissue coring and optimize gliding characteristics.



TYPE	SIZE	LENGTH	PRODUCT CODE
	16G	90 MM – 150MM	SN16YYQ
	17 G	90 MM- 150MM	SN17YYQ
	18 G	90 MM – 150MM	SN18YYQ
	19 G	90 MM- 150MM	SN19YYQ
	20 G	90 MM – 150MM	SN20YYQ
	21 G	90 MM- 150MM	SN21YYQ
QUINCKE	22 G	90 MM – 150MM	SN22YYQ
	23 G	90 MM – 150MM	SN23YYQ
	24 G	90 MM – 150MM	SN24YYQ
	25 G	90 MM – 150MM	SN25YYQ
	26 G	90 MM – 150MM	SN26YYQ
	27 G	90 MM – 150MM	SN27YYQ
PENCIL	25 G	90 MM- 150MM	SN25YYP
	26 G	90 MM – 150MM	SN26YYP



Mercury+**

Epidural Needle

Epidural catheter is specially designed for continuous anesthesia and pain relief therapy. Catheter is made from unique plasticizer free polymer with excellent bio-compatibility. Flexible and atraumatic soft tip with three lateral eyes. Catheter is printed to determine the depth of insertion and accurate placement of catheter in the epidural space. Luer lock twist connector. Crystal clear catheter with radio opaque line.



- » Epidural/tuohy Needle
- » Luer Syringe
- » Detachable Connector
- » Epidural Catheter
- » Threading Assist Guide
- » Hydrophobic Filter



MERCURY+™ EPIDURAL KIT

Туре	Description	Product Code
EPIDURAL KIT	16G Lenght: Standard	EK16G
EPIDURAL KIT	18G Lenght: Standard	EK18G

Mercury+™

Biopsy Needle

Biopsy Needle is a cutting semi-automatic biopsy needle, easy to operate, spring-loaded and obtain complete biopsies. Delta slot cutting is intended for cutting biopsies, marked by graduation on the external needle is convenient for depth reference. Core needle is available, is convenient for operate under Buntrasonic or CT.

FEATURES

- » Small size and lightweight design give you better handing and control
- » High velocity throw and precise needle contribute to consistent, high quality samples

MERCURY+™ BIOPSY NEEDLE

Туре	Description	Product Code
BIOPSY NEEDLE	14 G / 10CM	MBN1410
BIOPSY NEEDLE	14 G / 15CM	MBN1415
BIOPSY NEEDLE	14 G / 20CM	MBN1420
BIOPSY NEEDLE	16 G / 10CM	MBN1610
BIOPSY NEEDLE	16 G / 15CM	MBN1615
BIOPSY NEEDLE	16 G / 20CM	MBN1620
BIOPSY NEEDLE	18 G / 10CM	MBN1810
BIOPSY NEEDLE	18 G / 15CM	MBN1815
BIOPSY NEEDLE	18 G / 20CM	MBN1820



Biopsy Gun is a fully-automatic cutting ease device, easy to install, special fixation handle & provides a high success rate in punctures. Core needle is available, is convenient for operate under Buntrasonic or CT. Needle point with echo-enhancement for accurate positioning under ultrasound.



EASEGUN+™ BIOPSY GUN

Туре	Description	Product Code
BIOPSY GUN	14 G / 10CM	EGBG1410
BIOPSY GUN	14 G / 15CM	EGBG1415
BIOPSY GUN	14 G / 20CM	EGBG1420
BIOPSY GUN	16 G / 10CM	EGBG1610
BIOPSY GUN	16 G / 15CM	EGBG1615
BIOPSY GUN	16 G / 20CM	EGBG1620
BIOPSY GUN	18 G / 10CM	EGBG1810
BIOPSY GUN	18 G / 15CM	EGBG1815
BIOPSY GUN	18 G / 20CM	EGBG1820

Skinfix



The Helping Hand Of Surgeon In Stitching

- » SPECIALLY DESIGNED FOR EASE OF OPERATION
- » DISPOSABLE SINGLE LISE PRODUCT
- » NO JAMMING /EASY OPERATING SYSTEM
- » VISIBLE CARTRIDGE TO CHECK REMAINING STAPLER PINS
- » BOLD MARKING AT 15/25/35 STAPLE ALIGNMENT (THE ASSISTANT OF SURGEON)
- » ONE CLICK FIRE

Size:35 | Code: SDS35W

CATHLABACCESSORIES

Starfold

Manifold









Medical's High & Medium Pressure Stopcocks and Manifolds are suitable for Cathlab and other interventional applications and are designed to withstand 500 to 1200 psi pressure. Our products are available in 2 way and 3 way configurations with rotating High Pressure adapters or a standard swivel luer lock nut.

High & Medium Pressure Stopcocks and Manifolds Withstand 500 to 1200 psi

Manifolds are designed with easy-to-grip handles and clear polycarbonate bodies for visibility.

Medium & Low Pressure Stopcocks and Manifolds Withstand 250 to 500 psi

GANG	BODY	PRESSURE	TYPE	CATALOG CODE
2 PORT	FULL BODY	600 PSI	RIGHT ON	STF2600RON
2 PORT	FULL BODY	600 PSI	RIGHT OFF	STF2600ROFF
3 PORT	FULL BODY	600 PSI	RIGHT ON	STF3600RON
3 PORT	FULL BODY	600 PSI	RIGHT OFF	STF3600ROFF
2 PORT	HALF BODY	500 PSI	RIGHT ON	STF2500RON
2 PORT	HALF BODY	500 PSI	RIGHT OFF	STF2500ROFF
3 PORT	HALF BODY	500 PSI	RIGHT ON	STF3500RON
3 PORT	HALF BODY	500 PSI	RIGHT OFF	STF3500ROFF

Y-Star

PTCA Y CONNECTOR



Y-Connector Push Click System

Y-Click Connector, provides an easy to use hemostatic device for both diagnostic and interventional procedures. This ergonomically designed device significantly reduces the blood loss during interventional procedures. Among the Y-Click most unique advantages are its self closing mechanism and semi -open position, as well as its one-handed operation.

Y-Connector Push Pull System

Y-Push Pull Connector, which is used for coronary intervention, Push Pull head knob, which ensures minimal blood and precise navigation of devices in the vasculature. A specially engineered valve with micro vertical slits which facilitate smooth manipulation of device nullify blood loss.



Y-Connector Touhy Borst System

Touhy Borst also know a Screw Type Y Connector, which is used for coronary intervention. It has a latest screw type head knob, which ensures minimal blood adjustable Thumb Wheel Mechanism prevent over tightening, loss of bloods and devices movement when turned. Allow for insertion of different size devices.

Y-Star PTCA Y Connector

\	Туре	Description	Product Code
	Y-CLICK SET	Click Type Y Connector Hemostatis with extension line + Torque Device+ insertion tool	YSTC9FA
	PUSH PULL SET	Push Pull Y Connector Hemostatis with extension line + Torque Device + insertion tool	YSTPPS
	TO UHY BORST	Screw Type Y Connector Hemostatis with extension line + Torque Device+ insertion tool	STRTB9F



Feather™

Inflation Device

Uses while performing balloon dilation procedures to inflate the balloon, monitor the pressure within the balloon & deflate the balloon.

FEATURES

- » High quality pressure sensing element makes Inflation Device pressure
- » Pressure reading highly accurate even at extremes of pressure.
- » Excellent graduation and error minimization for reading on grid and barrel
- » Excellent eye to hand coordination by 30 ATM/Bar angled analouge pressure gauge
- » Accurate pressure reading and high visibility.
- » Feather Inflation Device ensures accurate repeatability of the measurements for several times.
- » Lighter to handle and Easy to Operate

FEATHER™ INFLATION DEVICE

Туре	ype Description Product Co	
INFLATION DEVICE	Feather Inflation Device 20ml 30atm/bar with Stopcock	FID2030
INFLATION DEVICE WITH KIT	Feather Inflation Device 20ml 30atm/bar with Stopcock	FIDK2030



Inflation device (gun-type)

KIT CONTAINS

- » Inflation Device
- » PTCA Y-Connector
- » Extention Line
- » Blunt Needle
- » Torque Device

FEATHER™ INFLATION DEVICE (GUN-TYPE)

Туре	Description	Product Code
INFLATION DEVICE	Inflation Device Gun-Type 20ml 30atm/bar with Stopcock	FID2030GUN
INFLATION DEVICE WITH KIT	Inflation Device Gun-Type kit 20ml 30atm/bar with Stopcock	FIDK2030GUN

Pivot

Pivot™ Introducer Sheath (Femoral/Transradial)

PRODUCT FEATURE

- » Smooth transition of guidewireto-dilator and dilator-to-sheath facilitates easy access
- » Maintains uncompromised hemostasis
- » Small outside diameter and large inside diameter reduces the size of the access site without compromising ease of device passage

KIT CONTAINS

- » Introducer Sheath (Femoral / Transradial)
- » SS Guidewire
- » Introducer Needle

- » Dilator
- » Scalpel
- » Syringe with needle

PIVOT™ FEMORAL INTRODUCER SHEATH

Туре	Description Product Cod	
FEMORAL SHEATH	5Fr / Length 11cm	PIVF5011
FEMORAL SHEATH	6Fr / Length 11cm	PIVF6011
FEMORAL SHEATH	7Fr / Length 11cm	PIVF7011
FEMORAL SHEATH	8Fr / Length 11cm	PIVF8011

PIVOT™ TRANSRADIAL INTRODUCER SHEATH

Туре	Type Description Product C	
TRANSRADIAL SHEATH	5Fr / Length 7cm	PIVR5070
TRANSRADIAL SHEATH	6Fr / Length 7cm	PIVR6070
TRANSRADIAL SHEATH	7Fr / Length 7cm	PIVR7070
TRANSRADIAL SHEATH	8Fr / Length 7cm	PIVR8070

Star Band™

Radial Artery Compression Device

PRODUCT FEATURE

- » Transparency ensures complete visual control from start to finish
- » Dual compression balloons provide precise compression of the radial artery to ensure blood return-without compromising local nerve structure
- » Innovative design makes it easy to use

STARBAND™ RA COMPRESSION DEVICE

Туре	Description	Product Code	
CLEAR STRIP	20ML	S-RCD-20-CS	

Shinewire **

PTFE Coated Guidewire



AVAILABLE ON VARIOUS TYPE OF GUIDEWIRE

- » POST COATED PTFE GUIDEWIRE
- » PRE COATED PTFE GUIDEWIRE
- » HYDROPHILIC COATED GUIDEWIRE
- » NITINOL CORE GUI DWIRE
- » LUNDERQUIEST GUIDEWIRE
- » Efficient Filter for Blood Transfusion

ANGIOGRAPHY PTFE COATED GUIDEWIRE PRODUCT FEATURE:

- » Accurate Measurement for Catheter Tracking
- » Easy to insert and Removal
- » Smooth Tip for insertion
- » Smooth Advancer for Dispensing of Guidewire
- » Angle and Straight Tip
- » Kink Resistance
- » Safety Cover for Unwanted Hazard Damage
- » Variety of sizes, lengths and shapes.

SHINEWIRE™ PTFE COATED GUIDEWIRE

OD Size	Length	TIP	Description	Catalog Code
0.025"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150J-SSMD
0.025"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150ST-SSMD
0.032"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150J-SSMD
0.032"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150ST-SSMD
0.035"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150J-SSMD
0.035"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150ST-SSMD
0.038"	150 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150J-SSMD
0.038"	150 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35150ST-SSMD
0.032"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW32260J-SSM D
0.032"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW32260ST-SSMD
0.035"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35260J-SSM D
0.035"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW35260ST-SSMD
0.038"	260 CM	Angle "J"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW38260J-SSM D
0.038"	260 CM	Straight "ST"	3MM FIXED CORE,PTFE COATED GUDIEWIRE	SW38260ST-SSMD

SHINEWIRE $^{\text{m}}$ is a range of complete guidewire, intended for use of introduction spring winding, standard & special sizes, small diameter less grinding, specially tip forming, J-Tip, Straight Tip, Angle & other shape & depth marking.

Pressure Motoring Line

Pressure Monitoring Line is non expandable PVC Tubing with a ragid wall & non regid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male• to-female connectors from 10cm to 200cms in length.



PRODUCT FEATURE

- » Small bore high pressure extension line.
- » Suitable for high pressure monitoring
- » Provided with male luer lock and female luer lock
- » Luer lock compatible with all standard equipment.
- » Luer lock connectors provide secure fitting.

LEICHIL™ PRESSURE MONITORING LINE

Туре	Lenght	Product Code
PRESSURE MONITORING LINE	50CM	PML50
PRESSURE MONITORING LINE	100CM	PML100
PRESSURE MONITORING LINE	150CM	PML150
PRESSURE MONITORING LINE	200CM	PML200



Leichil

Leichil™ Extension Line

Extension Line with 3way stopcock is to be used with any of the Various Infusion or transfusion devices in order to allow for attachment with any special or general purpose medical device. In order to improve ease of use also to provide an alternative channel for introduction of medicine to the patient.

LEICHIL™ EXTENSION LINE

Туре	Description	Product Code
EXTENSION L INE WITH 3 WAY STOPCOCK	10 CM	EXLIO
EXTENSION LINE WITH 3 WAY STOPCOCK	25 CM	EXL25
EXTENSION LINE WITH 3 WAY STOPCOCK	50 CM	EXL50
EXTENSION LINE SPIRAL-PE	200	SPE 200



High Pressure Line/ Braided Icsh Pressure Line

High Pressure Monitoring Line is non expandable PVC Tubing with a ragid wall & non regid wall thickness which will ensure high quality wave forms with improved clarity. Available with both male-to-male & male-to-female connectors from 10cm to 200cms in length.



LEICHIL™ HIGH PRESSURE LINE

Туре	Description	Product Code	
HIGH PRESSURE LINE	50 CM	HPLSOHP	
HIGH PRESSURE LINE	100 CM	HPLIOOHP	
HIGH PRESSURE LINE	120 CM	HPL120HP	

LEICHIL™ BRAIDED HIGH PRESSURE LINE

Туре	Description	Product Code
BRAIDED HIGH PRESSURE LINE	50 CM	HPLSOHPB
BRAIDED HIGH PRESSURE LINE	100 CM	HPLIOOHPB
BRAIDED HIGH PRESSURE LINE	120 CM	HPL120HPB



EDHOU™

Control Syringe

PRODUCT FEATURE

- » Transparent cylinder enhances visual effect of gauge mark and contrast level
- » Special designed Silicone piston head and lubrication technology
- » Easy to move plunger in cylinder and generate high pressure resistance
- » Excellent eye to hand coordination
- » Lighter to handle and Easy to Operate

EDHOU™ CONTROL SYRINGE

Туре	Description	Product Code
MALE LUER LOCK	10 ML	EDU10
MALE LUER LOCK	12 ML	EDU12

UrostarTM

Double J Stent (Ureteral Stent)





Family	Size (Fr)	Length (cm)	Туре	Color / Material	Options
DJSBES	3.0 3.5 3.8 4.0 4.5 4.7 4.8 5.0 5.5 6.0 6.5 7.0	12 14 16 18 20 22 24 26 28 30	OEO BEO BEC	*B *G *W *LD	/G /C /CG /S /SG /SC /SCG

Туре	Color / Material	Options
OEO One End Open BEO Both Ends Open BEC Both End Close	*B Blue *G Green *W white *LD Long Duro	/C With Clamp /G With Guidewire /CG With + Guide wire /S With Suture /SC With Suture + Clap /SG With Suture + Guidewire /SCG With Suture + Clamp + Guide Wire

Ordering Details:

Family	Size (Fr)	Length (cm)	Туре	Color / Material	Options
DJSBES	3.0 3.5 3.8 4.0 4.5 4.7 4.8 5.0 5.5 6.0 6.5 7.0 8.0	12 14 16 18 20 22 24 26 28 30	OEO BEO BEC	*B *G *W *LD	/G /C /CG /S /SG /SC

Туре	Color / Material	Options
OEO One End Open BEO Both Ends Open BEC Both End Close	*B Blue *G Green *W white *LD Long Duro	/C With Clamp /G With Guidewire /CG With + Guide wire /S With Suture /SC With Suture + Clap /SG With Suture + Guidewire /SC With Suture + Clamp + Guide Wire

Pressure Monitoring Kit

- Choice of standard Single, Double and Triple kits
- Custom Design kit as per user specifications and requirement Option of Closed loop blood sampling kit available including needleless sampling site
- DEHP Free tubing
- Contact for non-obligatory schematic design / samples

PRODUCT CODE & COMPONENTS: STM-SS01 (STANDARD SINGLE KIT)

- » Single Kit Transducer
- » Pressure Monitoring Line 200cm/15cm
- » 3way stopcock
- » IV Set (Intravenous Set)

PRODUCT CODE & COMPONENTS: STM-SD01 (STANDARD DOUBLE KIT)

- » Double Kit Transducer
- » Pressure Monitoring Line 200cm/15cm
- » 3way stopcock
- » IV Set (Intravenous Set)

STM-ST01 (STANDARD TRIPLE KIT)

- » Double Kit Transducer
- » Pressure Monitoring Line 200cm/15cm
- » 3way stopcock
- » IV Set (Intravenous Set)




Туре	Size	Product Code
PRESSURE MONITORING KIT	SINGLE	PMK-S
PRESSURE MONITORING LINE	DOUBLE	PMK-D
PRESSURE MONITORING LINE	TRIPLE	PMK-T

Angiographic & iagnostic Catheter

DESCRIPTION

Wide variety of flush, cerebral, and visceral shapes provides the versatility to meet individual clinical needs.

- » Tungsten layering in the distal catheter segment results in a highly radiopaque catheter tip that promotes clear fluoroscopic visualization.
- » Catheter tip stability and excellent contrast flow result in a clear image Of the vasculature.
- » Soft tip material designed to reduce risk of trauma during contrast injection.
- » Advanced tip construction provides the balance of flexibility and the shape retention required for successful access. Soft tip material reduces risk Of trauma during selection and contrast injection.
- » Transition to facilitate entry and crossing.
- » Predictable torque response designed to facilitate exact positioning.
- » Advanced braided shaft designed to promote kink resistance and push-ability to ease advancement through tortuous and distal anatomy.
- » Durable, fluted hub designed to ease guidewire manipulation and provide strain relief for kinkresistant advancement.
- » Wide variety Of shapes provides the versatility required to meet individual clinical requirements.
- » Proprietary coating enhances lubricity for sheathless insertion and superb tracking.



Angiogràphic & Diagnostic Catheter

DESCRIPTION

Flextrusion technology for a smooth transition from stiff proximal shaft to soft distal segment.

Flextrusion Technology


- » Soft distal segment is designed to reduce potential for vessel trauma, allowing safe engagement and coaxial alignment in the vessel
- » Smooth transition is designed to allow for better conformity to the anatomy and more controlled distal torque response

Design and Performance Dynamics

- » Firm Catheter shaft for users preferring a passive diagnostic catheter
- » Variety of curve styles
- » Soft primary curve to help minimize vessel trauma

Anatomy Specific Designs

- » Left and right catheters are designed differently to meet the unique requirements of the left and right coronaries
- » Left catheter is designed for outstanding engagement
- » Right catheter is designed for excellent distal torque response when engaging the right coronary



Odering Informat				Unit	s per box		
Product code 5 FR	Product code 6 FR	Description	Shape name	Shape code	Length (CM)	Small	Medium
FAD5JR3100	FAD6JR3100		Judkins Right	JR 3.0	100	5 PCS	100 PCS
FAD5JR35100	FAD6JR35100		Judkins Right	JR 3.5	100	5 PCS	100 PCS
FAD5JR40100	FAD6JR40100		Judkins Right	JR 4.0	100	5 PCS	100 PCS
FAD5JL3100	FAD6JL3100	Feather Angiographic & Diagnostic	Judkins Left	JL 3.0	100	5 PCS	100 PCS
FAD5JL35100	FAD6JL35100		Judkins Left	JL 3.5	100	5 PCS	100 PCS
FAD5JL40100	FAD6JL40100		Judkins Left	JL 4.0	100	5 PCS	100 PCS
FAD5AL1001	FAD6AL1001		Amplatz	AL I	100	5 PCS	100 PCS
FAD5AL1002	FAD6AL1002		Amplatz	AL II	100	5 PCS	100 PCS
FAD5AR1001	FAD6AR1001	Catheter	Amplatz	ARI	100	5 PCS	100 PCS
FAD5AR1002	FAD6AR1002		Amplatz	AR II	100	5 PCS	100 PCS
FAD5PIG110	FAD6PIG110		Pigtail	Pigtail	110	5 PCS	100 PCS
FAD5PIG110R145	FAD6PIG110R145		Pigtail	Pigtail	145	5 PCS	100 PCS
FAD5PIG110R155	FAD6PIG110R155		Pigtail	Pigtail	155	5 PCS	100 PCS
FAD5RT100	FAD6RT100		Tiger	RT	100	5 PCS	100 PCS



DESCRIPTION

Feather Balloon Catheter technologies deliver the exceptional performance needed to succeed in demanding cases. Experience the ultra-low profiles of FEATHER BALLOON CATHETER and how a transitionless design can provide exceptional control when accessing lesions.

Odering Information			Semi Com	oliant Balloon Dil	atation Catheter
Product	Balloon diameter (MM)	10	12	15	20
	1.5	FPTCABC 1015	FPTCABC 1215	FPTCABC 1515	FPTCABC 2015
Feather	2.0	FPTCABC 1020	FPTCABC 1220	FPTCABC 1520	FPTCABC 2020
PTCA Balloon	2.25	FPTCABC 10225	FPTCABC 12225	FPTCABC 15225	FPTCABC 20225
Catheter	2.5	FPTCABC 1025	FPTCABC 1225	FPTCABC 1525	FPTCABC 2025
	3	FPTCABC 1030	FPTCABC 1230	FPTCABC 1530	FPTCABC 2030

Odering Information Non				Von Compliant	: Balloon Dilata	ation Catheter
Product	Balloon diameter (MM)	8	10	12	15	20
	1.5	FPTCANC 815	FPTCANC 1015	FPTCANC 1215	FPTCANC 1515	FPTCANC 2015
	2.0	FPTCANC 820	FPTCANC 1020	FPTCANC 1220	FPTCANC 1520	FPTCANC 2020
	2.25	FPTCANC 8225	FPTCANC 10225	FPTCANC 12225	FPTCANC 15225	FPTCANC 20225
Feather	2.5	FPTCANC 825	FPTCANC 1025	FPTCANC 1225	FPTCANC 1525	FPTCANC 2025
PTCA	2.75	FPTCANC 875	FPTCANC 1075	FPTCANC 1275	FPTCANC 1575	FPTCANC 2075
Balloon Catheter	3.0	FPTCANC 830	FPTCANC 1030	FPTCANC 1230	FPTCANC 1530	FPTCANC 2030
Catheter	3.25	FPTCANC 8325	FPTCANC 10325	FPTCANC 12325	FPTCANC 15325	FPTCANC 20325
	3.5	FPTCANC 835	FPTCANC 1035	FPTCANC 1235	FPTCANC 1535	FPTCANC 2035
	3.75	FPTCANC 8375	FPTCANC 10375	FPTCANC 12375	FPTCANC 15375	FPTCANC 20375
	4.0	FPTCANC 840	FPTCANC 1040	FPTCANC 1240	FPTCANC 1540	FPTCANC 2040

Aspiration Catheter

DESCRIPTION

Feather Aspiration Catheter is an innovative aspiration catheter designed to Offer a balance between crossing performance, kink resistance and thrombus-aspiration capability.

Dedicated tip design with radiopaque marker

- » Excellent crossability while providing atraumatic and effective aspiration
- » Ensures reliable fluoroscopic visibility

Braided shaft with hydrophilic coating and preloaded stiffening style

- » Excellent pushability and kink resistance
- » Easy navigation through tortuous anatomies

Large aspiration lumen

» Constant, high-performance aspiration throughout the procedure


Item Specifications

» Choice of three sizes (6 Fr, 7 Fr catheter compatibility) for different coronary and peripheral application

Odering Information

Product	Product code		Size
Feather	FAC670	6Fr	I.D.≥ 0.070"/ 1.78mm
Aspiration Catheter	FAC780	7Fr	I.D.≥ 0.080"/ 2.03mm

General Specifications	
Usable length	140 cm
Distal tip hole length	4 mm for 6 and 7 Fr
Rapid exchange Segment	23 cm
Radiopaque marker	mm located at 40m from the tip
Positioning marker	10 cm single white mark located at 90 cm from distal tip
Guidewire compatibility	Maximum diameter 0.014" (0.36 mm)
Coating	Hydrophilic



INFUSION THER A PY

THREE WAY STOP COCK

- · Pressure Handling Capability: 4.5 bar
- Universal 6% taper to make it compatible with wide range of other medical equipment.
- Arrow symbols to indicate the direction of flow
- Minimum priming volume required for correct drug administration.
- Available in Lipid Resistant / Non Lipid resistant varieties.
- · Tap available : Blue, Red, White



PRESSURE MONITORING

Line & Extension Line

- Transparent Pressure Monitoring Line (with colour coded stickers)
- 6% male & female luer locks.
- . Kink resistant PVC tubing.
- High Pressure tube dia: Int: (1.0mm) Ext.(3.0mm) & pressure handling capacity: 800 psi
- Low Pressure tube dia: Int: (3.0mm) Ext.(4.1mm) & pressure handling capacity: 60 psi
- Available in different sizes (cm) :25,50,100,150,200

THREE WAY STOP COCK With Extension Tube

- Three Way Stop Cock at one end & male luer lock at the other end of extension tube.
- · High quality kink resistant tube that provides smooth flow Universal 6% taper to make it compatible with wide range of other medical equipment.
- Arrow symbols to indicate the direction of flow
- · Minimum priming volume required for correct drug administration.
- Tube length available (cm): 10, 25, 50, 80, 100,150, 200



STARSET(I.V INFUSION SET) with Airvent / without Airvent / with Micro Drip

I.V. Infusion Set with Airvent / without Airvent

- Smooth roller clamp for controlling flow rate.
 Approximately 20 drops/ml.

 I.V. Infusion Set with Micro Drip
- I.V. infusion set for pediatric use.
- Sharp spike for ease and quick penetration.

· Approximately 60 drops/ml











Burette Set

Measured Volume Fluid Administration Set

- · Transparent cylindrical and calibrated drip chamber for easy fluid level adjustment and drop count.
- · Drop rate : 60 drop/ml.
- · Kink resistant PVC tubing.
- Available in two sizes (ml): 110 & 150

Further option available:











BLOOD TRANSFUSION SET

with Airvent / without Airvent

- For transfusion of blood or blood components.
- · Transparent & flexible drip chamber.
- · Approximately 20 drops/ml
- Soft and kink resistant PVC tubing with 200 micron blood filter.
- · Also available in DEHP Free.

Further option available:











NEEDLE FREE EXTENTION LINE

(Mono, Duo & Trio Lines)

- Needle Free Technology to reduce bacterial contamination and improve patient comfort
- · Rotating Luer lock for patient comfort
- Low priming volume
- DEHP Free PVC TUBE



ANESTHESIA & RÉSPIRATORY CARE

Oxygen Mask Kit

Oxygen Mask

- · Oxygen Mask is designed for convenient oxygen therapy.
- Star lumen tube with 200cm length.
- · Size available : Adult, Pediatric, Infants.

TWIN BORE NASAL Oxygen Cannula

Nasal Cannula

- Star lumen tube with 200cm length.
- Star Size available : Adult, Pediatric, Infants.



Nebuliser Mask Kit

Nebuliser Mask

- · Soft, clear aerosol mask with anatomi form is ideal for long term use.
- · Star lumen tube with 200cm length.
- · Size available : Adult, Pediatric.



- · Manufactured from soft, non-toxic PVC thus non irritating even in long term use.



BAIN CIRCUIT

- · Bain circuit is a co-axial modification of the Basic T-piece system, developed to facilitate scavenging of waste anesthetic gases.
- Bain circuit is available with 22mm corrugated tube with expiratory valve & 2 liter antistatic bag
- Size available : Adult & Pediatric



LUNG EXERCISER

Lung Exerciser with Three Ball Model

- Innovative system to exercise respiration through
- · Specially designed with 3 stage chambers to provide more efficient exercise to patient at a step up basis.
- · Also available in single ball model



CATHETER MOUNT

- · Double swivel elbow connector with suction port and cap provides better flexibility, easy accessibility and provide comfort.
- 15 mm I.D./22 mm O.D. connector fits all tracheal tubes.
- 22 mm standard female connector is compatible with all breathing & ventilator circuits.



VENTILATOR Circuits

- Available in Corrugated & Expandable tube.Types: Plain, Single Water Trap &
- Double Water Traps.
- Size available : Adult & Child Size Type : Plain, Single Water Trap, Double Water Trap.



SUCTION CATHETER

Standard, Finger, Thumb Control Suction Catheter

Soft, Kink Free PVC Tubing Round tip & atraumatic eye opening Color coding for easy size identification Marking on tube after every cm Length 50 cm Sizes: 6FG to 24 FG Plains, Finger control and



- The HME filter is used on patient breathing circuits to avoid the potential for any cross contamination between the patient and the machine.
- Dimensions: 77.0mm X Ø58.5mm
- · Weight: 27.0gm (approx)
- Effective filtration area: 27.3cm²



UROLOGY NEPHROLOGY

UROLITE STD. Urine Bag

- · Urine collection bag with top outlet
- · Capacity: 2000ml
- · Special molded hanger for easy handling available with Bottom Outlet

UROLITE PREMIUM Premium Urine Bag

- · Urine collection bag with Top outlet
- · Capacity: 2000ml & a000 ml
- · Special molded hanger for easy handling
- · Kink free PVC tube.

DRAIN-O-METER Urine Meter

- · Urine collection bag with measured volume meter
- · Capacity: 2000ml
- · Special molded hanger for easy handling
- Also available with t-type connector bottle 100ml, 250ml, 300ml, 500ml.

Surgery & Drainage System

Yankur Suction Set

- · Smooth Yankaur Suction handle with Vacuum thumb control.
- Tube Length 250 cm (2.5 meter).
- · Available in Standard Tip & Crown Tip.



Closed Wound Suction Set-Surgery & Drainage

- · Negative pressure post operated closed wound drainage set
- Size of bellow chamber: 600 ml or 800 ml
- Redon tube size: 10FG-14FG
- · Curved SS Trocar with redon tube



CHEST DRAINAGE CATHETER

- Drainage Catheter for Thoracic surgery & cardiac thoracic surgery
- Atraumatic round shape distal end with smooth eyes
- Radio opaque line with marking
- . Length 45cm
- Size-8FG to 36FG



Gastrology

INFANT FEEDING TUBE

- · Soft & Kink Free PVC Tube
- · Closed End with two lateral eye
- Tube radio opaque line for easy ax-ray dictation.
- · Size: 5FG to 10FG
- Marking at every 20 cm
- Available in different length

RYLE'S TUBE

- · Nasogastric Feeding Tube
- · Closed distal end with radio opaque material.
- Four lateral eyes
- · Soft & kink free PVC Tube with radio opaque line
- Length-105cm
- · Size-6fg to 24 fg



OEM COMPONENTBULK/STERILE & NON-STERILE





Blood Line Set for Haemodialysis



Dialysis Dressing Kit



Catheter Mount

Angiography / Introducer Needle



Manifold 3 Way 500 PSI



Manifold 2 Way 500 PSI



Pressure Transducer Monitoring Kit



Fistula Needle Top Part



Manifold 3 Way Right On 600 PSI

OEM COMPONENTBULK/STERILE & NON-STERILE



OEM COMPONENTBULK/STERILE & NON-STERILE





Manufacturing Unit:

ST. STONE MEDICAL DEVICES PRIVATE LIMITED

A - 8, Kuraopokpi industrial Estate, Thoubal (kakching) Imphal, Manipur-India

Corporate Office :

ST. STONE MEDICAL DEVICES PRIVATE LIMITED

A-13, 3rd Floor, Devli Road, Khanpur, New Delhi-110062 Email: info@stsmedicals.com/stsmedicals@hotmail.com

ISO 13485, ISO 14971, CE, ISO 9001, WHO: GMP

Creating Global Milestone In Healthcare