

Our Export Countries



A Complete Solution of
Pharma Packaging Machinery



Address :

Plot No.4801/3, Phase-IV,
Near Indo German Tool Room, Vatva,
G.I.D.C, Ahmedabad - 382445.

+91 98790 27764,
chamundapharma@gmail.com
www.chamundapharmatech.in



A Complete Solution of
Pharma Packaging Machinery



We are a leading manufacturer and exporter of pharmaceutical machinery and spares. Our wide range of products mention below has expanded in various industries like pharmaceuticals, food & beverages, cosmetic and lube & edible oil etc.

- » ISO certified manufacturing company.
- » In-house manufacturing set-up in about 12000 sq. feet area for the world class machinery
- » Some of the machines are CE certified.
- » Machines installed in 10+ countries including UK & USA.
- » Expert in customization of machines as per customers' requirement.
- » Plug & play machines to avoid dependency
- » Continuous working on 'no change parts' / 'very less change over time'.
- » Industries served : pharmaceuticals, chemicals, cosmetics, food, oil, pesticides etc.

the company has successfully catered to the specific requirement of food — beverages industry, chemical industry, pharmaceutical formulations, etc. rendering impeccable machines and prompt services, we have developed long term business associations with our valued clients. we always proceed in all our dealing with transparency and integrity, which has helped us to maintain a winning edge in the market. for our customer satisfaction, we work around the clock to understand the client's requirements and deliver results accordingly.

RANGE OF PRODUCT OFFERINGS

VIAL FILLING LINE (LIQUID/POWDER)

Servo base filling machine on special requirement of customer, used for high accuracy & efficiency with all auto Adjustment function. Entire line is consisting machine from washing to packing conveyor. (washing/air jet cleaning, filling, capping, sticker labelling, packing conveyor)

BOTTLE FILLING LINE (LIQUID/POWDER)

Servo base filling machine on special requirement of customer, used for high accuracy & efficiency with all auto Adjustment function. Entire line is consisting machine from washing to packing conveyor. (washing/air jet cleaning, filling, capping, sticker labelling, packing conveyor)

ONLINE LINEAR SCREW CAPPING MACHINE WITH ELEVATOR UNIT

Linear capping machine is our standard customize machine as per the requirement of customer. Main benefit of this machine is no change parts require for other size of bottle. Automatic rejection system can also be added to this machine, on customer demand which rejects all unqualified bottle including loose cap, no cap.

AUTOMATIC STICKER LABELLING MACHINE

In this category, we have product range which includes sticker labelling machine for round bottle, square bottle and double side labelling machine for flat type of bottles. As per the suitability of customer's product, we do have top side/bottom side sticker labelling machine also.

INHALER PACKING MACHINE

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing

AUTOMATIC TABLET PACKING LINE

Entire line includes turn table, air jet cleaning machine for cleaning of bottles, tablet counting & filling machine, silica gel inserter, cotton inserter, online capping machine, re torque unit, labelling machine, printing, and packing conveyor.

MULTI HEAD WEIGHING FILLING MACHINE (10/14)

This machine is suitable for granule type product filling in jar and pouch. It is widely used for confectionery items. It is useful for candy packing, chocolate packing, wafer packing, etc.

OUR INTERNATIONAL & DOMESTIC CLIENTS



**AUTOMATIC INJECTABLE
LIQUID FILLING MACHINE**



MODEL : CPTILFM - 400

Output : 100 to 400 Vial/min

Fill Volume : 2-30ml

Power : 3HP/380V

**AUTOMATIC INJECTABLE VIAL
POWDER FILLING MACHINE**



MODEL : CPTIVPF - 200

Output : 200 Vials/Min.

Fill Volume : 2-30ml

Power : 230 Volts, 415 Volts

**AUTOMATIC LINIER EXTERNAL
VIAL WASHING MACHINE**



MODEL : CPTLEAW - 200

Output : Up to 6000 Vial/Hour

Wash Cycle : 1 water + 1 Air for drain

Power : 0.5 HP / 415 Volts / 50 Hz

**AUTOMATIC DRY SYRUP POWDER
FILLING MACHINE**



MODEL : CPTDSPF - 180

Output : 300 to 7000 Bottle

Fill Size : 50 gms to 250 gms

Power : 0.5 HP / 415 Volts / 50 Hz

ROTARY BOTTLE WASHING MACHINE



MODEL : CPTRWM - 60

Output : 40 - 60BPM
Bottle Size : 100ml to 1 Ltr.
Power : 1 HP/440Volt/3 Phase

HIGH SPEED LINEAR BOTTLE WASHING MACHINE



MODEL : CPTLWM - 180

Output : 120 - 180BPM
Bottle Size : 30 ml. to 200 ml
Power : 3 Phase

UNSCRABLER MACHINE



MODEL : CPTUS - 200

Output : 100 / 200
Bottle Size : Diameter 30 - 500 ml
Power : 2 HP

ROTARY UNSCRABLER MACHINE



MODEL : CPTRUM-120

Output : 60 / 120
Bottle Size : Diameter 30 - 500 ml
Power : 2 HP

ONLINE AIRJET & VACUUM CLEANING MACHINE



MODEL : CPTAVC - 80

Output : 20 to 80 (Depend upon bottle size)
Bottle Size : 30 mm. to 80 mm.
Power : 3 Phase

SEMI LIQUID FILLING MACHINE



MODEL : CPTSF

Output : 20 Bottle / Minute Depend up on bottle & Fill Volume
Bottle Size : 30 ml. to 500 ml.
Power : 1 HP

TURN TABLE MACHINE



MODEL : 24", 30", 36", 48"

AC Drive : Make Delta
Dimension : 3 feet x 3 feet
Power : 0.5 Phase

CAP FEEDER ELEVATOR

CAP/BOTTLE ELEVATOR



MODEL : CPT - 80

Output : 20 to 80
 (Depend upon Cap Size)
Power : Single Phase
Loading Capacity : 1000 to 2000

CPTCE - 150

Output : 20 to 150
 (Depend upon Cap Size)
Power : Single Phase
Loading Capacity : 2000 to 5000

AUTOMATIC SERVO BASE LIQUID FILLING MACHINE (2 to 16 HEAD)



MODEL : CPTSLFM - 120

Output : 60/80/120 BPM

Fill Volume : 50 ml. to 500 ml.

Power : 3 Phase, 440V

AUTOMATIC VOLUMETRIC LIQUID FILLING MACHINE (2/4/6/8 HEAD)



MODEL : CPTLFM - 80

Output : 20/40/60/80 BPM

Fill Volume : 30ml to 1000ml

Power : 2.5 HP, 440 Volts, 3 Phase, 50 Hz.

HIGH VOLUME ACCURACY LINEAR FILLING MACHINE



MODEL : CPTFM - 60

Output : 40 - 60 BPM

Bottle Size : 10 ml. to 1000 ml.

Power : 3 Phase

MONO BLOCK FILLING & CAPPING MACHINE



MODEL : 4 HEAD / 1 HEAD

Output : 20 to 40

Fill Volume : 30ml to 1000 ml

Power : 2.25 HP, 44 Volts, 3 Phase, 50 Hz.

AUTOMATIC SINGLE HEAD AUGER POWDER FILLING MACHINE



MODEL : CPTPFM

Output : 20 - 40 BPM

Fill Volume : 15 gm. to 100 gm.

Power : 2HP

AUTOMATIC DOUBLE HEAD AUGER POWDER FILLING MACHINE



MODEL : CPTSF

Output : 40 to 80

Fill Volume : 15 gm. to 500 gm.

Power : 3 HP

CREAM FILLING MACHINE



MODEL : CPTCFM

Output : 20/40/60 BPM

Fill Volume : 10gm to 500gm

Power : 1 HP

SEMI AUTOMATIC TUBE FILLING/ SEALING MACHINE



MODEL : CPTTF - 30

Output : 20 to 30 per minute

Fill Volume : 10 gm. to 100 gm.

Power : 220 volt, 2 HP

ONLINE HIGH SPEED LINEAR SCREW CAPPING MACHINE



MODEL : CPTLCM - 120

Output : 60/80/120BPM
Suitable Bottle : Pet, HDPE Bottle(Round, Square, Flat)
Power : 1 Phase, 220-230V

LINEAR TYPE INNER PLUG & SCREW CAPPING MACHINE



MODEL : CPTLFM - 80

Bottle Size : 10 ml. to 1000 ml.
Suitable Bottle : Round, Square, Off Center Bottle
Power : 3 Phase

AUTOMATIC SINGLE HEAD SCREW CAPPING MACHINE



MODEL : CPTSC - 50

Output : 30 to 50 BPM Depend upon bottle & Cap Size
Bottle Size : 30 ml. to 1000 ml.
Power : 1 HP, 1 Phase

INNER & OUTER COMBO CAPPING MACHINE



MODEL : CPTIO - 60

Output : 20 to 50 (Depending Upon Bottle size & Inner Cap Size)
Bottle Size : 100ml to 1 Ltr.
Power : Single Phase

AUTOMATIC PICK/PLACE CAPPING MACHINE (4/6/8)



MODEL : CPTPPC - 80/120

Output : 80 to 120 BPM depend upon bottle & Cap Size
Bottle Size : 30 ml. to 1000 ml.
Power : 1.5 HP, 1 Phase

AUTOMATIC ROTARY TYPE ROPP CAPPING MACHINE (4/6/8 HEAD)



MODEL : CPTRCM - 60

Output : 40 - 60BPM
Size : 30ml to 500ml
Power : 1 Phase, 220-230V

INNER PLUG INSERTER MACHINE



MODEL : CPTIPI - 60

Bottle Dia. : 20 mm. to 60 mm.
Output : 30 to 40 (Depend upon bottle size)
Power : 230 Volts, 1 Phase, 3 wire System, 50 Hz.

EAR & EYE DROP FILLING/ CAPPING MACHINE



MODEL : CPTEFCM - 80

Output : 40/60/80BPM
Fill Volume : 10ml to 50ml
Power : 440V, 3 Phase

AUTOMATIC MEASURING CUP PLACEMENT MACHINE



MODEL : CPTMCP - 120

Output : 60 to 120 / 200
Bottle Size : 30 mm. to 80 mm.
Power : Single Phase

AUTOMATIC ROUND BOTTLE STICKER LABELING MACHINE



MODEL : CPTRLM - 120

Output : 40/60/80/120BPM
Bottle Size : 20mm to 350mm(L) 10mm to 80mm(W)
Power : 1HP, 220Volts

AUTOMATIC HORIZONTAL STICKER LABELING MACHINE



MODEL : CPTHSL - 120

Output : 40/60/80/120BPM
Bottle Size : 20mm to 350mm(L) 10mm to 80mm(W)
Power : 1HP, 220Volts

AUTOMATIC TABLET COUNTING & FILLING MACHINE



MODEL : CPTTC - 60

Output : 700 Pc. (Depend on Tablet Shape / Size)
Power : 1 Phase
Dimension : 1000 mm. (L) x 650 mm. (W) x 1100 mm. (H)

AUTOMATIC DOUBLE SIDE STICKER LABELING MACHINE



MODEL : CPTDSLM - 80

Output : 60/80/120BPM
Bottle Size : (L) 20mm to 350mm (W) 10mm to 80mm
Power : 1 Phase, 2HP

AUTOMATIC SQUARE BOTTLE & POSITIONING TYPE LABELING MACHINE



MODEL : CPTSL - 60

Bottle Size : 10 ml to 1000 ml
Power : 1 Phase

SEMI AUTOMATIC TABLET COUNTING MACHINE

CPTTC - 30



MODEL : CPTDTCM - 30

Output : 20 - 30BPM
Tablet per bottle : 10 - 50 tablet/bottle
Power : 1 Phase, 220-230V

DISC TYPE TABLET COUNTING MACHINE



DISC TYPE SILICA GEL POUCH/ CANISTER INSERTER MACHINE



MODEL : CPTSI - 60 / 120

Output : 20 to 60
Bottle Dia. : 30mm to 100mm (H) 40 mm to 200 mm
Power : 1 HP

COTTON INSERTER MACHINE



MODEL : CPTCI - 60 / 120

Output : 20 to 60
Bottle Dia. : 30mm to 100mm (H) 40 mm to 200 mm
Power : 2 HP 3 Phase

INDUCTION CAP SEALING MACHINE



MODEL : CPTIC - 40 / 60

Out put : 20/40/60
Input : 230 $\pm$ 10% V AC, 5 Amps. Single Phase
Cap Size : 25 mm. - 80 mm.
Power : 0.75 HP

INSPECTION TABLE



MODEL : 4 x 6 Seater

Dimension : 1800 mm. (L) x 900 mm. (W) x 1500 mm. (H)
Power : 1 Phase, 220-230V

PACKING CONVEYOR 8'/10'/12'



MODEL : CPTPC

(As per Client Demand)
Height. : 740 to 840 mm. (Adjustable)
Power : Depend Upon Model

CURVE CONVEYOR



MODEL : CURVE CONVEYOR

Height : 20 to 60
Power : 0.5 HP Motor


POUCH PACKING MACHINE



MODEL : CPTPPM

Output : 40 to 100 PPM
Fill Size : 10 Gram to 500 Gram

INHALER PACKING MACHINE



MODEL : CPTINPM

Output : 60/120 IPM
Power : 1 PHASE-1.5 H.P

EFFERVESCENT AUTOMATIC TABLET TUBE FILLING, CAPPING & STICKER LABELING MACHINE



MODEL : CPTTFCLM

Output : 20/30/60 TPM
Tablet fill volume in tube : 10 to 30 tablets
Power : 220 - 230V, 1 Phase