




 **ALLIANCE**

About us

- Loaded with an industrial experience of around 10 years, we Alliance Industrial Rubber Hose and Fittings engraved with excellent as one of the trusted trader, supplier, exporter, manufacturer etc. of industrial goods.
- We are into business in the year of 2012, in Noida, Uttar Pradesh India, under the guidance of our mentor Mr. V.S. We achieved a height of success in our business. Owing to our quality, service, etc. we are able to fulfill the variable requirements of our valuable clients by products.
- Being a customer-centric organization we have been able to fulfill clients requirements by offering them comprehensive ranges of Hoses, Fittings, QRC, Camlock, etc. We continuously strengthening with clients situated in national or international market by providing them highly durable products along with their test or warranty certificates. Moreover, fair business policies, products range, reasonable price, timely delivery enabled us to gain high success.
- Company is supported with highly qualified and experienced executive for marketing representative, delivery staff, sales executive, executive leader for managing purchase, etc. All executive staffs are with us on the basis of their experience and knowledge, etc.
- We always test our products before supplying them to the clients. Moreover this business policy helped us to build a mutual beneficial business relation with them.

GOALS



HSP CUPLA



HSP CUPLA

Special steel body is tough against vibration and impact! Male and female thread end configurations are available. Low pressure loss characteristic suits hydraulic equipment applications.

Quenched special steel body! Powerful impact resistance, especially against impulses. Automatic shut-off valves in both socket and plug prevent fluid spill out on disconnection. Easy to handle.

In addition to conventional female thread type, male thread types (male tapered thread, male parallel thread with 30 flare, and male parallel thread with 30 cone-seat) are available. Male thread types are designed especially for direct connection to hydraulic power units effectively.

Male parallel thread type complies with both metal seal and O-ring seal. (In case of O-ring seal, O-rings available in the market can be used.) Optional HSP-DC Cuplas are available for die-casting machine applications with severe pressure variation.

The overall length of male thread type is shorter than that of female thread type plus conversion nipple available in the market.

PL type (Safety sleeve lock type) for 2HS to 8HS (except 66HS with female thread is also available as standard.



HSU CUPLA



HSU CUPLA

The flow volume is increased by between 14 to 44% while at the same time the coupled length is reduced by at least 10% compared with the S210 CUPLA. - Body material is excellent corrosion resistant stainless steel (SUS304). Suitable for use in tough/harsh environments such as offshore applications. -

Sleeve stopper mechanism can be engaged by rotating sleeve after connection. -

Despite having a stainless steel body, the working pressure, 21.0 MPa, of HSU CUPLA is comparable to that of special steel body CUPLA such as

HSP CUPLA series. - Both socket and plug have built-in automatic shut-off valves that prevent fluid outflow on disconnection. - Hydrogenated nitrile rubber (HNBR) is used as a seal material for wide variety of liquids.





WE HAVE READY STOCK OF FOLLOWING ITEMS

Rubber Hoses (Indian & Imported); Custom Made Hose Assembly, V-Belts, Adhesive, Transmission Belting, Anti Vibration Mountings, Cam lock & Quick release Couplings (Brass, SS, CS, AL), PVC Hose, Steel Flex Food Grade Hose, Nylon Braided House (W.P. Up to 25kg/Cm2), PVC / Canvas Flat Water Delivery Hose, Yasung/ Tornado-Imported PVC Hose, Fire Fighting Hose & Assembly, Rubber Sheets & Moulded Products, Duct Hoses

Hoses for drilling applications


- Rotary / Kelly hoses
- Vibrator hoses
- Choke and kill hoses
- Cementing hoses
- Mud delivery hoses
- Motion compensator hoses

Flexible Pipelines and Hoses For Oil and Gas Transport

- Topside jumpers
- Subsea flow lines
- Tie-in lines
- High pressure oil export hoses
- Gas export lines
- Dock hoses

Hoses for Oil / Gas Production

- Well test hoses
- Oil production
- Gas injection hoses
- Gas diverter hoses
- Water injection hoses
- Firewater hoses
- Hydraulic pile driver hoses
- Jetting hoses
- Grouter hoses
- High pressure hydraulic hoses
- Decoking hoses




R2 Two-Wire Hydraulic Hose: Double wire braid. No skiving required. Recommended for hydraulic system service with petroleum and water-base fluids, or general industrial service. Long-lasting cover is suitable for many mobile hydraulic applications. Meets or exceeds all SAE 100R2 AT hydraulic hose specifications (below price table). Please note when ordering: reel may contain more than one continuous length.



Suction & Delivery House Pipes: It is most suited for suction and delivery of liquids/gases in varied applications. Its biggest strengths against rubber hoses are convenient, lightweight and flexible. Suction & Delivery of water for irrigation purpose in agriculture, saline water, light acids, alkalies and other chemicals except solvents.

Composition : The hose



Heavy Duty Hose: Ideal for heavy duty suction and delivery of abrasive materials in industries such as coal & mineral mines, stone & lime quarries, shipping, sewerage disposal, aqua culture, paper mills, cement, chemicals, petrochemicals, oil exploration, construction etc.



Duct Hose: Ideal for Light Duty collection & conveying of Air, Gases, Dust and Light materials. Used for conduits of air, industrial ventilation, collecting dust with exhaust fans in stonemasonry, fiberglass, textile, asbestos processing and other industries, cooling of motors and air intakes for all machineries, conveying warm air for drying, vacuum cleaning equipments, air-conditions for offices, kitchen-range overhead exhaust, etc.



Oil Hose: Ideal for suction and discharge of oils: It takes care of the necessities of the great petrochemical industrial complexes. Application in load and products derived from oil and great variety of chemical products such as Diesel fuels, Kerosene, Liquid Petroleum products, Lubricating oils, Mineral oils, Light oils, Transformer oils etc.

Also available: Oil hose provided with copper wires inlaid in the wall, it allows to the load and discharge of highly inflammable products as copper wire provides for conduction of anti-static charges generated.



Non-Toxic: for use in nourishing products, the suction and discharge of beer, wine, milk, beverages, ice-cream, chocolates, peppermint, cereals etc. Its total transparency allows one better visualization of the ticket of the products and, its total smooth internal face, does not allow to the setting of residues, preventing contaminations.



Braided Hose Pipes: It is superior replacement to conventional rubber hoses as it is made of PVC, which results in convenience due to lightweight and economy in use. superior consolidation and adhesion between the braids and covers, as compared to rubber hoses.

Composition: The hose is composed of reinforcement (Braiding) of synthetic yarn in between two or more layers of Soft PVC. The yarn is reinforced in crosswise as well as longitudinal directions.



Welding Hose (Red & Blue) Suitable for oxy-acetylene welding and cutting equipments in all types of industrial workshops, oil refineries, steel mills, ship building repair & breaking yards, service stations, garages etc. Separate colours for easy identification.



Car Washing Power Hose: For washing vehicles at service stations with pressure water, high pressure pneumatic line in mines, compressors, excavators etc. Its special material makes it the only hose, which can fully withstand the unavoidable oil/grease contamination in garages. It is much economical compared with rubber/PU hose and provides excellent flexibility and durability.




Spray/CW Power/Rock Drill Hose: Unique technology provides Spray Hose, Car Washing Power Hose and Rock Drill Hose, the first and only product range made in India of this kind. It is constructed with full weaving of synthetic yarn in between two thermoplastic layers. It is very light weight and economical compared to double braided plastic/rubber hoses.


Spray hose is also available with factory fitted brass coupling (hose barb) crimped at both ends for ready-to-use applications.




Aspirating Hose / Unloading / Heavy-duty: 40 - 305 mm, -40 C +90 C Gaine NB Tape Pure 600. Ideal for Suction of: sawdust and chips, air and fumes, sectors of activity, Wood industry, Chemical industry.



Temp.: 90°C/ 125°C
PU Hose - Heavy Duty



Temp.: 90°C/ 125°C
PU Hose - Extra Heavy Duty



Temp.: 145°C/ 165°C
Flexadux HT PU Hose



Temp.: 90°C/ 125°C
PU Hose Super Heavy Duty



Temp.: 90°C/ 125°C
PVC solution Delivery Hose-Food Grade
-Phthalate Free with ANY Copper Wire



Temp.: 70°C
Smartflex PU Hose



Temp.: 200°C
Silicon Double Layer Hose



Temp.: 65°C
PVC heavy suction hose
with Fabric Reinforced




Temp.: 200°C
Super Heavy Duty Silicon Hose (FDA)



Temp.: 200°C
Silicon Double Layer Hose



Temp.: 70°C
PVC Steel Wire Hose




Temp.: 65°C
PVC Steel wire Hose with
Fabric Reinforced



Temp.: 90°C/125°C
PVC solution Delivery Hose-Food Grade
-Phthalate Free with ANY Copper Wire




Temp.: 60°
PVC suction Delivery hose non
Toxic - Transparent




Temp.: 60°C
PVC Suction Delivery Hose



Temp.: 80°C wall Thick. 0.75 to 1 mm
PU Hose with Rigid Helix



Temp.: 80°C wall Thick..0.75 to 1mm
PU hose with rigid helix
(Antistatic Copper Wire)



Temp.: 65°C
PU Solution Delivery Hose Non
Toxic - Transparent



Temp.: 85°C
VAT- Elastic Hose



Temp.: 60°C
PVC Duct Hose Transparent



Temp.: 60°C
Heavy Duty PVC Suction
Delivery Hose



Temp.: 70°C
PVC Braided Hose



Temp.: 60°C
Vacuum Cleaner Hose (EVA)



Temp.: 60°C
PVC Duct Hose - Grey



Temp.: 400°C/ 600°C
ss corrugated Hose



WE HAVE READY STOCK OF FOLLOWING ITEMS



Kiriko Automatic
Shaving Compactor

Hydraulic Cylinder

Hydraulic power
Units standard
Accumulator
Power Units


Accessories



Pressure Controls



Flow Controls



Directional Controls



Mobile Controls



Modular Controls



Logic Valves



Piston Pumps



Vane Pumps



Gear Pump



ALLIANCE INDUSTRIAL RUBBER HOSES AND FITTINGS

Supplier Industrial Equipment

Industrial Hose & Fitting | Industrial Pneumatics | Industrial Coupler | Industrial Hydraulic Valve

📍 Plot No -8b, Habibpur, Greater Noida, G. B. Nagar, U. P., 201306 Near Federal Bank

✉ enquiry.allianceindustrial@gmail.com, ☎ +91 8700532949