

# JKTILES MACHINERY

*Machinery with brains*

An Iso 9001:2015 Certified Company.

**India's Largest Chain in the segment of secondary**  
industry manufacturing of manufacturing bricks & Blocks  
machinery In -

- Hyderabad, Telangana
- Guwahati, Assam.
- Noida, Uttar Pradesh
- Delhi NCR
- Bhubaneshwar, Odisha

**J K T M**  
Specifications

Prospectus | Overview

- ▽ Endmost Concrete Product Solution
- ▽ Enthusiasm Customer Priority
- ▽ Incomparable product.
- ▽ Innovating Automation's

Mob : +91 7303075275  
+91 9618440701  
+91 9618034730  
FB/page: JKTilesMachinery

Email : [Jktilesmachinery1@gmail.com](mailto:Jktilesmachinery1@gmail.com)  
[Jktilesmachinery2@gmail.com](mailto:Jktilesmachinery2@gmail.com)  
[Jktilesmachinery@gmail.com](mailto:Jktilesmachinery@gmail.com)

Web: [Jktilesmachinery.com](http://Jktilesmachinery.com)

[Jktilesmachinery.org](http://Jktilesmachinery.org)

Youtube: [Jktilesmachineryhyderabad](https://www.youtube.com/Jktilesmachineryhyderabad)


# PRODUCT

## JKTM's Vibro-forming plant

Paver/interlocking Block and chequered tiles MakingMachine



“Our Esteemed Machine Parts Manufacturers | Helping Us to Sustain The Best Quality



**Note:** All The Companies Given Above Are Only Our Manufacturing parts suppliers, Which Provide Us All The Parts For The Manufacturing Of Machinery. These Includes Crompton™, Unbrako®, Dunlop™, Yuken®, Rexorth™, Schneider™, ABB, Siemens, 31 Grade MS iron etc.



## Model: AT-CMA250

### Auto Unload Pan Type Mixer



## SPECIFICATION

1. Motor : 5 Hp SGL Motors® or Crompton® Brand
2. Batch Capacity : 250Kg (Maximum).
3. Dimension : Drum - 48 inches, Height - 59 inches Approx.
4. Application : Used For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles
5. Electrical supply : 3 Phase AC Supply.  
Requirement
6. Warranty period : 12 Months.
7. Gear Box : 12 Liters. Heavy Duty oil filled Gear Box.



## Model: CMS300

### Tilting Drum Concrete Mixer



## SPECIFICATION

1. Motor : 5 Hp ,SGL. Motors® Brand
2. Batch Capacity : 300 Kgs.(Maximum)
3. Dimension : 89"x45"x60" (In Inches) Approx.
4. Application : Used in Top Layer Color Mixing  
For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
5. Electrical supply : 3 Phase AC Supply.  
Requirement
6. Warranty period : 6 months.
7. Gear Type : Rotary type with double Gears set.



Model: COL150

## SPECIFICATION

Pan Type Color Mixer  
for Top Layer (Heavy Duty)



- Motor : 5 Hp, SGL. Motors® Brand
- 1. Batch Capacity : 150 Kgs. (Maximum)
- 2. Dimension : 39" x 36" x 46" (LxWxH), Drum Dia: 36", Drum Depth: 16.5" (In Inches) Approx.
- 3. Application : Used in Top Layer Color Mixing  
For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
- 4. Electrical supply : 3 Phase AC Supply.  
Requirement
- 5. Warranty period : 12 months.
- 6. Gear Box : 11 Liters. Heavy Duty oil filled Gear Box.



Model: COL75  
Pan Type Color Mixer  
for Top Layer Mix(ECOBudget)



## SPECIFICATION

- 1. Motor : 3 Hp ,BKS. Motors® Brand
- 1. Batch Capacity : 75 Kgs.(Maximum)
- 2. Dimension : 33.5" x 33.5" x 38" (LxWxH), Drum Dia: 30", Drum Depth : 13" (In Inches) Approx.
- 3. Application : Used in Top Layer Color Mixing  
For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
- 4. Electrical supply : 3 Phase AC Supply.  
Requirement
- 5. Warranty period : 6 months.
- 6. Gear Box : 10 Liters. Heavy Duty oil filled Gear



Model: VIB-MAX-300

## Specification

Heavy Duty Vibro Forming Table



1. Motor : 3 Hp, B.K.S Motors® Brand
2. Main Sheet : 8mm (Heavy Duty work on complete Table)
3. Dimension : 10 feet X 3 Feet.
4. Application : Used For giving vibration to moulds in manufacturing of Wide Variety of cement tiles, paver block and Designer tiles
5. Electrical supply : 3 Phase AC Supply.  
Requirement
6. Warranty period : 12 Months.
7. Vibration Brackets: JKTM own Brand



Model: VIB-ECO-150

## Specification

Economical Low budget Vibro Forming Table



1. Motor : 3 Hp ,BKS Motors® Brand
2. Main Sheet : 6mm
3. Dimension : 10 feet X 2.5 Feet.
4. Application : Used For giving vibration to moulds in manufacturing of Wide Variety of cement tiles, paver block and Designer tiles
5. Electrical supply : 3 Phase AC Supply.  
Requirement
6. Warranty period : 6 Months on Motor Only.
7. Vibration Brackets : Dunlop® Or JKTM own Brand





Auto unload Discharge Heavy duty Concrete mixer with warm reduction gear powered by 7.5 Hp



1. Motor : 7.5 Hp, BKS. Motors® Brand
2. Batch Capacity : 400 Kgs. (Maximum)
3. Dimension : Drum Diameter :1524mm Height: MS sheet Thickness : 8 mm
4. Application : Used in Concrete Mortar Mixer Mixing For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
5. Electrical supply: 3 Phase AC Supply.
6. Mixing Blade Type: Scraper Blade / Roller Set (optional)
7. Warranty period : 12months.
8. Gear Box : 21 Liters. Warm Reduction Heavy Duty oil filled Gear Box.



## JKTM-SAT960 Auto Legend Vibro(Semi-Auto)

Introducing India's First Double Vibro Paver Block & Tiles Manufacturing Plant With 96 Tons Of Finished Product Output Capacity.







**TILES MACHINERY**  
AN ISO 9001:2015 CERTIFIED COMPANY



## SILICON PLASTIC MOULD & PVC RUBBER MOULD



SINCE 1990




[www.cementbrickmachines.com](http://www.cementbrickmachines.com) | 01206854886



**JKTILES**  
MACHINERY

## PAVER RUBBER MOULD

Have an **Idea**  
or **Project?**



**JKTILES**  
MACHINERY

## PAVER PLASTIC MOULD

Have an **Idea**  
or **Project?**







**JKTILES** Machinery with brains  
**MACHINERY**

## Machinery With Brains





# Few More Samples



Machinery With Brains





# Important Raw Materials

For Making Brilliant Finished Tiles.



Machinery With Brains

Iron Oxide colours





# Chemical/Hardener Admixture

## PCE (Poly carboxylate Ether)

## And Melamine Based



**JK Hardener**  
Model : JK-ADMIX-100 & 200

**Features :**

1. Gives Ultimate Strength.
2. Easy Demoulding with clean mould.
3. Early concrete setting
4. Lowers water : Cement Ratio
5. Locks Colour.
6. Increase flexibility and work ability.
7. Makes Corners strong and sharp.

Mfd.:                      Batch No.:


**JK Hardener**  
Model : JK-ADMIX-100 & 200

**Features :**

1. Gives Ultimate Strength.
2. Easy Demoulding with clean mould.
3. Early concrete setting
4. Lowers water : Cement Ratio
5. Locks Colour.
6. Increase flexibility and work ability.
7. Makes Corners strong and sharp.

Mfd.:                      Batch No.:

Paver/interlocking Block and chequered tiles



# PAVER BLOCK VIBRATING PLANTS

JKTM's Vibro-forming plant  
 German technology

Check out Our Chemical, Hardener & Lacquer polish  
 Making Machine and Technology





Our Branches Across the Country

Come & reach us



*We Hope You Find Our Above Prospectus To Your Whole Satisfaction By All Terms,  
We Request You To Kindly Place Your Valuable Orders, Which Receive Our Best  
Attention And Promote Execution. Hope That We Can Establish A Good Business  
Relationship In The Nearest Future  
Thanks.*



FOLLOW US ON  
SOCIAL MEDIA



## Our Esteemed Customers



IndianOil

IOCL

INDIAN OIL CORP LTD



Towards sustainable growth



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण  
National Highways Authority of India

**Dr. PATNAM MAHENDER REDDY  
INSTITUTE of MEDICAL SCIENCES**



**L&T Construction**  
Power Transmission & Distribution

Mob :+91 9618440701  
+91 7303075275

Email :  
[Jktilesmachinery3@gmail.com](mailto:Jktilesmachinery3@gmail.com)

Websites:  
[Jktilesmachinery.com](http://Jktilesmachinery.com)  
[Jktilesmachinery.org](http://Jktilesmachinery.org)  
[jktilesmachinery.in](http://jktilesmachinery.in)

FB/page: JKTilesMachinery

[Jktilesmachinery@gmail.com](mailto:Jktilesmachinery@gmail.com)