


1

SINCE 1990



Machinery With Brains



JKTILES MACHINERY

Machinery with brains

Manufacturing Machinery With Brains In –

- Assam.
- Delhi.
- Hyderabad.
- Bangalore.

J K T M

Prospectus | Overview

- ▽ Innovating Automation's
- ▽ Enthusiasm Customer Priority
- ▽ Incomparable product.

Mob :+91 9618440701
+91 7303075275

Web : Jktilsmachinery.com
Jktilsmachinery.co.in

FB/page: JKTilesMachinery

Email : Jktilsmachinery3@gmail.com
Jktilsmachinery1@gmail.com
Jktilsmachinery2@gmail.com

FOLLOW US ON
SOCIAL MEDIA





PRODUCT

2+3 Cavity Hydraulic Paver Block Making Machine.



Our Esteemed partner



SPECIFICATION

Main Hydraulic Machine : Mild Steel Plate Body 15-25 Mm Thickness

Major Technology : 90 Tones Pressure With High Frequency vibration Technology, Sensor System Machine & Auto PLC Based Comp. Panel Board System

Power Pack : Hydraulic Pressure 90 Tonnage
 : 5 HP JKTm Motor(Own Brand) For Main power pack with copper winding
 : 320 Liters Oil Tank With Oil Cooling System
 : Yuken® Plunger Pump.
 : Pressure Meter Scientific/Micro
 : Sonoligh Control Valve Rexorth
 : Bosch Speed Gear Pump
 : Hydraulic Jack Oil Seal Technoland/ Ranjhans.

PLC Power Board : (EPCS)Electronic Pressure Control System.
 : MS Steel Sensor System With Auto Stop Facility.
 : (HSCS) Hydraulic Speed Control System.
 : Electronics Parts By Siemens® & Delta.
 : Dust & vermin proof Panel suitable for bottom cable entry.


Electricity Source Required (3 Phase 440 volts).

1. Electricity (common)

Total Machine Power load :**12.5(HP)**
 Electric meter Required : **10 (KW)**

2. Diesel Generator(D.G)

Total Machine Power load : **15 (HP)**
 Diesel Generator (D.G) Required : **25 (KW)**

Output production images		Produce	L. (mm)	W. (mm)	H. (mm)	Per stroke	Per Shift (8-9 Hours production)
Bricks		Fly ash bricks	230	110	70	3cvt.	3000-3500nos.
		Cement bricks	200	100	100	3cvt.	3000-3500nos.
Paver block		ZigZag paver	225	112	60-100	2cvt.	1800-2000nos.
		I Shape paver	200	165	60-100	2cvt.	1800-2000nos.

Basic needs for plant startup

- ▽ Area Required for complete setup :
5000 to 7000 Sq. Feet .
- ▽ Tin shade required 20 X 30 (Feet) With concrete base, Height – 12 Feet.
- ▽ Labor required : Minimum Five(5) Non- Skilled Labor, further to increase depending upon production rate.

Our Branches



Mob :+91 9618440701
+91 7303075275

FB/page: JKTilesMachinery

Web : Jktilsmachinery.com
Jktilsmachinery.co.in

Email : Jktilsmachinery3@gmail.com
Jktilsmachinery1@gmail.com
Jktilsmachinery2@gmail.com



FOLLOW US ON
SOCIAL MEDIA

