

JKTILES MACHINERY

Machinery with brains

An Iso 9001:2015 Certified Company.

India's Largest Chain of Machinery Manufacturing for making All types of **Pavement Tiles, brick, CC Blocks** in **secondary** industry Sector of manufacturing, Our national presence in **5 Major Indian States** -

- Hyderabad, Telangana
- Guwahati, Assam.
- Noida, Uttar Pradesh
- Delhi NCR
- Bhubaneshwar, Odisha

JKTM
Specifications

Prospectus | Overview

- ▽ Endmost Concrete Product Solution
- ▽ Enthusiasm Customer Priority
- ▽ Incomparable product.
- ▽ Innovating Automation's

Mob : +91 9618440701
+91 7303075275
+91 9618034730
FB/page: JKTilesMachinery

Email : Jktilesmachinery3@gmail.com
Jktilesmachinery@gmail.com

Web: Jktilesmachinery.com

Jktilesmachinery.org

Youtube: [Jktilesmachineryhyderabad](https://www.youtube.com/channel/UCv3v3v3v3v3v3v3v3v3v3v3)

PRODUCT

JKTM's Vibro-forming plant

Paver/interlocking Block and chequered tiles Making Machine



JK TILES MACHINERY *Machinery with brains*
An iso 9001 : 2015 certified company.


CERTIFIED ISO 9001:2015
Quality Management System
COMPANY

PAVER BLOCK VIBRATING PLANTS

JK VIBRO650
Revolutionizing Frequency Enhancing quality

JKTM's Vibro-forming plant
German technology

"Our Esteemed Machine Parts Manufacturers | Helping Us to Sustain The Best Quality



Note: All The Companies Given Above Are Only Our Manufacturing parts suppliers, Which Provide Us All The Parts For The Manufacturing Of Machinery. These Includes Crompton™, Unbrako®, Dunlop™, Yuken®, Rexorth™, Schneider™, ABB, Siemens, 31 Grade MS iron etc.

Model: AT-CMA250

Auto Unload Pan Type Mixer

SPECIFICATION

1. Motor : 5 Hp SGL Motors® or Crompton® Brand
2. Batch Capacity : 250Kg (Maximum).
3. Dimension : Drum - 48 inches, Height - 59 inches Approx.
4. Application : Used For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles
5. Electrical supply : 3 Phase AC Supply.
Requirement
6. Warranty period : 12 Months.
7. Gear Box : 12 Liters. Heavy Duty oil filled Gear Box.



Model: CMS300

Tilting Drum Concrete Mixer

SPECIFICATION

1. Motor : 5 Hp ,SGL. Motors® Brand
2. Batch Capacity : 300 Kgs.(Maximum)
3. Dimension : 89"x45"x60" (In Inches) Approx.
4. Application : Used in Top Layer Color Mixing
For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
5. Electrical supply : 3 Phase AC Supply.
Requirement
6. Warranty period : 6 months.
7. Gear Type : Rotary type with double Gears set.



Model: COL150

SPECIFICATION

Pan Type Color Mixer for
Top Layer (Heavy Duty)

- Motor : 5 Hp, SGL Motors® Brand
1. Batch Capacity : 150 Kgs. (Maximum)
 2. Dimension : 39" x 36" x 46" (LxWxH), Drum Dia: 36", Drum Depth: 16.5" (In Inches) Approx.
 3. Application : Used in Top Layer Smooth Color Mixing For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
 4. Electrical supply : 3 Phase AC Supply. Requirement
 5. Warranty period : 12 months.
 6. Gear Box : 11 Liters. Heavy Duty oil filled Gear Box.



Model: COL75
Pan Type Color Mixer
for Top Layer Mix(ECOBudget)

SPECIFICATION

- Motor : 3 Hp ,S.G.L Motors® Brand
1. Batch Capacity : 75 Kgs. (Maximum)
 2. Dimension : 33.5" x 33.5" x 38" (LxWxH), Drum Dia: 30", Drum Depth : 13" (In Inches) Approx.
 3. Application : Used in Top Layer SmoColor Mixing For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
 4. Electrical supply : 3 Phase AC Supply. Requirement
 5. Warranty period : 6 months.
 6. Gear Box : 10 Liters. Heavy Duty oil filled Gear



Model: VIB-MAX-300

Specification

Heavy Duty Vibro Forming Table



1. Motor : 3 Hp, S.G.L Motors® Brand
2. Main Sheet : 8mm (Heavy Duty work on complete Table)
3. Dimension : 10 feet X 3 Feet.
4. Application : Used For giving vibration to molds in manufacturing of Wide Variety of cement tiles, paver block and Designer tiles, its major work is to remove the air pockets that is present in concrete to achieve the best strength.
5. Electrical supply : 3 Phase AC Supply.
6. Requirement
7. Warranty period : 12 Months.
8. Vibration Brackets: JKTM own Brand



Model: VIB-ECO-150

Specification

Economical Low budget Vibro Forming Table



1. Motor : 3 HP SGL Motors® Brand
2. Main Sheet : 6mm
3. Dimension : 10 feet X 2.5 Feet.
4. Application : Used For giving vibration to moulds in manufacturing of Wide Variety of cement tiles, paver block and Designer tiles
5. Electrical supply : 3 Phase AC Supply.
6. Requirement
7. Warranty period : 6 Months on Motor Only.
7. Vibration Brackets : Dunlop® Or JKTM own Brand



Auto unload Discharge Heavy duty Concrete mixer with warm reduction gear powered by 7.5 Hp



1. Motor : 7.5 Hp, S.G.L Motors® Brand
2. Batch Capacity : 400 Kgs. (Maximum)
3. Dimension : Drum Diameter :1524mm Height: MS sheet Thickness: 8 mm
4. Application : Used in Concrete Mortar Mixer Mixing For manufacturing of Wide Variety of cement tiles, paver block and Designer tiles.
5. Electrical supply: 3 Phase AC Supply.
6. Mixing Blade Type: Scraper Blade / Roller Set (optional)
7. Warranty period : 12months.
8. Gear Box : 21 Liters. Warm Reduction Heavy Duty oil filled Gear Box.



JKTM-SAT960 Auto Legend Vibro(Semi-Auto)

Introducing India's First Double Vibro Paver Block & Tiles Manufacturing Plant With 96 Tons Of Finished Product Output Capacity.





TILES MACHINERY
AN ISO 9001:2015 CERTIFIED COMPANY




SILICON PLASTIC MOULD & PVC RUBBER MOULD



JKTILES
MACHINERY

PAVER RUBBER MOULD



JKTILES
MACHINERY

PAVER PLASTIC MOULD





JKTILES *Machinery with brains*
MACHINERY

Few More Samples



Machinery With Brains



Important Raw Materials

For Making Brilliant Finished Tiles.



Machinery With Brains

Iron Oxide colours



Chemical/Hardener Admixture

PCE (Poly carboxylate Ether)

And Melamine Based

JK Hardener
Model : JK-ADMIX-100 & 200

Features :

1. Gives Ultimate Strength.
2. Easy Demoulding with clean mould.
3. Early concrete setting
4. Lowers water : Cement Ratio
5. Locks Colour.
6. Increase flexibility and work ability.
7. Makes Corners strong and sharp.

Mfd.: Batch No.:

JK Hardener
Model : JK-ADMIX-100 & 200

Features :

1. Gives Ultimate Strength.
2. Easy Demoulding with clean mould.
3. Early concrete setting
4. Lowers water : Cement Ratio
5. Locks Colour.
6. Increase flexibility and work ability.
7. Makes Corners strong and sharp.

Mfd.: Batch No.:



JKTILES Machinery with brains
MACHINERY
An iso 9001 : 2015 certified company.



Paver/interlocking Block and chequered tiles



PAVER BLOCK VIBRATING PLANTS

JKTM's Vibro-forming plant
German technology

Our Chemical, Hardener & Lacquer Polish Making Machine
Its Technology and Formulations.



TILES MACHINERY
AN ISO 9001:2015 CERTIFIED COMPANY



CHEMICAL HARDENER Making Machine



+91-9873997994
+91-9618440701
+91-7777000006

CONTACT US >

www.cementbrickmachines.com

Our Branches Across the Country
Come & reach us



*We Hope You Find Our Above Prospectus to Your Whole Satisfaction By All Terms,
We Request You To Kindly Place Your Valuable Orders, Which Receive Our Best
Attention And Promote Execution. Hope That We Can Establish A Good Business
Relationship In The Nearest Future
Thanks.*



www.jktilesmachinery.com

FOLLOW US ON
SOCIAL MEDIA



Our Esteemed Customers



IndianOil

IOCL

INDIAN OIL CORP LTD



Towards sustainable growth



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India

**Dr. PATNAM MAHENDER REDDY
INSTITUTE of MEDICAL SCIENCES**



L&T Construction
Power Transmission & Distribution

Mob :+91 9618440701
+91 7303075275

Email :
Jktilsmachinery3@gmail.com
Jktilsmachinery@gmail.com

Websites:
Jktilsmachinery.com
Jktilsmachinery.org
jktilsmachinery.in

FB/page: JKTilesMachinery