

500+ DOOR DESIGNS



Fix It... Forget It®



Designer Door

Catalogue 2024-25

www.nikidoors.com








Dear Patron,

It gives me immense Pleasure to inform you that Niki has been offering hi-quality & long-lasting Doors, Plywood, Door Frames, WPC Doors & Frames, since 1995 that add a touch of elegance to your interiors & exteriors.

We are truly grateful to all our customers, architects, builders, engineers, interior decorators, dealers & distributors, project consultants, carpenters, employees, friends & well-wishers for the constant supportin our success journey.

We rededicate ourselves to serve you with even more enthusiasm, commitment, integrity & innovative outlook to offer better variety of new & contemporary door designs & products that suit individual requirement.

Thank You once again for the Opportunity to serve you.







ABOUT US



For DOORS



For PLYWOOD &
BLOCK BOARD



For WPC PRODUCTS

Niki has been a leading provider of wide range of doors, plywood, WPC doors & frames, timber frames and shutters since 1995.

with an experience of over 5 decades of serving happy customers - we are uniquely placed to offer a wide range of products at reasonable price, quality, sevice & commitment to our customers.

We are committed to total customer satisfaction. Hence, we offer 5 Years of unconditional warranty on more than 500 varities of doors

We lay a great emphasis on Quality & Service. Our doors are designed to last long. Hence, our tagline Fix it Forget it. With out commitment towards the health of our customers - we use E1-e c o - f r i e n d l y waterproof glue, that conforms to European standards.

Niki has been growing because of its reliable after sales service, this has resulted in our existing customers recommending their near & dear ones to choose Niki products for their homes & offices.

K

Niki offers 30-50 mm thickness upto 8x4ft size, standard & custom designed Veneer, Laminate, Teknos Malaysian Primer Coated doors & WPC doors as per architect's design & interior requirements. This has been made possible with our addition of latest CNC Routing Machine & Italian ORMA Hot Press.

Niki is proud to announce Custom Designed Veneer, Laminate, Primer Coated & WPC doors as per architects' design & interiors. This is made possible with our addition of latest CNC Routing Machine.

We have always believed in building long-term relationships with our customers. This has resulted in our happy customers choosing us all the time for their door & other related requirements.

We are always focussed on continuous product innovation & design improvement to deliver latest products that meet ever changing taste of our customers. This has been possible as we seek constant feedback as well as our experience in the Wood Industry as timber wholesalers since 1970, doors and plywood trading & manufacturers since 1995.

Niki doors has made a significant contribution for over 25 years not only to people's homes but also to their lives by offering hi-quality, cost-effective and long-lasting doors, plywood, door frames, etc,.

Niki doors has been a pioneer in several aspects related to the Wood Industry in South India. One such example is Niki being a front-runner in offering 'ready-to-fix' doors in 1995 as well as WPC doors & frames with life-time guarantee since 2010.

Our carefully chosen raw materials & quality manufacturing processes ensure that they are strong & long lasting. This allows you to fix all the accessories such as door locks, hinges, tower bolts, door stoppers, handles, etc... with confidence. We offer a wide range of plywood - BWP for Kitchen & MR for general application. It comes with Termite & Borer proof life-time (7 years) guarantee.

Laminates are pressed using Italian make Hot Press with Jowat Glue (Germany) for strong adhesion, even finish & long life. We believe that doors are at the heart of every house. We put in our best effort to make sure that our doors are long lasting, add unique look & offer value-for-money.



RAGHU.M GOWD

Managing Partner AARNA PROJECTS

Congratulations for 25 years cel I have been using your product from past provided by Niki Doors & Plywood is amazing quality.



VINYAS CONSTRUCTION

Congratulations for 25 years celebrations of Niki doors and Plywood! I have been using your products from past 22 years in all our projects & I am pleased to say that your product is of excellent quality.



DESIGNER DOORS



URESH BABU

INDUS INC **Architects & Developers**

Hearty Congratulations Niki Doors and Plywood for your successful journey of 25 years!

Being a client for 20 years, I always appreciate uniquely merged quality & design of your products. My best wishes for the upcoming years.





SINCE 1995

VISHWANATH S. R.

SRV BUILDERS

Hearty Congratulations to Niki Doors & Plywood for completing their 25 years. Being their client for 15 years, I can confidently say that their excellence in service & professionalism are amazing. Wishing you the best in your future endeavors.







ebrations.
5 years, The service
excellent and of



B. JAGADEESH

Managing Director

SRINIDHI DESIGNBUILD PVT. LTD.

Congratulations on your 25th anniversary & thank you for being an essential part of our success.

We greatly value being associated with you for past 10 years. Your products & services are greatly appreciated. Continue the good work & wishing you all the best.





M. FIYAZ AHMED

Civil Engineer

Congratulations for completing 25 years of successful service in supplying Niki Doors & Plywood to number of reputed construction companies.

Being one among them, I appreciate Niki products & the range of designs & sizes available to suit all our requirements.

I also appreciate the staff for their approach & valuable service rendered. I once again congratulate & bless the company to serve more & more innovative products.



YUVARAJ V

DESIGN LINES rchitects/Engineers/Contractor

Congratulations on this special day and many wishes for more great days ahead.

We would like to express our sincere appreciation for your service to us as one of our most reliable & regular suppliers offering best quality products.



CHIEF ENGINEER

WOODSHIRE DEVELOPERS

Congratulations for completing 25 years s and Plywood.



Hearty congratulations to Niki doors and plywood for completing 25 years in this industry.

We have been using your doors in all our projects and the quality and services are excellent. Keep up the same trend and also come up with new models. All the best.







ASHRITH BEGUR

CO - FOUNDER NIRANJAN GROUP

Congratulations on completing a successfull 25 years in the business of manufacturing and selling the best quality doors .we @ niranjan group are very happy client because of their service quality of products and excellent after sales service which is a rare in the construction industry. Wishing you all the success to be the best in the industry







CH. CHAKRADHAR

MD & CHAIRMAN SAROJ GROUP

success in the years ahead.

Hearty Congratulations on this big occasion of silver jubilee anniversary. Being associated with the company as a client for the past 12 years, I am impressed with your quality and services. We wish many more such anniversaries and







ervice of Niki doors



SRIDHAR SHARMA

PROPRIETOR SHILPA ENTERPRISES

On this blissful and charming 25 years of success I wish Niki doors and plywood a v happy anniversary.. May your company continue the journey of success with pride! I wish you happiness and many more years of success!

Being a proud customer of Niki doors for the past 12 years, I appreciate the dedication of the staff, their commitment towards customer service is fantastic.

All the best





SHAKER SHANMUGAM

S R BUILDERS AND DEVELOPERS

Thank you for keeping me as such a valuable member of your team.

I wish this relation grows older, richer, and more



D V NAIDU

Managing Director SHRAVANTHI GROUP

Congratulations for 25 years celebration of Niki Impex

We have been using Niki products in all our projects, quality and availability of material is very good. Niki Doors are strong, highly functional & elegant to look at.





C	Company Profile	02 - 03
O N T	Customers Review	04 - 07
	Table of Content	08 - 08
	Flush Doors	09 - 09
	Teakwood Doors	10 - 25
	Teak Pooja Doors	26 - 30
	Decorative Veneer Doors & Veneer Shades	31 - 59
	Decor Laminate Doors	60 - 83
	Laminated Doors	84 - 99
	Primer Coated	100 - 106
	WPVC Doors	107 - 110
	Moulded Panel Doors	111 - 113
	Laminate Shades	114 - 114
	Plywoods & Block Boards	115 - 118
	Door Frames & Window Frame Sections	119 - 119
	Manufacturing Facility	120 - 120
	CNC Custom Design Jhalis	121-121

We Understand the Modern day requirements of Doors & Plywood. That is why we bring you Products that are a reflection on of our Customer's Lifestyle.







open the door to prosperity°

FLUSH DOOR

Fix It... Forget It®






FLUSH DOOR WITH GROOVE



PF COATED

FLUSH DOOR WITH TIMBER FILLING





- 1. Door Frame (2" to 2.5" inches)
 -Pine or Neem
- 2. Particle Board Filling
- 3. Timber Filling
 –Pine or Neem
- 4. Core: Thickness 2.5 mm
- 5. Door Face (0.3 mm)

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 30

CUSTOM OFFERING OF DOORS

Thickness: 30 to 50 mm

Size: 8' Feet x 4' Feet

Please contact our office for ordering doors with custom thickness & sizes.






Since 1995

SOLID TEAKWOOD DOORS





TEAK - C2 TEAK - C1

- + Niki presents an elegant range of Entrance Doors made of solid natural Burma, African and Tanzania Teak Wood Doors, Engineered Teak Wood (Finger joint) & frames with wide range of designs. We offer both exquisitely hand crafted as well as machine carved doors. Our teak wood doors are well seasoned to ensure long life.
- +We can make Customised door also on Customers Choice.
- + Our Solid Teak Wood Main Doors are like Crown Jewel of your house. Now, you have so many options to choose from.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84" Width: 32", 33", 36", & 38"

STANDARD THICKNESS(In mm): 32, 35, 38, 40

Please contact our office for custom thickness & sizes.











TEAK - C3

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS















TEAK - C5



TEAK - C6

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS









TEAK - C7





TEAK - 2 PG-3DHOKA





SOLID TEAKWOOD DOORS



TEAK - 4 PG-3DHOKA



TEAK - 6 PFG-4DHOKA

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"


CUSTOM THICKNESS













TEAK - 6 G-3DHOKA





Since 1995

Fix It... Forget It®

SOLIDTEAKWOOD DOORS







TEAK - 6PG

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS







SOLID TEAKWOOD DOORS



TEAK - 6H



TEAK - 7P









TEAK - 8PG



TEAK - 6P

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS









TEAK - 6P ARCH



TEAK - 9P









TEAK - 11P



TEAK - 12P

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS










TEAK - 13P





TEAK - 15P









TEAK - 10P



TEAK - FJ01 - POLISHED

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS









TEAK - FJ 02





TEAK - 7F









TEAK - 12F



TEAK - 18J

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS









TEAK - C8





TEAK - C9







ARTISTIC SERIES | SOLID TEAKWOOD POOJA **DOORS**

Niki presents beautifully crafted Pooja Doors made of Solid Teakwood, Veneer & Primer Coated Doors.

The biggest advantage of Niki pooja Doors is our ability to customise the doors to your personal taste & requirement. With our in-house CNC Grouting Machine, we offer customised designs using our.

Whether you are interested in a Pooja Door with specific deign patterns or Gods, we can do it for you. We can also engrave the name of your Kula Devatha or Family Deity on the Doors.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 32 mm

Please contact our office for custom thickness & sizes.





PD - 05





ARTISTIC SERIES | SOLID TEAKWOOD **POOJA DOORS**







PD - 01

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

32 & 40 mm







ARTISTIC SERIES | SOLID TEAKWOOD POOJA DOORS



PD - 03



PD - 04

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

32 & 40 mm







ARTISTIC SERIES | SOLID TEAKWOOD POOJA DOORS



PD - 06



PD - 07 PRIMER COATED










PD - PRIMER COAT



PD - OST BST

STANDARD THICKNESS: 32 mm

SIZES

Height: 80" & 81"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

32 & 40 mm







DECORATIVE VENEER DOORS

Fix It... Forget It®





- + Niki range of Decorative Veneer Doors are made of natural teak, walnut, wenge & many other veneer overlaid on BWP flush door.
- + These BWP doors are extremely durable, easy to maintain and suitable for homes, offices, hotels & commercial establishments & are mainly used for main door, bed room, internal rooms and bath rooms. As veneer is produced from natural wood the grains & shade may vary from door to door.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 32 mm

Please contact our office for custom thickness & sizes.









NDV - 03



NDV - 04

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS

Please check with our office before placing order.







DECORATIVE VENEER DOORS



NDV - 06











DECORATIVE VENEER DOORS



NDV - 07



NDV - 08

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS

Please check with our office before placing order.









NDV - 09



DECORATIVE VENEER DOORS



NDV - 10





DECORATIVE VENEER DOORS



NDV - 11



NDV - 12

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS

Please check with our office before placing order.









NDV - 13



NDV - 21











NDV - 22



NDV - 23

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS
















NDV - 25











NDV - 26



NDV - 27

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS











NDV - 28



NDV - 29









NDV - 30



NDV - 31

STANDARD THICKNESS: 30 mm


SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS









NDV - 32



NDV - 33



Since 1995







NDV - 34



NDV - 35

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS











NDV - 36



NDV - 41









NDV - 42



NDV - 43

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS







NDV - 44





NDV - 45









NDV - 46



NDV - 47

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS











NDV - 48



NDV - 49









NDV - 50



NDV - 51

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS

















NDV - 53









NDV - 54



NDV - 55

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS







NDV - 61





NDV - 62





Since 1995











NDV -64

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS









NDV-65





NGV - 01











NGV - 03

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"


CUSTOM THICKNESS











NGV - 05



NGV - 06





DECORATIVE VENEER DOORS



NGV - 07



NGV - 08

STANDARD THICKNESS: 30 mm

SIZES

Height: 79", 81", 84", & 96" Width: 32", 33", 36", 38" &48"

CUSTOM THICKNESS















DECORATIVE LAMINATE DOORS





- ◆ DECOR Laminate Doors are specially designed laminate based doors. These doors are maintenance free doors.
- + Laminate sheets are cut into different sizes and these laminates are then hot pressed using jowat German Glue on BWP flush door with different colour combination with a rich matte finish, giving the door a beautiful look.
- ◆ These doors are suitable for PG, hotels, schools, residential & commercial buildings, etc.

CPL - 201

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 32 mm

Please contact our office for custom thickness & sizes.







CPL - 204



CPL - 203

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing

order.







Since 1995









CPL - 206

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing

order.











CPL - 208



CPL - 209









CPL - 210



CPL - 211

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing

order.











CPL - 212





CPL - 213









CPL - 215

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS













CPL - 216



CPL - 217











CPL - 219

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width : 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing

order.











CPL - 220



CPL - 221





Since 1995

Fix It... Forget It®

DECORATIVE LAMINATE DOORS





CPL - 223

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing order.

CPL - 222









CPL - 224







Since 1995







CPL - 227

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width : 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing

order.

CPL - 226









CPL - 228





CPL - 229









CPL - 231

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width : 32", 33", 36" & 38"

CUSTOM THICKNESS


Please check with our office before placing order.

CPL - 230











CPL - 232













CPL - 235

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width : 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing order.

CPL - 234









CPL - 236





CPL - 237











CPL - 243

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing order.

CPL - 242







DECORATIVE LAMINATE DOORS



CPL - 244



CPL - 245











CPL - 247

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing













CPL - 248





CPL - 249









CPL - 251

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing order.











CPL - 252





CPL - 253





LAMINATED DOORS







- + Niki's Laminated Doors are made of single laminate sheet machine pasted onto Flush doors with hot press.
- + They are available in matte finish & various elegant shades with the option of Timber & Particle Board filling.
- + These doors are suitable for PG, hotels, schools, residential & commercial buildings, etc.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 32 mm

Please contact our office for custom thickness & sizes.









NDL - 312

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing















NDL - 314



NDL - 315

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing













NDL - 316





NDL - 317











NDL - 318



NDL - 319

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing









NDL - 320





NDL - 321











NDL - 322



NDL - 323

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing order.











NDL - 325





NDL - 326









NDL T - 1



NDL T - 2

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing









NDLT-3





NDLT-4











NDLT-5



NDLT-6

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing









NDLT-7





NDLT-8









NDL T - 9



NDLT-10

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing









NDL T - 11





NDL T - 12











NDLT-13



NDL T - 14

STANDARD THICKNESS: 32 mm

SIZES

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36" & 38"

CUSTOM THICKNESS

Please check with our office before placing









NDLT-15







NDLT-16



Fix It... Forget It

PRIMER DOORS





NPC - 401 NPC - 402

- + Primer Coated Doors are Flush Doors made of Solid Timber or Particle wood fills with HDF face on both the sides. It is possible to make any kind of engraved design according to customer's choice.
- → With a wide choice of designs, these doors can be stained to give a rich natural look or painted in custom shades to match the decor. Being paintable doors, they are cost-effective to maintain in the long term compared to Veneer Doors.
- + These doors are suitable for homes, offices, hotels, PGs, hospitals & commercial buildings and are mainly used for main door, bed rooms as well as internal doors.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", & 38"

Can make upto 8"feet x 4"feet doors

STANDARD THICKNESS (in mm): 32 mm


Please contact our office for custom thickness & sizes.














NPC - 403




NPC - 404




NPC - 405



NPC - 406



NPC - 407




NPC - 408







Since 1995




NPC - 409






NPC - 412 NPC - 413



NPC - 411



NPC - 414

















NPC - 416








NPC - 418


NPC - 420














NPC - 422



424 NPC - 425



NPC - 423



NPC - 426












open the door to prosperity

Fix It... Forget It®


PRIMER DOORS









NPC - 427



NPC - 428



NPC - 429



NPC - 430




NPC - 432






















NPC - 434

NPC - 435







NPC - 436


NPC - 437

NPC - 438











+ The Wood Polymer Composite
(WPC) products are efficient and costeffective substitutes of wood and
plywood. The products are 100%
Water & Chemical proof, termite/ borer
proof, fire retardant and recyclable.
+ WPC window frames & window,
door frames & doors & shutters are
made of 70% of virgin Polymer, 15% of
wood powder and rest 15% of
additives and requisite chemicals.
+ There is no harmful chemicals used
in the manufacturing of the WPC.
products rendering them to be ecofriendly.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 75", 78", 81", 84" & 96"

Width: 26", 27", 30", 32", 33", 36", & 38"

STANDARD THICKNESS (in mm): 25 & 30 mm

Please contact our office for custom thickness & sizes.















WPC - TEAK TEXTURED





WPC - WALNUT TEXTURED



















WPC - 04





WPC - 05

WPC - 07







WPC DOORS







WPC - 2P

WPC - 6P







MOULDED PANEL DOORS







HARMONY

- + Niki's Moulded Panel Doors are made with Masonite high density fibre skin. These doors are most suited for all types of homes as they are tough and rigid in build quality.
- + They can be also polished or painted to add more beauty and value to your house.
- ◆These doors are suitable for apartments, homes, office, hotels, PG & commercial buildings. They are mainly used for main door, balcony, bed room & bathrooms. It is highly preferred by most of the reputed builders.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in inches):

Height: 79", 81" & 84"

Width: 26", 27", 30", 32", 33", 36", 38" & 39"

STANDARD THICKNESS: 32mm CUSTOM THICKNESS: 35 & 40mm

Please contact our office for custom thickness & sizes.














OVAL - TX











MOULDED PANEL DOORS





NMP - MS - 2P

NMP - 4P - TX







Fix It... Forget It®



























NL - 01



NL - 03



NL - 05



NL-06



NV - 07





114






PLYWOOD & BLOCK BOARD







PLYWOOD - BWP PLATINUM PLUS

+Niki offers Moisture Resistant (MR) & Boiling Water Proof (BWP) Plywood & Blockboard variants.

Niki MR Plywood is useful for commercial applications like making of furniture, wardrobes, etc., Made of 100% composed core using Neem wood timber fillings - they are durable, fungus, borer & termite proof.

+ Niki BWP PLYWOOD also known as marine Ply is suitable for areas where the finished wood product is exposed to water & moisture like kitchen & bathrooms. It is made of 100% Neem wood & Gurjan wood ply comes with 15 years warranty they are most durable, borer, termite and fungus proof.

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in Feet): 8'x 4' & 7'x 4' Standard Thickness: 6, 8, 12, 16 & 18 mm

BB Standard Thickness: 19 & 25 mm BB Standard Size: 7'x3', 7'x4' & 8'x4'










PLYWOOD - MR PLATINUM








PLATINUM PLUS - CALIBRATED MR 8X4 Feet Only










PLYWOOD - ECO






PLYWOOD - MR GOLD


















BB - MR









DOOR & WINDOW FRAME SECTIONS

Door Frames

3" x 2"

90mm x 63mm

4" x 2"

(3.5" x 2.5")

75mm x 45mm 115mm x 63mm

(4.5" x 2.5")

90mm x 45mm

LONG LIFE DOOR & WINDOW FRAMES FOR YOUR HOME/ OFFICE/ HOSPITALS ETC.,





TECHNICAL SPECIFICATIONS

Niki offers Window Frames in 5 x 2.5 sections the finished Window frames shown in the picture for reference purpose only. Provision has been made in the window Frames to install Mosquito Mesh.



Make Sure you only buy original Niki Products with the Hologram.










VECTOR SERIES | CNC CUSTOM DESIGN JHALIS



- + Niki offers Custom Design Doors & Panels for wide range of Interior & Exterior design applications.
- + With our hi-precision CNC Machine, we can make interesting creative designs for doors, shutters, interior design elements, etc,.
- + You are no more constrained by conventional designs. Let your creative juices flow...

TECHNICAL SPECIFICATIONS

STANDARD SIZE(in Feet): 8'x 4' & 9'x 5'

PVC Thickness: 6, 8, 12, 16 & 18 mm







Since 1995

Fix It... Forget It®

STERN MOOD FILLING

Timber used selected & service enhance

Timber used for our doors are carefully selected & seasoned to remove moisture. This enhances the quality of doors & avoids warping in the long run.

FRAMING & FILLING

Our Flush Doors are made of Timber & Particle wood fills. We use the best in class Timber & Particle wood fills to make our Flush Doors.

Niki Flush Doors have great reputation to last long. We offer 3 kinds of fillings: 1. Pine or Neem wood Fillings 2. Particle Board/wood Fillings

CORE DRYING

CORE used for our doors are carefully machine dried to remove residual moisture. This enhances the quality of doors & improves the strength.

CORE GLUEING & HOT PRESS

PINE NOOD FILLING

It is the core of the door that matters!
That's why we make sure that the Core is well glued using Glue of International Standards & hot pressed for better quality of bonding across the surface.











WELL STOCKED WAREHOUSE

All our doors, plywood, blockboards, door frame & window sections are manufactured using state-of-the-art technology. They are precision cut-to-size & chemically treated to be borer & termite proof (optional).

SIZING & FINISHING

We truly believe in customer satisfaction.

Therefore, we have built a 20000sq.ft.
warehouse in Bangalore to serve the ever
increasing needs of our customers on-time.



DO'S & DON'T'S

Five Years on Flush Door, Veneer Door, Laminate Door

All our Niki products had a warranty of TWO years & can only be claimed on producing original Bill.

*Warranty can be claimed for manufacturing defects only.

For Doors made of Natural Benin Teak wood, the cracks are not covered under warranty.

Storage Instructions:

25 Years Warranty on all WPC Products against Self Damage Only

Doors must be horizontally stacked on flat Surface in cool & dry place. Doors must not be exposed to sunlight.

Installation & Fixing Instructions:

- * The Door Frame has to be fixed in 90° Angle
- ★ Do not trim more than 1" (25mm) on the Top & bottom of the Doors. Do not trim more than 1" (25mm) on the sides of Doors.
- ★ Lipping of teak, hardwood, PVC Head bidding fix on all the four sides has to be done compulsorily to prevent moisture absorption, wear & tear of the Door.
- ★ The door life increases by doing this. The applied warranty will become invalid if this instruction is not followed.

 Do not cut the door for fixing glass at your end. Pl inform us about your requirement we shall cut the door & give it to you.
- ★ ½" (12mm) gap has to be maintained between bottom of the door & flooring (door frame) for the bathroom door.

Bathroom Doors:

- ★After trimming & Lipping of the Door, all the four sides & Bottom have to be primed & painted or sealed with wood sealant before fixing the door.
- ★Please do maintain 3mm gap between door & frame.
- *Bathroom doors, room doors & exit doors have to be taken care after every two year by painting/polishing the door on all sides to increase the life of the doors.
- ★Make sure you need water proof or non water proof door & place order accordingly. Use only branded polish for veneer doors.

Engineered Veneer Doors:

Engineered Veneer Doors cannot be fixed at places where it is being exposed to sunlight or rainwater. Do use latches on Bath Room doors & room doors. In case of emergency - it is easy to break the latch without causing much damage to the door.

DO NOT HAMMER THE SCREW - FIT SCREWS USING A SCREWDRIVER.

In case of any manufacturing defect, our replacement is only for our product at your doorstep. Third Party Fittings & Accessories not covered under Warranty: Any fittings & other accessories will not be replaced by us. Fixing charges for the replacement door to be borne by the buyer.

*COMPANY WARRANTY WILL BE APPLICABLE ONLY WHEN ALL THE INSTRUCTIONS GIVEN HERE ARE FOLLOWED COMPLETELY & PROPERLY



Make Sure you only buy original Niki Products with the Hologram.







4 years of expertise & knowledge



27 years of experience in this industry



5,00,000+ happy clients



100+



+ 500



500+ 10,000+



BORER & TERMITE PROOF



ECO FRIENDLY



HOT PRESSED



STRONG BOND



CHEMICALLY TREATED



open the door to prosperita
SINCE 1995

Fix It... Forget It®

TO SAVE FOREST
Use WPC 25 Years
Warranty on WPC Products

Dealer/ Distributor:



BUY ORIGINAL: BEFORE PURCHASE, PLEASE CHECK FOR THE HOLOGRAM ON THE PRODUCT TO VERIFY ITS ORIGINALITY

Disclaimer: All the product photographs shown in this Product Catalog are infellectual Property of Niki Impex. Any copying or reproduction of the same without written permission from us will be considered as illegal. Product into provided here is subject to change without prior notification. Pi check with our office before placing order.

www.nikidoors.com